

A FINITE ELEMENTS WITH CONTINUE TRANSVERSE ELECTRIC DISPLACEMENT FOR THE ELECTRO-MECHANICAL ANALYSIS OF SHELL STRUCTURES

M. Cinefra ^{*}, S. Valvano [†], E. Carrera ^{‡§}

Keywords:

Piezoelectric materials, Multifield problems, Shell and Plate, Unified Formulation, Mixed Interpolated Tensorial Components.

Abstract

Because of their capability to adapt and/or sense to the external environment, so-called smart structures have attracted considerable research over the past few years. This capability leads to a wide range of applications, in particular in the aerospace field. Among materials that can be used, only piezoelectric ones have shown the capability to perform effectively both as actuators and sensors, and the possibility of a simple integration with composite structures. The present work deals with the analysis of multilayered plates and shells embedding piezoelectric layers as actuators and sensors, see Fig. 1. Finite elements with layer-wise capabilities are employed to ensure an accurate description of the mechanical and electric fields in the layers. It is essential to take into account the discontinuity of the mechanical and electrical properties at the layer interfaces. For these reasons, the use of classical plate theories based on Kirchhoff and Reissner-Mindlin hypotheses can lead to inaccurate results. Even if analytical models are available, the solution of practical problems often demand the use of computational methods such as the finite element method. To this aim, the refined shell elements, recently formulated by the authors on the basis of Carrera Unified Formulation (CUF), have been extended to the electro-mechanical problem. The governing equations are derived using the Reissner's Mixed Variational Theorem (RMVT) extended to the electro-mechanical case, the original RMVT has been modified to account for "only" interlaminar continuous D_3 . Continuity of mechanical variables, such as transverse shear and normal stress components, has been discarded to provide a simple "electrical" modified RMVT, here called ($RMVT - D_3$).

^{*}Research Assistant, Aerospace Department, Politecnico di Torino, Corso Duca degli Abruzzi, 24, 10129 Torino, Italy, e-mail: maria.cinefra@polito.it, website: www.mul2.com.

[†]Aerospace Department, Politecnico di Torino, Corso Duca degli Abruzzi, 24, 10129 Torino, Italy, e-mail: stefano.valvano@polito.it, website: www.mul2.com.

[‡]Professor, Aerospace Department, Politecnico di Torino, Corso Duca degli Abruzzi, 24, 10129 Torino, Italy, e-mail: erasmo.carrera@polito.it, website: www.mul2.com.

[§]currently at School of Aerospace, Mechanical and Manufacturing Engineering College, RMIT University, Melbourne, Australia.

$$\int_V \left(\delta \epsilon_{pG}^T \sigma_{pC} + \delta \epsilon_{nG}^T \sigma_{nC} - \delta \mathcal{E}_{pG}^T \mathcal{D}_{pC} - \delta \mathcal{E}_{nG}^T \mathcal{D}_{nM} - \delta \mathcal{D}_{nM}^T (\mathcal{E}_{nG} - \mathcal{E}_{nC}) \right) dV = \delta L_e - \delta L_{in}$$

This model has already shown good results in the electro-mechanical analysis of multilayered plates and shells with analytical code, and only plate with FEM code [1], [2]. The Mixed Interpolated Tensorial Components (MITC) method is employed to contrast the membrane-shear locking phenomenon that usually affects shell finite elements. This formulation has already shown all its potentiality as a base for finite elements in the mechanical analysis of multilayered shells [3]. Moreover, plate finite elements based on CUF for the analysis of electro-mechanical problem have been already presented in [4]. One of the most interesting features of the unified formulation consists in the possibility to keep the order of the expansion of the state variables along the thickness of the plate as a parameter of the model. In so doing, both equivalent single layer (ESL) and layer-wise (LW) descriptions of the variables are allowed. The electrical potential assumption for the layered actuators and sensors has been limited to a LW description while the displacements assumption on the composite layers both equivalent single layer (ESL) and layer-wise (LW) descriptions are allowed. This feature is particularly suitable since electric degrees of freedom (dofs) are often avoided for plate/shell elements or a simple through- thickness linear variation is assumed for the electric potential. Some results from the static and dynamic analysis of plates and shells under electro-mechanical loads will be provided, in order to show the efficiency of models presented.




Figure 1: Double curvature shell with piezoelectric layers.

References

- [1] E. Carrera, P. Nali., "Mixed piezoelectric plate elements with direct evaluation of transverse electric displacement," *International Journal for Numerical Methods in Engineering*, 80:403-424; (2009).
- [2] E. Carrera, S. Brischetto, P. Nali., "Plates and shells for smart structures : classical and advanced theories for modeling and analysis," *John Wiley & Sons, Ltd*, (2011).
- [3] M. Cinefra and E. Carrera., "Shell finite elements with different through-the-thickness kinematics for the linear analysis of cylindrical multilayered structures," *International Journal for Numerical Methods in Engineering*, 93, 160-182, (2013).
- [4] E. Carrera, S. Brischetto, M. Cinefra "Variable kinematics and advanced variational statements for free vibrations analysis of piezoelectric plates and shells.," *Computer Modeling in Engineering & Sciences*, 65(3), 259-341, (2010).