

Anisotropic Transverse Confinement Design for Electrically Pumped 850 nm VCSELs Tuned by an Intra Cavity Liquid-Crystal Cell

Original

Anisotropic Transverse Confinement Design for Electrically Pumped 850 nm VCSELs Tuned by an Intra Cavity Liquid-Crystal Cell / Debernardi, Pierluigi; Simaz, Andrea; Tibaldi, Alberto; Boissard, Benjamin; Camps, Thierry; Bertazzi, Francesco; Goano, Michele; Reig, Benjamin; Doucet, Jean-Baptiste; Bardinal, Veronique. - In: IEEE JOURNAL OF SELECTED TOPICS IN QUANTUM ELECTRONICS. - ISSN 1077-260X. - STAMPA. - 28:1(2022), pp. 1-11. [10.1109/JSTQE.2021.3089897]

Availability:

This version is available at: 11583/2910092 since: 2021-07-28T09:24:20Z

Publisher:

IEEE

Published

DOI:10.1109/JSTQE.2021.3089897

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

IEEE postprint/Author's Accepted Manuscript

©2022 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collecting works, for resale or lists, or reuse of any copyrighted component of this work in other works.

(Article begins on next page)

Anisotropic Transverse Confinement Design for Electrically Pumped 850 nm VCSELs Tuned by an Intra Cavity Liquid-Crystal Cell

Pierluigi Debernardi, Andrea Simaz, Alberto Tibaldi, *Member, IEEE*, Benjamin Boisdard, Thierry Camps, Francesco Bertazzi, Michele Goano, *Senior Member, IEEE*, Benjamin Reig, Jean-Baptiste Doucet, and Véronique Bardinal

Abstract—Relying on preliminary experiments, in this work we design a tunable 850 nm laser based on a hybrid combination of a liquid crystal micro-cell with nanoimprinted grating and an electrically-pumped GaAs half-VCSEL. The optical design is challenging due to the inherent tolerances of this hybrid technology, the presence of metals in the cavity and the need for single fundamental extraordinary mode emission over the whole tuning range. To ensure proper operation, we introduce for the first time the new concept of anisotropic transverse confinement design. The overall performance is verified by our multiphysics VCSEL suite. Beyond tuning features, we predict side mode suppression ratio and optical power under all working conditions, comparing the performance of liquid crystals with different clearing temperatures. The results qualifies these lasers as viable tunable sources with interesting performance and complementary features compared to other technologies.

Index Terms—Vertical cavity surface emitting lasers, Liquid crystal devices, Semiconductor lasers, Simulation.

I. INTRODUCTION

TUNABLE VCSELs are devices where wavelength is varied by changing the cavity optical length. Such components are very sought after, for several applications, ranging from datacom to sensing. Contrary to edge emitting tunable lasers, where the continuous tuning is limited to few nanometer, in VCSELs large tuning ranges can be achieved [?]. The state of the art in tunable VCSELs is represented by MEMS technology, where tuning is achieved by modifying the physical length of an air-gap in the tunable micro-electromechanical systems (MEMS) VCSEL [?], [?], [?]. Various tunable MEMS VCSELs have been demonstrated at 850 nm [?], [?] to 1550 nm [?] and up to 4 μ m [?]. Quite remarkable is the first VCSEL operating at 1.06 μ m in [?] for ophthalmologic optical coherent tomography systems. More

recently, a tuning range of 37.7 nm with 76 V applied was reported at 850 nm [?]. This is the best tuning result at 850 nm to date.

However, MEMS might present drawbacks, such as relatively high tuning voltage and structural weakness that could make the moving part fragile. These devices could also be affected by ambient vibrations, which can alter their operation stability, or, at best, introduce strong extra noise.

As an alternative to MEMS, a promising novel approach is inserting a liquid crystal (LC) micro-cell as an intracavity layer of the VCSEL. In this case, the wavelength tuning is achieved by varying the refractive index of the LC, which modifies the cavity optical length.

Key advantages of this technology are large refractive index variations with moderate applied voltage, low power consumption and no moving parts.

The technology behind this idea is challenging, though, and no electrically pumped LC-VCSEL has been demonstrated so far. In fact, the need of creating an intracavity reservoir to host the LC is an additional difficulty compared to the MEMS approach. Experimental data are available for VCSELs, overlaid by an LC reservoir [?], [?], [?], which is very different compared to an intracavity tunable device.

Hitherto two different approaches have been proposed: wafer fusion [?], [?] and hybrid approach [?], [?], both lacking experimental demonstration of an electrically driven device.

C. Belmonte et al. presented in 2015 a theoretical study of a 1.3 μ m electrically driven LC-VCSEL that highlighted a thermal limitation at 50 °C using E7 [?]. More recently, the same group published further model details. In this approach, the thin azo-dye layers proposed for insuring LC alignment inside the cavity [?] are not compliant with the high-temperature needed for wafer fusion [?]. Wafer-fusion technology itself has never entered mass production, which points to inherent criticalities.

Our approach is mainly based on the use of polymers for the LC cell fabrication. The general advantages of organic materials, as compared to inorganic compounds, are numerous: energy saving and thermal compatibility due to requirement of temperatures below 200 °C for the process, no need of costly and heavy equipment, as well as a variety of possible materials to be used. Most of all, our approach seems a bit more mature because different intermediate steps of the technology have been already demonstrated. The use of a single SU-8

P. Debernardi is with the Consiglio Nazionale delle Ricerche (CNR), Istituto di Elettrotecnica e di Ingegneria dell'Informazione e delle Telecomunicazioni (IEIT), 10129 Turin, Italy.

A. Simaz is with Walter Schottky Institut, Technische Universität München, 85748 Garching, Germany.

A. Tibaldi, F. Bertazzi and M. Goano are with the Department of Electronics and Telecommunications, Politecnico di Torino, Turin, 10129 Italy, and with the Consiglio Nazionale delle Ricerche (CNR), Istituto di Elettrotecnica e di Ingegneria dell'Informazione e delle Telecomunicazioni (IEIT), 10129 Turin, Italy.

B. Boisdard, T. Camps, B. Reig, J.-B. Doucet and V. Bardinal are with CNRS, Univ. Toulouse, F-31400 Toulouse, France.

Manuscript received February 10, 2021; revised May 12, 2021; accepted June 11, 2021.

After the fabrication of a top annular Ti/Au p-contacting (in yellow in Fig. 1) and a full plate bottom n -type contact, $36\mu\text{m}$ circular mesas are defined by dry etching of the multilayer stack up to the n -doped area giving access to the $\text{Al}_{0.98}\text{Ga}_{0.02}\text{As}$ layer that will be oxidized in high temperature water-vapour. The resulting oxide aperture provides current and optical confinement at the same time. A SiON dielectric layer is used for device passivation and to act as a guiding/antiguinding ring to enable tuning operation (see Sec. III-C). An aluminium (Al) contact pad is finally deposited to insure a deported electrical access for each device after LC microcell integration.

B. LC Reservoir and Top DBR

The grating+DBR section is supported by polymer walls, whose self-sealing properties are exploited for the final device assembly at the end of the fabrication process. The third part is a dielectric DBR made of $7x(\text{SiO}_2/\text{Ti}_3\text{O}_5)$ pairs deposited on a $0.7\mu\text{m}$ -thick glass substrate having a 45nm -thick transparent conductive ITO electrode on its surface. A thin SU-8 layer, a negative photoresist, is deposited on the surface of this mirror and a 200nm -period polymer grating that will serve for LC alignment is fabricated by nanoimprint lithography (NIL) in the SU-8 layer (grating depth 48nm , duty cycle 50%) [?]. The process used here is similar to the one reported by the authors for the fabrication of optically-pumped LC tunable VCSELs [?]. The cells are collectively assembled by thermal sealing under pressure of the (glass/ITO/DBR/grating) stack placed upside down above the PermiNex walls.

For the top dielectric DBR, the choice of 7 pairs is determined by observing that down to 8 pairs threshold does not change (it is determined by the free carrier absorption in the spreading layer), while 6 pairs result in a much higher threshold, which would compromise the overall device performance [?].

C. Liquid Crystals

The used nematic LC consists of electro-sensitive molecules, which are sketched in light green in Fig. 1. As indicated in this picture, their shape is rod-like. Treating the LC as an effective medium, these elongated shapes cause light propagation in the LC to be anisotropic. At equilibrium, the LC molecules are aligned to the grating lines, see top-left inset of Fig. 1. In this condition, the optical anisotropy or birefringence is maximum and we define as n_e the extraordinary index (in the direction of the grating lines) and n_o the ordinary one (perpendicular to the grating grooves). By applying the tuning voltage the molecules orientation is modified, making the extraordinary index voltage-dependent. When the molecules become vertical, they exhibit a 1:1 aspect ratio, and the optical anisotropy fully disappears. These concepts are sketched in the inset of Fig. 1. The nematic LC material is introduced in the cells under vacuum and above its clearing temperature, where the anisotropy disappears. This corresponds to the temperature where the ordinary and the extraordinary branch meet (see Fig. 2 of [?]).




Fig. 3. Measurement of the spectral positions of the ordinary (blue) and extraordinary (red) mode positions as a function of the applied voltage for a test sample with a LC-microcell integrated on a non-electrically processed half-VCSEL. Only the voltage range above the LC threshold (5 V) is shown. The estimated variation of the refractive index n_e is reported on the top axis.

Two types of LC are investigated in this work: type 1 (QYPDLC-07 from QingDao, similar to standard E7 from Merck) and type 2 (QYPDLC-036). Both exhibit a significant birefringence at room temperature: $n_e - n_o = 0.227$ and 0.253 respectively. The latter displays superior temperature features, i.e. its clearing temperature is higher: 368K , compared to 331.6K . The thermal decrease of the refractive indexes below the clearing temperature is inferred from the literature [?] and from a complementary study [?]. LC absorption is almost negligible in the NIR range and we used the literature value of 0.08cm^{-1} at 850nm [?].

D. Experiments for FSR and LC-cell tuning features

In Fig. 3, we check the tuning capability of our LC technology at 850nm , using a simpler LC-structure directly integrated on a non-processed III-V epilayer, with no electrical injection features. In this way, the reflectance spectrum can be easily measured by FTIR spectroscopy inside the LC micro-cell on a flat and large surface ($\approx 400\mu\text{m}^2$). In this intermediate device, the LC reservoir height is equal to that of PermiNex wall and estimated to be 2600nm and the etching depth is about 120nm (90nm of the GaAs cap layer + 30nm in the layer below). The spectral position of the resonances of the reflectance spectrum is measured varying the applied voltage. As observed in Fig. 3, the extraordinary modes positions can be tuned above 5V applied, whereas the ordinary modes positions remain unchanged whatever the applied voltage, as expected. This preliminary result shows the scalability of our technology and indicates its feasibility at 850nm .

E. Geometrical Constraints and Tolerances

All the geometrical dimensions and technological tolerances are detailed in Table I. Taking into account these variations, the resulting LC thickness at the device center can be expressed as:

$$h_{\text{LC}} = h_{\text{PermiNex}} - h_{\text{mesa}} + h_{\text{GaAs}} + h_{\text{SiON}} \quad (1)$$




Fig. 4. 1D optical standing wave (red, $\lambda=841$ nm, $G_{th}=631$ cm $^{-1}$) and corresponding longitudinal refractive index profile (black) for $n_e=1.60$, SU-8=0.6 μ m, $h_{LC}=3$ μ m. The various sections have emphasized with different colors.

which means that its tolerance is mainly given by h_{mesa} and $h_{PermiNex}$, i.e. ± 200 nm, as the uncertainties on the other layers can be neglected. The key parameter $h_{PermiNex}$ can be varied between 3 μ m and 5 μ m by playing on spin-coating conditions during wall fabrication.

The thickness of the SiON layer plays also a significant role: the higher the h_{SiON} , the higher the anisotropic guiding effect (Section IV-C). However, for LC filling considerations, the LC channel height should be not lower than 0.5 μ m at any location on the sample. Consequently, the maximal value for h_{SiON} is 1 μ m. In these conditions, depending on the chosen PermiNex height, h_{LC} can be set between 2.3 μ m and 4.8 μ m. Due to uncertainties on the PermiNex thickness during its deposition by spin coating (2.6%), h_{LC} cannot be controlled with a precision better than ± 50 nm. Additionally, the thickness of the thin SU-8 layer used for the fabrication of the LC alignment grating on the DBR/glass substrate cannot be controlled with a precision better than ± 100 nm (14%). These significant uncertainties have to be taken into account in the optical design.

III. OPTICAL ANALYSIS

The tuning features can be investigated by a simple one-dimensional (1D) analysis of the axial ($\rho=0$) section of the device sketched in Fig. 1 and summarized in table II. The 1D simulations are performed by VELM-1D, where the effect of the LC alignment grating is introduced on the same footing as in VELM-3D. The grating is studied rigorously by RCWA approach [?]. The inferred properties are converted into transmission matrix, required by VELM. The code is run twice, for EM (extraordinary mode, TE, parallel to the grating grooves) and OM (ordinary mode, TM, orthogonal to the grating lines). As an example, in Fig. 4 we provide a standing wave profile for $n_e = 1.60$, superimposed to the refractive index profile, showing also the most relevant sections of the longitudinal optical resonator.

A. FSR and threshold gain

At first, we investigate the FSR (free spectral range) in Fig. 5 and the corresponding threshold gain vs. the etching depth of

TABLE I
KEY PARAMETERS, DESIGN VALUES WITH THEIR UNCERTAINTIES AND THEIR TECHNOLOGICALLY FEASIBLE RANGES (MIN/MAX); ALL SIZES ARE IN μ m.

Parameter	Symbol	Design & Tol.
Alignment grating		
SU-8 layer thickness	h_{SU-8}	0.6 ± 0.1
Polymer microcell:		
PermiNex wall height	$h_{PermiNex}$	3.50 ± 0.05
Half-VCSEL		
Antiguinding ring height	h_{SiON}	1.00 ± 0.05
Antiguinding ring (AG) inner diameter	$w_{SiON} \text{ AG inner}$	6 ± 1
AG outer diameter		14 ± 1
AG second ring	$w_{SiON} \text{ AG outer}$	30 ± 1
Ti/Au electrode inner diameter	$w_{electrode} \text{ inner}$	12 ± 1
Al contact pad: inner diameter	$w_{Al} \text{ inner}$	14 ± 1
Al contact pad: outer diameter	$w_{Al} \text{ outer}$	50 ± 1
Mesa height	h_{mesa}	1.30 ± 0.15
Mesa diameter	w_{mesa}	36 ± 1
Oxide aperture diameter	w_{oxide}	4 ± 1
GaAs local etching diameter	$w_{GaAs} \text{ etching}$	6 ± 1
GaAs local etching depth	$h_{GaAs} \text{ etching}$	0.10 ± 0.01

TABLE II
1D CROSS-SECTION OF THE ANALYZED STRUCTURE AT 850 nm.

Building Block	Material	n	L [nm]
Glass	HQ-Float Glass (PGO)	1.51	0.7×10^6
LC electrode	ITO	1.53-i0.007	45
7 pairs Top DBR	Ti ₃ O ₅ /SiO ₂	2.13/1.45	100/147
Grating section	SU-8 2000	1.58	600
LC layer	QYDPLC-07 or -036	variable	3000
Current spreader	Al _{0.15} GaAs	3.513	497
Spacer	Al _{0.8/0.25} GaAs	3.10/3.43	20
Oxide aperture	Al _{0.98} GaAs	3	30
Spacer	Al _{0.9} GaAs	3.043	50
Grading	Al _{0.35/0.55} GaAs	3.37/3.24	90
barrier	Al _{0.3} GaAs	3.4	20
3QW active region	Al _{0.3} GaAs/GaAs	3.40/3.63	8/6
barrier	Al _{0.3} GaAs	3.4	20
Grating	Al _{0.35/0.55} GaAs	3.37/3.24	90
36.5 pairs Bottom DBR	Al _{0.9/0.15} GaAs	3.04/3.51	70/60.5
Substrate	GaAs	3.63	3×10^5




Fig. 5. (a): EM free spectral range and average (over n_e) gain for two LC thicknesses vs. etching thickness of the AlGaAs layer below the GaAs contact top layer. The green cross corresponds to the experimental value of Fig. 3. (b): corresponding average threshold gain. These curves are computed by 1D simulation where n_e is varied, as in Fig. 6.

the semiconductor layer below the GaAs contact layer. This rules the phase conditions, making the design resonant (0 nm) or anti-resonant (60 nm) [?]. This means that the field displays an antinode/node at the semiconductor-LC interface. In the latter case, the interface is not seen by the field, which leads to a much higher threshold and a maximum FSR. In fact, this condition corresponds to a best superposition of the standing wave with the LC.

The cavity phase conditions allow a strong variation of the FSR, from about 20 to 40 nm, as shown in Fig. 5. This variation is accompanied with an important increase of the threshold gain, averaged over the tuning range (see Fig. 5 (b)). From a minimum value of about 1000 cm⁻¹, threshold reaches values higher than 2500 cm⁻¹.

The LC thickness has a weaker impact on the FSR, which diminishes at increased values. We simulated two cases: minimum LC thickness in our technology, 2300 nm, and the targeted value of 3000 nm. The interval between two extraordinary modes (FSR) is about 27 nm in our test sample (Fig. 3), which is in good agreement with our 1D model, as shown with the green cross in Fig. 5 (a).

In our design we prefer to keep the threshold gain as low as possible, so the etching of this underlying layer is set to 10 nm, to be sure that the highly absorbing GaAs layer is fully removed. Moreover, the LC cell is targeted at 3000 nm, to ensure a good LC filling. This choice limits the achievable FSR to 23 nm, about half of the maximum value of 44 nm of an antiresonant design.

B. Tuning features

In a tunable LC-VCSEL we need to master several features at the same time. The device must lase on the fundamental transverse mode and with the (voltage-dependent) extraordinary polarization over the whole tuning range. These requirements are even more challenging within our technology. Being h_{LC} and h_{SU-8} uncertainties of the same order of the material wavelengths, they introduce large variations to the round-trip phase shift. This might cause the (voltage-independent) ordinary mode to win against the extraordinary one, preventing the desired tuning operation.

The 1D geometry of Fig. 4 is investigated in Fig. 6, where a parametric investigation of the tuning characteristics




Fig. 6. 1D tuning performance (variation of n_e , while n_o is 1.51) for reservoir thicknesses of 2.8 (red), 3.0 (nominal design, in black) and 3.2 μm (blue). (a): threshold gains for extraordinary (continuous lines) and ordinary mode (dashed lines). (b): corresponding modal wavelengths; the thick lines correspond to extraordinary mode lasing.

is presented, for three values of reservoir thickness (h_{LC}). Starting from the nominal 3 μm case, the tolerance extrema are investigated. The variation of n_e tunes the extraordinary polarization wavelength within the active region gain window (830–850 nm, see Fig. 2). design aims to minimum threshold gain within this wavelength range. This is demonstrated by the red curves in Fig. 6 (a), where such minimum also corresponds to the middle of the possible n_e values (about 1.675). At the sides of this value, the threshold gain increases until it equals the value of the next longitudinal mode. This gives rise to a “sawtooth” behavior of the wavelength, whose height measures the FSR, 23 nm in our case.

Several longitudinal modes are supported by the structure (see Fig. 3), but only that featuring the minimum 1D threshold gain is reported.

C. Anisotropic transverse confinement design

Even if the tuning mechanism is based on the voltage-dependent n_e (extraordinary mode, EM), it is very important to monitor the corresponding ordinary polarization features (ordinary mode, OM, dashed lines). The EM threshold gain must be always lower than its ordinary counterpart, in order to guarantee an efficient tuning operation. The OM depends only on the geometrical lengths of the structure, being its ordinary index independent from the tuning voltage in a simple 1D picture. In this view, in Fig. 6(b) the wavelength tuning curves are rendered with two different thicknesses: where the line is thin, the OM is lasing and no tuning can be achieved. EM operation, indicated by thick lines, is either limited or absent, depending on the reservoir thickness uncertainties. For $h_{LC} = 3.2$ μm, the EM dominates, as desired. However, there exists also an opposite case (red curve), where the device would not work, emitting always on the OM. That makes clear that we need countermeasures to ensure EM lasing for any possible LC index and thickness.

In our structure, the alignment grating cannot select the EM, due to its too weak index contrast (1.58 for SU-8 against 1.51 to 1.72 for LC). A much stronger effect would occur with a grating positioned at the semiconductor-LC interface. However, 1D investigations (not reported in this work) show




Fig. 7. Polarization-dependent (extraordinary in blue and ordinary in red) effective index scheme of the investigated structure. This method is not used in our work, but just deployed to illustrate the working principle of our design.

that even such stronger dichroism is not sufficient to counteract the large phase effects introduced by the tolerances of our technology. Moreover, the smaller grating area (at the mesa surface, corresponding to the $w_{\text{SiON AG inner}}$ in Fig. 1) would lead to a less uniform LC alignment in the microcell.

Two ways could lead to EM always dominating:

- 1) a high-contrast grating (HCG) as top mirror;
- 2) transverse confinement engineering.

We opt for the second option, because HCGs are technologically challenging objects [?], [?], [?], [?], [?].

We propose here for the first time a design which we call anisotropic transverse confinement. It is based on the fact that $n_o < n_e$. Thinking in terms of the transverse effective index method [?], the sketch of Fig. 7 can be drawn. The outer effective index value can be engineered by modifying the composition of the passivation layer. In fact, the refractive index of this ternary dielectric material can be designed between that of SiO_2 ($n = 1.45$) and of Si_3N_4 ($n = 2$) by selecting an adequate composition during its deposition. If the index of the SiON is designed to be at 1.56 (recalling that $n_o \simeq 1.51$), one would achieve the effective transverse index profile depicted in Fig. 7. For voltages such that $n_e \geq 1.57$, the extraordinary polarization is guided, while the ordinary mode experiences antiguiding and will stay suppressed. The $1\text{ }\mu\text{m}$ thick dielectric SiON ring ensures proper operation: OM antiguiding (suppression) and EM guiding. This design is at almost zero cost, because it exploits the existing passivation layer, which anyway is needed for electrical insulation.

The only way to verify this innovative design is to run a full electro-thermo-optical simulation, as presented in the next section.

IV. ELECTRICALLY PUMPED LC-VCSEL SIMULATION

The LC-VCSEL performance, beside the usual VCSEL entangled interactions, critically depends on the antiguiding thermal features of the liquid crystal, which also differ among the different available types. To quantitatively access them, we applied VENUS, our comprehensive VCSEL suite [?], [?]. Here, major modifications were undertaken, in view of the hybrid LC-VCSEL under analyses, where thermal, optical and electrical regions have a completely different alignments compared to standard devices. For the half-VCSEL electro-thermal parameters, all details can be found elsewhere [?].




Fig. 8. Tuning performance (n_e , see legend) for VI, LI, SMSR, differential resistance, lasing wavelength and peak temperature. A $4\text{ }\mu\text{m}$ oxide apertures, $3\text{ }\mu\text{m}$ reservoir at 600 nm SU-8 are considered, with an ambient temperature of 300 K .

In Fig. 8, for different values of n_e , we report macroscopic results, such as VI and corresponding differential resistance, optical output power, SMSR, and tunability vs. current. The maximum inner temperature is the only quantity not directly measurable. They refer to a $4\text{ }\mu\text{m}$ oxide aperture device and the nominal values of the organic layers (see Table I and II). It features good SM optical power, which are favored by the extended cavity length [?]. At 6 mA it varies from 2 to 5 mW , related to wavelength, as already observed in previous cases [?].

The tuning range can be determined as 22 nm at the switching current of 1.8 mA for $n_e=1.66$ (green curve), in correspondence of the longitudinal mode hopping. The wavelengths reported in Fig. 8 (and similar ones in following figures) refer to the highest emitted modal power, which does not mean that other modes do not contribute to laser action, as specified by the SMSR. Threshold is moderate and it varies from 0.4 to 0.6 mA depending on n_e (see Fig. 6).

The changing slopes of the tuning wavelengths vs. current is due to antiguiding, which is maximum for the highest n_e . Therefore, we observe that for high n_e values the antiguiding dominates, causing a wavelength blue shift. For low n_e values we retrieve the normal red shift (blue and magenta curves, $n_e=1.57$ and 1.72). For $n_e=1.6$ we observe an almost perfect balance between the two effects.

A. Thermal Effects

Before moving to any detail of vectorial optical simulations, it is fundamental to analyze thermal effects. In fact, the situation sketched in Fig. 7 results from delicate balances between guiding and antiguiding phenomena, which can be modified by QW active response and, especially, thermal profiles.

Fig. 9 shows details of the thermal features at operation current of 5 mA : discontinuous thermal conductivities, temperature map and, below, more quantitative longitudinal and radial cuts. They show how the low LC thermal conductivity results in a sharp temperature decrease in the LC. It drops from the




Fig. 9. (a) Map of the thermal conductivity (ρ - z cut) and (b) corresponding thermal profile for a $4\text{ }\mu\text{m}$ VCSEL with $n_e = 1.63$ and $I=5\text{ mA}$ around the active region. Thermal conductivity values (in W/cmK) are indicated by white labels, on the (a) map where the different regions are identified. For semiconductor see [?], for glass, top-DBR and for LC see [?]. (c) longitudinal temperature cuts at different radii (see legend); (d) transverse temperature cuts at different longitudinal sections. $z=0$ correspond to the heatsink, below the $350\text{ }\mu\text{m}$ substrate.

peak value, attained in the active region/spreading layer next to the LC, to almost the ambient value (always assumed in this work 300 K) in the glass substrate, supporting the top-DBR. Radially, the temperature drop resembles a Gaussian profile that scales with the oxide aperture, at least in the central and optically most important region.

The temperature profile in standard VCSELs causes a guiding effect, which enhances higher modes lasing at increases pumping. In LC-VCSELs all is complicated by the blended guiding/antiguinding features of the semiconductor/LC sections. The derivative with respect to temperature of the refractive index, dn/dT , causes the red shift observed in standard VCSEL under increasing current. In LCs is estimated to -2.1×10^{-3} (LC type 1) and $-1.3 \times 10^{-3}\text{ K}^{-1}$ (LC type 2), [?], [?], i.e., about 10 times larger, in absolute value, than the value for the half-VCSEL ($2.4 \times 10^{-4}\text{ K}^{-1}$, [?]). Therefore, the temperature distribution induces a focusing index profile in the half-VCSEL and a defocusing one in the LC reservoir, in competition between them. These phenomena are mentioned in [?] and their coupling with electrical injection in the half-VCSEL is studied in details for the first time in this work, to the best of our knowledge.

To appreciate the relevance of this effect, in Fig. 10 we compare the two considered LCs and also artificially drop any LC temperature dependence. In this way, by eliminating the related LC antiguinding, we can better discuss its impact on the overall performance. The characteristics mostly coincide for low pump levels (say up to 1 mA), where thermal effects are very weak. In Fig. 10 we report the quantities mostly affected by the present investigation: LI, SMSR and wavelength variation vs. current, keeping in mind that temperature profiles are nearly equal in the three cases. For Type 1 LC the clearing temperature is reached much earlier (at about 4.5 mA),




Fig. 10. LC-VCSEL performance vs. LC antiguinding features: LI, SMSR and lasing wavelength for a $4\text{ }\mu\text{m}$ oxide aperture, $n_e=1.63$, $3\text{ }\mu\text{m}$ reservoir, 600 nm SU-8 and ambient temperature of 300 K .

and operation ends at that current, resulting therefore into a reduced maximum output power. The reduction of LC index with temperature, induces a reduction of the lasing wavelength at increasing temperature, the opposite compared to standard VCSELs. When setting to zero the antiguinding (blue curves), the standard wavelength increase is recovered: about 1.5 nm in 6 mA , lower than normal, because of the dielectric top-DBR. The LC with lower clearing temperature features the highest dn/dT coefficient, which leads to an inverted wavelength dependence vs. current: blue-shift instead of red-shift. Type 2 LC roughly compensates for the thermal lensing of the half-VCSEL so that the wavelength reduction over the whole operation range is just 0.5 nm in this example.

The impact of LC antiguinding clearly appear also in the LI curves: stronger antiguinding means higher modal losses, and therefore less output optical power. Antiguiding is however beneficial to SMSR, which increases with current in an LC-VCSEL, as opposed to standard VCSELs. The here quantified superior performance of Type 2 LC, directly connected to its higher clearing temperature, selects it as a better choice LC for tunable VCSELs.

B. Fully Vectorial Optical Simulation

We can now investigate the impact of the anisotropic transverse confinement design with VELM [?], by deploying its spatially dependent anisotropic capabilities [?]. The LC refractive index is treated as a tensor, and each field component feels the proper index. Our structure is computationally challenging. In fact, the presence of radiation losses mechanisms, previously analyzed in [?], did not include in-cavity metals (contact ring and Al contact-pad). Such unusual feature required a major VELM update. The standard approach of using generalized transmission matrices incurs into numerical problems when large imaginary parts of thick layers come into play, as for the 500 nm thick Al-pad, which covers most of the half VCSEL periphery. Therefore, a dedicated scattering matrix treatment was implemented, robust against any kind of imaginary part and thickness of the layers. The large spread of transverse dimensions (from 200 nm of the grating period, to $50\text{ }\mu\text{m}$ of the metal pad diameter), requires a modal expansion set much larger than usual [?]. The temperature profile, strongly varying in each device region, does not allow any computation shortcut (not even in the DBR), and anisotropies




Fig. 11. Tuning performance (n_e variation, plots a-c-d) at injection current of 5 mA for the 4 μm oxide aperture; the nine investigated structures refer to the tolerance of reservoir (3.0 ± 0.2) μm and SU-8 (600 ± 100) nm; in black, the nominal design. (a): modal losses for fundamental EM (continuous lines), fundamental OM (circles) and first order EM (stars). (c): polarization dichroism ($1-G_{EM}/G_{OM}$). (d): dichroism, defined similarly to (c) but for G_{EM} and its corresponding first order mode. (b): free spectral range vs reservoir tolerance.

imply azimuthal mode coupling, so that at least two azimuthal orders must be included [?].

For sake of brevity, here we report a investigation of the tuning performance of the optimal device, including its robustness against technological tolerances. In Fig. 11 we show four panels that summarize our results, to be closely compared with Fig. 6. It demonstrates that our transverse design guarantees EM lasing by preserving the same tuning features. Threshold gain plot (a) reports the transverse modes of interest: fundamental EM, fundamental OM and first order EM. By comparing 1D and 3D gains, only fundamental EM displays the typical nearly-periodic gain variation vs. n_e . Its threshold gain is slightly higher than in the 1D model due to the various transverse features but stays mostly below 2000 cm^{-1} and therefore it is fully sustainable by our QWs (see Fig. 2). Instead, fundamental OM is highly suppressed by its large losses (nearly ten times higher, which corresponds to a dichroism always larger than 70%). Contrary to the 1D approach, VELM shows its clear dependence on n_e , due to the vector features of the VCSEL modes. Being FOM less confined than FM, when n_e value approaches the n_{SiON} one (becoming less localized) its losses strongly increase. Therefore, the corresponding dichroism (d, see also caption of Fig. 11) is good in that regime, while it becomes poorer at high n_e values. Here, we want to explore both the uncertainties on organic layers thicknesses (three values of h_{LC} and three of $h_{\text{SU-8}}$, nine structures on total), which result in very dense plots. What is important to obtain from Fig. 11 is not the single detail, but the overall compliance of our design to the specs.

The tuning features are summarized in Fig. 11-b and correspond well to the 1D model. Their reduction compared to




Fig. 12. LC-VCSEL characteristics vs. oxide aperture (see legend) for $n_e = 1.63$.

23-24 nm range achieved by VELM-1D is due to a coarser sampling of n_e (0.02). On the other hand, 3D simulations are mandatory for transverse mode analysis. In summary, while free spectral range and EM tuning are well and easily described by 1D models, the actual modal features requires a full vectorial and self consistent approach. In fact, most applications require stable SM emission, and therefore investigation of the FOM is of the highest importance. In Fig. 11 one can see that fundamental EM operation is guaranteed for low n_e , where the guiding is weaker and FOM much less confined than FM. However, for high n_e the gain difference is small (approaching 0 in some cases). This explains the SMSR result plot of Fig. 8 where we can see that the standard 30 dB criterion for SM operation is lost for some of the tuning values.

C. Oxide Aperture and Single Mode Features

We can now discuss the last critical parameter of our device, which rules its SM features: the oxide aperture diameter. As discussed earlier, most applications require single fundamental mode operation. To hit this goal, we tested several solutions, such as applying a diffractive optical element [?], using a simple relief in the last semiconductor layer [?] or playing with the etching size of the GaAs cap layer. The first two approaches did not prove to be robust for SM operation, while a smaller GaAs etching would increase also the threshold gain of the FM. Therefore, we still rely on the usual approach of a small oxide aperture [?].

Fig. 12 shows the major impacts of the oxide aperture on all the relevant characteristics: electrical, thermal and optical. Larger apertures enable higher currents at equal applied voltages. The differential resistance is inversely proportional to oxide aperture just for low currents; this trend changes at about 6 mA, which is, however, the maximum suggested value for proper LC operation (temperature issues). The higher modal losses of smaller apertures are in part compensated by the stronger injection needed to achieve the same current density for larger apertures. Therefore, the threshold current just scales linearly with the aperture, instead of quadratically (from 0.4 to 0.6 mA). As a consequence, LI curves are almost superimposed. However, the real problem in a tunable VCSEL




Fig. 13. Tuning performance (n_e legend) of a $3\mu\text{m}$ oxide aperture LC-VCSEL. $3\mu\text{m}$ reservoir and 600nm SU-8 are considered, with an ambient temperature of 300K .

is to keep a high SMSR for the whole tuning range. For a $5\mu\text{m}$ aperture, FM operation is rapidly lost in favor of a double emission, with a predominant contribution of the FOM. This is the reason of the 1nm wavelength jump (red curve, middle plot of Fig. 12), which indicated the injection where the FOM becomes dominant.

Discarding a $5\mu\text{m}$ oxide aperture, due to its non-compliance to SM operation, it becomes relevant to investigate the performance of $3\mu\text{m}$ device, reported in Fig. 13 and to be compared with Fig. 8. For $n_e = 1.66$ we recover a similar wavelength switching, at slightly anticipated current of 1.4mA , due to earlier self-heating. Maximum temperature depends mildly on the tuning position: when output power is higher (blue curves), less optical free-carrier absorption (heat) develops in the half-VCSEL. SMSR exceeds 40dB above 2mA , for all tuning conditions. This confirms $3\mu\text{m}$ as the best oxide aperture to be targeted, with the usual $\pm 0.5\mu\text{m}$ tolerance being acceptable.

V. CONCLUSION

A 850nm electrically-driven tunable LC-VCSEL based on a new polymer microcell technology, recently proven in an optical pumping configuration, is investigated and optimized. The interplay of thermal, electrical and optical phenomena is investigated in depth, to identify a design that guarantees single fundamental mode operation, tuned through 23nm at room temperature in continuous wave regime. This is a challenging task, especially for the large uncertainties on the thicknesses of the organic layers used for the LC microcell, where the LC molecules are aligned by a nanoimprinted grating. The 23nm tuning range is a consequence of our conservative design, aiming for the smallest threshold rather than for the highest free spectral range (44nm).

To guarantee laser action only for the fundamental OM, we propose here for the first time a dichroic transverse guiding design, based on a dielectric ring, with properly designed refractive index. This ring, derived from the passivation layer deposited on the half-VCSEL surface, is proven effective in

all working conditions and might be applied to LC-VCSELs operating at other wavelengths. We also demonstrate the many advantages of using a nematic LC featuring a higher clearing temperature (95°C) than standard E7 LC: better transverse confinement (reduced antiguiding in the LC reservoir) and higher output power, due to higher possible temperature rise. The half-VCSEL part was also optimized as for its oxide aperture diameter, to ensure good SMSR over the whole operation range: a $3\mu\text{m}$ aperture ensures 40dB SMSR in all conditions and optical power in the $2\text{--}4\text{mW}$ range. These results will be exploited to reach a first demonstration of electrically-driven LC tunable VCSELs.

ACKNOWLEDGMENTS

This work was supported by Agence Nationale de la Recherche (ANR) (grant number: ANR-15-CE19-0012 DOCT-VCSEL). The authors acknowledge Pr. Laurent Dupont at IMT Atlantique, Brest, France for fruitful discussions and RENATECH (French Network of Major Technology Centers) for technical support.

REFERENCES

- [1] C. Gierl, T. Gruendl, P. Debernardi, K. Zogal, C. Grasse, H. A. Davani, G. Böhm, S. Jatta, F. Küppers, P. Meißner, and M.-C. Amann, "Surface micromachined tunable $1.55\mu\text{m}$ -VCSEL with 102nm continuous single-mode tuning," *Opt. Express*, vol. 19, no. 18, pp. 17336–17343, Aug. 2011.
- [2] P. Qiao, K. Cook, K. Li, and C. Chang-Hasnain, "Wavelength-swept VCSELs," *IEEE J. Select. Topics Quantum Electron.*, vol. 23, no. 6, p. 1700516, 2017.
- [3] B. Kogel, P. Debernardi, P. Westbergh, J. S. Gustavsson, Å. Haglund, E. Haglund, J. Bengtsson, and A. Larsson, "Integrated mems-tunable VCSELs using a self-aligned reflow process," *IEEE J. Quantum Electron.*, vol. 48, no. 2, pp. 144–152, 2012.
- [4] C. J. Chang-Hasnain and W. Yang, "High-contrast gratings for integrated optoelectronics," *Adv. Opt. Photonics*, vol. 4, no. 3, pp. 379–440, 2012.
- [5] M. Fill, P. Debernardi, F. Felder, and H. Zogg, "Lead-chalcogenide mid-infrared vertical external cavity surface emitting lasers with improved threshold: Theory and experiment," *Appl. Phys. Lett.*, vol. 103, pp. 201120–1–3, 2013.
- [6] D. D. John, C. B. Burgner, B. Potsaid, M. E. Robertson, B. K. Lee, W. J. Choi, A. E. Cable, J. G. Fujimoto, and V. Jayaraman, "Wideband electrically pumped 1050-nm MEMS-tunable VCSEL for ophthalmic imaging," *J. Lightwave Technol.*, vol. 33, no. 16, pp. 3461–3468, 2015.
- [7] D. D. John, B. Lee, B. Potsaid, A. C. Kennedy, M. E. Robertson, C. B. Burgner, A. E. Cable, J. G. Fujimoto, and V. Jayaraman, "Single-mode and high-speed 850nm MEMS-VCSEL," in *Lasers Congress 2016 (ASSL, LSC, LAC)*. Optical Society of America, 2016, p. AT5A.2.
- [8] K. Panajotov, Y. Xie, M. Dems, C. Belmonte, H. Thienpont, J. Beeckman, and K. Neyts, "Vertical-cavity surface-emitting laser emitting circularly polarized light," *Laser Phys. Lett.*, vol. 10, no. 10, p. 105003, 2013.
- [9] Y. Xie, J. Beeckman, K. Panajotov, and K. Neyts, "Vertical-cavity surface-emitting laser with a liquid crystal external cavity," *Opt. Lett.*, vol. 39, no. 22, pp. 6494–6497, 2014.
- [10] K. Panajotov, M. Dems, C. Belmonte, H. Thienpont, Y. Xie, J. Beeckman, and K. Neyts, "Vertical-cavity surface-emitting laser with cholesteric liquid crystal overlay," *J. Lightwave Technol.*, vol. 32, no. 1, pp. 20–26, 2014.
- [11] C. Belmonte, L. Frasunkiewicz, T. Czystanowski, H. Thienpont, J. Beeckman, K. Neyts, and K. Panajotov, "Optimization of electrically tunable VCSEL with intracavity nematic liquid crystal," *Opt. Express*, vol. 23, no. 12, pp. 15706–15715, 2015.
- [12] L. Frasunkiewicz, T. Czystanowski, H. Thienpont, and K. Panajotov, "Electrically tunable VCSEL with intra-cavity liquid crystal: Design, optimization, and analysis of polarization and mode-stability," *Opt. Commun.*, vol. 427, pp. 271–277, 2018.

- [13] O. Castany, L. Dupont, A. Shuaib, J. P. Gauthier, C. Levallois, and C. Paranthoën, "Tunable semiconductor vertical-cavity surface-emitting laser with an intracavity liquid crystal layer," *Appl. Phys. Lett.*, vol. 98, no. 16, p. 161105, 2011.
- [14] B. Boissard, C. Levallois, C. Paranthoës, S. Pes, T. Camps, B. Sadani, K. Tavernier, S. Bouchoule, L. Dupont, M. Alouini, P. Debernardi, and V. Bardinal, "CW operation of a tunable 1550 nm VCSEL integrating liquid-crystal microcells," *IEEE Photon. Technol. Lett.*, vol. 32, no. 7, pp. 391–394, 2020.
- [15] X. Li, V. Kozenkov, F. Yeung, P. Xu, V. Chigrinov, and H. Kwok, "Liquid-crystal photoalignment by super thin azo dye layer," *Japan. J. Appl. Phys.*, vol. 45, no. 1, pp. 203–205, 2006.
- [16] A. V. Syrbu, J. Behrend, J. Fernandez, J. F. Carlin, C.-A. Berseth, V. P. Iakovlev, A. Rudra, and E. Kapon, "Thermal stability of InP-based structures for wafer fused laser diodes," *J. Cryst. Growth*, vol. 188, no. 1, pp. 338–342, 1998.
- [17] B. Sadani, B. Boissard, X. Lafosse, T. Camps, J. Doucet, E. Daran, C. Paranthoën, C. Levallois, L. Dupont, S. Bouchoule, and V. Bardinal, "Liquid-crystal alignment by a nanoimprinted grating for wafer-scale fabrication of tunable devices," *IEEE Photon. Technol. Lett.*, vol. 30, no. 15, pp. 1388–1391, 2018.
- [18] C. Levallois, B. Sadani, B. Boissard, T. Camps, C. Paranthoën, S. Pes, S. Bouchoule, L. Dupont, J.-B. Doucet, M. Alouini, and V. Bardinal, "Liquid crystal-based tunable photodetector operating in the telecom C-band," *Opt. Express*, vol. 26, no. 20, pp. 25 952–25 961, 2018.
- [19] G. P. Bava, P. Debernardi, and L. Fratta, "Three-dimensional model for vectorial fields in vertical-cavity surface-emitting lasers," *Phys. Rev. A*, vol. 63, no. 2, p. 23816, 2001.
- [20] P. Debernardi and G. P. Bava, "Coupled mode theory: a powerful tool for analyzing complex VCSELs and designing advanced devices features," *IEEE J. Select. Topics Quantum Electron.*, vol. 9, no. 3, pp. 905–917, 2003.
- [21] A. Tibaldi, P. Debernardi, and R. Orta, "Bimodal resonance phenomena—part III: high-contrast grating reflectors," *IEEE J. Quantum Electron.*, vol. 54, no. 6, pp. 6 600 108–1–8, 2018.
- [22] Pusch, T., Debernardi, P., Lindemann, M., Erb, F., Gerhardt, N.C., Hofmann, M.R., and R. Michalzik, "Vertical-cavity surface-emitting laser with integrated surface grating for high birefringence splitting," *Electron. Lett.*, vol. 55, no. 19, pp. 1055–1057, 2019.
- [23] A. Tibaldi, F. Bertazzi, M. Goano, R. Michalzik, and P. Debernardi, "VENUS: a Vertical-cavity surface-emitting laser Electro-opto-thermal NUMerical Simulator," *IEEE J. Select. Topics Quantum Electron.*, vol. 25, no. 6, p. 1500212, Nov./Dec. 2019.
- [24] M. Calciati, A. Tibaldi, F. Bertazzi, M. Goano, and P. Debernardi, "Many-valley electron transport in AlGaAs VCSELs," *Semiconductor Sci. Technol.*, vol. 32, no. 5, p. 055007, 2017.
- [25] P. Debernardi, B. Kögel, K. Zogal, P. Meissner, M. Maute, M. Ortsiefer, G. Böhm, and M.-C. Amann, "Modal properties of long-wavelength tunable MEMS-VCSELs with curved mirrors: comparison of experiment and modeling," *IEEE J. Quantum Electron.*, vol. 44, no. 4, pp. 391–399, 2008.
- [26] J. Li, S. Wu, S. Brugioni, R. Meucci, and S. Faetti, "Infrared refractive indices of liquid crystals," *J. Appl. Phys.*, vol. 97, no. 7, p. 073501, 2005.
- [27] A. Simaz, B. Boissard, T. Camps, J.-B. Doucet, B. Reig, A. Tibaldi, P. Debernardi, and V. Bardinal, "Thermal characterization of the birefringence of nematic liquid crystals for the design of widely-tunable LC-VCSELs," in *20th International Conference on Numerical Simulation of Optoelectronic Devices (NUSOD 2020)*, online, Sept. 2020, pp. 73–74.
- [28] S.-T. Wu, "Molecular design strategies for high birefringence liquid crystals," in *MRS Proceedings*, vol. 709. Cambridge University Press, 2001, p. CC7.2.1.
- [29] A. Tibaldi, P. Debernardi, and R. Orta, "High-contrast grating performance issues in tunable VCSELs," *IEEE J. Quantum Electron.*, vol. 51, no. 12, p. 2400407, 2015.
- [30] C. F. R. Mateus, M. C. Y. Huang, Y. Deng, A. R. Neureuther, and C. J. Chang-Hasnain, "Ultrabroadband mirror using low-index cladded subwavelength grating," *IEEE Photon. Technol. Lett.*, vol. 16, no. 2, pp. 518–520, 2004.
- [31] R. Orta, A. Tibaldi, and P. Debernardi, "Bimodal resonance phenomena—part I: generalized Fabry–Pérot interferometers," *IEEE J. Quantum Electron.*, vol. 52, no. 12, pp. 6 100 508–1–8, 2016.
- [32] G. R. Hadley, "Effective index model for vertical-cavity surface-emitting lasers," *Opt. Lett.*, vol. 20, no. 13, pp. 1483–1485, 2005.
- [33] P. Debernardi, A. Tibaldi, M. Daubenschütz, R. Michalzik, M. Goano, and F. Bertazzi, "Probing thermal effects in VCSELs by experiment-driven multiphysics modeling," *IEEE J. Select. Topics Quantum Electron.*, vol. 25, no. 6, p. 1700914, Nov./Dec. 2019.
- [34] H. J. Unold, S. W. Z. Mahmoud, R. Jäger, M. Kicherer, M. C. Riedl, and K. J. Ebeling, "Improving single-mode VCSEL performance by introducing a long monolithic cavity," *IEEE Photon. Technol. Lett.*, vol. 12, no. 8, pp. 939–941, 2000.
- [35] O. D. Lavrentovich, Y.-K. Kim, and B. I. Senyuk, "Optical manifestation of thermal expansion of a nematic liquid crystal," in *Proc. SPIE 8475*, Mar. 2012, p. 84750G.
- [36] P. Debernardi and G. P. Bava, "Effects of anisotropies on vectorial modes of vertical-cavity surface-emitting lasers," *Phys. Status Solidi A*, vol. 188, no. 3, pp. 967–977, 2001.
- [37] P. Debernardi and R. Orta, "Mastering lateral radiation losses in tunable VCSELs," *IEEE J. Quantum Electron.*, vol. 55, no. 1, p. 2400108, 2019.
- [38] P. Debernardi, "HOT-VELM: a comprehensive and efficient code for fully vectorial and 3-D hot-cavity VCSEL simulation," *IEEE J. Quantum Electron.*, vol. 45, no. 8, pp. 979–992, 2009.
- [39] P. Bienstman, R. Baets, J. Vukusic, A. Larsson, M. J. Noble, M. Brunner, K. Gulden, P. Debernardi, L. Fratta, G. P. Bava, H. Wenzel, B. Klein, O. Conradi, R. Pregla, S. A. Riyopoulos, J.-F. P. Seurin, and S. L. Chuang, "Comparison of optical VCSEL models on the simulation of oxide-confined devices," *IEEE J. Quantum Electron.*, vol. 37, no. 12, pp. 1618–1631, 2001.

Pierluigi Debernardi was born in Casale Monferrato and received his degree in Electronics Engineering in 1987 from Politecnico di Torino, Italy. Since 1989 he's with the Italian National Council of Research at Politecnico di Torino. His interests are mainly in the field of the modeling of semiconductor materials and devices for optoelectronic applications. Recently he is mostly involved in modeling and designing VCSEL structures with non-circular and/or complex geometries, so as to achieve specific performances.



Andrea Simaz was born in Brescia, Italy, in 1995. In 2017 he received the B.Sc. from Università degli Studi di Brescia and in April 2020 he received the M.Sc. degree from Politecnico di Torino, both in Electronic Engineering. His M.Sc. thesis project has been developed at LAAS CNRS, Toulouse, France, under the supervision of Prof. Véronique Bardinal and the Ph.D. student Benjamin Boissard. His research work focused on the analysis of a tunable liquid crystal VCSEL.

Alberto Tibaldi (Member, IEEE) was born in Casale Monferrato, Italy, in 1987. He received the B.Sc., M.Sc., and Ph.D. degrees in electronic engineering from Politecnico di Torino, in 2009, 2011 and 2015, respectively. From 2012 to 2019, he was with the Italian National Council of Research (CNR) as a Research Fellow. Since 2019, he has been with the Department of Electronics and Telecommunications, Polytechnic of Turin as an Assistant Professor, where he teaches courses on semiconductor devices. His scientific interests regard multiscale and multiphysics modeling of optoelectronic devices such as VCSELs, solar cells, LEDs and photodetectors.

Benjamin Boissard received his M.Sc. degree in physics from Montpellier University, France in 2016 and his Ph.D. in Micro and Nanosystems at LAAS-CNRS, in Toulouse, France in 2019. The topic of his PhD thesis deals with spectrally-tunable devices such optical Fabry-Pérot filters, photodetectors and Vertical-Cavity Surface Emitting Lasers using intra-cavity liquid crystal materials.

Thierry Camps was born in France in 1964 and received his Ph.D. in Microelectronics in Toulouse University, France in 1991 and his habilitation thesis to supervise research in 2000. From 1992 to 2007, he was a Research Assistant at Toulouse University and LAAS-CNRS and Professor since 2008. His research scope covers design and fabrication of MEMS based on thermo-mechanical actuators and sensors in poly-silicon thin films technology for microfluidic, biomedical applications and gas sensing. Pr. Camps also studies GaAs photonic devices technology and the realization and optimization of electrically-injected VCSELs. He is currently exploring several complementary approaches for integrating micro-optical elements and actuators such as polymers MOEMS for VCSELs beam shaping or for spectral tuning using liquid crystal-based devices.

Francesco Bertazzi received the Laurea and Ph.D. degrees in electronics engineering from the Politecnico di Torino, Turin, Italy, in 2000 and 2003, respectively. He was a Visiting Scholar with the Department of Electrical and Computer Engineering at Boston University, Boston, MA. Since 2008 he is professor at the Dipartimento di Elettronica, Politecnico di Torino. His PhD studies were focused on electromagnetic modeling of traveling-wave structures for optoelectronic applications and nonlinear physics-based noise analysis of RF and microwave devices. His research activities at Boston University included material-theory-based modeling of band structures, vibrational properties, and carrier scattering rates, essential for the study of the complex electronic, transport, and optical properties of novel wide-gap semiconductors, in particular III-nitrides and II-VI oxide semiconductors. His present research activity is focused on density matrix and nonequilibrium Green's function modeling of carrier transport and recombination processes in optoelectronic devices (HgCdTe infrared photodetectors, InGaN light-emitting diodes and VCSELs).

Michele Goano (Senior Member, IEEE) received the Laurea and Ph.D. degrees in electronic engineering from Politecnico di Torino, Turin, Italy, in 1989 and 1993, respectively. In 1994 and 1995, he was a Post-Doctoral Fellow with the Département de Génie Physique, École Polytechnique de Montréal, Montréal, QC, Canada. He joined the faculty of Politecnico di Torino in 1996. He has been a visiting scholar with the School of Electrical and Computer Engineering, Georgia Institute of Technology, Atlanta, GA, USA, with the Department of Information Technology and Media, Mid-Sweden University, Sundsvall, Sweden, and with the Department of Electrical and Computer Engineering, Boston University, Boston, MA, USA. His current research activity is focused on the simulation of optoelectronic devices based on narrow- and wide-bandgap semiconductor materials.

Benjamin Reig received his M.Sc. degree in micro and nano-systems from Toulouse University, France in 2008 and his Ph.D. in optoelectronics in 2011. Since 2012, he is a research engineer in LAAS-CNRS clean room facility. His main interest concern materials and devices characterization using microscopy, chemical analysis systems and optical measurements. He is also implied in research on polymer MOEMS and is developing new fabrication approaches using FIB technique (Focused Ions Beam) to pattern micro-optics polymer structures on VCSEL devices.

Jean-Baptiste Doucet is a chemistry and technology engineer in LAAS-CNRS clean room facility. He is in charge on 850nm VCSEL and III-V related devices technology. He is also a specialist of nanoimprint technology for micronano scale features and gratings fabrication. His research interest concerns new fabrication methods for VCSEL beam shaping and VCSEL spectral tuning.

Véronique Bardinal graduated in Physics at the Institut National des Sciences Appliquées de Toulouse, France in 1992. She obtained her Ph.D. in Optoelectronics in 1995. From 1996 to 1997, she was a research assistant at EPFL, Switzerland. She joined the Photonics Group at LAAS-CNRS (Laboratory of Analysis and Architecture of Systems of French National Scientific Research Center) in 1997 as a permanent researcher. Dr. V. Bardinal received her habilitation thesis to supervise research in 2009. Since 2012, she is the co-head of MICA team devoted to microsystems design and fabrication for bio-sensing applications. Her research interests include design, epitaxial growth, fabrication and characterization of VCSEL devices, polymer microoptics and more recently liquid crystal-based tunable optical devices.