

Method of Moments for the Dispersion Modelling of Glide-Symmetric Periodic Structures

Original

Method of Moments for the Dispersion Modelling of Glide-Symmetric Periodic Structures / Petek, Martin; Rivero, Javier; Tobon, Jorge Alberto Vasquez; Valerio, Guido; Quevedo-Teruel, Oscar; Vipiana, Francesca. - In: IEEE TRANSACTIONS ON ANTENNAS AND PROPAGATION. - ISSN 0018-926X. - STAMPA. - 72:1(2024), pp. 756-766.
[10.1109/TAP.2023.3325207]

Availability:

This version is available at: 11583/2984993 since: 2024-01-12T11:31:31Z

Publisher:

IEEE

Published

DOI:10.1109/TAP.2023.3325207

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

IEEE postprint/Author's Accepted Manuscript

©2024 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collecting works, for resale or lists, or reuse of any copyrighted component of this work in other works.

(Article begins on next page)

Method of Moments for the Dispersion Modelling of Glide-Symmetric Periodic Structures

Martin Petek, Javier Rivero, Jorge Alberto Tobón Vásquez, *Member, IEEE*, Guido Valerio, *Senior Member, IEEE*, Oscar Quevedo-Teruel, *Fellow, IEEE*, and Francesca Vipiana, *Senior Member, IEEE*

Abstract—A modelling methodology to obtain the dispersion characteristics of mirror- and glide-symmetric structures is presented. A novel Green's function is proposed as the integration kernel of the electric field integral equation solved by the method of moments. Key aspects of implementation, such as adapting the Ewald acceleration, accurate computation of singular integrals and a zero-search algorithm to obtain solutions are presented. The proposed methodology is applied to fully-metallic 2-D periodic unit cells with arbitrary geometries. The results of the method are found to be in very good agreement with reference results from literature. Compared to conventional method of moments analysis, the proposed approach obtains results in half the time and gives additional information about the modal properties.

Index Terms—Glide symmetry, dispersion diagram, computational electromagnetics, Green's function, periodic structures, metasurfaces.

I. INTRODUCTION

MODERN telecommunication systems have increasingly higher demands in terms of data rates, due to increase of users and proliferation of video traffic [1]. With 5G and the emerging 6G technologies, the trend is to increase bandwidth by moving to higher frequencies [2], [3]. This results in increased attenuation of electromagnetic waves in materials and in free-space. One way to mitigate increased losses in materials is to utilize fully-metallic structures, thus completely removing wave attenuation in dielectric materials. On the other hand, free-space losses can be mitigated with high gain antennas.

A particular topic of interest, in the recent years, to design highly efficient structures, has been the use of glide-symmetric

metasurfaces [4]. Glide-symmetric structures are periodic and invariant with respect to a translation by half a period and a mirroring. The effects of introducing such higher symmetry on propagation of waves in periodic structures have first been studied in the 60s and 70s [5], [6]. Recently, their properties have been exploited to design highly efficient fully-metallic graded index lens antennas [7], [8], leaky wave antennas [9]–[11], and filters [12]. Furthermore, glide symmetries have been used for suppression of leakage between two connecting parts of a waveguide [13] and flanges [14].

As a result of increased interest, methods to accurately compute the dispersion diagram (i.e., the propagation constants of Bloch modes) of glide-symmetric structures has also garnered attention from the antenna and microwave communities. A commonly applied technique is mode-matching [15], [16], which is particularly suited to holey structures. At discontinuities, the coupling of modes in different parts of the structure is done by enforcing boundary conditions. If the structure has known analytical field expansions, mode-matching is a computationally efficient and a straightforward method to implement. Furthermore, at lower frequencies, quasi-static approximation can be used with mode matching to faster obtain the effective refractive index [17]. Recently, a hybrid method named multimodal transfer matrix method (MMTMM) has been proposed for analysis of glide-symmetric structures [18]. In this method, waveguide ports are placed at the edge of the unit cell and a full-wave solver is used to compute the scattering parameters. In this step, the definition of multiple modes on each port is necessary for each waveguide in order to obtain correct results. A post-processing procedure is used to obtain the propagation characteristics of Bloch modes in the structure. The method can find both real and complex solutions and has recently been applied to study the stopband attenuation of glide-symmetric unit cells with circular holes [19].

In this work, we propose a method of moments (MoM) modelling approach tailored to fully-metallic glide-symmetric structures. Method of moments has been previously used for modal analysis of printed structures [20]–[23], electromagnetic bandgap structures [24], and 1-D periodic glide-symmetric parallel-plate waveguides [25]. In this paper, we present a novel integration kernel for 2-D glide-symmetric structures, which reduces the computational domain to the bottom half of the unit cell only. The new kernel is applied to analyze a rectangular holey structure [15] and a circular holey structure [19]. The obtained results are compared to a commercial eigenvalue solver and to the MMTMM analysis [19], finding, in both cases, a very good agreement. Several benefits are

Manuscript received ; revised .

This publication is based upon work from COST Action SyMat (CA18223), supported by COST (European Cooperation in Science and Technology). It is supported in part by the Horizon Europe Research and Innovation Program under the GENIUS Project, Marie Skłodowska-Curie Grant under Agreement 101072560, in part by the project PON Research and Innovation “Microwave Imaging and Detection powered by Artificial Intelligence for Medical and Industrial Applications”(DM 1062/21), funded by the Italian Ministry of University and Research (MUR), and in part by “Unite! – University Network for Innovation, Technology and Engineering”.

Martin Petek, Javier Rivero, Jorge Alberto Tobon Vasquez and Francesca Vipiana are with Department of Electronics and Telecommunications, Politecnico di Torino, 10129 Torino, Italy (email: {martin.petek, javier.rivero, jorge.tobon, francesca.vipiana}@polito.it)

Guido Valerio is with Laboratoire de Génie Électrique et Électronique de Paris (GeePs), Sorbonne Université, 75252 Paris, France and with GeePs, Université Paris-Saclay, 91192 Gif-sur-Yvette, France (e-mail: guido.valerio@sorbonne-universite.fr).

Oscar Quevedo-Teruel is with the Division for Electromagnetic Engineering and Fusion Science, KTH Royal Institute of Technology, SE-100 Stockholm, Sweden (e-mail: oscarqt@kth.se).

offered by the method presented here over other approaches. Most importantly, the MoM is able to compute the attenuation constant in the stopbands and for complex modes, both of which are currently unavailable from commercial eigenvalue solvers. Furthermore, the method provides additional information on the mode parity and can be easily applied to arbitrary geometries, an advantage over mode-matching. As opposed to MMTMM, it does not require a truncation of waveguide modes at the edges of the unit cell [19]. Hence, less physical insight, necessary to understand which modes to include in the computation, is required to obtain accurate results. Furthermore, since commercial software include waveguide-port modes by following a strict order of cutoff frequencies and cannot arbitrarily select the modes to retain, using MMTMM can result in an increased computational effort, since many higher-order modes must be included in the simulation in order to keep a few modes of very high order, as in [26].

The paper is organized as follows. In Sect. II, the integral equation formulation and the novel Green's function are presented. Then, in Sect. III, the equation discretization, the computation of singular integrals and the zero-search algorithm are described. In Sect. IV, numerical results are compared to a commercial eigenvalue solver and MMTMM analysis. The conclusion and perspectives are in Sect. V. Preliminary results of the proposed modelling of 2-D periodic glide-symmetric structures were presented in [27].

II. INTEGRAL EQUATION FORMULATION

A. Integral equation and periodic Green's function

Let us consider the task of finding modes in a fully-metallic periodic structure whose surface is described with the geometry S . If losses due to finite conductivity of metal are negligible, the surface can be described as a perfect electric conductor (PEC) in free space without significantly impacting the accuracy of the solution. On S , the tangential component of the electric field is zero:

$$\mathbf{E}_{\text{tan}} = -j\omega\mathbf{A}_{\text{tan}} - \nabla_S\Phi = \mathbf{0}, \quad (1)$$

where ω is the angular frequency, $\omega = 2\pi f$, and the field is decomposed into the vector and the scalar potentials, \mathbf{A} and Φ respectively. The vector potential represents the contribution to the \mathbf{E}_{tan} due to the electrical surface current density \mathbf{J}

$$\mathbf{A}(\mathbf{r}) = \mu \int_S \mathcal{G}(\mathbf{r}, \mathbf{r}') \cdot \mathbf{J}(\mathbf{r}') dS', \quad (2)$$

and the scalar potential the contribution of the surface charge density

$$\Phi(\mathbf{r}) = -\frac{1}{j\omega\epsilon} \int_S \nabla' \cdot \mathbf{J}(\mathbf{r}') G(\mathbf{r}, \mathbf{r}') dS'. \quad (3)$$

Both integrals are computed over the entire surface S . In (2) and (3), ϵ and μ are the permittivity and the permeability of the surrounding medium, $\mathbf{J}(\mathbf{r}')$ is the unknown electrical surface current density at the source point \mathbf{r}' and $G(\mathbf{r}, \mathbf{r}')$ is the scalar Green's function at the observation point \mathbf{r} . The dyadic Green's function \mathcal{G} is defined as a product of the identity dyad $\mathcal{I} = \hat{x}\hat{x} + \hat{y}\hat{y} + \hat{z}\hat{z}$ and the scalar Green's function as

$$\mathcal{G}(\mathbf{r}, \mathbf{r}') = \mathcal{I}G(\mathbf{r}, \mathbf{r}'). \quad (4)$$

Since the structure is periodic and thus spans to infinity in both dimensions, the computation domain can be restricted to the finite size of one single unit cell (the surface S in (2) and (3) becomes the metallic surface of a single cell) if the periodicity is captured in the Green's function. This is achieved by introducing the free space periodic Green's function (FSPGF), that can be written as a double infinite sum of free space Green's functions [28]

$$G(\mathbf{r}, \mathbf{r}') = \sum_{m=-\infty}^{+\infty} \sum_{n=-\infty}^{+\infty} G_{mn}, \quad (5)$$

where

$$G_{mn} = e^{-j\mathbf{k}_{t00} \cdot \boldsymbol{\rho}_{mn}} \frac{e^{-jkR_{mn}}}{4\pi R_{mn}}. \quad (6)$$

Here, \mathbf{k}_{t00} is the wave vector controlling the (possibly complex) propagation between different points in the lattice. The distance R_{mn} is given by

$$R_{mn} = \sqrt{(z - z')^2 + |\boldsymbol{\rho} - \boldsymbol{\rho}' - \boldsymbol{\rho}_{mn}|^2}, \quad (7)$$

where

$$\boldsymbol{\rho}_{mn} = m\mathbf{s}_1 + n\mathbf{s}_2. \quad (8)$$

Here, $\boldsymbol{\rho}_{mn}$ describes the translation from the unit cell indexed by $m = n = 0$ to cell indexed by m and n of the lattice, \mathbf{s}_1 and \mathbf{s}_2 being the lattice periodicity vectors.

B. Glide-symmetric periodic Green's function

We will now extend the concept of FSPGF to introduce a novel Green's function which exploits the structure's internal symmetry. For mirror- and glide-symmetric structures, we introduce the scalar higher-symmetric periodic Green's function (HSPGF)

$$G(\mathbf{r}, \mathbf{r}') = G_B \pm G_T \quad (9)$$

where G_B represents the bottom array of sources as

$$G_B(\mathbf{r}, \mathbf{r}') = \sum_{m=-\infty}^{+\infty} \sum_{n=-\infty}^{+\infty} G_{mn}, \quad (10)$$

and G_T the top array of sources as

$$G_T(\mathbf{r}, \mathbf{r}') = e^{-j\mathbf{k}_{t00} \cdot \boldsymbol{\rho}_g} \sum_{m=-\infty}^{+\infty} \sum_{n=-\infty}^{+\infty} G_{mn,t}. \quad (11)$$

The Green's function is represented in Fig. 1 as a double array of point sources. To complement the scalar HSPGF, its dyadic counterpart is defined as:

$$\mathcal{G}(\mathbf{r}, \mathbf{r}') = \mathcal{I}G_B \pm \mathcal{R}_z G_T, \quad (12)$$

where the mirroring dyad \mathcal{R}_z is defined as

$$\mathcal{R}_z = \hat{x}\hat{x} + \hat{y}\hat{y} - \hat{z}\hat{z}. \quad (13)$$

In the computation of G_T , the additional factor, $e^{-j\mathbf{k}_{t00} \cdot \boldsymbol{\rho}_g}$, is added due to the translation of the source points of the top part by

$$\boldsymbol{\rho}_g = b_1\mathbf{s}_1 + b_2\mathbf{s}_2, \quad (14)$$

where b_1 and b_2 are translation factors in terms of vectors \mathbf{s}_1 and \mathbf{s}_2 . For mirror-symmetric structures, $b_1 = b_2 = 0$ and for

- Top array of sources
- Bottom array of sources
- Observation point




Fig. 1. Higher-symmetric periodic Green's function, represented as double array of point sources. Here, $b_1 = b_2 = 0.5$.

glide-symmetric structures $b_1 = b_2 = 0.5$. Only a combination of the values of 0.0 and 0.5 are possible, as in other cases the higher-symmetry is broken and the current of the top part of the structure cannot be expressed with a phase shift and attenuation of the current in the bottom part [6]. The terms $G_{mn,t}$ are defined as

$$G_{mn,t} = e^{-jk_{t00} \cdot \rho_{mn}} \frac{e^{-jkR_{mn,t}}}{4\pi R_{mn,t}}, \quad (15)$$

similarly to (5), but with the distance R_{mn} changed to

$$R_{mn,t} = \sqrt{(z+z')^2 + |\boldsymbol{\rho} - \boldsymbol{\rho}' - \boldsymbol{\rho}_{mn} - \boldsymbol{\rho}_g|^2}. \quad (16)$$

The choice of summing or subtracting in (9) represents two different types of symmetries. For mirror-symmetric structures, these correspond to perfect magnetic conductor (PMC) (summation) and PEC (subtraction) mirrored modes, but for glide-symmetric structures we will refer to them as the plus (+) and minus (-) symmetries.

C. Ewald acceleration

The expressions (9) and (12) could be used in simulations as they are, but, in practice, their use is prohibited by a very slow convergence [29]–[33]. In this work, we extend the Ewald method [34], [35] to the concept of HSPGF to allow for efficient computation of the Green's function.

First, we consider the evaluation of (10) and (11) as two separate sums. Then, the individual sums are separately split to spatial and spectral sums [35], [36] as

$$\sum_{m,n=-\infty}^{+\infty} G_{mn} = \sum_{m,n=-\infty}^{+\infty} G_{mn}^{\mathcal{E}} + \sum_{p,q=-\infty}^{+\infty} \tilde{G}_{pq}^{\mathcal{E}}, \quad (17)$$

where all sums are double sums with summation indices m , n for the spatial sums and p , q for the spectral sums. When numerically computing the Green's function, the series in (17) are truncated. In this work, the truncation limits are determined by the procedure described in [37]. For producing the plots

in this paper, we have not observed values larger than ± 3 . The Ewald method introduces the splitting parameter \mathcal{E} , which controls the convergence properties. For frequencies where the wavelength is larger than the periodicity of the unit cell, the value of $\mathcal{E}_{\text{opt}} = \sqrt{\pi/A}$, which provides fastest convergence, can be used [38]. Otherwise, when the wavelength is smaller than the periodicity of the unit cell, the values of the spectral and spatial parts become similar in magnitude but different in sign. Due to subtraction of two large numbers and the finite precision arithmetic, this leads to a loss of significant digits. The issue can be alleviated by changing the value of \mathcal{E} at the cost of slower convergence. The procedure from [37] is used in this work to choose \mathcal{E} which ensures automatically, without the need of setting a threshold value of frequency, a set number of significant digits even at higher frequencies. The values of the summands in (17) are:

$$G_{mn}^{\mathcal{E}} = \frac{e^{-jk_{t00} \cdot \rho_{mn}}}{8\pi R_{mn}} \left[e^{-jkR_{mn}} \operatorname{erfc}\left(R_{mn}\mathcal{E} - \frac{jk}{2\mathcal{E}}\right) + e^{jkR_{mn}} \operatorname{erfc}\left(R_{mn}\mathcal{E} + \frac{jk}{2\mathcal{E}}\right) \right] \quad (18)$$

and

$$\tilde{G}_{mn}^{\mathcal{E}} = \frac{e^{-jk_{tpq} \cdot (\boldsymbol{\rho} - \boldsymbol{\rho}')}}{A} \left[e^{-jk_{zpq}\Delta_z^-} \operatorname{erfc}\left(\frac{jk_{zpq}}{2\mathcal{E}} - \Delta_z^- \mathcal{E}\right) + e^{jk_{zpq}\Delta_z^-} \operatorname{erfc}\left(\frac{jk_{zpq}}{2\mathcal{E}} + \Delta_z^- \mathcal{E}\right) \right] \quad (19)$$

for (10). For the contribution of the top part of the structure (11)

$$G_{mn,t}^{\mathcal{E}} = \frac{e^{-jk_{t00} \cdot \rho_{mn}}}{8\pi R_{mn,t}} \left[e^{-jkR_{mn,t}} \operatorname{erfc}\left(R_{mn,t}\mathcal{E} - \frac{jk}{2\mathcal{E}}\right) + e^{jkR_{mn,t}} \operatorname{erfc}\left(R_{mn,t}\mathcal{E} + \frac{jk}{2\mathcal{E}}\right) \right] \quad (20)$$

and

$$\tilde{G}_{mn,t}^{\mathcal{E}} = \frac{e^{-jk_{tpq} \cdot (\boldsymbol{\rho} - \boldsymbol{\rho}' - \boldsymbol{\rho}_g)}}{A} \left[e^{-jk_{zpq}\Delta_z^+} \operatorname{erfc}\left(\frac{jk_{zpq}}{2\mathcal{E}} - \Delta_z^+ \mathcal{E}\right) + e^{jk_{zpq}\Delta_z^+} \operatorname{erfc}\left(\frac{jk_{zpq}}{2\mathcal{E}} + \Delta_z^+ \mathcal{E}\right) \right]. \quad (21)$$

Here, $\Delta_z^- = |z - z'|$, $\Delta_z^+ = |z + z'|$, erfc is the complementary error function, $k_{zpq} = \sqrt{k^2 - \mathbf{k}_{tpq} \cdot \mathbf{k}_{tpq}}$, $A = \hat{\mathbf{z}} \cdot (\mathbf{s}_1 \times \mathbf{s}_2)$ is the unit cell area and \mathbf{k}_{tpq} is the transverse phasing wave vector of the p, q indexed mode:

$$\mathbf{k}_{tpq} = \mathbf{k}_{t00} + \frac{2p\pi(\mathbf{s}_2 \times \hat{\mathbf{z}})}{A} + \frac{2q\pi(\hat{\mathbf{z}} \times \mathbf{s}_1)}{A}. \quad (22)$$

The cost of computing the Green's function can be then further reduced by exploiting the properties of the complementary error function

$$\operatorname{erfc}(a - jb) = \overline{\operatorname{erfc}(a + jb)} \quad (23)$$

and

$$\operatorname{erfc}(-a + jb) = 2 - \overline{\operatorname{erfc}(a + jb)}, \quad (24)$$

where a and b are real numbers and the bar represents conjugation. Using (23) and (24) reduces the evaluations of

the complex complementary error function, which is the most computationally expensive task in the evaluation of the Ewald sums.

III. NUMERICAL SOLUTION

A. Discretization of the equation

Now we can proceed with numerically solving (1). First, the surface inside of the enclosed structure is discretized into triangles. During meshing, it is necessary to ensure that the edge triangle vertices coincide perfectly after a translation by a period. Then, additional triangles are added, as shown in Fig. 2. These triangles must be exact copies of their periodic




Fig. 2. Meshing process. The inside of the structure is meshed and additional triangles (orange) are added by translating their periodic counterparts (blue) in the original unit cell.

counterparts as they ensure continuity of current between two adjacent unit cells. Then, we discretize (1) by expanding the surface current density $\mathbf{J}(\mathbf{r}')$ into

$$\mathbf{J}(\mathbf{r}') = \sum_{n=0}^N I_n \mathbf{\Lambda}_n(\mathbf{r}'), \quad (25)$$

where $\mathbf{\Lambda}_n$ is are basis functions and I_n their scaling coefficients. Here, Rao-Wilton-Glisson (RWG) basis functions are used, which are defined as linear interpolation functions over triangles pairs with a shared edge [39]. Then, a system of equations is obtained with a testing procedure. In this work, the testing functions used on (2) and (3) are also RWG basis functions, performing the so called Galerkin testing. Ultimately, we obtain expressions for

$$L_{mn} = \mu \int_S dS \mathbf{\Lambda}_m(\mathbf{r}) \cdot \int_S dS' \mathcal{G}(\mathbf{r}, \mathbf{r}') \cdot \mathbf{\Lambda}_n(\mathbf{r}') \quad (26)$$

and

$$S_{mn} = \frac{1}{\varepsilon} \int_S dS \nabla \cdot \mathbf{\Lambda}_m(\mathbf{r}) \int_S dS' G(\mathbf{r}, \mathbf{r}') \nabla' \cdot \mathbf{\Lambda}_n(\mathbf{r}'), \quad (27)$$

which are combined to form the elements of the $N \times N$ impedance matrix $[Z]$, where each element is equal to

$$Z_{mn} = j\omega L_{mn} + \frac{1}{j\omega} S_{mn}. \quad (28)$$

To evaluate the dispersion diagram of the structure under analysis, we assume no incident field (i.e., no impressed field is necessary for modes to exist in the structure), obtaining the following system of equations

$$[Z(\mathbf{k}_{t00}, f)][I] = [0], \quad (29)$$

where $[I]$ is a $N \times 1$ vector collecting the coefficients I_n of (25) and $[0]$ is $N \times 1$ vector of zeros. The system in (29)

has a nontrivial solution when the value of the wave-vector \mathbf{k}_{t00} at a frequency f is such that the matrix $[Z]$ is singular. However, due to finite precision of evaluation of integrals in (26) and (27), the matrix is never truly singular. When the matrix is evaluated at frequency and wave-vector pairs close to the solutions, its determinant goes to zero. The solutions of the system are therefore the set of values of \mathbf{k}_{t00} at f where the determinant is small and at a local minimum.

B. Evaluation of singular integrals

An important aspect of evaluating the impedance matrix in (29) is a careful treatment of integrals (26) and (27). For basis functions that are overlapping or are adjacent, the integrals become singular and integration by standard Gaussian quadrature rules can not produce an accurate result. To efficiently and accurately compute singular integrals, a singularity cancellation procedure named radial-angular method has been proposed in [40]. This method was developed to work with free-space Green's function, which only contains one singularity. Thus, in the HSPGF, the application of the method cancels the singularity corresponding to $1/R_{00}$ in (6). Since we have a function with multiple singularities, this method must be modified such that the most important singularities are cancelled. Note that the method computes interaction between individual cells (here triangles) and not the entire basis functions. The matrix elements Z_{mn} are thus obtained by summing all four individual interactions between the elements of the two basis functions. In the following, we describe how to apply the radial-angular method in the case of the proposed HSPGF to cancel singularities arising from periodic source replicas and quasi-singularities in (6) and (15) (i.e., sources from adjacent unit cells) and the quasi-singularities in the case of a small gap between the surfaces arising from the top sources, contained in (11). Here, we describe below the two possibilities.

First, the periodicity of the function requires a modification which ensures that the singularity closest to the observation element is cancelled. For example, if the source element, depicted in blue in Fig. 3, is on the opposite side of the unit cell than the test element (orange), the periodic image of the source (dashed blue) is the dominant singularity. Thus, the singularity




Fig. 3. Translation of the test element (orange) for proper cancellation of periodic singular elements. Before translation (a), the periodic image element indexed 11 (dashed blue) is closest to the test element. After translation (b), the source element indexed 00 (blue) becomes the closest.

of the periodic image element $1/R_{11}$ is not appropriately cancelled as the radial-angular method cancels only the $1/R_{00}$

singularity. To rectify this problem, these element interactions are treated by first shifting the test elements with substitution of

$$\mathbf{r} \rightarrow \mathbf{r} + M_0 \mathbf{s}_1 + N_0 \mathbf{s}_2. \quad (30)$$

where the factors of shifting M_0 and N_0 can be obtained through

$$M_0 = - \left[(\mathbf{r} - \mathbf{r}') \cdot \frac{(\mathbf{s}_2 \times \hat{\mathbf{z}})}{A} + 0.5 \right] \quad (31)$$

and

$$N_0 = - \left[(\mathbf{r} - \mathbf{r}') \cdot \frac{(\hat{\mathbf{z}} \times \mathbf{s}_1)}{A} + 0.5 \right]. \quad (32)$$

In Fig. 3, $M_0 = N_0 = -1$. After the translation, the dominant singularity becomes $1/R_{00}$ and the radial-angular method can be applied to properly cancel the singularity, as seen in Fig. 3(b). Since shifting one of the element causes it to be outside of the original unit cell, the result of the integration is different to a multiplicative constant. Then, the integral is back-propagated using the Floquet theorem:

$$Z_{mn}^{kl} = \tilde{Z}_{mn}^{kl} e^{j\mathbf{k}_{t00} \cdot (M_0 \mathbf{s}_1 + N_0 \mathbf{s}_2)}, \quad (33)$$

where \tilde{Z}_{mn}^{kl} here represents the contribution of interaction between elements k and l to the total interaction between the two basis functions. The procedure described here could be adapted to shift the source and not the test element to ensure that the $1/R_{00}$ is the dominant singularity. In our case, we choose to shift the test element as it corresponds to the outer loop of the impedance matrix evaluation and is thus easier to implement in our code.

Second, there are cases when a quasi-singular behavior of the top Green's function must be cancelled for accurate integration. This is particularly true for structures with a small gap between the top and bottom plate, where singularities from both contributions to Green's function of top and bottom sources are appreciable, such as the example presented in Fig. 4. Here, the blue and dashed blue triangles are the bottom




Fig. 4. Mirroring of the test element (orange) for proper cancellation of singular elements from G_T . The top mesh is faded as it is present through the HSPGF. Before mirroring (a), applying radial-angular method cancels the bottom singularity (full blue). After mirroring (b), the top singularity can be cancelled.

and top source elements, and the test element (orange) is sufficiently close to both such that $1/R_{00}$ and $1/R_{00,t}$ need to be cancelled. In these cases, the radial-angular method is applied twice, once to the contribution of the bottom part of

the structure, using only the Green's function in (10), and once to the contribution of the top part, with the Green's function in (11). For the bottom part, the radial-angular method is applied directly. For the top part, the test element is first mirrored by mirroring the test element in z , as seen in Fig. 4. The integral is then evaluated with (10), which is the Green's function of the bottom part. This way, the roles of R_{00} and $R_{00,t}$ are exchanged and the radial-angular method cancels the singularity.

C. Zero-search algorithm

To find the solutions of (29), we search for all numerical singularities in the lowest eigenvalue, λ_{\min} , of the impedance matrix $[Z]$ within a given frequency region. Here, both plus and minus branches of (9) and (12) must be considered in the search. To accelerate obtaining the results, we use interpolation of the individual matrix elements to obtain a finer sampling of the impedance matrices. We start to fill the dispersion diagram with the case of real modes (i.e., \mathbf{k}_{t00} is real). The first three steps are illustrated in Fig 5. The procedure is as follows:




Fig. 5. Zero search algorithm for $N_{\text{init}} = 12$ and $N_{\text{interpol}} = 600$. From top to bottom, found singularities are added to the interpolation scheme. In the second step, the higher frequency solution converges, so only the lower frequency solution is added.

- 1) Compute N_{init} impedance matrices in linearly equispaced frequency points (at cross markers in Fig. 5) in the frequency range of interest.
- 2) Use spline interpolation to obtain a finer sampling of impedance matrices with N_{interpol} equispaced frequency points.
- 3) Compute smallest eigenvalue λ_{\min} of these matrices. The magnitude of the eigenvalues is presented in full line and the phase in dashed line in Fig. 5.
- 4) Find solutions where the phase of λ_{\min} crosses zero and the magnitude is a local minimum.
- 5) Use bisection on the phase of the λ_{\min} to refine the solution up to the desired precision.

- 6) Compute impedance matrices at the found unconverged solutions (plus markers in Fig. 5).
- 7) Reobtain the solution frequencies with the procedure listed in steps from 2) to 5) and with new impedance matrices added to the set of previous initial points N_{init} .
- 8) Repeat steps 6) and 7) until the scheme converges.

The frequency solution is considered to have converged when:

$$\frac{|f_{next} - f_{previous}|}{f_{previous}} < \delta_{search}, \quad (34)$$

where we select the pairs of previous solution frequency $f_{previous}$ and next solution frequency f_{next} as the closest two frequencies. In this work, the precision value is set to $\delta_{search} = 10^{-3}$. The entire procedure is then repeated for the next value of k_{t00} .

Once real modes are tracked, we can move to the analysis of complex modes: the procedure is analogous, but a two dimensional search is needed. We start by identifying the maximum and minimum frequencies in the computed real part of the dispersion diagram. In many cases, they lie at the edge of the irreducible Brillouin zone (usually Γ , X or M). In these cases, it is possible to do only a one dimensional search as described previously by fixing the real part of components of k_{t00} according to the considered stopband, and finding frequencies of all singular matrices for the desired level of attenuation α . However, when the beginning of a new complex mode is not at an edge of the Brillouin zone, both real and imaginary parts are unknown. In this case, we fix a frequency value close enough to the last frequency of the mode already tracked. Then, we follow the procedure:

- 1) Compute N_{init} (initial points) impedance matrices in a grid in the search region in the real and imaginary space of k_t (cross markers in Figs. 6 and 7).
- 2) Use natural interpolation [41] to obtain finer sampling of impedance matrices in $N_{interpol}$ points.
- 3) Compute the minimum eigenvalues of the matrices obtained in previous step. The magnitude and phase are presented with color in Figs. 6 and 7.
- 4) Find the regions of the solutions by finding the coincidence of 2-D local minimums of magnitude and a change in sign of the phase.
- 5) Progressively refine the region of the solution around the local minimum until the desired precision in both real and imaginary part of k_t is reached. The found solutions are presented as plus markers in Figs. 6 and 7.
- 6) Evaluate the impedance matrix in the solution point and repeat steps from 1) to 5) until the scheme converges. First three steps can be seen in Figs. 6 and 7. Each time, the finer sampling of matrices is obtained with one more initial point, located at the previous solution.
- 7) Move to the next frequency. Estimate the next solution with linear extrapolation and center the search region around it.

The convergence criterion for termination of the search is applied to both real

$$\frac{|\text{real}(k_{t,previous}) - \text{real}(k_{t,current})|}{|\text{real}(k_{t,previous})|} < \delta_{search}, \quad (35)$$

and imaginary parts separately:

$$\frac{|\text{imag}(k_{t,previous}) - \text{imag}(k_{t,current})|}{|\text{imag}(k_{t,previous})|} < \delta_{search}. \quad (36)$$

Thus, both (35) and (36) need to be satisfied for achieving convergence.




Fig. 6. Magnitude in first three steps of the complex zero search algorithm with $N_{init} = 36$ and $N_{interpol} = 1600$.




Fig. 7. Phase in first three steps of the of the complex zero search algorithm with $N_{init} = 36$ and $N_{interpol} = 1600$.

IV. NUMERICAL RESULTS

In this section, we present the results of the modelling procedure described in Sects. II and III. Two different geometries, for both mirror- and glide-symmetric unit cell, are considered. Solutions are computed for different stages of mesh refinement to ensure the convergence and stability of the scheme. The obtained results are compared to CST Eigenvalue Solver (CST ES) [42] for propagative modes and to MMTMM [19] for evanescent modes (including the real part of the complex modes).

Note that, differently from the CST ES and the MMTMM methods, singularities in MoM arise when modes are supported either inside or outside of the structure. Using the methodology presented in this paper, modes corresponding to solutions in the unbounded pin structure in the external region can appear. However, they can be easily identified as having zero fields inside the bounded region and non-zero fields in the external region. As they are not of interest to this work, these solutions are not shown here. Furthermore, the evanescent modes of the interior region not presented in [19] are also not included for clarity of the plots.

A. Rectangular holey structure

First, we consider a rectangular holey structure, whose meshed bottom part is shown in Fig. 8. This geometry is




Fig. 8. Meshes of the rectangular holey structure. From left to right they are (a) original, (b) refined 1 and (c) refined 2 meshes. Here, $z_{\min} = -1.25$ mm and $z_{\max} = -0.25$ mm. The parameters periodicity are $p = 4$ mm, depth of hole $h = 1.5$ mm, the width of hole is $w = 3$ mm, and the gap is 0.5 mm.

chosen as it consists of flat surfaces only, hence a direct subdivision of one triangle to four results in a refined mesh with four times more elements. Such division is applied to the original mesh in Fig. 8(a) once to obtain the mesh of Fig. 8(b) and twice for Fig. 8(c). From the coarsest to the most refined mesh, the number of unknowns N is 177, 708 and 2832. These values correspond to ratios of wavelength to largest triangle edge of approximately 3.5, 7 and 14 at 60 GHz (the highest considered frequency). The solutions of the first two meshes were computed using $N_{\text{init}} = 12$ starting points in frequency from 0.5 GHz to 60 GHz and $N_{\text{interpol}} = 500$ interpolation sampling points. The finest mesh refinement was only computed in a 1 GHz region surrounding the coarser solution with $N_{\text{init}} = 4$ and $N_{\text{interpol}} = 40$.

Full dispersion diagrams for the irreducible Brillouin zone obtained with the proposed HSPGF are shown in Fig. 9(a) for the mirror-symmetric unit cell and in Fig. 9(b) for the glide-symmetric unit cell. In both cases, a very good agreement is obtained with respect to the solutions obtained with CST ES, already with the coarsest mesh (cross markers), although it




Fig. 9. Dispersion diagrams for the (a) mirror-symmetric and (b) glide-symmetric rectangular holey structures with the geometry simulated and the irreducible Brillouin zone depicted in the insets.

can be observed that the accuracy of the solution slightly deteriorates at the highest frequencies. Refining the mesh once (plus markers) and twice (square markers) improves the result. In the mirror-symmetric case, all modes are PEC-symmetric, while, in the glide-symmetric case, the first mode is minus-symmetric while the second and third modes are plus-symmetric. Here, the second mode is in fact a Floquet harmonic of the first mode, as reported in [19] and could also be obtained by extending the k_{t00} search space of the first mode.

B. Circular holey structure

For the second structure, we aim to verify the applicability of the code to find complex and evanescent modes. For this purpose, the geometry was chosen to compare the results with Fig. 8 from [19]. Two meshes were generated to have ratio of wavelength to largest triangle edge of approximately 4 and 8 at 100 GHz, corresponding to 255 and 831 basis functions, as shown in Figs. 10(a) and (b). Here, due to the curved surface, the entire structure is remeshed instead of splitting each triangle into four. For the generation of the dispersion diagrams, the frequency range considered is




Fig. 10. Rectangular holey structure meshes for the original mesh (a) and the refined mesh (b). Here, $z_{\max} = -0.025$ mm and $z_{\min} = -1.025$ mm. The dimensions marked are periodicity $p = 3.2$ mm, hole diameter $d = 2.56$ mm, hole depth $h = 1$ mm and gap between the top and bottom plates is 0.05 mm. The meshing software used is Gmsh [43].

0.5 GHz to 100 GHz with $N_{\text{init}} = 20$ initial points in the interpolation scheme. For evanescent modes, the frequency ranges are set to coincide with the stopbands at Γ , X and M. The number of initial points N_{init} varies depending on the width of the stopband such that the impedance matrices are computed every 5 GHz and the number of interpolation points is $N_{\text{interpol}} = 500$.

The full dispersion diagram for the mirror-symmetric unit cell can be seen in Fig. 11. The attenuation in the stopband is shown in Figs. 12(a) and (b) for the cases of $\overline{\Gamma X}$ and $\overline{M\Gamma}$ regions, respectively. Overall, the results agree very well with the reference [19], with a reduction of accuracy as the frequency increases for the coarsest mesh. Here, the difference is not only due to the larger relative size of the unit cells when compared to the wavelength, but also due to approximation of the curvilinear surface with planar triangular elements. Only PEC-mirrored modes are found in both original (cross markers) and refined (plus markers) meshes, which is expected as the gap between top and bottom plates is small enough to suppress any PMC-mirrored modes.




Fig. 11. Dispersion diagram for the irreducible Brillouin zone and the mirror-symmetric unit cell, both depicted in the insets.

The dispersion diagram for the glide-symmetric unit cell can be seen in Fig. 13. The attenuation in the stopband is presented in Figs. 14(a) and (b) for the cases of $\overline{\Gamma X}$ and $\overline{M\Gamma}$, respectively. Four modes are found, two minus-symmetric





Fig. 12. (a): attenuation in the $\overline{\Gamma X}$ region for the mirror-symmetric unit cell depicted in the inset. The solutions from 30 – 60 GHz were found at X, from 76-85 GHz at Γ and the mode from 85 – 89 GHz is a complex mode with the real part depicted in Fig. 11. (b): attenuation in the $\overline{M\Gamma}$ region for the mirror-symmetric unit cell depicted in the inset. The solutions from 49 – 60 GHz were found at M and from 75 – 100 GHz at Γ .




Fig. 13. Dispersion diagram for the irreducible Brillouin zone and the glide-symmetric unit cell, both depicted in the insets.

(yellow and green markers) and two plus-symmetric (orange and purple markers). As before, the original mesh is presented

with cross markers and the refined mesh with plus markers. It is worth noting that, due to the extra information of the mode symmetry, utilizing the HSPGF helps with interpretation of the mode evolution. For example, the plus-mirrored evanescent mode in Fig. 14(b) is found at M for the lower frequencies and transitions to a propagative mode at about 30 GHz. Then, with increasing frequency the mode gradually moves from M to Γ . At Γ , it becomes again evanescent and does not transition to a propagative mode in the frequency range considered.





Fig. 14. (a): attenuation in the $\overline{\Gamma X}$ region for the glide-symmetric unit cell depicted in the inset. The solutions from 46-59 GHz are located at Γ and from 59-87 GHz are a complex mode with the real part presented in Fig. 13. (b): attenuation in the $\overline{M\Gamma}$ region for the mirror-symmetric unit cell depicted in the inset. The solutions from 49-60 GHz were found at M and from 75-100 GHz at Γ .

C. Computational time analysis

The computational time to evaluate the impedance matrices is presented in Table I. The structure studied is the rectangular-hole unit cell from Fig. 8 in both mirror and glide-symmetric configurations. Times for both FSPGF and the HSPGF proposed in this paper are presented. All computations were done on a HP ProBook 430 G8 Notebook with Intel i7-1165G7 and 16 GB of RAM. Note that the times presented are obtained with a single-threaded program. As the computational time has slight frequency dependence, the numbers are the

average time of 10 evaluations of linearly-spaced frequencies from 0.5 GHz to 60 GHz and rounded to 1 second. For fair comparison, the mesh of the full structure (corresponding to use of FSPGF) is obtained by a mirror and a translation of (14) and thus has twice the number of basis functions. It can be observed from Table I that using the HSPGF results in twice faster evaluation of the matrix. While the matrix is reduced to one fourth number of entries, introducing the top part of the structure in HSPGF results in about double the computational effort in evaluating the Green's function. The average times necessary to find all the solutions (frequencies) for a given value of k_{t00} in Fig. 9 is presented in Table II. The difference in solution times when comparing the mirror-symmetric and glide-symmetric structures can be attributed to a larger computational load of the zero-search algorithm since the first and the second mode are not separated in the \overline{XM} region. The simulation time for obtaining the entire dispersion diagram in Figs. 9, 11 and 13 with CST ES is from 7 to 9 minutes for 30 values of k_{t00} .

TABLE I
AVERAGE COMPUTATIONAL TIME (IN SECONDS) FOR ONE IMPEDANCE MATRIX EVALUATION.

Green fnc.	Mesh kind			
	Symmetry	Fig. 8(a)	Fig. 8(b)	Fig. 8(c)
FSPGF	Mirror	23	140	1332
HSPGF	Mirror	12	71	668
FSPGF	Glide	22	140	1319
HSPGF	Glide	12	70	668

TABLE II
AVERAGE COMPUTATIONAL TIME (IN MINUTES) FOR OBTAINING THE SOLUTIONS (FREQUENCIES) IN FIG. 9 FOR FIXED k_{t00} .

Green fnc.	Mesh kind			
	Symmetry	Fig. 8(a)	Fig. 8(b)	Fig. 8(c)
HSPGF	Mirror	5	42	153
HSPGF	Glide	5	36	130

V. CONCLUSION AND PERSPECTIVES

In this work, a novel Green's function with a modelling approach to obtain properties of modes of mirror- and glide-symmetric structures has been presented. Using the proposed Green's function with the MoM, we obtained accurate results for both propagative and evanescent modes when compared to results from CST ES and MMTMM [19]. Moreover, the Green's function evaluation accelerated via Ewald and the adapted use of the radial-angular method [40] to correctly cancel singular integrals were presented. The solutions were found via a technique for the search of singularities of a matrix function. Using the proposed Green's function was found to

reduce the computational time of one matrix evaluation to one half. Furthermore, the Green's function provides additional information of the mode parity, which was found helpful in understanding and tracking the evolution of modes. The presented method can be easily integrated to an existing MoM code and is able to obtain information not directly available from commercial solvers, such as attenuation in the stopband. In the future work, we aim to extend the code to work with dielectric materials and utilize it to study hexagonal unit cells.

ACKNOWLEDGMENT

The authors thank Prof. Donald R. Wilton for fruitful discussions on the topic. We also thank Dr. Qiao Chen for providing the reference data used in Figs. 11-14.

REFERENCES

- [1] International Telecommunication Union. "IMT traffic estimates for the years 2020 to 2030". 2015. Accessed: 22.11.2022. [Online]. Available: <https://www.itu.int/pub/R-REP-M.2370-2015>
- [2] Y. Wang, J. Li, L. Huang, Y. Jing, A. Georgakopoulos, and P. Demestichas, "5G Mobile: Spectrum Broadening to Higher-Frequency Bands to Support High Data Rates," *IEEE Vehicular Technology Magazine*, vol. 9, no. 3, pp. 39–46, 2014.
- [3] W. Jiang, B. Han, M. A. Habibi, and H. D. Schotten, "The Road Towards 6G: A Comprehensive Survey," *IEEE Open Journal of the Communications Society*, vol. 2, pp. 334–366, 2021.
- [4] O. Quevedo-Teruel, Q. Chen, F. Mesa, N. J. Fonseca, and G. Valerio, "On the Benefits of Glide Symmetries for Microwave Devices," *IEEE Journal of Microwaves*, vol. 1, no. 1, pp. 457–469, 2021.
- [5] P. Crepeau and P. R. McIsaac, "Consequences of symmetry in periodic structures," *Proceedings of the IEEE*, vol. 52, no. 1, pp. 33–43, 1964.
- [6] A. Hessel, M. H. Chen, R. C. Li, and A. A. Oliner, "Propagation in periodically loaded waveguides with higher symmetries," *Proceedings of the IEEE*, vol. 61, no. 2, pp. 183–195, 1973.
- [7] O. Quevedo-Teruel, J. Miao, M. Mattsson, A. Algaba-Brazalez, M. Johansson, and L. Manholm, "Glide-symmetric fully metallic Luneburg lens for 5G communications at Ka-band," *IEEE Antennas and Wireless Propagation Letters*, vol. 17, no. 9, pp. 1588–1592, 2018.
- [8] F. Fan, M. Cai, J. Zhang, Z. Yan, and J. Wu, "Wideband Low-Profile Luneburg Lens Based on a Glide-Symmetric Metasurface," *IEEE Access*, vol. 8, pp. 85 698–85 705, 2020.
- [9] O. Zetterstrom, E. Elena Pucci, P. Padilla, L. Wang, and O. Quevedo-Teruel, "Low-Dispersive Leaky-Wave Antennas for mmWave Point-to-Point High-Throughput Communications," *IEEE Transactions on Antennas and Propagation*, vol. 68, no. 3, pp. 1322–1331, 2020.
- [10] Q. Chen, O. Zetterstrom, E. Pucci, A. Palomares-Caballero, P. Padilla, and O. Quevedo-Teruel, "Glide-Symmetric Holey Leaky-Wave Antenna With Low Dispersion for 60 GHz Point-to-Point Communications," *IEEE Transactions on Antennas and Propagation*, vol. 68, no. 3, pp. 1925–1936, 2020.
- [11] X. Zeng, Q. Chen, O. Zetterstrom, and O. Quevedo-Teruel, "Fully Metallic Glide-Symmetric Leaky-Wave Antenna at Ka-Band With Lens-Augmented Scanning," *IEEE Transactions on Antennas and Propagation*, vol. 70, no. 8, pp. 7158–7163, 2022.
- [12] A. Monje-Real, N. Fonseca, O. Zetterstrom, E. Pucci, and O. Quevedo-Teruel, "Holey Glide-Symmetric Filters for 5G at Millimeter-Wave Frequencies," *IEEE Microwave and Wireless Components Letters*, vol. 30, no. 1, pp. 31–34, 2019.
- [13] Z. Sipus, K. Cavar, M. Bosiljevac, and E. Rajo-Iglesias, "Glide-symmetric holey structures applied to waveguide technology: design considerations," *Sensors*, vol. 20, no. 23, p. 6871, 2020.
- [14] M. Ebrahimpouri, A. A. Brazalez, L. Manholm, and O. Quevedo-Teruel, "Using Glide-Symmetric Holes to Reduce Leakage Between Waveguide Flanges," *IEEE Microwave and Wireless Components Letters*, vol. 28, no. 6, pp. 473–475, 2018.
- [15] G. Valerio, F. Ghasemifard, Z. Sipus, and O. Quevedo-Teruel, "Glide-Symmetric All-Metal Holey Metasurfaces for Low-Dispersive Artificial Materials: Modeling and Properties," *IEEE Transactions on Microwave Theory and Techniques*, vol. 66, no. 7, pp. 3210–3223, 2018.
- [16] A. Alex-Amor, F. Ghasemifard, G. Valerio, M. Ebrahimpouri, P. Padilla, J. M. F. González, and O. Quevedo-Teruel, "Glide-Symmetric Metallic Structures With Elliptical Holes for Lens Compression," *IEEE Transactions on Microwave Theory and Techniques*, vol. 68, no. 10, pp. 4236–4248, 2020.
- [17] B. Fischer and G. Valerio, "Quasi-Static Homogenization of Glide-Symmetric Holey Parallel-Plate Waveguides With Ultra-Wideband Validity," *IEEE Transactions on Antennas and Propagation*, vol. 70, no. 11, pp. 10 569–10 582, 2022.
- [18] F. Mesa, G. Valerio, R. Rodriguez-Berral, and O. Quevedo-Teruel, "Simulation-Assisted Efficient Computation of the Dispersion Diagram of Periodic Structures: A comprehensive overview with applications to filters, leaky-wave antennas and metasurfaces," *IEEE Antennas and Propagation Magazine*, vol. 63, no. 5, pp. 33–45, 2020.
- [19] Q. Chen, F. Mesa, X. Yin, and O. Quevedo-Teruel, "Accurate Characterization and Design Guidelines of Glide-Symmetric Holey EBG," *IEEE Transactions on Microwave Theory and Techniques*, vol. 68, no. 12, pp. 4984–4994, 2020.
- [20] M. Bozzi, S. Germani, L. Minelli, L. Perregini, and P. de Maagt, "Efficient calculation of the dispersion diagram of planar electromagnetic band-gap structures by the MoM/BI-RME method," *IEEE Transactions on Antennas and Propagation*, vol. 53, no. 1, pp. 29–35, 2005.
- [21] P. Baccarelli, C. Di Nallo, S. Paulotto, and D. Jackson, "A full-wave numerical approach for modal analysis of 1-D periodic microstrip structures," *IEEE Transactions on Microwave Theory and Techniques*, vol. 54, no. 4, pp. 1350–1362, 2006.
- [22] P. Baccarelli, S. Paulotto, and C. Di Nallo, "Full-wave analysis of bound and leaky modes propagating along 2D periodic printed structures with arbitrary metallisation in the unit cell," *IET Microwaves, Antennas & Propagation*, vol. 1, no. 1, pp. 217–225, 2007.
- [23] G. Valerio, P. Burghignoli, P. Baccarelli, and A. Galli, "Input Impedance of Nonperiodic Sources Exciting 1-D Periodic Shielded Microstrip Structures," *IEEE Transactions on Microwave Theory and Techniques*, vol. 58, no. 7, pp. 1796–1806, 2010.
- [24] A. Barlevy and Y. Rahmat-Samii, "Characterization of electromagnetic band-gaps composed of multiple periodic tripods with interconnecting vias: concept, analysis, and design," *IEEE Transactions on Antennas and Propagation*, vol. 49, no. 3, pp. 343–353, 2001.
- [25] S. Amari, R. Vahldieck, and J. Bornemann, "Accurate analysis of periodic structures with an additional symmetry in the unit cell from classical matrix eigenvalues," *IEEE Transactions on Microwave Theory and Techniques*, vol. 46, no. 10, pp. 1513–1515, 1998.
- [26] P. Castillo-Tapia, F. Mesa, A. Yakovlev, G. Valerio, and O. Quevedo-Teruel, "Study of Forward and Backward Modes in Double-Sided Dielectric-Filled Corrugated Waveguides," *Sensors*, vol. 21, no. 18, p. 6293, 2021.
- [27] J. T. Vásquez, J. Rivero, G. Valerio, and F. Vipiana, "Periodic Integral Equation Formulation for the Numerical Analysis of Glide Structures," in *2022 16th European Conference on Antennas and Propagation (EuCAP)*. IEEE, 2022, pp. 1–3.
- [28] G. Valerio, P. Baccarelli, P. Burghignoli, and A. Galli, "Comparative Analysis of Acceleration Techniques for 2-D and 3-D Green's Functions in Periodic Structures Along One and Two Directions," *IEEE Transactions on Antennas and Propagation*, vol. 55, no. 6, pp. 1630–1643, 2007.
- [29] A. L. Frutos, R. R. Boix, and F. Mesa, "Application of Kummer's Transformation to the Efficient Computation of the 3-D Green's Function With 1-D Periodicity," *IEEE Transactions on Antennas and Propagation*, vol. 58, no. 1, pp. 95–106, 2009.
- [30] R. Jorgenson and R. Mittra, "Efficient calculation of the free-space periodic Green's function," *IEEE Transactions on Antennas and Propagation*, vol. 38, no. 5, pp. 633–642, 1990.
- [31] N. Kinayman and M. Aksun, "Comparative study of acceleration techniques for integrals and series in electromagnetic problems," *Radio Science*, vol. 30, no. 6, pp. 1713–1722, 1995.
- [32] S. Boutami and M. Fall, "Calculation of the Free-Space Periodic Green's Function Using Equivalent Finite Array," *IEEE Transactions on Antennas and Propagation*, vol. 60, no. 10, pp. 4725–4731, 2012.
- [33] N. Guerin, S. Enoch, and G. Tayeb, "Combined Method for the Computation of the Doubly Periodic Green's Function," *Journal of Electromagnetic Waves and Applications*, vol. 15, no. 2, pp. 205–221, 2001.
- [34] P. P. Ewald, "Die berechnung optischer und elektrostatischer gitterpotentiale," *Annalen der physik*, vol. 369, no. 3, pp. 253–287, 1921.
- [35] S. Oroskar, D. R. Jackson, and D. R. Wilton, "Efficient computation of the 2D periodic Green's function using the Ewald method," *Journal of Computational Physics*, vol. 219, no. 2, pp. 899–911, 2006.

- [36] C. Linton, "The Green's function for the two-dimensional Helmholtz equation in periodic domains," *Journal of Engineering Mathematics*, vol. 33, no. 4, pp. 377–401, 1998.
- [37] F. T. Celepcikay, D. R. Wilton, D. R. Jackson, and F. Capolino, "Choosing splitting parameters and summation limits in the numerical evaluation of 1-D and 2-D periodic Green's functions using the Ewald method," *Radio Science*, vol. 43, no. 06, pp. 1–11, 2008.
- [38] K. E. Jordan, G. R. Richter, and P. Sheng, "An efficient numerical evaluation of the Green's function for the Helmholtz operator on periodic structures," *Journal of Computational Physics*, vol. 63, no. 1, pp. 222–235, 1986.
- [39] S. Rao, D. Wilton, and A. Glisson, "Electromagnetic scattering by surfaces of arbitrary shape," *IEEE Transactions on Antennas and Propagation*, vol. 30, no. 3, pp. 409–418, 1982.
- [40] M. A. Khayat, D. R. Wilton, and P. W. Fink, "An Improved Transformation and Optimized Sampling Scheme for the Numerical Evaluation of Singular and Near-Singular Potentials," *IEEE Antennas and Wireless Propagation Letters*, vol. 7, pp. 377–380, 2008.
- [41] I. Amidror, "Scattered data interpolation methods for electronic imaging systems: a survey," *Journal of Electronic Imaging*, vol. 11, no. 2, pp. 157 – 176, 2002. [Online]. Available: <https://doi.org/10.1117/1.1455013>
- [42] "CST Studio Suite 3D EM Simulation and Analysis Software." [Online]. Available: <https://www.3ds.com/products-services/simulia/products/cst-studio-suite/>
- [43] C. Geuzaine and J.-F. Remacle, "Gmsh: A 3-D finite element mesh generator with built-in pre-and post-processing facilities," *International Journal for Numerical Methods in Engineering*, vol. 79, no. 11, pp. 1309–1331, 2009.



Martin Petek received his B. Sc. degree in Electrical Engineering from University of Ljubljana in 2017 and his M. Sc. in Electrophysics from KTH Royal Institute of Technology in 2020. Since 2021, he is with Department of Electronics and Telecommunications, Politecnico di Torino, Torino, Italy, where he is working towards obtaining his Ph. D. degree. His current research interests include numerical techniques, periodic structures and higher symmetries.



Javier Rivero received the M.S. in Telecommunication Engineering degree at the University Carlos III de Madrid, Spain in 2008 and the Ph.D. in Telecommunication Engineering from the University of Extremadura, Spain in 2012. Between 2012 and 2017, he served as a research assistant at the Department of Technologies of Computers and Communications at the University of Extremadura, Spain. During the period from 2015 to 2017, he conducted a postdoctoral research stint at the Department of Electronics and Telecommunications of Politecnico di Torino. Following this, from 2017 to 2018, he joined the Advanced Computing and Electromagnetics (ACE) division of Istituto Superiore Mario Boella (ISMB). From 2018 to 2022, he worked as a research assistant within the Department of Electronics and Telecommunications at Politecnico di Torino. Since 2022, he has held the position of Senior Engineer in R&D at Sandia National Laboratories.

His research interests encompass various areas, including fast integral-equation methods and method-of-moment approaches in computational electromagnetics, metamaterials, nanoplasmonics, Green's function regularization, advanced quadrature integration schemes, periodic Green's functions, and high-Q cavities.



Jorge A. Tobon V. (Member, IEEE) received the Degree in electronics engineering from the Universidad de Antioquia, Colombia, in 2010, in a double degree program, the master's degree in electronic engineering and the Ph.D. degree in electronics and telecommunication engineering from the Politecnico di Torino, Italy, in 2010 and 2014, respectively, where he is an Assistant Professor. His main research activities correspond to modeling, designing, and analyzing systems for microwave imaging applications, specifically in the biomedical and food industry fields, and the numerical modeling of complex and nonhomogeneous media propagation. He received the "Premio Latmiral," an award granted by the Italian Society of Electromagnetism in 2018 and the URSI General Assembly Scientific Symposium Young Scientist Award and the Sorrentino URSI Italy National Meeting Young Scientist Paper Award in 2020.



Guido Valerio (S'06–M'10–SM'18) received the M.S. degree (cum laude and honorable mention) in electronic engineering in 2005, and the Ph.D. degree in electromagnetics in 2009, from La Sapienza University, Rome, Italy. From February to August 2008 he was a Visiting Scholar at the University of Houston, TX, USA. From 2011 to 2014, he was a researcher at the Institute d'Electronique et de Télécommunications de Rennes (IETR), France. Since September 2014 he is at Sorbonne Université, Paris, France where he is a Professor with the Laboratoire de Genie Electrique et Electronique de Paris.

His scientific interests involve antenna design and numerical methods for wave propagation and scattering in complex structures; namely, periodic Green's function computation, modal properties of multilayered structures, full-wave methods for SIW, modeling and design of periodic structures.

Dr. Valerio is currently serving as an Associate Editor for the IEEE Transactions on Antennas and Propagation and the IEEE Access journals, and is the Main Chair of the COST Action SyMat on "Future communications with higher symmetric engineered artificial materials". In 2008 Dr. Valerio was the recipient of the "Leopold B. Felsen Award for Excellence in Electrodynamics." In 2010 he was the recipient of the "Barzilai Prize" for the best paper at the National Italian Congress of Electromagnetism (XVIII RiNEm). In 2014, he was the recipient of the RMTG Award for junior researchers presented at the IEEE Antennas and Propagation Society Symposium, Memphis, TN. In 2018 and 2020, he was a co-author of the best papers in Electromagnetic and Antenna theory at the European Conference on Antennas and Propagation. In 2022, he was a co-author of the Best Student Paper Award at the 16th European Conference on Antennas and Propagation.



O. Quevedo-Teruel (Fellow, IEEE) received his Telecommunication Engineering and Ph.D. Degrees from Carlos III University of Madrid, Spain in 2005 and 2010. From 2010-2011, Dr. Quevedo-Teruel joined the Department of Theoretical Physics of Condensed Matter at Universidad Autonoma de Madrid as a research fellow and went on to continue his postdoctoral research at Queen Mary University of London from 2011-2013.

In 2014, he joined the Division of Electromagnetic Engineering and Fusion Science in the School of Electrical Engineering and Computer Science at KTH Royal Institute of Technology in Stockholm, Sweden where he is a Professor and Director of the Master Programme in Electromagnetics Fusion and Space Engineering. He has been an Associate Editor of the IEEE Transactions on Antennas and Propagation from 2018-2022 and Track Editor since 2022. He is also the founder and editor-in-chief of the EurAAP journal Reviews of Electromagnetics since 2020. He was the EurAAP delegate for Sweden, Norway, and Iceland from 2018-2020 and he has been a member of the EurAAP Board of Directors since January 2021. Since January 2022, he is the vice-chair of EurAAP. He was a distinguished lecturer of the IEEE Antennas and Propagation Society for the period 2019-2021. He is the Chair of the IEEE APS Educational Initiatives Programme since 2020.

He has made scientific contributions to higher symmetries, transformation optics, lens antennas, metasurfaces, and high-impedance surfaces. He is the co-author of more than 130 papers in international journals and 200 at international conferences.



Francesca Vipiana (M'07–SM'13) received the Laurea and Ph.D. degrees in electronic engineering from the Politecnico di Torino, Torino, Italy, in 2000 and 2004, respectively, with doctoral research carried out partly at the European Space Research Technology Center, Noordwijk, The Netherlands. From 2005 to 2008, she was a Research Fellow with the Department of Electronics, Politecnico di Torino. From 2009 to 2012, she was the Head of the Antenna and EMC Laboratory, Istituto Superiore Mario Boella, Torino. Since 2012, she has been an

Assistant Professor with the Department of Electronics and Telecommunications, Politecnico di Torino, where she has been an Associate Professor since 2014 and a Full Professor since 2021.

Her current research interests include numerical techniques based on the integral equation and method of moment approaches, with a focus on multiresolution and hierarchical schemes, domain decomposition, preconditioning and fast solution methods, and advanced quadrature integration schemes. She is currently involved in the modelling and design of microwave imaging systems, for medical and industrial applications.

She received the Young Scientist Award at the URSI General Assembly in 2005, the First Prize in the Poster Competition at the IEEE Women in Electromagnetics Workshop in 2009, the ISMB Best Paper Award in 2011, the Lot Shafai Mid-Career Distinguished Award from the IEEE Antennas and Propagation Society in 2017, and the INDRA Best Paper Award at the XXXVIII Spanish National URSI Symposium in 2023. She is also on Editorial Board of the IEEE TRANSACTIONS ON ANTENNAS AND PROPAGATION and IEEE Antennas and Propagation Magazine.