POLITECNICO DI TORINO Repository ISTITUZIONALE


On the formation of hydrogen peroxide in water microdroplets

Original On the formation of hydrogen peroxide in water microdroplets / Gallo Jr, Adair; Musskopf, Nayara H; Liu, Xinlei; Yang, Ziqiang; Petry, Jeferson; Zhang, Peng; Thoroddsen, Sigurdur; Im, Hong; Mishra, Himanshu In: CHEMICAL SCIENCE ISSN 2041-6520 13:9(2022), pp. 2574-2583. [10.1039/d1sc06465g]
Availability: This version is available at: 11583/2995212 since: 2024-12-12T09:16:43Z
Publisher: RSC
Published DOI:10.1039/d1sc06465g
Terms of use:
This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository
Publisher copyright

(Article begins on next page)

Volume 13 Number 9 7 March 2022 Pages 2499-2798

Chemical Science



ISSN 2041-6539



EDGE ARTICLE

Chemical Science



EDGE ARTICLE

View Article Online
View Journal | View Issue



Cite this: Chem. Sci., 2022, 13, 2574

All publication charges for this article have been paid for by the Royal Society of Chemistry

Received 19th November 2021 Accepted 13th January 2022

DOI: 10.1039/d1sc06465a

rsc.li/chemical-science

On the formation of hydrogen peroxide in water microdroplets†

Adair Gallo Jr., (1) ‡a Nayara H. Musskopf, ‡a Xinlei Liu, b Ziqiang Yang, (1) b Jeferson Petry, a Peng Zhang, a Sigurdur Thoroddsen, b hong Imb and Himanshu Mishra b *a

Recent reports on the formation of hydrogen peroxide (H2O2) in water microdroplets produced via pneumatic spraying or capillary condensation have garnered significant attention. How covalent bonds in water could break under such mild conditions challenges our textbook understanding of physical chemistry and water. While there is no definitive answer, it has been speculated that ultrahigh electric fields at the air-water interface are responsible for this chemical transformation. Here, we report on our comprehensive experimental investigation of H₂O₂ formation in (i) water microdroplets sprayed over a range of liquid flow-rates, (shearing) air flow rates, and air composition, and (ii) water microdroplets condensed on hydrophobic substrates formed via hot water or humidifier under controlled air composition. Specifically, we assessed the contributions of the evaporative concentration and shock waves in sprays and the effects of trace $O_3(q)$ on the H_2O_2 formation. Glovebox experiments revealed that the H₂O₂ formation in water microdroplets was most sensitive to the air-borne ozone (O₃) concentration. In the absence of $O_3(q)$, we could not detect $H_2O_2(aq)$ in sprays or condensates (detection limit \geq 250 nM). In contrast, microdroplets exposed to atmospherically relevant $O_3(q)$ concentration (10-100 ppb) formed 2-30 μM H₂O₂(aq), increasing with the gas-liquid surface area, mixing, and contact duration. Thus, the water surface area facilitates the $O_3(g)$ mass transfer, which is followed by the chemical transformation of $O_3(aq)$ into $H_2O_2(aq)$. These findings should also help us understand the implications of this chemistry in natural and applied contexts.

Introduction

Interfacial mass and energy transfer, chemical transformations/ reactions, and tensions at water interfaces are implicated in numerous natural and industrial processes, such as the atmosphere–hydrosphere exchange,¹ cloud physics² and chemistry,³ thundercloud charging,⁴,⁵ precipitation,⁶ ion speciation⁻ and ion-catalyzed proton transfers,⁵,⁰ aerobic bioreactors,¹⁰ food science,¹¹ soil physics,¹² underwater insect respiration,¹³ and the ubiquitous water evaporation/condensation events. Probing the air–water interface of molecular thickness, however, remains a daunting research area due to the challenges associated with direct experimental interrogation as well as the limitations of the water models.¹⁴ Therefore, investigating the properties of

sometimes invoking vigorous debates. 14-26 With this preface, we introduce the latest reports on the chemical transformation of water into hydrogen peroxide (H₂O₂). Researchers have discovered the spontaneous production of (i) H_2O_2 (~30 μ M) in water microdroplets of diameter ≤20 μm sprayed via pressurized gas²⁷ and (ii) H_2O_2 ($\leq 115 \mu M$) in condensed water microdroplets of diameter ≤10 µm on common substrates in the relative humidity range 40-70%.28 Crucially, smaller droplets yielded higher H₂O₂ concentration, pinpointing that the air-water interface is somehow implicated. How could the O-H covalent bonds in water with an approximate strength of \sim 100 kcal mol⁻¹ be broken under normal temperature and pressure (NTP, 293 K and 1 atm; $k_BT = 0.58$ kcal mol⁻¹) without the use of a catalyst, significant energy, or co-solvents? There is no explanation available at the moment. Presence of ultrahigh electric fields at the air-water interface has been speculated to be the cause.27,28 These findings challenge our textbook-level understanding of water and perhaps other similar liquids where constituent atoms occupy distant positions on the Pauling's electronegativity table.29 Given water's innumerable roles in environmental cycles and phenomena and industrial processes, could these findings herald a reassessment of what

the water surface is a research frontier in chemical science,

[&]quot;Interfacial Lab (iLab), Biological and Environmental Science and Engineering (BESE) Division, Water Desalination and Reuse Center (WDRC), King Abdullah University of Science and Technology (KAUST), Thuwal 23955-6900, Saudi Arabia. E-mail: Himanshu.Mishra@kaust.edu.sa

^bPhysical Science and Engineering (PSE) Division, King Abdullah University of Science and Technology (KAUST), Thuwal 23955-6900, Saudi Arabia

 $[\]dagger$ Electronic supplementary information (ESI) available. See DOI: 10.1039/d1sc06465g

[‡] Equal author contribution.

we know of water; opportunities in green chemistry also deserve a serious consideration.

We started exploring this phenomenon soon after the appearance of the first report.²⁷ A follow-up report revealed that even condensed water microdroplets contained H₂O₂, in fact, at even higher concentrations ≤115 μM.²⁸ Let us take a moment to juxtapose these two unrelated experimental methods utilized to study this chemical transformation. Condensation is a gentle process governed by the relative humidity and the substrate's temperature and chemical make-up. In contrast, pneumatic sprays utilize high shearing gas-flow (e.g., 1-10 L min⁻¹) from a microscale capillary/annulus leading to fast gas speeds (e.g., 100-1000 m s⁻¹) that cause much turbulence/mixing/forcedconvection inside and around the spray plume and can enhance the concentration of H₂O₂ due to the faster evaporation of the solvent (more details in Results and Discussion). In fact, if the spray-based experiments are conducted inside a controlled environment glovebox, the shearing gas-flow disturbs the atmospheric composition/distribution, especially the relative humidity. Thus, we restricted our preliminary investigation to water condensation,30 wherein we found that: (i) the condensed microdroplets formed via the vaporization of hot water (50-70 °C) did not contain H₂O₂; (ii) if ultrasonic humidifiers were exploited to form the vapor, $\sim 1 \mu M H_2O_2$ was detected.30 Therefore, we established that the ultrasonic humidifier was a contributor to the H₂O₂ production and the air-water did not have any detectable effect. The fact that ultrasonic waves can produce H₂O₂ in water is well-known and has even been exploited in practical applications, including disinfection31 and water treatment32 (see ref. 33-35 for further

information). Still, however, we remained puzzled – why did researchers in California observe \sim 115-times and \sim 30-times higher H_2O_2 in their condensation and spray experiments, respectively, while we did not find any H_2O_2 in similar experiments at KAUST? Here, by designing and applying a broad set of experiments, we propose a different explanation for the H_2O_2 formation in water microdroplets formed via pneumatic spraying or condensation.

Results

In this experimental study, we utilized high-purity HPLC-grade water as well as water from the standard MilliQ Advantage 10 set up (Methods). Commercially available hydrogen peroxide (H_2O_2) 30% solutions (v/v) were diluted using water and utilized for the calibration of the assays and other experiments (Fig. S1†). We utilized the fluorometric Hydrogen Peroxide Assay Kit (HPAK, ab138886, Abcam PLC, Cambridge, UK) that facilitated a detection range for aqueous H_2O_2 down to \sim 250 nM, 36,37 thereby affording a nearly 40-times lower limit of detection than the potassium titanium oxalate (PTO) assay employed in the original reports 27,28 (Methods). HPAK calibration plots and comparisons with other standard H_2O_2 quantification methods, including the PTO assay and the hydroxyterephthalic acid (HTA) assay, have already been presented in our recent report. 30

For spraying water microdroplets, we custom-built pneumatic setups following the details presented in the recent report.²⁷ Broadly, our spray units comprised of concentric stainless steel tubes (Fig. 1 and S2†), wherein water was pushed




Fig. 1 Schematic of the experimental setup illustrates the evaporative concentration of H_2O_2 in aqueous sprays. The spray setup is comprised of two coaxial stainless steel capillary tubes; liquid flows in the inner tube while nitrogen gas flows through the outer annulus (see 3D design and photographs in Fig. S2†). Ultrapure water samples or aqueous solutions spiked with H_2O_2 are injected *via* a syringe pump and nitrogen gas is supplied by a high pressure cylinder. Sprayed microdroplets are collected in a clean glass flask until a sufficient analyte volume is collected (e.g., $\ge 400 \,\mu$ L analyte was needed for our HPAK analysis³⁰). We define evaporation ratio as V_0/V_F , where, V_0 is the liquid volume injected to create the spray and V_F is the volume of the collected sample. Note that the droplets on the walls as well as the analyte collecting at the bottom of the collector flask also contribute to evaporation ratio.

through the inner tube while pressurized N2 gas was applied through the outer annulus to shear the liquid (Table S1†). As water slugs/droplets moving at low speed are hit by fast flowing N₂ gas, microdroplets are produced; size distribution of microdroplets depends on the liquid and gas flow rates as well as capillary dimensions (Fig. S3 and S4†). A sealed glass enclosure connected to the spray facilitated sample collection with minimal losses (Fig. 1). We also revisited the investigation of H₂O₂ production in condensed water microdroplets formed by heating water and ultrasonic humidifiers. Next, we delineate the various hypotheses and factors we considered could contribute to the H2O2 formation in water microdroplets (sprayed or condensed):

- (i) Evaporative concentration (Fig. 1 and 2): trace amount of H₂O₂ could be present even in the water obtained from reverse osmosis.38 During spraying, as the solvent evaporates, the solute might concentrate, since the boiling point of H₂O₂ at 1 atm is 423 K that is 50 K higher than that of water; 39,40 so H₂O₂ is expected to evaporate slower than water in the sprays and concentrate.
- (ii) Mechanical vibrations, shock-waves, and cavitation in sprays (Fig. 3): as liquid flows through a capillary, then, depending on the liquid thermophysical properties, flow rate, shearing gas-flow rate, dissolved gases, capillary geometry, etc., shock waves and cavitation events can take place. 41-43 Cavitation implosion of bubbles in water can lead to extremely high temperatures and pressures in localized "hot spots", leading to the production of OH radicals that could yield H₂O₂.³²
- (iii) Dissolution of airborne ozone in water and its autodissociation (Fig. 4-6): atmospheric/ambient ozone gas could dissolve in water and react to form H2O2.44 N.B. the Henry's law

constants for the solubility of ozone and H2O2 in water are, respectively, $\sim 10^{-3}$ M atm⁻¹ and $\sim 10^4$ M atm⁻¹.⁴⁵

Evaporative concentration

As a solution comprised of water and H2O2 evaporates, for instance, inside a vacuum oven or in the form of sprayed microdroplets, the ratio of the formed vapor $(H_2O(g): H_2O_2(g))$ is not the same as their bulk concentration $(H_2O(1): H_2O_2(1))$. This is so because water evaporates faster due to its lower boiling point (373 K at 1 atm) than that of H₂O₂ (423 K at 1 atm).39,40 Here, we define evaporation ratio as the ratio of the initial volume prior to spraying (V_0) to the finally collected volume after spraying $(V_{\rm F})$. A simple evaporation experiment was performed on bulk aqueous solutions containing 4 and 8 μM H₂O₂ by placing them inside a vacuum oven set at 20 mbar and 293 K for approximately 2 days. These solutions exhibited evaporation ratios of \sim 50 and \sim 17, respectively, such that the H_2O_2 concentration increased by \sim 12 and \sim 7-times, respectively. Next, we quantified evaporation ratios within pneumatic sprays formed via (i) $\sim 0.5 \mu M H_2 O_2$ solutions and (ii) ultrapure water (Fig. 2). The water flow rate was varied in the range of 50-400 μ L min⁻¹ and the nebulizing gas (N₂) flow rate was fixed at 5.3 L min⁻¹ (\sim 8 bar in-line pressure). Our experimental set up's details are presented in Fig. S2, S3 and Table S1;† the influence of the in-line gas pressure and the inner/outer capillary dimensions on the gas flow rates is plotted in Fig. S3A and B;† and the size distributions of sprayed microdroplets, determined via dynamic light scattering (Methods), as a function of gas flow is shown in Fig. S4B.† Under these experimental conditions, when the liquid flow rate was >70 μL min⁻¹, there was hardly any enhancement in the H₂O₂ concentration. However, as the




Fig. 2 Evaporative concentration in pneumatic sprays formed with ultrapure water (blue and pink) and $0.5 \,\mu\text{M}$ H₂O₂ solutions (green and orange) using a fixed N_2 gas flowrate 5.3 L min⁻¹. (A) Sharp rise in the H_2O_2 concentration of (spiked) 0.5 μ M solution when the liquid flow rate was <70 μ L min⁻¹; minimal H₂O₂ production in sprays formed with ultrapure water. (B) Relationships between the final H₂O₂ concentration and the evaporation ratios. Note: the error bars correspond to the standard deviations in the spectrophotometer readings. All slopes in (B) were statistically greater than zero (p < 0.05; ANOVA test).

Edge Article

Time: 1.0e-07 s

B
Time: 1.0e-07 s

P (Pa)
7.0e+05
4.0e+5
1.0e+05

Fig. 3 (A) A representative sequence of video images showing interactions between concentric high-speed external nitrogen gas (5.3 L min^{-1}) and a slower inner water jet $(100 \text{ }\mu\text{L min}^{-1})$. Red circles indicate a collision and breakup of two droplets upon acceleration by the fast-moving nitrogen gas. Pink arrow shows a droplet of 4 μ m diameter. The images are acquired with an ultra-fast camera (Kirana-05M) at 5 million fps using a Leica long-distance microscope. The sequence of frames is shown at times relative to the first frame, $t = 0, 1.6, 2.2, 3.2, \text{ and } 4.2 \mu \text{s}$. The scale bar in panel (A) is 50 μ m. (B and C) Predicted distributions of pressure and temperature fields from the numerical simulations of high-speed gas-flow around three adjacent droplets of 20 μ m diameter.

liquid flow rate was reduced below 70 µL min⁻¹, the H₂O₂ concentration began to rise exponentially. Remarkably, within the range of 400-50 $\mu L \text{ min}^{-1}$, the H_2O_2 concentration in the \sim 0.5 μ M standard solutions increased by 9.1 \times (0.7–6.2 μ M) and 13.6 \times (0.4-5.2 μ M), respectively, and the evaporation ratios were 14.2 and 21.3, respectively. Similarly, the H₂O₂ concentrations in sprays formed with ultrapure water also increased when the liquid flow rate was within the range 400-50 $\mu L \text{ min}^{-1}$: the enhancement factors were 6.6× and 1.1× – both <0.34 µM - while the evaporation ratios were 14.2 and 8.6, respectively. ANOVA tests confirmed that even the slopes of the ultrapure water samples (#1 and #2) were statistically greater than zero (p < 0.05). The average time for sample collection (\sim 1 mL for analysis) at 50 μ L min⁻¹ flow rate was >5 h per datum point due to evaporation rates being almost as high as liquid injection rates; so, we did not pursue investigation of evaporation at lower liquid flow rates. Taken together, these experiments established that while evaporative concentration could enhance the H2O2 concentration in sprayed water microdroplets slightly, this effect is nearly a factor 100× too short to account for the ppm-level (1 ppm = 29.4 μ M) H_2O_2 concentrations noted recently.27

Mechanical vibrations and shock waves

We combined experiment and theory to probe the effects of mechanical vibrations on the formation of shock waves during spraying. High-speed videos of pneumatically driven sprays were recorded using a Kirana-05M camera at 5 million frames per second (fps). Its 200 ns time-resolution enabled us to observe microdroplets trajectories before, during, and after their interaction with the shearing gas (Fig. 3A and ESI Movie S1†); their size, number, and velocity were also monitored (Methods). We found that as the slow-moving water droplets got hit by the fast-moving gas, they accelerated and frequently broke into smaller ones (Fig. 3A). We deduced that the speed of the N_2 gas to be ~ 800 m s⁻¹.

Before computational fluid dynamic (CFD) simulations, a theoretical calculation was conducted based on the Rankine–Hugoniot conditions, because from a CFD simulation point of view $\rm H_2O_2$ could only be generated by high-temperature reactions (Section S1†). Shock waves could generate high temperatures and pressures. When the high-speed gas hits the water droplet, almost all of the momentum energy is converted to heat. If we assume the heat capacity does not change, then, the

temperature rise of the static gas can be estimated as, $\frac{u^2}{2}/c_{\rm p}$, where $u\sim 800~{\rm m~s^{-1}}$ and $c_{\rm p}=4.2~{\rm J~g^{-1}~K^{-1}}$. This yields $a\approx 301$ K rise in temperature at the droplet front.

Next, we probed the gas-water interactions via three-dimensional CFD simulations using the converge code, wherein the turbulence is simulated by the renormalization group $k-\epsilon$ model.⁴⁶ The Eulerian void of fluid (VOF) method⁴⁷ was adopted to capture the in- and near-nozzle spray details (ESI Section S1, Fig. S5 and S6†). Simulations revealed the formation

of bowl-shaped shock waves at the impact point of the droplets that led to an increase in the local temperature (\sim 327 °C) and pressure (\sim 7 bar) (Fig. 3B and C). However, these conditions are too mild to produce a chemical transformation; a relatively high concentration of H_2O_2 was generated only with a temperature over 1000 K and a residence time over 10 μ s (Fig. S7†) that are unachievable in our experiments. Thus, this hypothesis cannot explain the formation of H_2O_2 in sprayed water microdroplets.

Effects of atmospheric ozone on the H₂O₂ formation in water

Next, we exploited a glovebox to investigate the effects of ozone (O_3) gas concentration in the air on the H_2O_2 formation in water microdroplets (Fig. 4). The O_3 concentration in the air was varied in the range 2–4900 ppb and measured using an ozonometer with a 2 ppb detection limit and a range of 2–5000 ppb (Methods). Subsequently, the H_2O_2 concentration in the water microdroplets was quantified using the HPAK.

Below, we discuss the various scenarios in this chronology: (i) condensing the vapor formed using heated water under \sim 85% RH (Methods), (ii) condensing water from a commercial ultrasonic humidifier with 15 W output power and RH varying in the range 70-80% (Methods), and (iii) pneumatic sprays formed with a water flow rate of 1 mL min⁻¹ and shearing gas (N₂) flow rate of 2.3 L min⁻¹. Single crystal SiO₂/Si wafers silanized with perfluorodecyltrichlorosilane (FDTS) using a molecular vapor deposition technique48 were used as substrates. For the condensation experiments, the substrates were cooled down to 3-4 °C. Next, it is crucial to note that the O₃(g) concentration in our laboratory during the course of this study was <2 ppb. Thus, the glovebox filled with ambient air served as the control case. In this scenario, the water collected from the pneumatic sprays or the condensates formed via the vapor of hot water (50-70 °C) did not contain H₂O₂ (Fig. 2 - blue

and pink data points and ref. 30. Curiously, when the water vapor was derived from a 15 W commercial ultrasonic humidifier, $\sim 1~\mu M~H_2O_2$ was detected in the condensate. We have explained its origins in a recent report³⁰ as well as in the introduction above.

O₃(g) was produced using an ozone generator and diluted with air (or N₂ gas) prior to its entry in the glovebox equipped with an ozonometer (Methods). In the condensation experiments, as the $O_3(g)$ and the RH reached the desired levels, the $O_3(g)$ supply was terminated (ESI Section S2†). We monitored the time-dependent loss of O₃(g) concentration as we waited for 40 minutes to collect adequate condensate volume to be able to perform the HPAK analysis. Fig. 5 (green and red datapoints) presents the final H₂O₂ concentration in the condensates (from the humidifier and hot water, 40 °C) against the initial O₃(g) concentration. Note that these data should not be mistaken to represent thermodynamic equilibrium, which is not achieved in our system. Specifically, a number of factors influence O₃(g) depletion, e.g., reactions with and/or adsorption onto the glovebox surface and materials/instruments inside it, reactions with condensed water on the substrates as well as the cold surfaces underneath them, and the leakage from the glovebox. To appreciate this further, we point out that when a metallic heating plate was used to produce water vapor inside the glovebox for condensation experiments, O3(g) depleted rapidly (Fig. S8B†). In comparison, when an ultrasonic humidifier with a plastic surface was utilized, the decay was gradual. This also is the reason for the lower H₂O₂(aq) concentration in the condensates of heated water in comparison with that of the humidifier (Fig. 5).

To distinguish the O_3 consumption by the water from the parasitic losses in the glovebox, we compared the time-dependent depletion of $O_3(g)$ with and without water. In this




Fig. 4 Schematics of experimental set-up for conducting spray and condensation experiments inside glovebox with controlled gas composition. Ozone gas is produced outside and diluted with N_2 gas and air before its entry inside the glove box, where its concentration is monitored using an ozonometer with a 2 ppb detection limit. On the left-side, we illustrate the spray formation and on the right-side, we illustrate water vapor condensation on hydrophobic substrates.

experiment, 120 mL of water was placed inside a shallow container presenting 390 cm² of the air–water surface area. The $O_3(g)$ depletion was faster in the presence of water (Fig. S9†). These experiments and the controls establish unambiguously that (i) water contributes to the $O_3(g)$ depletion and (ii) the higher the initial $O_3(g)$ concentration, the higher is the formation of H_2O_2 in the condensates (Fig. 5 – green and red datapoints). We explain in the Discussion section what happens to the depleted $O_3(g)$ inside water.

Next, we discuss our spray experiments under controlled O₃(g) environment (Fig. 4 (left) and S2†). To offset the dilution of the gas-phase O₃(g) due to the shearing gas flow from the sprays $(N_2, 2.3 \text{ L min}^{-1} \text{ at } NTP)$, we manually controlled the flow of O₃(g) and air via separate lines (ESI Section S2†). Thus, we managed to achieve relatively stable O₃(g) concentration (Fig. S8C†) and RH in the range of 30-60%. At the above-listed water and shearing gas flow rates, we were able to collect adequate sample volumes for the HPAK analysis within 5 min. Fig. 5 (blue datapoints) presents the H₂O₂ concentration in the water collected from the sprays; note-in these experiments, the O₃(g) does not deplete with time (Fig. S8C†) unlike the case for the condensation experiments (Fig. S8A and B†). To probe the effects of the sprayed microdroplet size distribution on the formation of H₂O₂, we varied the shearing gas flowrate keeping the water flow rate fixed under 100 \pm 20 ppb $O_3(g)$ concentration. The mean droplet diameter decreased non-linearly within




Fig. 5 H_2O_2 concentration in water microdroplets formed inside the glovebox via condensation from two humidity sources, (i) ultrasonic humidifier (18–20 °C; RH 70–80%) and (ii) water heated beaker (40 °C; RH \sim 85%), and via pneumatic sprays of pure water at 1 mL min⁻¹ with 2.3 L min⁻¹ N_2 flow rate (18–20 °C; RH 30–60%). As the O_3 concentration in the glovebox atmosphere increased, the H_2O_2 concentration in the microdroplets also increased. The condensation experiments were performed by setting the initial concentration in the gas phase and then stopping all in and out flows, this led to the gradual depletion of ozone from the glovebox; while for the spray was performed by controlling the ozone concentration with manual adjustments in the dilution of ozone by nitrogen gas and clean air (Fig S8†). Horizontal error bars in the sprays represent the range of ozone concentration fluctuation during the time of sample collection.




Fig. 6 Influence of nitrogen shearing gas flow rates on the formation of H_2O_2 in water microdroplets produced by pneumatic sprays under ozone atmosphere (100 \pm 20 ppb). The liquid flow rate was fixed at 1 mL min $^{-1}$.

the range 105-14 µm as the shearing gas flow was varied from 1-5 L min⁻¹ for 100 μL min⁻¹ liquid flowrate (Fig. S4A and B†). However, the H₂O₂ concentration increased linearly with nitrogen flowrate (Fig. 6). This indicates that, despite the higher surface, the main reason for the increase in H₂O₂ concentration with nitrogen flowrate has to do with enhanced mixing between the low-ozone spray region and with the surrounding ozonecontaining atmosphere in the glovebox. Some other factors that influence the droplet-O₃(g) interactions and the H₂O₂(aq) formation include, the life-span of the sprayed water droplets, the $O_3(g)$ concentration at the droplet surface and its localized depletion/repletion, the droplet surface-area-to-volume ratio, O3 influx into the water, and the O3 and H2O2 outflux from the microdroplets. It should also be realized that the blue datapoints in Fig. 5 and 6 do not ascribe to the liquid-gas thermodynamic equilibrium, which is not uncommon for sprays.

Discussion

Here, we draw together our results to pinpoint the key factors and mechanisms responsible for the H_2O_2 formation in water microdroplets. First of all, the fact that we do not see the H_2O_2 formation in water microdroplets, sprayed or condensed, in the absence of O_3 proves that this chemical transformation is not a property of the air–water surface (Fig. 2 – blue and pink data points and ref. 30). While the evaporative concentration of trace quantities of H_2O_2 already present in water is possible, in principle, in sprays, neither is it adequate to explain the ppm-level H_2O_2 concentration in the previous report²⁷ nor is it relevant to the condensation experiments. Similarly, shock waves and temperature rise during pneumatic spraying under our experimental conditions simply cannot contribute to ppm-level H_2O_2 ; also, they are irrelevant to condensation-based reports. These experiments, however, facilitate valuable insights into

relevant physical and chemical processes that could, under extreme conditions, contribute to the H_2O_2 concentration/formation in water. For instance, it is worth exploring how those effects could influence gas-phase reactions between $O_3(g)$ and $H_2O(g)$ followed by the repartitioning of $H_2O_2(g)$ in the condensed phase.

Chemical Science

Next, we discuss the scope and significance of our investigation of the H₂O₂ formation in condensed and sprayed microdroplets under controlled O₃(g) environment. These experiments unambiguously pinpoint that the H2O2 formation in water is extremely sensitive to the ambient O₃ concentration (Fig. 5 and S8†); if the O₃(g) is present, then the enhancement in the air-water surface area combined with higher mixing with the surrounding ozone containing atmosphere leads to higher H₂O₂ formation (Fig. 6 and S4†). Based on this insight, below, we present an alternative explanation for the H₂O₂ formation phenomenon reported by researchers based in California, i.e., the original reports. 27,28 The Environmental Protection Agency (EPA)49 live database reports that the average O3 concentrations in Santa Clara County in California during the years 2018-2020 were \sim 26 ppb with a maximum daily average in the range 48-64 ppb; the highest $O_3(g)$ concentrations on some days could even exceed 80 ppb. We submit that this high regional O₃(g) is the primary reason behind the H2O2 formation in those reports. Next, we provide some qualitative insights into this chemical transformation.

It is well-known that O₃(g) is minimally soluble in water (Henry's law constant, $H_{\rm O_2}^{\rm CP}=10^{-3}~{\rm M~atm^{-1}}$ at NTP^{45}) and it would take a much longer time for bulk water to equilibrate with the ambient atmosphere than the duration of our experiments (5-40 min). Thus, water microdroplets in our experiments will have always have an aqueous ozone concentration that is lower than the equilibrium concentration specified by the Henry's law, i.e., $C_0 = P_{\text{O}_3} \times H_{\text{O}_2}^{\text{CP}} \approx 43 \times 10^{-9} \times 10^{-2} = 0.4 \text{ nM}.$ Furthermore, sprays had lower H₂O₂(aq) concentrations than the condensates because (i) the sample collection for the sprays (\sim 5 min) was faster than that for the condensates (\sim 40 min); and (ii) the fast flow of the shearing gas (e.g., N₂ gas at 2.3 L min⁻¹) created a N2-rich region around the spray that reduced O3(g) uptake in the microdroplets. Under these circumstances, how could H₂O₂(aq) concentrations rise to 1-10 μM in sprayed microdroplets, i.e., a factor >2500-25 000-X higher than that highest possible O₃(aq) concentration (0.4 nM)? Here, the microscale of droplets comes into play: in comparison to bulk water, microdroplets have a dramatically larger surface-to-volume ratio in comparison to the bulk. For instance, if a spherical water droplet of volume 1 mL and diameter D = 1.24 cm is sprayed into microdroplets of diameter $d = 10 \mu m$, the surface area increases by a factor of D/d=1240. This enhancement in the air-water surface area facilitates higher mass transfer of O₃(g) into the water within their limited life-span. Next, O₃(aq) undergoes chemical transformations in water leading to a variety reactive species such as OH, HO2, HO2-, O-, O2-, OH, and O3- and a stable product, i.e., H2O2.44,50,51 The decomposition of ozone in water is complex, but the following representative reactions provide a qualitative description:

$$O_3(g) \rightarrow O_3(aq)$$
 (1)

$$O_3(aq) + OH^-(aq) \rightarrow HO_2^-(aq) + O_2(aq)$$
 (2)

$$HO_2^-(aq) + H_3O^+(aq) \rightarrow H_2O_2(aq) + H_2O(aq)$$
 (3)

Since $H_2O_2(aq)$ is miscible in water $(H_{H_2O_2}^{CP} \sim 10^4 \text{ M atm}^{-1})$ at NTP), it accumulates in the bulk, i.e., interfacial mass transfer of O₃(g) into microdroplets continues to produce H₂O₂(aq). Next, we note the limitations of this description: kinetics of the reactions (eqn (1)-(3) may not be viable to quantitatively explain the observed H₂O₂(aq) concentrations within 5-40 min; thus, other reaction pathways of O₃ might be implicated. 44,50-52 Additionally, discrepancies between the H2O2(aq) concentrations in sprays reported here and those in the original reports^{27,28} are attributed to the differences in experimental spray setups' dimensions. Minute differences can lead to significantly different gas flowrates (Fig. S3†) and aerodynamic conditions that influence the mass transfer of ozone to the liquid and the formation of H₂O₂ (Fig. 6, S3 and S4†). Lastly, in the presence of organics in water, such as in the natural and industrial contexts, products of ozone autodissociation participate in numerous reactions and get consumed;53,54 solid surfaces such as silica and perfluorocarbons can also influence the rates of these reactions;44 we also note that ozone generators could produce NO_r species that could interfere with reactions.⁵⁵ An in-depth analysis of these factors as well as the rates of reactions and mechanisms, the mass transfer considerations, and the non-equilibrium effects listed in the Results section is warranted. A microdroplet-level analytical assay with an HPAKlike detection limit, if developed, could help immensely. We close the discussion by noting that this O3-H2O2 coupling inside water has led to misinterpretations in the past also 44,53,56 and strategies for curtailing these effects have been devised.37 Furthermore, for a reader interested in simulations of the mass transfer of O₃(g) and H₂O₂(g) at the water surface and subsequent chemistries, we refer to this excellent report.57

Conclusion

In this contribution, we investigated the factors and mechanisms responsible for the formation of H₂O₂ in water microdroplets produced via spraying or condensation. We found that in the absence of ozone gas, H2O2 does not form regardless of condensation/spraying or the droplet size or the substrate. This unambiguously establishes that the air-water interface does not spontaneously produce H2O2. The H2O2 formation in microdroplets only happens in the presence of $O_3(g)$; as the $O_3(g)$ concentration increases in the air, the H2O2 concentration also increases in the microdroplets - condensed or sprayed. The higher the gas-liquid surface area, mixing, and contact time, the higher is the $O_3(g)$ uptake in the water; this $O_3(aq)$ then undergoes chemical transformations yielding $H_2O_2(aq)$. Through the Environmental Protection Agency (EPA) database, 49 we found that the average O₃ concentration in California during the years 2018–2020 was \sim 26 ppb, with a maximum daily average in the 48-64 ppb range. These facts and our findings

Edge Article Chemical Science

therefore present an alternative explanation for the spontaneous formation of H₂O₂ in water microdroplets (reported from California). The primary role of the air-water interface is to facilitate the mass transfer of ozone into the water. Of course, reactions of O₃ with the water surface could be implicated, and they should be probed via surface-specific platforms in conjunction with theory and computation. To sum up, our findings disprove the latest claims for the water surface's ability to spontaneously produce H₂O₂.^{27,28} The speculation for the presence of the mysteriously high electric fields at the air-water interface, responsible for transforming H2O into H2O2, thus also appears untenable. H2O2 formed in water microdroplets can also help explain the origins of the recently reported bactericidal properties of pneumatically sprayed water and help assess their practical and environmental relevance. 58-60

Materials and methods

Chemicals

Standard hydrogen peroxide (H₂O₂) 30% and high-performance liquid chromatography (HPLC LC-MS) grade water were purchased from VWR Chemicals (Catalogues #270733 and #23622.298). Deionized water produced from a MilliQ Advantage 10 set-up was also used in this study.

Quantification of H2O2 in water

Hydrogen peroxide assay kit (HPAK) assay. H₂O₂ concentration present in both condensed and sprayed water microdroplets was quantified by the Hydrogen Peroxide Assay Kit (Fluorometric-Near Infrared, Catalogue #ab138886). It can detect H₂O₂ by the fluorescence produced when in contact with the AbIR peroxidase indicator, and its maximum excitation and emission wavelengths are 647 nm and 674 nm, respectively. This method also contains a horseradish peroxidase enzyme that catalyzes the reaction and increases the fluorescence signal, having a linear range of detection from 250 nM to 10 μ M. Samples containing higher concentrations than the detectable range were diluted with deionized water. The analyses were conducted in a 96-well black/clear bottom microtiter-plate, adding 50 µL of each sample within 50 µL of HPAK, using a SpectraMax M3 microplate reader (Molecular Devices LLC) and the software SoftMax Pro 7 for fluoresce reading. The H₂O₂ concentration was calculated using the calibration curve obtained on the same day.

Peroxide test strips for semi-quantitative analysis. We used peroxide test strips (Baker Test Strips, VWR International) with a detection limit of 1 ppm (29.4 μM) for a qualitative estimation of H₂O₂ in aqueous samples. They work through a colorimetric reagent which gives blue color when exposed to H₂O₂(aq) and the color deepens with the H₂O₂ concentration.

Water microdroplets generation via sprays

We built a spray to generate water microdroplets by injecting water through an inner tube of 100 µm of diameter using a syringe pump (PHD Ultra, Harvard Apparatus), and nitrogen coaxial sheath gas through a 430 µm diameter tube, both tubes

made of stainless steel. For the concentration by evaporation experiments, HPLC grade water was used, and a glass reactor (a tube of three glass pieces connected with only a small opening for gas release) was connected to the spray to reduce the evaporation while collecting all the sprayed droplets. The water flow rate used varied from 50 to 400 μL min⁻¹, while the nitrogen gas flow rate was set at 5.3 L min⁻¹. For the experiments inside the glovebox, deionized water was injected at a flow rate of 1 mL min⁻¹ and the nitrogen gas flow rate varied from 1.1 to 5.9 L min⁻¹, with most of the experiments set at 2.3 L min⁻¹.

Sprayed water microdroplets diameter acquisition

The distribution of microdroplets-size was measured with a Spraytec system (Malvern Instruments). The interaction between the laser beam with the spray produces a diffraction pattern, from which the derived parameter Sauter mean diameter (SMD) was calculated. Our spray was positioned at \sim 2 cm from the laser.

Substrates for condensation

Silicon wafers (p-doped, <100> orientation, 4" diameter, thickness of 500 µm and a 2 µm-thick oxide layer) were purchased from Silicon Valley Microelectronics (Catalogue #SV010).

Functionalization of SiO2/Si wafers

To make our SiO₂/Si wafers hydrophobic, we functionalized them by silanization with perfluorodecyltrichlorosilane (FDTS). Firstly, we removed any organic contaminants and hydroxylated the surface by treating it with oxygen plasma for 2 min. Then by using a molecular vapor deposition process (Applied Microstructures MVD100E), we grafted our silicon wafers with FDTS by applying one of our previous methodologies reported.61

Ozone generation and experiments inside the glovebox

A portable isolated glovebox (Cleatech, Catalogue #2200-2-B) was used as a controlled-environment chamber for ozone concentration. An ozone generator (Mainstayae; O₃ production rate: 24 g h⁻¹) was placed outside the glovebox inside a bucket with a hole for plastic tubing with an air flow. To control the ozone concentration inside the glove box, this mixture of air and ozone was further mixed with a different channel containing more air and nitrogen, all of them controlled by valves to change the gas flows. A portable ozone meter (GoolRC) with detection range of 2–5000 ppb and detection limit at 2 ppb was positioned inside the glovebox for real time monitoring; its proper functioning required RH <85%. When the ozone concentration was reached, varying from 10 to 4900 ppb, the silicon wafers used as substrates for water microdroplets formation were placed onto an ice-water bag with uniformly distributed temperature at \sim 3 °C, which quickly achieved thermal equilibrium, and left for 40 min of condensation time. The temperature on the substrates was checked via a non-contact digital infrared thermometer (Lasergrip 774). In the case of the sprays, the nitrogen gas was already flowing considering its great effect on the ozone concentration inside the glove box, and as soon as the ozone concentration was

stabilized, the water injection was started for collection of the microdroplets into a glass funnel inside a beaker during 3–13 min. The relative humidity inside the chamber was kept in the range 70–80% using the ultrasonic humidifier, at \sim 85% by heating water and 30–70% when using the spray (a bigger range as the air and nitrogen gas flows were affecting it more). The ambient air temperature was in the 18–20 °C range. To collect the samples, we poured the droplets from the silicon wafers into a clean glassware, and all the samples were transferred into a 15 mL centrifuge tube (VWR International).

Water vapor generation via ultrasonic humidifier

An ultrasonic humidifier (Proton PHC 9UH) with 15 W of power was used in this study. This equipment produces mist from water by ultrasonic waves generated from the piezoelectric disk located on its bottom. Deionized water was used and the ultrasonic humidifier was positioned far away from the silicon wafers (\sim 40 cm apart) to avoid direct mist deposition.

Water vapor generation via a heating plate

Deionized water was heated at 40 $^{\circ}$ C using a heating plate (IKA RCT, Catalogue #3810000). The plate was positioned \sim 30 cm apart from the substrates, and the temperature was controlled by the coupled temperature sensor (PT 1000.60), which was in contact with the water.

High speed imaging

The rapid interaction between nitrogen gas and water requires observation with an ultra-high-speed video camera (Kirana-05M, Specialized Imaging, Tring UK) acquiring 180 images at capture speeds of up to 5×10^6 fps, with a full resolution of 924 (W) \times 768 (H) px irrespective of the frame rate used and magnification with Leica long-distance microscope at magnification up to 29.4. The short- and long-term dynamics of this interaction can be captured using several different frame rates. The framing is synchronized with red diode-lasers with adjustable pulse duration of 50–170 ns per frame to minimize motion smearing. The smallest detectable diameter of the droplets is around 4 μm .

Computational methods

Three-dimensional (3D) CFD simulations were performed using the converge code to simulate the sprays. The turbulence was simulated by the renormalization group k– ϵ model.⁴⁶ The Eulerian void of fluid (VOF) method⁴⁷ was adopted to capture the in- and near-nozzle spray details. In this method, the gas and liquid fuel are considered as a single compressible fluid mixture, and the void fraction (α_1) is used to represent the volume fraction of liquid. Details of the related models are available in the ref. 62.

Funding

HM acknowledges KAUST for funding (grant no. BAS/1/1070-01-01).

Data availability

All the data is presented with the article and the ESI.†

Author contributions

HM conceived the research plan and oversaw its execution with assistance from collaborators HI and ST. AGJ, NHM, and JP designed and built experimental rigs for sprays; NHM collected experimental data from sprays and humidifiers inside the glovebox; PZ contributed to analytical measurements. AGJ, NHM, and HM analyzed the data. XL and HI performed computational simulation of the spray experiments; ZY and ST conducted ultra-fast imaging of sprays. HM and AGJ wrote the manuscript with assistance from co-authors.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

The co-authors thank Mr Heno Hwang, Scientific Illustrator at KAUST, for preparing illustrations in Fig. 1 and 4.

References

- 1 R. Wanninkhof, W. E. Asher, D. T. Ho, C. Sweeney and W. R. McGillis, *Annu. Rev. Mar. Sci.*, 2009, 1, 213–244.
- 2 H. R. Pruppacher and J. D. Klett, *Microphysics of Clouds and Precipitation*, D. Reidel Publishing Company, Holland, 1980.
- 3 J. H. Seinfeld and S. N. Pandis, *Atmospheric Chemistry and Physics: From Air Pollution to Climate Change*, Wiley-Interscience, 2nd edn, August 11, 2006, 1998.
- 4 E. Williams and E. Mareev, *Atmos. Res.*, 2014, **135–136**, 208–227.
- 5 J. R. Dwyer and M. A. Uman, *Phys. Rep.*, 2014, 534, 147–241.
- 6 A. V. Shavlov and V. A. Zdzhumandzhi, *J. Aerosol Sci.*, 2016, 91, 54–61.
- 7 S. Enami, H. Mishra, M. R. Hoffmann and A. J. Colussi, J. Chem. Phys., 2012, 136, 154707.
- 8 H. Mishra, S. Enami, R. J. Nielsen, M. R. Hoffmann, W. A. Goddard and A. J. Colussi, *Proc. Natl. Acad. Sci. U. S.* A., 2012, **109**, 10228–10232.
- 9 H. Mishra, R. J. Nielsen, S. Enami, M. R. Hoffmann, A. J. Colussi and W. A. Goddard, *Int. J. Quantum Chem.*, 2013, 113, 413–417.
- 10 F. Garcia-Ochoa and E. Gomez, *Biotechnol. Adv.*, 2009, 27, 153–176.
- 11 L. M. C. Sagis and E. Scholten, *Trends Food Sci. Technol.*, 2014, 37, 59–71.
- 12 A. Gallo Jr, K. Odokonyero, M. A. A. Mousa, J. Reihmer, S. Al-Mashharawi, R. Marasco, E. Manalastas, M. J. L. Morton, D. Daffonchio, M. F. McCabe, M. Tester and H. Mishra, 2021, 1–29, ArXiv:p. 2102.00495 [physics.app-ph].

13 G. A. Mahadik, J. F. Hernandez-Sanchez, S. Arunachalam, A. Gallo Jr, L. Cheng, A. S. Farinha, S. T. Thoroddsen, H. Mishra and C. M. Duarte, *Sci. Rep.*, 2020, **10**, 7785.

- 14 M. F. Ruiz-Lopez, J. S. Francisco, M. T. C. Martins-Costa and J. M. Anglada, *Nat. Rev. Chem.*, 2020, 4, 459–475.
- 15 H. Mishra, S. Enami, R. J. Nielsen, L. A. Stewart, M. R. Hoffmann, W. A. Goddard and A. J. Colussi, *Proc. Natl. Acad. Sci. U. S. A.*, 2012, 109, 18679–18683.
- 16 R. J. Saykally, Nat. Chem., 2013, 5, 82-84.

Edge Article

- 17 A. Gallo, A. S. F. Farinha, M. Dinis, A.-H. Emwas, A. Santana, R. J. Nielsen, W. A. Goddard and H. Mishra, *Chem. Sci.*, 2019, 10, 2566–2577.
- 18 A. J. Colussi and S. Enami, Chem. Sci., 2019, 10, 8253-8255.
- 19 A. Gallo, A. S. F. Farinha, A.-H. Emwas, A. Santana, R. J. Nielsen, W. A. Goddard and H. Mishra, *Chem. Sci.*, 2019, **10**, 8256–8261.
- 20 J. Nauruzbayeva, Z. Sun, A. Gallo, M. Ibrahim, J. C. Santamarina and H. Mishra, *Nat. Commun.*, 2020, 11, 5285.
- 21 Y. Uematsu, D. J. Bonthuis and R. R. Netz, *J. Phys. Chem. Lett.*, 2018, **9**, 189–193.
- 22 S. J. Byrnes, P. L. Geissler and Y. R. Shen, *Chem. Phys. Lett.*, 2011, **516**, 115–124.
- 23 N. Agmon, H. J. Bakker, R. K. Campen, R. H. Henchman, P. Pohl, S. Roke, M. Thämer and A. Hassanali, *Chem. Rev.*, 2016, 116, 7642–7672.
- 24 M. I. Jacobs, R. D. Davis, R. J. Rapf and K. R. Wilson, *J. Am. Soc. Mass Spectrom.*, 2019, 30, 339–343.
- 25 G. Rovelli, M. I. Jacobs, M. D. Willis, R. J. Rapf, A. M. Prophet and K. R. Wilson, *Chem. Sci.*, 2020, **11**, 13026–13043.
- 26 S. Pullanchery, S. Kulik, B. Rehl, A. Hassanali and S. Roke, *Science*, 2021, 374, 1366–1370.
- 27 J. K. Lee, K. L. Walker, H. S. Han, J. Kang, F. B. Prinz, R. M. Waymouth, H. G. Nam and R. N. Zare, *Proc. Natl. Acad. Sci. U. S. A.*, 2019, **116**, 19294–19298.
- 28 J. K. Lee, H. S. Han, S. Chaikasetsin, D. P. Marron, R. M. Waymouth, F. B. Prinz and R. N. Zare, *Proc. Natl. Acad. Sci. U. S. A.*, 2020, 117, 30934–30941.
- 29 L. Pauling, General Chemistry, Dover Publications, 1988.
- 30 N. H. Musskopf, A. Gallo Jr, P. Zhang, J. Petry and H. Mishra, J. Phys. Chem. Lett., 2021, 12, 11422–11429.
- 31 J. A. Otter, S. Yezli, F. Barbut and T. M. Perl, *Decontamination in Hospitals and Healthcare*, 2020, pp. 323–369, DOI: DOI: 10.1016/B978-0-08-102565-9.00015-7.
- 32 M. Hoffmann, I. Hua and R. Hoechemer, *Ultrason. Sonochem.*, 1996, 3, 168–172.
- 33 P. Riesz, D. Berdahl and C. L. Christman, *Environ. Health Perspect.*, 1985, **64**, 233–252.
- 34 K. S. Suslick, *Ultrasound: its chemical, physical, and biological effects*, VCH Publishers, 1988.
- 35 X. Fang, G. Mark and C. von Sonntag, *Ultrason. Sonochem.*, 1996, 3, 57–63.
- 36 G. Kim, Y.-E. K. Lee and R. Kopelman, in *Oxidative Stress and Nanotechnology: Methods and Protocols*, ed. D. Armstrong and

- D. J. Bharali, Humana Press, Totowa, NJ, 2013, pp. 101–114, DOI: DOI: 10.1007/978-1-62703-475-3 6.
- 37 D. W. Gunz and M. R. Hoffmann, *Atmos. Environ., Part A*, 1990, 24, 1601–1633.
- 38 Y. S. Veselov, Khim. Tekhnol. Vody, 1991, 13, 5.
- 39 W. Haynes, CRC Handbook of Chemistry and Physics, CRC Press, 1999.
- 40 K. V. Titova, V. P. Nikol'skaya, V. V. Buyanov and I. P. Suprun, Russ. J. Appl. Chem., 2002, 75, 1903–1906.
- 41 J. Desantes, R. Payri, F. J. Salvador and J. D. L. Morena, *Fuel*, 2010, **89**, 3033–3041.
- 42 A. Sou, M. Maulana, K. Isozaki, S. Hosokawa and A. Tomiyama, *J. Fluid Sci. Technol.*, 2008, 3, 622–632.
- 43 K.-S. Im, S.-K. Cheong, C. F. Powell, M.-c. D. Lai and J. Wang, *Sci. Rep.*, 2013, 3, 2067.
- 44 B. Heikes, Atmos. Environ., 1984, 18, 1433-1445.
- 45 M. E. Hassan, M. Janda and Z. Machala, Water, 2021, 13, 182.
- 46 Z. Han and R. D. Reitz, Combust. Sci. Technol., 1995, 106, 267-295.
- 47 C. W. Hirt and B. D. Nichols, *J. Comput. Phys.*, 1981, **39**, 201–225.
- 48 S. Pillai, A. Santana, R. Das, B. R. Shrestha, E. Manalastas and H. Mishra, *J. Membr. Sci.*, 2020, **608**, 118140.
- 49 USA Environmental Protection Agency (EPA), Daily ozone concentrations in California, 2021.
- 50 D. Gardoni, A. Vailati and R. Canziani, *Ozone: Sci. Eng.*, 2012, **34**, 233–242.
- 51 P. Jiang, H. T. Chen, R. W. Babcock and M. K. Stenstrom, *Water Environ. Res.*, 2009, **81**, 57–68.
- 52 F. J. Beltran, Ozone reaction kinetics for water and wastewater systems, CRC Press, 2003.
- 53 J. Staehelin and J. Hoigne, *Environ. Sci. Technol.*, 1985, **19**, 1206–1213.
- 54 W. L. Chameides and D. D. Davis, *J. Geophys. Res.: Oceans*, 1982, **87**, 4863–4877.
- 55 D. Yuan, Z. Wang, C. Ding, Y. He, R. Whiddon and K. Cen, *J. Phys. D: Appl. Phys.*, 2016, **49**, 455203.
- 56 T. E. Kleindienst, P. B. Shepson, D. N. Hodges, C. M. Nero, R. R. Arnts, P. K. Dasgupta, H. Hwang, G. L. Kok, J. A. Lind, A. L. Lazrus, G. I. Mackay, L. K. Mayne and H. I. Schiff, *Environ. Sci. Technol.*, 1988, 22, 53–61.
- 57 J. Kruszelnicki, A. M. Lietz and M. J. Kushner, *J. Phys. D: Appl. Phys.*, 2019, **52**, 355207.
- 58 M. T. Dulay, J. K. Lee, A. C. Mody, R. Narasimhan, D. M. Monack and R. N. Zare, *QRB Discovery*, 2020, 1, e3.
- 59 M. T. Dulay, C. A. Huerta-Aguilar, C. F. Chamberlayne, R. N. Zare, A. Davidse and S. Vukovic, *QRB Discovery*, 2021, 2, e8.
- 60 C. Zhu and J. S. Francisco, Proc. Natl. Acad. Sci., 2019, 116, 19222.
- 61 B. R. Shrestha, S. Pillai, A. Santana, S. H. Donaldson, T. A. Pascal and H. Mishra, *J. Phys. Chem. Lett.*, 2019, **10**, 5530–5535.
- 62 K. Richards, P. Senecal and E. Pomraning, CONVERGE (v3.0), Convergent Science, Madison, WI, 2020.