

Poly(glycidyl ether)s recycling from industrial waste and reuse as electrolytes for sodium batteries

*Original*

Poly(glycidyl ether)s recycling from industrial waste and reuse as electrolytes for sodium batteries / Bella, F.; Piana, G.; Ricciardi, M.; Cucciniello, R.; Proto, A.; Gerbaldi, C.. - ELETTRONICO. - (2019), pp. 174-174. ( Merck Young Chemists' Symposium 2019 (MYCS 2019) Rimini (Italy) November 25th-27th, 2019).

*Availability:*

This version is available at: 11583/2809007 since: 2020-04-06T09:56:25Z

*Publisher:*

Società Chimica Italiana

*Published*

DOI:

*Terms of use:*

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

*Publisher copyright*

(Article begins on next page)



## Poly(glycidyl ether)s recycling from industrial waste and reuse as electrolytes for sodium batteries

Federico Bella,<sup>a,b</sup> Giulia Piana,<sup>a,b</sup> Maria Ricciardi,<sup>c</sup> Raffaele Cucciniello,<sup>c</sup>  
Antonio Proto,<sup>c</sup> and Claudio Gerbaldi<sup>a,b</sup>

<sup>a</sup> Department of Applied Science and Technology, Politecnico di Torino, Corso Duca degli  
Abruzzi 24, 10129-Turin, Italy

<sup>b</sup> INSTM Consortium, Via Giuseppe Giusti 9, 50121-Florence, Italy

<sup>c</sup> Department of Chemistry and Biology "Adolfo Zambelli", Università degli Studi di Salerno,  
Via Giovanni Paolo II 132, 84084-Fisciano, Italy  
E-mail: [federico.bella@polito.it](mailto:federico.bella@polito.it)

The need to recycle waste products, convert and reuse them for different high-value applications is a very up-to-date, utmost important topic. In this context, here we propose glycidol, a high-value product isolated from epichlorohydrin industry waste, as a starting material for the preparation of two poly(glycidol)s polymer matrices with a chemical structure mimicking that of poly(ethylene oxide), i.e. the most used polymer matrix for non-liquid battery electrolytes.

The materials are characterized from the physico-chemical viewpoint, showing high thermal stability. They are then obtained in the form of ionic conducting polymer electrolytes encompassing different sodium salts and solvent mixtures. Ionic conductivity values exceeding  $10^{-5}$  S cm<sup>-1</sup> are measured in the "dry" truly solid state at 80 °C, while it approaches  $6 \times 10^{-5}$  S cm<sup>-1</sup> at ambient temperature in the "wet" quasi-solid state. In addition, poly(glycidol)-based polymer matrices show reasonably wide electrochemical stability towards anodic oxidation.

It envisages their possible use as separating electrolytes in secondary batteries, which is also demonstrated by preliminary charge/discharge cycling tests in lab-scale sodium cells [1]. The present findings pave the way to a circular economy platform starting from industry wastes and ending with post-lithium storage systems.

[1] G. Piana, M. Ricciardi, F. Bella, R. Cucciniello, A. Proto, and C. Gerbaldi, *Chem. Eng. J.*, DOI: 10.1016/j.cej.2019.122934.