

Biofuel supply chain management in the circular economy transition: An inclusive knowledge map of the field

*Original*

Biofuel supply chain management in the circular economy transition: An inclusive knowledge map of the field / Ranjbari, M., Shams Esfandabadi, Z., Ferraris, A., Quatraro, F., Rehan, M., Nizami, A.-S., Gupta, V.K., Lam, S.S., Aghbashlo, M., Tabatabaei, M.. - In: CHEMOSPHERE. - ISSN 0045-6535. - ELETTRONICO. - 296:June 2022, 133968(2022), pp. 1-14. [10.1016/j.chemosphere.2022.133968]

*Availability:*

This version is available at: 11583/2968851 since: 2022-07-13T07:15:25Z

*Publisher:*

Elsevier Ltd

*Published*

DOI:10.1016/j.chemosphere.2022.133968

*Terms of use:*

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

*Publisher copyright*

(Article begins on next page)

1 **Biofuel supply chain management in the circular economy transition: An inclusive knowledge map**  
2 **of the field**

3  
4 Meisam Ranjbari<sup>1,2,\*</sup>, Zahra Shams Esfandabadi<sup>3,4</sup>, Alberto Ferraris<sup>5,6,7</sup>, Francesco Quatraro<sup>2,8</sup>,  
5 Mohammad Rehan<sup>9</sup>, Abdul-Sattar Nizami<sup>10</sup>, Vijai Kumar Gupta<sup>11,12</sup>, Su Shiung Lam<sup>13,1,\*</sup>,  
6 Mortaza Aghbashlo<sup>14,1,\*</sup>, Meisam Tabatabaei<sup>13,1,15,\*</sup>

7  
8  
9 <sup>1</sup> Henan Province Forest Resources Sustainable Development and High-value Utilization Engineering Research  
10 Center, School of Forestry, Henan Agricultural University, Zhengzhou 450002, China.

11 <sup>2</sup> Department of Economics and Statistics “Cognetti de Martiis”, University of Turin, Torino, Italy.

12 <sup>3</sup> Department of Environment, Land and Infrastructure Engineering (DIATI), Politecnico di Torino, Torino, Italy.

13 <sup>4</sup> Energy Center Lab, Politecnico di Torino, Torino, Italy.

14 <sup>5</sup> Department of Management, University of Torino, Torino, Italy.

15 <sup>6</sup> Laboratory for International and Regional Economics, Graduate School of Economics and Management, Ural  
16 Federal University, Russia.

17 <sup>7</sup> Faculty of Economics and Business, University of Rijeka, Croatia.

18 <sup>8</sup> BRICK, Collegio Carlo Alberto, Piazza Arbarello 8, 10123 Torino, Italy.

19 <sup>9</sup> Center of Excellence in Environmental Studies (CEES), King Abdulaziz University, Jeddah, Saudi Arabia.

20 <sup>10</sup> Sustainable Development Study Centre, Government College University, Lahore, Pakistan.

21 <sup>11</sup> Biorefining and Advanced Materials Research Center, Scotland's Rural College (SRUC), Kings Buildings, West  
22 Mains Road, Edinburgh, EH9 3JG, UK.

23 <sup>12</sup> Centre for Safe and Improved Foods, Scotland's Rural College (SRUC), Kings Buildings, West Mains Road,  
24 Edinburgh, EH9 3JG, UK.

25 <sup>13</sup> Higher Institution Centre of Excellence (HiCoE), Institute of Tropical Aquaculture and Fisheries (AKUATROP),  
26 Universiti Malaysia Terengganu, 21030 Kuala Nerus, Terengganu, Malaysia.

27 <sup>14</sup> Department of Mechanical Engineering of Agricultural Machinery, Faculty of Agricultural Engineering and  
28 Technology, College of Agriculture and Natural Resources, University of Tehran, Karaj, Iran.

29 <sup>15</sup> Biofuel Research Team (BRTeam), Terengganu, Malaysia.

30  
31  
32  
33  
34  
35  
36  
37  
38 \* Corresponding authors:

39 Meisam Ranjbari; Email: meisam.ranjbari@unito.it

40 Meisam Tabatabaei; Email: meisam.tabatabaei@umt.edu.my; meisam\_tab@yahoo.com

41 Mortaza Aghbashlo; Email: maghbashlo@ut.ac.ir

42 Su Shiung Lam; Email: lam@umt.edu.my

49 **Abstract**

50 Investment in the production of biofuels, as sustainable alternatives for fossil fuels, has gained  
51 momentum over the last decade due to the global environmental and health concerns regarding  
52 fossil fuel consumption. Hence, effective management of biofuel supply chain (BSC) components,  
53 including biomass feedstock production, biomass logistics, biofuel production in biorefineries, and  
54 biofuel distribution to consumers is crucial in transitioning towards a low-carbon and circular  
55 economy (CE). The aim of the present study is to render an inclusive knowledge map of the BSC-  
56 related scientific production so far. In this vein, a systematic review, supported by a keywords co-  
57 occurrence analysis and qualitative content analysis was carried out on a total of 1,975 peer-  
58 reviewed journal articles in the target literature. The analysis revealed four major research hotspots  
59 in the BSC literature, including, (1) biomass-to-biofuel supply chain design and planning, (2)  
60 environmental impacts of biofuel production, (3) biomass to bioenergy, and (4) techno-economic  
61 analysis of biofuel production. Besides, the findings showed that the following subject areas of  
62 research in the BSC research community have recently attracted more attention: (i) global warming  
63 and climate change mitigation, (ii) development of the third-generation biofuels produced from  
64 algal biomass, which has recently gained momentum in the CE debate, and (iii) government  
65 incentives, pricing, and subsidizing policies. The provided insights shed light on the understanding  
66 of researchers, stakeholders, and policy-makers involved in the sustainable energy sector by  
67 outlining the main research backgrounds, developments, and tendencies within the BSC arena.  
68 Looking at the provided knowledge map, potential research directions in BSCs towards  
69 implementing the CE model, including (i) integrative policy convergence at macro, meso, and  
70 micro levels, and (ii) industrializing algae-based biofuel production towards the CE transition were  
71 proposed.

72 **Keywords:** Biofuel; Supply chain management; Circular economy; Biomass; Anaerobic  
73 digestion; Biogas

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88 **Abbreviations**

---

<b>Abbreviation</b>	<b>Full form</b>
APY	Average publication year
BECCS	Bioenergy with carbon capture and storage
BSC	Biofuel supply chain
CBE	Circular bioeconomy
CE	Circular economy
GHG	Greenhouse gas
LCA	Lifecycle assessment
WoS	Web of Science

---

89

90

91

92

93

94

95

96

97

98

## 99 1. Introduction

100 The circular economy (CE) with a particular focus on sustainable waste management practices  
101 intends to slow, narrow, and close the supply chain loops by returning materials and waste into  
102 resources towards making a sustainable and zero-waste environment (Ranjbari et al., 2021a).  
103 Implementing CE platforms within the energy sector has been under intense debate due to the  
104 potential of the CE in closing energy and material loops by reducing the need to use nonrenewable  
105 feedstocks and energy sources (Aguilar Esteva et al., 2021). In this regard, utilizing renewable  
106 energy sources has gained momentum worldwide mainly due to the (i) rapid socioeconomic  
107 growth and environmental concerns, (ii) depletion of fossil energy resources, (iii) better power  
108 quality, and (iv) demand for more reliable and flexible energy sources at lower costs (Craparo et  
109 al., 2017; Fadai et al., 2011; Moghaddam et al., 2011).

110 Renewable energy sources, such as wind, solar, and biomass are considered as main players of  
111 the future growth in the energy sector to ensure sustainable energy security and mitigate the  
112 adverse environmental effects of fossil fuels (Abbasi et al., 2021). In other words, shifting to  
113 renewable energy can reduce greenhouse gas (GHG) emissions, and ensure cost-efficient and  
114 timely delivery of energy (Ellabban et al., 2014) for societies. Hence, there is a high promotion  
115 from governments and their energy policies across the world to force energy systems to utilize  
116 more renewable sources (Li et al., 2020a) to support the transition from a linear economy to a CE.

117 The global energy demand is estimated to increase by approximately 28% by 2040 in  
118 comparison with the current level (Osman et al., 2021). Today, fossil fuels based on coal, oil, and  
119 natural gas, as effective drivers of economic development (Ellabban et al., 2014), are the primary  
120 source of energy production and consumption in the global community. However, increasing  
121 concerns regarding fossil fuel consumption have attracted much interest in investing in biofuels

122 production to substitute fossil fuels, towards a low-carbon and sustainable circular bioeconomy  
123 (CBE). Biofuels produced from biomass feedstock through eco-friendly and carbon-neutral  
124 approaches can potentially support future energy supply towards achieving energy security and  
125 sustainability (Ambaye et al., 2021). Biofuels are mainly preferred for their (i) carbon-neutral  
126 character, (ii) renewability, and (iii) production flexibility in decentralized systems from abundant  
127 and versatile resources (Gebremariam et al., 2019).

128 The biofuel supply chain (BSC) comprises biomass feedstock production, biomass logistics,  
129 biofuel production in biorefineries, and biofuel distribution to consumers. The supply chain of  
130 converting biomass to biofuels has attracted the attention of academic and industrial research as a  
131 challenging and complex issue (Ghadami et al., 2021), leading to a huge amount of research. On  
132 this basis, BSCs have been extensively explored in the literature from various points of view, such  
133 as pricing decisions (Allameh and Saidi-Mehrabad, 2021), optimal design (Zarei et al., 2021),  
134 subsidizing (Bajgiran and Jang, 2021), GHG emissions (Daioglou et al., 2017), economic  
135 optimization (Ge et al., 2021), network design (Nur et al., 2021), microalgae-based BSCs (Kang  
136 et al., 2020), economic viability and environmental impacts (Li et al., 2020b), risk mitigation  
137 (Wachyudi et al., 2020), profit allocation (Gao et al., 2019), platforms planning for BSCs (Nugroho  
138 and Zhu, 2019), lifecycle assessment (LCA) (Bennion et al., 2015), and strategy selection  
139 (Allameh and Saidi-Mehrabad, 2019). Consequently, a significant amount of BSC-related research  
140 has been conducted, leading to fragmented literature and scientific production. As a result, a  
141 comprehensive knowledge map of the BSC-related studies and their associated research themes  
142 and trends seems lacking.

143 To fill the identified gap, the present research aims to provide an inclusive map of the body  
144 of knowledge in the BSC domain by identifying its major research hotspots and emergent research

145 tendencies. To this end, a systematic science mapping review, supported by descriptive analysis,  
146 keywords co-occurrence analysis, and qualitative content analysis was performed. The results  
147 contribute to the existing studies by (i) presenting performance indicators of BSC-related scientific  
148 production over time, (ii) identifying BSC research hotspots through conducting a keywords co-  
149 occurrence analysis to cluster research articles in the target literature, (iii) capturing BSC subject  
150 areas of research which have recently attracted more attention using the average publication year  
151 measure, and (iv) proposing potential directions for BSC research towards implementing the CE  
152 model. To the best of the authors' knowledge, this is the first attempt in the literature to map the  
153 BSC scientific production as a whole, using science mapping analysis through addressing the  
154 following research questions (RQs):

155 **RQ1.** What are the past and present states and trends of scientific production in the BSC  
156 literature?

157 **RQ2.** What are the seminal research hotspots and tendencies building the BSC background?

158 **RQ3.** Which areas have been recently attracting more attention in the BSC domain?

159 **RQ4.** What are the potential CE avenues ahead for BSC future research?

160 The remainder of the paper is organized as follows. Section 2 presents the adopted search  
161 protocol and applied methods. Section 3 provides the main results of the research, including  
162 descriptive analysis results, representing performance indicators (Section 3.1), keywords co-  
163 occurrence analysis results, representing identified BSC research hotspots (Section 3.2), and  
164 qualitative content analysis results, representing emergent BSC research areas (Section 3.3).  
165 Potential CE directions for future research within the BSC context are proposed in section 4.  
166 Finally, Section 5 concludes the remarks and limitations of the study.

167

168 **2. Scope and review methodology**

169 In this research, a systematic review based on the PRISMA statement (Liberati et al., 2009)  
170 supported by keywords co-occurrence analysis and qualitative content analysis was carried out to  
171 provide a comprehensive knowledge map of the academic production in the BSC literature. The  
172 adopted search protocol to collect data (Section 2.1) and analysis methods used in this review  
173 (Section 2.2) are explained in the following sub-sections.

174

175 **2.1. Data source and search protocol**

176 In order to assure sufficient coverage of the target literature and reliability of the results within  
177 each review process, adopting a well-structured search protocol, clarifying data source, search  
178 string, and inclusion criteria seems crucial. On this basis, a structured search protocol was  
179 formulated in three steps.

180 First, the Web of Science (WoS) Core Collection database, as the world's most trusted global  
181 academic citation database, was chosen as the main data source for the present review.

182 Second, a search string was constructed aiming to maximize the sufficiency of the extracted  
183 documents related to the topic of this research indexed in WoS. In this vein, the two main keywords  
184 "biofuel" and "supply chain" were considered as the core of attention for further investigation. To  
185 avoid neglecting critical and significant research within the BSC domain as much as possible, these  
186 two keywords were divided and carefully scanned to outline the crucial keywords referring to the  
187 BSC concept. In this regard, with a similar approach adopted by Pournader et al. (2021), we relied  
188 on the supply chain definition by Mentzer et al. (2001) as "a set of three or more entities  
189 (organizations or individuals) directly involved in the upstream and downstream flows of products,  
190 services, finances, and/or information from a source to a customer". Consequently, we ended up

191 with "supply chain", "supply network", "buyer-supplier", "supplier selection", and "supplier  
192 evaluation", as the major keywords covering the concept of the supply chain as a whole. Keywords  
193 that implicitly refer to the supply chain, such as "operation management", "inventory management",  
194 and "logistics" were excluded from our search string to remain consistent with the main focus of  
195 this study. On the other hand, the keyword "biofuel" were searched within the most recent  
196 systematic reviews conducted on biofuels (for instance, see Padilla-Rivera et al. (2019), and  
197 Chaudhary et al. (2021)) to identify the main keywords and synonyms implicitly addressing the  
198 biofuel concept within the scientific production in the literature. To this end, "biofuel", "ethanol",  
199 "bioethanol", "biodiesel", "biogas", "biomass", "bio-oil", and "biorefinery" were outlined to be  
200 included in the search string. Moreover, due to the presence of "bio" in the keywords, different  
201 spelling styles, such as "bio-fuel", "bio fuel", "bio-diesel", and "bio diesel" were also taken into  
202 account. As a result, the identified keywords related to "biofuel" and "supply chain" were  
203 connected by using the Boolean operators "AND" and "OR" to formulate the following search  
204 string for capturing the most relevant documents related to the BSC background: "supply chain"  
205 OR "supply network" OR "buyer-supplier" OR "supplier selection" OR "supplier evaluation" AND  
206 "Biofuel" OR "bio fuel" OR "bio-fuel" OR "ethanol" OR "bio ethanol" OR "bio-ethanol" OR  
207 "bioethanol" OR "bio diesel" OR "bio-diesel" OR "biodiesel" OR "biogas" OR "bio gas" OR "bio-  
208 gas" OR "biomass" OR "bio-mass" OR "bio-oil" OR "bio oil" OR "biorefiner\*" OR "bio refiner\*"  
209 OR "bio-refiner\*". The initial run of the search string on the topic field in WoS which searches  
210 title, abstract, author keywords, and keywords plus returned a total of 2,605 records.

211 Finally, a set of inclusion criteria were set up to limit the initial results to the most relevant  
212 and reliable research. In this regard, only peer-reviewed articles published in journals in the  
213 English language were included in the final sample and other forms of documents, such as

214 conference proceedings, book chapters, and short communications were excluded from the study.  
 215 The rationale behind adopting this approach was to enrich the quality and validity of the collected  
 216 data and accordingly analyses and obtained results (Ranjbari et al., 2021c). Besides, due to the aim  
 217 of this research to provide a comprehensive science map of the BSC field of research, no time-  
 218 period restriction was considered. The continuous process of capturing data was stopped by adding  
 219 the last update on December 19, 2021, to the dataset. As a result of this stage, 1,975 peer-reviewed  
 220 journal articles met the inclusion criteria and were selected as the final sample for analysis in the  
 221 present review. Table 1 summarizes the details of the adopted search protocol.

222 **Table 1**

223 The details of the adopted search protocol to collect BSC-related research.

<b>Search string</b>	"supply chain" OR "supply network" OR "buyer-supplier" OR "supplier selection" OR "supplier evaluation" AND "Biofuel" OR "bio fuel" OR "bio-fuel" OR "ethanol" OR "bio ethanol" OR "bio-ethanol" OR "bioethanol" OR "bio diesel" OR "bio-diesel" OR "biodiesel" OR "biogas" OR "bio gas" OR "bio-gas" OR "biomass" OR "bio-mass" OR "bio-oil" OR "bio oil" OR "biorefiner*" OR "bio refiner*" OR "bio-refiner*"
<b>Database</b>	Web of Science
<b>Searched in</b>	Topic: title, abstract, author keywords, and keywords plus
<b>The last update</b>	December 19, 2021
<b>Initial result</b>	2,605 articles
<b>Inclusion criteria</b>	(i) peer-reviewed journal articles, and (ii) English documents
<b>Final sample</b>	1,975 articles

224

## 225 2.2. Data analyses

226 To properly answer the RQs of this study, an inclusive approach to assess the research  
 227 developments and outcomes in the BSC field was adopted. In this vein, an analytical method  
 228 adopted from (Dutra et al., 2022; Ranjbari et al., 2021a, 2022b), combining descriptive analysis,


229 keywords co-occurrence analysis, and qualitative content analysis was applied to render the state-  
230 of-the-art of BSC research. To do so, the analyses were performed in three steps as the following.

231 Firstly, a descriptive analysis was conducted on the 1,975 articles collected from WoS to  
232 present performance indicators of the scientific production in the BSC literature, answering RQ1.  
233 In this regard, for the time period of 1992-2021, the following performance indicators were  
234 provided and discussed: (i) publication evolution trends, (ii) contributing publishers and journals,  
235 (iii) the geographical distribution of contributions to the field, and (iv) thematic research categories  
236 of collected data based on WoS classification.

237 Secondly, based on the co-occurrence algorithm, a keywords co-occurrence analysis was  
238 performed on the authors' keywords in our data (4,443 unique keywords within 1,975 articles)  
239 using VOSviewer version 1.6.16 (van Eck and Waltman, 2010), addressing RQ2. The main  
240 rationale behind adopting this method is linked with the weakness of traditional literature reviews  
241 in dealing with mapping a huge amount of articles due to their manual settings. Keywords co-  
242 occurrence analysis has been widely used as a useful knowledge mapping tool in theoretical and  
243 empirical studies due to its capability in mapping the conceptual and thematic structure of a domain  
244 (Krey et al., 2022), representing the cumulative knowledge of the target literature. In keywords  
245 co-occurrence analysis, while each author keyword represents a node in the network constructed,  
246 each co-occurrence of a pair of author keywords represents a link. The weight of the link  
247 connecting the pairs of author keywords denotes the number of times that a pair of author keywords  
248 co-occurs in multiple articles (Radhakrishnan et al., 2017). In this regard, data cleaning, as a crucial  
249 preparing step for conducting any keyword-based analysis (Ranjbari et al., 2020), was first carried  
250 out on the keywords by (i) merging singular and plural forms of the keywords, (ii) combining  
251 abbreviations and full forms of the keywords, and (iii) unifying English and American writing

252 styles. Then, the network of the authors' keywords based on the co-occurrence links clusters was  
253 constructed to provide a base for unveiling common themes across the articles to understand the  
254 thematic structure and knowledge components of the BSC field of research.

255 Finally, in this step, a qualitative content analysis was carried out as a complementary layer to  
256 the keywords co-occurrence analysis to (i) obtain a deeper understanding of the extant knowledge  
257 and intellectual structures, (ii) enable the identification of the most developed topics within the  
258 literature, in particular the most recent subject areas under research, and (iii) better link existing  
259 studies to future directions for research. Since the potential of conducting content analysis lies in  
260 its combination with other methods (Gaur and Kumar, 2018), it can significantly enrich the results  
261 of keyword-based analyses reviews. To this end, combining qualitative content analysis with other  
262 review methods has been broadly used in conducting inclusive reviews (S. Chaudhary et al., 2021;  
263 He et al., 2020; Piwowar-Sulej et al., 2021). In this regard, a qualitative content analysis was  
264 conducted on the articles containing keywords with a minimum average publication year of 2019  
265 (i.e., 2019-2022) and at least two occurrences. In this manner, besides the conceptual structure and  
266 identified hotspots of BSC research in the previous step, emerging subject areas of research that  
267 have recently attracted more attention were also discovered and discussed to answer RQ3. Fig. 1  
268 illustrates the overall research framework employed in this study corresponding to the methods  
269 applied to answer RQs and expected results.



270

271

**Fig. 1.** The research framework adopted for mapping BSC research

272 **3. Results and discussion**

273 The obtained results are presented in the following three sub-sections to clearly address the  
 274 RQs of the study. In this vein, the performance indicators are presented in Section 3.1 to answer  
 275 RQ1 regarding the states of scientific production in the BSC literature. Section 3.2 provides the  
 276 major research hotspots and tendencies building the BSC background to address RQ2. And finally,  
 277 RQ3 is answered in Section 3.3 through analyzing and discussing the main BSC research areas  
 278 that have been recently under debate by research communities.


279

280 **3.1. Descriptive analysis results: Performance indicators**

281 **3.1.1. Annual publication evolution over time**

282 A total of 1,975 articles was retrieved from WoS by running the defined search string and  
 283 applying the inclusion and exclusion criteria. The oldest identified article within the collected  
 284 sample was published in 1992 in the journal "Biomass and Bioenergy". In that article, Mitchell  
 285 (1992) provided an overview of a project regarding the wood fuel supply chain under the title

286 "Biomass supply from conventional forestry". As can be seen in Fig. 2, which shows the trend of  
 287 annual publication in the field of biomass supply chain based on the articles' publishing date, there  
 288 were only 10 articles published in this field of study in the period 1992-2005. However, between  
 289 2006-2008 a constant increase was initiated and significant growth took place starting from 2009,  
 290 although some minor dints appear in the number of publications between 2009 and 2021. Within  
 291 our sample, 26 articles had no publication year, out of which 23 were available online since 2021  
 292 and 3 were available since 2020. These articles are not considered in the trend shown in Fig. 2,  
 293 however, in order not to lose information and to compute the average publication year of the  
 294 keywords more realistically, they have been accounted for in the analysis of the keyword with an  
 295 assumption of having the publication year of 2022.




296  
 297 **Fig. 2.** The annual publication in the research field of BSC.

298 **3.1.2. Core publishers and journals**

299 In total, 120 publishers have contributed to the publication of the 1975 articles in our dataset.

300 The six most contributing publishers (i.e. Elsevier, Springer Nature, Wiley, MDPI, American

301 Chemical Society, and Taylor and Francis) account for 85.57% of the published articles (1690  
 302 articles of the total), as shown in Fig. 3. Moreover, while the selected sample of articles was  
 303 distributed in 426 journals, 42.53% of them (840 articles) were published in only 10 journals. More  
 304 than 74.4% of the journals (i.e. 317 journals) published only one or two articles in the studied field.  
 305 Table 2 provides the list of 10 journals that have published the highest number of articles in our  
 306 dataset. As can be seen in this table, "Journal of Cleaner Production", "Biomass & Bioenergy",  
 307 and "Applied Energy" are the three most productive journals with 187, 124, and 123 articles,  
 308 respectively. Although these three journals have also received the highest number of citations to  
 309 their articles, the highest average citation per article is earned by "Computers & Chemical  
 310 Engineering", "Renewable Energy", and "Biomass & Bioenergy", respectively. Furthermore, the  
 311 average publication year (APY) reported in Table 2 shows that among the listed journals,  
 312 "Sustainability", "Energies", and "Journal of Cleaner Production" have been more active in the  
 313 publication of more recent articles rather than the older ones.



314  
 315 **Fig. 3.** The main contributing publishers in the publication of BSC-related articles.


316 **Table 2.** The top 10 publishing journals in the field of BSC research.

Rank	Journal	2020 IF*	2020 CiteScore	No. of articles	Share of the total sample	Citations	AC*	APY*
1	Journal of Cleaner Production	9.297	13.1	187	9.47%	4009	21.44	2018
2	Biomass & Bioenergy	5.061	6.7	124	6.28%	3699	29.83	2014.39
3	Applied Energy	9.746	17.6	123	6.23%	3421	27.81	2017.02
4	Energy	7.147	11.5	84	4.25%	2314	27.55	2016.68
5	Computers & Chemical Engineering	3.845	7.0	74	3.75%	2462	33.27	2016.99
6	Biofuels Bioproducts & Biorefining-Biofpr	4.102	7.2	60	3.04%	1042	17.37	2015.98
7	Sustainability	3.251	3.9	53	2.68%	451	8.51	2018.79
8	Renewable Energy	8.001	10.8	48	2.43%	1439	29.98	2017.06
9	Energies	3.004	4.7	47	2.38%	386	8.21	2018.34
10	Industrial & Engineering Chemistry Research	3.764	5.6	40	2.03%	1141	28.53	2016.03

317 \* IF: Impact Factor; AC: Average citation per article; APY: Average publication year

### 318 3.1.3. Thematic research categories in WoS

319 Based on the WoS classification, the collected articles are published in 99 research categories.  
 320 Fig. 4 presents the WoS categories in which more than 100 articles are published, which form the  
 321 top 10 research categories containing articles in the BSC study area. Since a single article may  
 322 belong to more than one research category, the sum of numbers shown in Fig. 4 exceeds the  
 323 number of articles in our dataset. As can be seen in this figure, approximately 41.42% of the articles  
 324 (818 out of 1975) are classified in the "Energy Fuels" category. Having "Environmental Sciences",  
 325 "Engineering Environmental", and "Environmental Studies" in the 2<sup>nd</sup>, 5<sup>th</sup> and 8<sup>th</sup> ranks highlights  
 326 the concern of authors in the BSC field towards the environmental issues linked with this field of  
 327 study.



328  
329

**Fig. 4.** The top 10 WoS thematic research categories containing BSC research.

### 330 3.1.4. Geographical distribution of contributions

331 A total of 85 countries were identified to have contributed to the publication of articles in the  
 332 BSC field of research. The top 10 productive and influential countries based on the number of  
 333 published articles and the number of received citations, respectively, are listed in Table 3.  
 334 According to this table, the USA, England, and Italy with 575, 176, and 166 articles and 15410,  
 335 5147, and 3289 citations, respectively, are both the top productive and the top influential countries.  
 336 Furthermore, among the institutions within the contributing countries, the U.S. Department of  
 337 Energy (DOE), Imperial College London, and Iran University of Science & Technology with 97,  
 338 55, and 48 articles, respectively, are the top three contributing institutions to the topic.

339 **Table 3.** The top 10 contributing countries in terms of no. of articles and no. of citations.

Top 10 contributing countries in terms of the no. of articles				Top 10 contributing countries in terms of the no. of citations		
Rank	Country	Articles	Share of the total sample	Rank	Country	Citations
1	USA	575	29.11%	1	USA	15,410
2	England	176	8.91%	2	England	5,147
3	Italy	166	8.41%	3	Italy	3,289
4	China	157	7.95%	4	Canada	2,832

5	Canada	131	6.63%	5	China	2,504
6	Germany	104	5.27%	6	Netherlands	2,242
7	Netherlands	93	4.71%	7	Spain	1,880
8	Iran	86	4.35%	8	Germany	1,836
9	Malaysia	85	4.30%	9	Austria	1,667
10	Brazil	84	4.25%	10	Malaysia	1,644


340

### 341 **3.2. Keywords co-occurrence analysis results: Discovering BSC research hotspots**

342 A total of 4,664 author keywords were recognized in the dataset at the initial stage. This  
343 number was reduced to 4,443 unique keywords after cleaning the data. In order to provide a clear  
344 picture of the main keywords forming the core of BSC research, a threshold of a minimum of 20  
345 occurrences was considered for the keywords to be analyzed in-depth in this section. The  
346 considered threshold resulted in the selection of 38 keywords, which were used to build the clusters  
347 in Fig. 5. These clusters reflect the main research focuses in the field of BSC. In the keywords co-  
348 occurrence network illustrated in Fig. 5, each node stands for a keyword, its size shows the  
349 occurrence of the keyword in our dataset, and its color shows the cluster it belongs to. Moreover,  
350 the links between the pair of nodes show the co-occurrence of the two keywords in a single article  
351 and the thickness of the links reflects the repetition of this co-occurrence in different documents.

352 Table 4 provides details about the keywords in the built clusters, including their (1)  
353 occurrence, (2) average publication year (i.e. mean of the publication year of the articles in which  
354 a specific keyword appears), (3) average citation (i.e. mean of the citations received by the article  
355 containing a specific keyword), (4) number of links (i.e. the number of keyword with which a  
356 specific keyword co-appear in a single article), (5) total link strength (i.e. the sum of all co-  
357 occurrences of a specific keyword), and (6) the five most co-occurring keywords with a specific  
358 keyword and their number of co-occurrences. Furthermore, for each cluster, the average

359 publication year of the keywords is reported, which points to the recentness of the articles  
 360 containing the keywords considered in each cluster. The built clusters, including "Biomass to  
 361 biofuel supply chain design and planning", "Environmental impacts of biofuel production",  
 362 "Biomass to bioenergy", and "Techno-economic analysis of biofuel production" are discussed in  
 363 the following sub-sections.



366 **Fig. 5.** Co-occurrence network of the keywords within the BSC research from the target  
 367 literature.

368 **Table 4.** Major research hotspots within the BSC literature.

<b>Cluster 1: Biomass-to-biofuel supply chain design and planning (APY*: 2016.90)</b>						
<b>Keyword</b>	<b>Occurrence</b>	<b>APY</b>	<b>AC*</b>	<b>Links</b>	<b>TLS*</b>	<b>The five most co-occurring keywords</b>
Optimization	223	2017.21	21.02	34	350	Supply chain (51); Biomass (36); Biofuel (35); Bioenergy (20); Uncertainty (20)
Sustainability	130	2016.99	30.02	32	169	Biofuel (17); LCA (17); Biomass (14); Multi-objective Optimization (13); Renewable energy (9)
Multi-objective optimization	63	2017.56	33.62	28	84	Sustainability (13); Supply chain (11); Biofuel (5); BSC (5); LCA (5)
Uncertainty	59	2017.22	29.02	25	93	Optimization (20); Biofuel (10); Supply chain (10); Stochastic programming (7); BSC (5)
Mixed integer linear programming	58	2016.76	26.66	26	90	Optimization (18); Biomass (9); Supply chain (9); Bioethanol (4); Biorefinery (4)
Biomass supply chain	56	2016.68	22.71	19	51	Optimization (10); Bioenergy (5); Biorefinery (4); GHG emission (4); LCA (4)
Biodiesel	49	2016.35	18.02	18	49	Supply chain (13); Optimization (8); Biofuel (3); LCA (3); Uncertainty (3)
Supply chain management	42	2016.12	28.57	21	56	Optimization (9); Biomass (8); Bioenergy (4); Bioethanol (4); Sustainability (4)
BSC	40	2017	38.2	18	46	Optimization (7); Multi-objective optimization (5); Uncertainty (5); GHG emission (4); Sustainability (4)
Stochastic programming	27	2017.11	35.37	13	33	Uncertainty (7); Optimization (5); Biofuel (4); Biomass (4); Supply chain (4)
Supply chain design	24	2015.96	33.13	16	28	Biofuel (4); Mixed integer linear programming (3); Optimization (3); Biodiesel (2); Bioenergy (2)
Facility location	23	2015.78	26.52	16	38	Biofuel (5); Optimization (5); Supply chain (5); Sustainability (4); Biomass (3)
Switchgrass	23	2015.26	33.74	21	43	Biofuel (6); Supply chain (5); Sustainability (4); Bioenergy (3); LCA (3)
Sustainable development	22	2017.64	38.32	17	28	Biomass (5); Multi-objective Optimization (3); Supply chain (3); Bioenergy (2); BSC (2)
<b>Cluster 2: Environmental impacts of biofuel production (APY: 2017.15)</b>						
<b>Keyword</b>	<b>Occurrence</b>	<b>APY</b>	<b>AC</b>	<b>Links</b>	<b>TLS</b>	<b>Most co-occurring keywords</b>
LCA	170	2017.21	22.11	34	209	GHG emission (19); Sustainability (17); Bioenergy (16); Biomass (15); GHG (10)
Renewable energy	66	2017.67	20.55	19	73	Biomass (15); Optimization (11); Sustainability (9); Biofuel (6); Supply chain (6)
Greenhouse gas emission	56	2017.07	18.89	25	81	LCA (19); Bioenergy (6); Biomass (6); Supply chain (6); Biofuel (4)
Bioethanol	49	2016.39	16	21	70	Optimization (13); Supply chain (10); LCA (8); Sustainability (6); Mixed integer linear programming (4)
Biogas	45	2017.04	13.98	19	56	Anaerobic digestion (11); Supply chain (11); Optimization (7); Bioenergy (4); Biofuel (2)
Environmental impact	28	2017.79	14.21	15	40	LCA (13); Biofuel (5); Supply chain (5); Bioenergy (2); Bioethanol (2)
GHG	24	2015.83	23	15	38	LCA (10); Biofuel (5); Bioenergy (4); Biomass (4); Energy (3)
Anaerobic digestion	23	2018.44	13.78	11	28	Biogas (11); Optimization (4); Bioenergy (3); LCA (3); Biorefinery (1)
Energy	22	2016.5	21.45	14	34	Biomass (7); Supply chain (4); GHG (3); LCA (3); Optimization (3)
<b>Cluster 3: Biomass to bioenergy (APY: 2016.29)</b>						

Keyword	Occurrence	APY	AC	Links	TLS	Most co-occurring keywords
Supply chain	267	2016.28	20.54	33	383	Optimization (51); Biomass (43); Biofuel (42); Bioenergy (32); Biorefinery (18)
Biomass	205	2016.32	26.02	33	310	Supply chain (43); Bioenergy (39); Optimization (36); Biofuel (19); Logistics (17)
Bioenergy	156	2016.29	28.03	34	238	Biomass (39); Supply chain (32); Optimization (20); Biofuel (17); LCA (16)
Logistics	57	2015.95	26.14	22	105	Biomass (17); Bioenergy (16); Supply chain (15); Optimization (13); Geographic information system (7)
Geographic information system	45	2015.89	22.11	23	74	Logistics (7); Optimization (8); Supply chain (8); Biomass (7); Biofuel (6)
Torrefaction	40	2016.93	34.05	15	45	Biomass (10); Bioenergy (8); Supply chain (7); LCA (5); Logistics (4)
Transportation	37	2016.16	19.57	15	63	Supply chain (12); Biomass (9); Biofuel (7); Optimization (6); Logistics (5)
Forest biomass	34	2016.83	14.44	20	48	Supply chain (10); Bioenergy (9); Biofuel (5); Optimization (5); LCA (2)
Forest residue	20	2016.25	21.5	14	23	Bioenergy (5); LCA (3); Biomass (2); GHG emission (2); Torrefaction (2)

**Cluster 4: Techno-economic analysis of biofuel production (APY: 2017.13)**

Keyword	Occurrence	APY	AC	Links	TLS	Most co-occurring keywords
Biofuel	169	2016.34	23.08	35	269	Supply chain (42); Optimization (35); Biomass (19); Bioenergy (17); Sustainability (17)
Biorefinery	71	2017.39	23.48	21	103	Supply chain (18); Optimization (14); Biofuel (11); Biomass (9); Geographic information system (6)
CE	33	2019.70	10.61	20	38	Sustainability (5); LCA (4); Supply chain (4); Biofuel (3); Bioeconomy (2)
Techno-economic analysis	31	2018.84	11.84	19	37	LCA (6); Biofuel (4); Biorefinery (4); Bioenergy (3); Bioethanol (2)
Ethanol	29	2015.55	22.69	17	47	Biofuel (10); Supply chain (9); Biomass (5); Optimization (4); LCA (3)
Bioeconomy	24	2018.08	12.75	8	20	Biorefinery (5); Biomass (4); LCA (3); Bioenergy (2); Biofuel (2)

369 \* APY: Average publication year; AC: Average citation; TLS: Total link strength.

370

### 371 **3.2.1. Cluster 1: Biomass-to-biofuel supply chain design and planning**

372 As reported in Table 4, the most frequent keyword in cluster 1 is "optimization", which has  
373 co-occurred several times with various other highly frequent keywords including "supply chain",  
374 "biomass", "biofuel", "bioenergy", and "uncertainty". Optimization models have been extensively  
375 used in the academic literature for "supply chain design" and also planning in the field of bioenergy  
376 (Memari et al., 2021). These models are applied in various contexts such as economic optimization  
377 of the cellulosic biofuel supply chain (Ge et al., 2021), optimization of food supply chains under  
378 CE considerations (Baratsas et al., 2021), optimal design of a supply chain for jatropha-based  
379 biofuel (Afkhami and Zarrinpoor, 2021), biomass feedstock delivery (Li et al., 2019), and lifecycle  
380 optimization of bioenergy with carbon capture and storage (BECCS) supply chains (Negri et al.,  
381 2021). BSCs have several "uncertainties" such as supply uncertainty (Fattahi et al., 2021), demand  
382 uncertainty (Elaradi et al., 2021), and material quality (Saghaei et al., 2020).

383 To deal with the "uncertainties" linked with the BSC, different approaches have been adopted  
384 by the researchers, such as "stochastic programming" (Elaradi et al., 2021; Fattahi et al., 2021),  
385 robust optimization (Gilani and Sahebi, 2021), and fuzzy programming (Afkhami and Zarrinpoor,  
386 2021). "Multi-objective optimization" models developed in this field mainly focus on  
387 "sustainability" issues and try to optimize a combination of economic, environmental, and social  
388 aspects of a considered BSC. For instance, Baghizadeh et al. (2021) used a mixed-integer non-  
389 linear programming model to maximize profit, improve social impacts, and minimize the negative  
390 environmental effects and the lost demands in a forest supply chain. Also, Díaz-Trujillo and  
391 Nápoles-Rivera (2019) focused on the optimization of biogas supply chains based on satisfying  
392 the biogas and biofertilizer demands, maximization of the profit, and minimization of the  
393 environmental impact. In another research conducted by Santibañez-Aguilar et al. (2022), a multi-

394 objective optimization model was applied for the planning of a biomass supply chain, which  
395 considered several objective functions to address the social impact as a function of the facilities  
396 location, net profit, and net CO<sub>2</sub> emissions.

397

### 398 **3.2.2. Cluster 2: Environmental impacts of biofuel production**

399 Biofuel, as a type of "renewable energy", is considered a strong alternative for fossil fuels due  
400 to its favorable "environmental impacts" and its support to lower climate change through emitting  
401 less "greenhouse gasses". Bui et al. (2021) estimated that indigenous sources of biomass in the UK  
402 can remove up to an annual amount of 56 Mt of CO<sub>2</sub> from the atmosphere. García-Freites et al.  
403 (2021) also focused on the UK's net-zero emission target and found that their studied BECCS  
404 supply chains can contribute to the GHG removal by CO<sub>2</sub>e between -647 and -1,137 kg MWh<sup>-1</sup>  
405 net negative emissions. In another research with a CE approach, Mayson and Williams (2021)  
406 studied the treatment and reuse of spent coffee grounds to fuel the roasting process in a coffee  
407 company and found that using spent coffee grounds can result in carbon savings of 5.06 kg  
408 CO<sub>2</sub>e/kg<sup>-1</sup> fuel for each roasted batch of coffee in comparison with a conventional approach.

409 A huge share of articles in the field of BSC deal with the environmental impacts of the  
410 activities linked with the design and operation of BSC (e.g. Duarte et al. (2016) and Lu et al.  
411 (2015)). Besides, "LCA" has been used in 170 articles in our dataset to assess the environmental  
412 impacts of biofuel-related products, as a comprehensive evaluation approach for measuring  
413 environmental impacts over the biofuels' entire production chain (Osman et al., 2021). For  
414 instance, Lin et al. (2021) conducted an LCA on a biogas system for cassava processing in Brazil,  
415 and Xu et al. (2021) studied the GHG emissions of the electricity generated from forest biomass  
416 in the US from an LCA perspective. A cradle-to-grave industry-average assessment of the life-  
417 cycle impacts of the wood pallet supply chain in the United States was done by Alanya-Rosenbaum

418 et al. (2021), highlighting the significant share of biomass from the total primary energy  
419 consumption in the supply chain. Tsalidis and Korevaar (2022) pointed to the recent concentration  
420 of LCAs on emerging technologies, which are not yet optimized with respect to energy and  
421 materials, and conducted research to show the data scales effects on LCA results. They considered  
422 a case study of the Dutch torrefaction industry and used its ex-ante experimental data, data derived  
423 from simulations, and ex-post empirical data and modeled bench, lab, pilot, and commercial scales,  
424 and simulations of torrefaction technology. Their investigations showed that simulations result in  
425 better scores regarding all the considered environmental impacts including global warming, fine  
426 particulate matter formation, terrestrial acidification and freshwater eutrophication potentials, in  
427 comparison with the other scales modelled.

428 "Bioethanol", "biogas", and "anaerobic digestion" are other frequent author keywords  
429 appearing in 49, 45, and 23 articles, respectively, that are labeled under cluster 2. Anaerobic  
430 digestion is a biological process in which organic materials are converted to biogas through a series  
431 of tandem biochemical reactions (Nie et al., 2021). This process is a waste-to-energy option to  
432 recover energy from organic waste and produce value-added chemicals (Barati et al., 2017) and is  
433 recognized as an environmental-friendly technology in this regard. As an example among the  
434 papers investigated in our database, Nguyen et al. (2016) studied the energy conversion of rice  
435 straw through anaerobic digestion and found that using rice straw for biogas production can  
436 generate a positive net energy balance of 70% - 80%. In another research, Stougie et al. (2018)  
437 studied the combustion of bioethanol from the fermentation of verge grass, combustion of  
438 substitute natural gas from supercritical water gasification of animal manure, and combustion of  
439 substitute natural gas from anaerobic digestion of animal manure, and found that the bioethanol  
440 system has the best performance and is the most environmentally sustainable among the studied

441 systems. Bioethanol, as a type of biofuel, can be either blended with gasoline or used as a stand-  
442 alone fuel (Haghighi Mood et al., 2013).

443

### 444 **3.2.3. Cluster 3: Biomass to bioenergy**

445 This cluster contains the keyword "supply chain", which is the most frequent keyword in our  
446 database, as it constituted the main part of the search string in this research. As can be seen in  
447 Table 4, the highest number of co-occurrences of "supply chain" is with "optimization" in cluster  
448 1, which is the third frequent keyword with 174 occurrences. The strong co-occurrence link  
449 between these two keywords highlights the interest in applying optimization models in different  
450 supply-chain-related issues in the biofuel field of study, as also pointed to in cluster 1. Since the  
451 conversion of "biomass to bioenergy" is the main objective of building a BSC, these two keywords,  
452 representing the main input and output of the process, have significant link strengths with "supply  
453 chain" (43 and 32, respectively).

454 Biomass is not only a source of energy but also a feedstock to be used in biorefineries. The  
455 biomass materials that can be used to produce biofuel range from wood and energy crops to  
456 agricultural, municipal, and industrial waste (Rentizelas, 2013). "Forest residue" has been  
457 identified as a highly frequent keyword in the dataset analyzed for this research several articles  
458 have considered this type of biomass for the production of biofuel and have analyzed its relevant  
459 supply chain. Through a System Dynamics model developed by Jin and Sutherland (2018), the  
460 dynamic changes in the forest residue supply and demand were analyzed. Sahoo et al. (2019)  
461 developed economic models to estimate the operational costs of different forest residue *logistics*.  
462 Moreover, in the research conducted by Malladi et al. (2018), a decision support tool was  
463 developed for optimizing the short-term "logistics" of forest-based biomass. Selection of a proper

464 location for the biofuel-related facilities (Santibañez-Aguilar et al., 2018; Woo et al., 2018) and  
465 also the transportation and logistics (Fikry et al., 2021; Han et al., 2018) issues are some of the  
466 other challenges addressed by researchers regarding the management of a BSC, whose relevant  
467 keywords have appeared in this cluster.

468

#### 469 **3.2.4. Cluster 4: Techno-economic analysis of biofuel production**

470 Considering the keywords in cluster 4 and their most co-occurring keywords, the main theme  
471 of this cluster can be linked with the techno-economic and cost-based optimization and analysis of  
472 biofuel production. The most frequent keyword in this cluster is "biofuel" with an APY of 2016.34  
473 for 169 occurrences, followed by "biorefinery" with 71 occurrences and an APY of 2017.39. The  
474 most co-occurring keywords with "biofuel" and "biorefinery" are "supply chain" and  
475 "optimization", which point to a significant share of the articles reflecting research on the  
476 optimization of biofuel production or optimization of biofuel supply chains, in line with the  
477 discussions on cluster 1.

478 In many of the studies dealing with the optimization of the biofuel supply chain or a part of it,  
479 costs and economic analysis have been considered crucial, since biofuel production is linked with  
480 several economic constraints. For instance, Allman et al. (2021) proposed a biomass waste-to-  
481 energy supply chain optimization model for the location and relocation of mobile and modular  
482 production units and found that mobile production modules lead to the saving of 1-4% of supply  
483 chain costs in Minnesota and North Carolina. An optimization framework for biorefineries design  
484 was presented by Theozzo and Teles dos Santos (2021) to maximize the operational net present  
485 value. Ankathi et al. (2021) proposed an optimization model for locating food waste and manure  
486 anaerobic co-digestion facilities in Wisconsin to maximize the profit from the biopower supply

487 chain and carbon credits. In addition, "ethanol", which is the most produced biofuel at the industrial  
488 scale level (Amândio et al., 2022), has been addressed in the optimization models of some research.  
489 The optimization-based model by Punnathanam and Shastri (2021) for ethanol production from  
490 the agricultural residue with an objective of minimizing the total annual cost, and the optimization  
491 model by Soren and Shastri (2021) for commercial-scale ethanol production considering the cost  
492 minimization are a few examples in this regard.

493 "Techno-economic analysis" of biofuel production and the processes involved are the focus of  
494 some other studies. The research by Lan et al. (2021) on the techno-economic analysis of  
495 decentralized preprocessing systems, the techno-economic evaluation by Abelha and Kiel (2020)  
496 on biomass upgrading by washing, and the study conducted by Khounani et al. (2019) on the  
497 techno-economic evaluation of safflower-based biorefinery can be named as a few examples in  
498 this regard. As such, "techno-economic analysis" can be mentioned as the core keyword in this  
499 cluster, which involves both technical and economic aspects of processes and activities in the  
500 biofuels supply chain.

501 The "CE", as the most recent keyword in this cluster, has been pointed to in several articles,  
502 for instance, to address biogas production in the anaerobic digestion process (Vondra et al., 2019),  
503 using spent coffee grounds as fuel (Mayson and Williams, 2021), and wood-based biomass  
504 (Marques et al., 2020). However, whether biofuel-related articles explicitly mention CE or not, CE  
505 is linked with the nature of biofuel production in terms of particular focus on waste valorization  
506 and resource efficiency. Furthermore, "bioeconomy", which addresses the utilization of renewable  
507 biological resources for energy production and manufacturing domestic consumables (Guo and  
508 Song, 2019), is the least frequent keyword in this cluster, addressed by a number of articles, such  
509 as Egea et al. (2021) and Raimondo et al. (2018).

510

### 511 **3.3. Qualitative content analysis results: Emergent BSC research areas**

512 In this section, the most emerging topics considered by researchers in the field of BSC are  
513 identified and discussed. To discover the emerging topics, the author keywords with a minimum  
514 of two occurrences and the APY of at least 2019 are selected and analyzed. Considering a threshold  
515 of two occurrences is meant to capture the keywords that are relevant to the studied research area  
516 but are not yet widespread. This threshold resulted in capturing 947 keywords, which were then  
517 reduced to 219 records due to the considered time constraint for focusing on the recent articles. As  
518 a result, the following three main roadmaps, representing the most recent BSC-related subject areas  
519 were identified: (i) global warming and climate change mitigation, (ii) development of the third-  
520 generation biofuels, and (iii) government incentives, pricing, and subsidizing policies.

521

#### 522 **3.3.1. Global warming and climate change mitigation**

523 The climate change and BSC activities trade-offs have appeared as one of the most recent  
524 subject areas within the BSC literature. In this regard, "global warming", "GHG removal",  
525 "decarbonization", "environmental analysis", "CO<sub>2</sub> removal", and "climate change mitigation" are  
526 some of the authors' keywords in our sample data, which can be categorized under the climate  
527 change subject area of research. The urgent need for mitigating climate change adverse effects  
528 along with the potential threat of energy crisis have increased the interest to utilize biomass for  
529 biofuel production (Liu et al., 2020a).


530 Yan et al. (2021) in a study in China showed that climate change has a significant impact on  
531 the availability of land for producing liquid biofuels due to changing temperature and precipitation.  
532 The main focus of research in this area has been on climate change impacts trade-offs with utilizing

533 logging residue for biofuel production (Liu et al., 2020b), economic and environmental effects of  
534 biofuel production developments (Kung, 2019), policy formulation (Prasad et al., 2020), cellulosic  
535 biofuel applications (Popovic et al., 2019), and biofuel cropping systems (Pilecco et al., 2020).  
536 However, developing integrated frameworks to assess the climate change impacts of biomass  
537 utilization for biofuel production needs more investigations in the future.

538

### 539 **3.3.2. Development of the third-generation biofuels**

540 Different categories and generations of development for biofuels have been presented in the  
541 literature based on the type of feedstock that is used for their production (Abbasi et al., 2021;  
542 Hajjari et al., 2017). However, according to Alalwan et al. (2019), biofuels are generally classified  
543 into four generations, including (i) the first-generation biofuels that are produced from edible  
544 biomass, such as corn or sugarcane, (ii) the second-generation biofuels which utilize non-edible  
545 biomass, such as agriculture residues, (iii) the third-generation biofuels use microorganisms as  
546 feedstock, such as algal biomass, and (iv) the fourth-generation biofuel which focuses on  
547 genetically modifying microorganisms to minimize or eliminate carbon emissions. Fig. 6  
548 illustrates the four generations of biofuels. Production of each biofuel generation has faced several  
549 challenges. For instance, first-generation biofuel production deals with the price increase for  
550 animal feeds and food, and the high rate of land use for cultivation (R. Chaudhary et al., 2021).  
551 Moreover, while the second-generation biofuel production technologies have some difficulties in  
552 the extraction of fuel, the third-generation biofuels are struggling with the financial competition  
553 with petroleum-based fuels (Rodolfi et al., 2009). Although the first two generations of biofuels  
554 have been immensely investigated by scholars, the third and fourth generations are still in their  
555 infancy stage of research.



556

557 \*G: generation.

558

**Fig. 6.** Biofuel generations.

559 Based on the average publication year of keywords within our data, the third generation of  
 560 biofuels, which utilizes algal biomass, including microalgae and macroalgae has emerged as a  
 561 recent subject area in the BSC literature. On this basis, "seaweed", "macroalgae", and "algae" have  
 562 been used by researchers as keywords of their research with a minimum average publication year  
 563 of 2019. Microalgae, as a potential feedstock for the third-generation biofuel production, has  
 564 increasingly gained momentum among scholars and industrial practitioners due to its significant  
 565 benefits, such as (i) sequestering huge amounts of CO<sub>2</sub> during their cultivation, (ii) high oil content  
 566 and fast growth rate, (iii) flexibility in growing in inapplicable water resources, and (iv) using  
 567 marginal lands which are not ideally used for agriculture purposes (Abbasi et al., 2021; Molino et  
 568 al., 2020).

569 Bharathiraja et al. (2022) showed that in comparison with the biofuels made from crops and  
 570 lignocelluloses, the third-generation biofuels produced from algae are more compatible with diesel  
 571 engines due to their lower environmental footprint. The research in this area has been mainly  
 572 focused on algae cultivation and production systems (Ou et al., 2021), the application of catalytic  
 573 processes on the production of algae-based biofuels (Zuorro et al., 2020), modeling water-energy

574 tradeoffs (Mayer et al., 2020), acceptability of genetically engineered algae biofuels (Varela  
575 Villarreal et al., 2020), and value-added products (Kumar et al., 2020). Nevertheless, although  
576 much research has been conducted in this subject area, biofuel production from algae is still under  
577 intense investigation to tackle main barriers, including commercialization (Shiru and Shiru, 2021),  
578 and technological advancements for reducing production costs (Getachew et al., 2020).

579

### 580 **3.3.3. Government incentives, pricing, and subsidizing policies**

581 Governmental support plans, such as financial incentives, pricing strategies, and subsidy  
582 programs in progressing towards using biofuels have appeared as a recent and ongoing subject  
583 area of BSC research. Due to the increasing public awareness of global warming, many  
584 governments are providing monetary incentives to replace biofuels with fossil fuels (Denizel et al.,  
585 2020). In this regard, the role of governments to promote and encourage using biofuels through  
586 developing various incentive programs is indispensable. Wu et al. (2021) highlighted the urgent  
587 need for more investigations on effectively guiding the government incentive programs for the  
588 biomass supply chain management and coordination and alliance of profit distribution issue. Haji  
589 Esmaeili et al. (2020) in another research, recommended providing financial incentives to motivate  
590 producers of first-generation bioethanol to switch to second-generation bioethanol production due  
591 to serious food versus fuel debates resulting from the first-generation biofuel production.  
592 Moreover, risk mitigation strategies and policies are required to tackle the evolving and fluctuating  
593 effects of the COVID-19 pandemic on the sustainability of biomass supply chains (Sajid, 2021)  
594 towards achieving sustainable development (Ameli et al., 2022; Ranjbari et al., 2021b). The  
595 research in this domain has been mainly focused on waste-to-energy incentive policy design (Zhao  
596 and You, 2019), and carbon-pricing strategies (Díaz-Trujillo et al., 2019).

597

#### 598 **4. Future directions for BSC research in transitioning towards a CE**

599 As shown in Table 4, a comparison between the occurrence and APY of the "CE" keyword  
600 with the "biofuel" keyword in our data shows that although the CE concept inherently exists in the  
601 BSC, this concept as a keyword has been more recently attracted attention to be used in the  
602 scientific productions. Besides, the "CE" keyword has appeared as the most frequent keyword with  
603 an APY of more than 2019 in our dataset, highlighting the recentness of serious efforts and focus  
604 on the CE transition in the biofuel production and utilization practices.

605 Transitioning from a linear economy to a CE with a waste-to-wealth approach plays a  
606 significant role in supporting sustainable development in the local and global contexts  
607 (Shevchenko et al., 2021). Although the nature of waste conversion in biorefineries to produce  
608 biofuels can potentially address CE principles, the research in putting the CE framework in place  
609 as a whole within the BSCs in industrial and commercial scales is still in its infancy stage.  
610 Therefore, implementing CE strategies in the context of BSCs, as a promising solution towards  
611 sustainable development, need more investigations and further development. In this vein, two  
612 mainstreams of research are identified as potential avenues for further research in the future to  
613 facilitate the CE transition in the BSCs:

##### 614 **(i) Integrative policy convergence at macro, meso, and micro levels**

615 Investments in the nexus of the CE and bioeconomy considering the potentials of the bio-  
616 based sector have gained momentum to create a sustainable future. On this basis, the CBE, as a  
617 bio-based CE, highly relies on the sustainable and resource-efficient valorization of biomass and  
618 organic waste through integrated biorefineries (Stegmann et al., 2020) to close supply chain loops.  
619 However, existing guidelines and standards developed for businesses lack a clear definition and

620 framework, outlining which cycles between the CE and bioeconomy contribute most to a  
621 sustainable future economy (Leipold and Petit-Boix, 2018). In this regard, Leipold and Petit-Boix  
622 (2018) showed that the bio-based businesses in the European context predominantly stick to  
623 already established practices and, so far, do not employ the business model innovation potentials  
624 to implement a CE.

625 Potential conflicts and frictions among different components of biofuel supply chains and CE  
626 strategies and policies hinder the CE transition in the bio-based economy. Hence, an integrative  
627 policy convergence from macro to micro levels for biofuel production in BSC management still  
628 seems lacking. The extant research in this area is mainly limited to technical aspects at meso and  
629 micro levels. Developing an integrated framework to converge CE and BSC management policies  
630 at macro, meso, and micro levels to align biofuel production and utilization with CE principles is  
631 highly recommended for further research. In particular, investigations need to address convergence  
632 opportunities between CE and BSC stakeholders through (i) supporting initiatives in enabling  
633 innovative business models, (ii) drafting national plans for maximizing the local capacity in waste-  
634 based biofuel production pathways, and (iii) adopting systems thinking approach to effectively  
635 evaluate the dynamics of the BSC as a whole in the CE transition.

#### 636 **(ii) Industrializing algae-based biofuel production towards the CE transition**

637 Algae are used as promising feedstocks for different applications, such as bioenergy and  
638 biofuel production, and the manufacturing of high-value bioproducts (Ahmad et al., 2022). Algal  
639 biofuels, as a clean and renewable energy source, are of high interest to the energy sector due to  
640 their energy-efficient and environmentally-friendly potential in tackling GHG emissions and  
641 widespread pollution (Ferreira Mota et al., 2022). In this regard, biofuel production from algal  
642 biomass towards a CBE has been under intense debate, leading to development in different aspects,

643 such as microalgae cultivation (Devadas et al., 2021), techno-economic feasibility assessments  
644 (Venkata Subhash et al., 2022), anaerobic digestate valorization (Stiles et al., 2018), and  
645 production and harvesting of microalgae (Khan et al., 2022), to name a few. However, algae-based  
646 biofuel production has faced critical challenges and barriers, mainly economic and technological  
647 barriers that prevent the commercial and industrial use of algae (Ahmad et al., 2022).

648       Increasing the share of the third-generation biofuels compared to the first and second  
649 generations that create food and landmass competition, can potentially strengthen the link between  
650 bioeconomy and the CE towards an algae-based CBE. In this regard, algae-based biofuels, as the  
651 third generation of biofuels, are not produced on industrial and commercial scales. Hence, further  
652 efforts and research are needed to switch algal biofuel production from a laboratory scale to an  
653 industrial and commercial scale under a new biorefinery paradigm. On this basis, future research  
654 efforts should be mainly focused on (i) developing technological initiatives to foster algae  
655 cultivation, production, and harvesting for biofuel production, and (ii) defining an inclusive agenda  
656 at the national level as a shared blueprint for providing economic incentives and government  
657 support to help commercialize the third-generation biofuels in the energy market.

658

## 659 **5. Conclusions**

660       This research was the first attempt in the literature employing a systematic review, supported  
661 by a keywords co-occurrence analysis and qualitative content analysis to present an inclusive  
662 knowledge map of the BSC research so far. Adopting a structured search protocol, a total of 1,975  
663 peer-reviewed journal articles from the WoS database was scrutinized based on the co-occurrence  
664 algorithm using VOSviewer version 1.6.16 (van Eck and Waltman, 2010).

665 On one hand, four seminal research hotspots of the BSC literature were identified. In this  
666 regard, the BSC research has been mainly focused on (i) designing and planning for biomass-to-  
667 biofuel supply chains, (ii) investigating the GHG footprint and environmental impacts of biofuel  
668 production and biorefineries, (iii) biomass to bioenergy conversion processes, and (iv) techno-  
669 economic analysis of biofuel production. On the other hand, based on the analysis conducted on  
670 the average publication year of authors keywords in our data, (1) global warming and climate  
671 change mitigation, (2) development of the third-generation biofuels produced from algal biomass,  
672 which has recently gained momentum in the CE debate, and (3) government incentives, pricing  
673 and subsidizing policies appeared as the main recent BSC-related subject areas of research.  
674 Moreover, potential research avenues to implement the CE framework in BSCs, including (i)  
675 integrative policy convergence at macro, meso, and micro levels, and (ii) industrializing algae-  
676 based biofuel production towards the CE transition were proposed. Compared to the existing  
677 reviews in the BSC literature, the provided insights in this study through a science mapping  
678 analysis contribute to the domain by (i) providing performance indicators of scientific production  
679 in the BSC research, (ii) discovering major research hotspots, themes, and trends in BSCs, (iii)  
680 discovering BSC subject areas of research which have recently attracted more attention, and (iv)  
681 proposing future directions for BSC research to support the CE transition. Accordingly, BSC  
682 research communities, practitioners, policy-makers, and stakeholders are potentially benefited  
683 from the delivered inclusive image of the BSC academic production through the enhancement of  
684 their perception of the field and recent developments.

685

## 686 **5.1. Limitations of the study**

687 As is often the case, there are some limitations regarding the scope and review process adopted  
688 in our research, which can serve as promising directions for future studies. First, we relied on the  
689 keywords co-occurrence analysis for clustering the articles in our sample data. Using other  
690 clustering techniques in bibliometric analysis, such as co-citation analysis (Ertz and Leblanc-  
691 Proulx, 2018), bibliographic coupling analysis (Belussi et al., 2019), and text mining analysis  
692 (Ranjbari et al., 2022a) are recommended for further studies. The obtained results can be compared  
693 with the present study to evaluate the advantages and disadvantages. Second, our data was  
694 extracted from Wos, which is one of the most well-known academic citation databases. However,  
695 incorporating other databases, such as Scopus may help increase the reliability of the findings.  
696 And finally, the main focus of our review was on providing a general overview of the BSC  
697 research, as a knowledge map. Therefore, more in-depth analyses on each identified hotspot and  
698 the recent subject area within the BSC domain, in particular (i) the third and fourth generations of  
699 biofuels, and (ii) technological advancement to support the transition from a linear economy to a  
700 CBE with a special focus on waste-based biomass are highly encouraged for future research.

701

## 702 **Acknowledgements**

703 The authors would like to thank Universiti Malaysia Terengganu under International  
704 Partnership Research Grant (UMT/CRIM/2-2/2/23 (23), Vot 55302) for supporting this joint  
705 project with Henan Agricultural University under a Research Collaboration Agreement (RCA).  
706 This work is also supported by the Ministry of Higher Education, Malaysia, under the Higher  
707 Institution Centre of Excellence (HICoE), Institute of Tropical Aquaculture and Fisheries  
708 (AKUATROP) program (Vot. No. 56051, UMT/CRIM/2-2/5 Jilid 2 (10) and Vot. No. 56052,

709 UMT/CRIM/2-2/5 Jilid 2 (11)). The manuscript is also supported by the Program for Innovative  
710 Research Team (in Science and Technology) in the University of Henan Province (No.  
711 21IRTSTHN020) and Central Plain Scholar Funding Project of Henan Province (No.  
712 212101510005). The authors would also like to extend their sincere appreciation to the University  
713 of Tehran and the Biofuel Research Team (BRTeam) for their support throughout this project.

714

## 715 **References**

- 716 Abbasi, M., Pishvae, M.S., Mohseni, S., 2021. Third-generation biofuel supply chain: A  
717 comprehensive review and future research directions. *J. Clean. Prod.* 323, 129100.  
718 <https://doi.org/10.1016/j.jclepro.2021.129100>
- 719 Abelha, P., Kiel, J., 2020. Techno-economic assessment of biomass upgrading by washing and  
720 torrefaction. *Biomass and Bioenergy* 142, 105751.  
721 <https://doi.org/10.1016/j.biombioe.2020.105751>
- 722 Afkhami, P., Zarrinpoor, N., 2021. Optimization Design of a Supply Chain for Jatropha-Based  
723 Biofuel from a Sustainable Development Perspective Considering International Resources  
724 and Demand: A Case Study. *Ind. Eng. Chem. Res.* 60, 6188–6207.  
725 <https://doi.org/10.1021/acs.iecr.0c06209>
- 726 Aguilar Esteva, L.C., Kasliwal, A., Kinzler, M.S., Kim, H.C., Keoleian, G.A., 2021. Circular  
727 economy framework for automobiles: Closing energy and material loops. *J. Ind. Ecol.* 25,  
728 877–889. <https://doi.org/10.1111/jiec.13088>
- 729 Ahmad, A., Banat, F., Alsafar, H., Hasan, S.W., 2022. Algae biotechnology for industrial  
730 wastewater treatment, bioenergy production, and high-value bioproducts. *Sci. Total*  
731 *Environ.* 806, 150585. <https://doi.org/10.1016/j.scitotenv.2021.150585>
- 732 Alalwan, H.A., Alminshid, A.H., Aljaafari, H.A.S., 2019. Promising evolution of biofuel  
733 generations. Subject review. *Renew. Energy Focus* 28, 127–139.  
734 <https://doi.org/10.1016/j.ref.2018.12.006>
- 735 Alanya-Rosenbaum, S., Bergman, R.D., Gething, B., 2021. Assessing the life-cycle  
736 environmental impacts of the wood pallet sector in the United States. *J. Clean. Prod.* 320,  
737 128726. <https://doi.org/10.1016/j.jclepro.2021.128726>
- 738 Allameh, G., Saidi-Mehrabad, M., 2021. Pricing decisions in a decentralized biofuel supply  
739 chain with RIN mechanism considering environmental impacts. *Biomass and Bioenergy*  
740 150, 106090. <https://doi.org/10.1016/j.biombioe.2021.106090>
- 741 Allameh, G., Saidi-Mehrabad, M., 2019. A Game Theory Approach in Long-Term Strategy  
742 Selection in Biofuel Supply Chain. *Environ. Prog. Sustain. Energy* 38, 13122.  
743 <https://doi.org/10.1002/ep.13122>

- 744 Allman, A., Lee, C., Martín, M., Zhang, Q., 2021. Biomass waste-to-energy supply chain  
745 optimization with mobile production modules. *Comput. Chem. Eng.* 150, 107326.  
746 <https://doi.org/10.1016/j.compchemeng.2021.107326>
- 747 Amândio, M.S.T., Rocha, J.M.S., Serafim, L.S., Xavier, A.M.R.B., 2022. Bioethanol from  
748 Wastes for Mobility: Europe on the Road to Sustainability. pp. 97–123.  
749 [https://doi.org/10.1007/978-981-16-8747-1\\_6](https://doi.org/10.1007/978-981-16-8747-1_6)
- 750 Ambaye, T.G., Vaccari, M., Bonilla-Petriciolet, A., Prasad, S., van Hullebusch, E.D., Rtimi, S.,  
751 2021. Emerging technologies for biofuel production: A critical review on recent progress,  
752 challenges and perspectives. *J. Environ. Manage.* 290, 112627.  
753 <https://doi.org/10.1016/j.jenvman.2021.112627>
- 754 Ameli, M., Shams Esfandabadi, Z., Sadeghi, S., Ranjbari, M., Zanetti, M.C., 2022. COVID-19  
755 and Sustainable Development Goals (SDGs): Scenario analysis through fuzzy cognitive  
756 map modeling. *Gondwana Res.* <https://doi.org/10.1016/j.gr.2021.12.014>
- 757 Ankathi, S., Watkins, D., Sreedhara, P., Zuhlke, J., Shonnard, D.R., 2021. GIS-Integrated  
758 Optimization for Locating Food Waste and Manure Anaerobic Co-digestion Facilities. *ACS*  
759 *Sustain. Chem. Eng.* 9, 4024–4032. <https://doi.org/10.1021/acssuschemeng.0c07482>
- 760 Baghizadeh, K., Zimon, D., Jum'a, L., 2021. Modeling and Optimization Sustainable Forest  
761 Supply Chain Considering Discount in Transportation System and Supplier Selection under  
762 Uncertainty. *Forests* 12, 964. <https://doi.org/10.3390/f12080964>
- 763 Bajgiran, A.H., Jang, J., 2021. A study of subsidizing a biofuel supply chain to incentivize the  
764 production of advanced biofuel: An equilibrium problem with equilibrium constraints  
765 approach. *Int. J. Energy Res.* 45, 16932–16946. <https://doi.org/10.1002/er.6914>
- 766 Barati, M.R., Aghbashlo, M., Ghanavati, H., Tabatabaei, M., Sharifi, M., Javadirad, G., Dadak,  
767 A., Mojarab Soufiyan, M., 2017. Comprehensive exergy analysis of a gas engine-equipped  
768 anaerobic digestion plant producing electricity and biofertilizer from organic fraction of  
769 municipal solid waste. *Energy Convers. Manag.* 151, 753–763.
- 770 Baratsas, S.G., Pistikopoulos, E.N., Avraamidou, S., 2021. A systems engineering framework for  
771 the optimization of food supply chains under circular economy considerations. *Sci. Total*  
772 *Environ.* 794, 148726. <https://doi.org/10.1016/j.scitotenv.2021.148726>
- 773 Belussi, F., Orsi, L., Savarese, M., 2019. Mapping Business Model Research: A Document  
774 Bibliometric Analysis. *Scand. J. Manag.* 35, 101048.  
775 <https://doi.org/10.1016/j.scaman.2019.101048>
- 776 Bennion, E.P., Ginosar, D.M., Moses, J., Agblevor, F., Quinn, J.C., 2015. Lifecycle assessment  
777 of microalgae to biofuel: Comparison of thermochemical processing pathways. *Appl.*  
778 *Energy* 154, 1062–1071. <https://doi.org/10.1016/j.apenergy.2014.12.009>
- 779 Bharathiraja, B., Iyyappan, J., Gopinath, M., Jayamuthunagai, J., PraveenKumar, R., 2022.  
780 Transgenicism in algae: Challenges in compatibility, global scenario and future prospects  
781 for next generation biofuel production. *Renew. Sustain. Energy Rev.* 154, 111829.  
782 <https://doi.org/10.1016/j.rser.2021.111829>
- 783 Bui, M., Zhang, D., Fajardy, M., Mac Dowell, N., 2021. Delivering carbon negative electricity,  
784 heat and hydrogen with BECCS – Comparing the options. *Int. J. Hydrogen Energy* 46,

785 15298–15321. <https://doi.org/10.1016/j.ijhydene.2021.02.042>

786 Chaudhary, R., Kuthiala, T., Singh, G., Rarotra, S., Kaur, A., Arya, S.K., Kumar, P., 2021.  
787 Current status of xylanase for biofuel production: a review on classification and  
788 characterization. *Biomass Convers. Biorefinery*. [https://doi.org/10.1007/s13399-021-01948-](https://doi.org/10.1007/s13399-021-01948-2)  
789 2

790 Chaudhary, S., Dhir, A., Ferraris, A., Bertoldi, B., 2021. Trust and reputation in family  
791 businesses: A systematic literature review of past achievements and future promises. *J. Bus.*  
792 *Res.* 137, 143–161. <https://doi.org/10.1016/j.jbusres.2021.07.052>

793 Craparo, E., Karatas, M., Singham, D.I., 2017. A robust optimization approach to hybrid  
794 microgrid operation using ensemble weather forecasts. *Appl. Energy* 201, 135–147.  
795 <https://doi.org/10.1016/j.apenergy.2017.05.068>

796 Daioglou, V., Doelman, J.C., Stehfest, E., Müller, C., Wicke, B., Faaij, A., van Vuuren, D.P.,  
797 2017. Greenhouse gas emission curves for advanced biofuel supply chains. *Nat. Clim.*  
798 *Chang.* 7, 920–924. <https://doi.org/10.1038/s41558-017-0006-8>

799 Denizel, Suzuki, Anderson, 2020. Increasing Biofuel Proliferation via the Optimal Use of  
800 Government Incentives. *Transp. J.* 59, 399.  
801 <https://doi.org/10.5325/transportationj.59.4.0399>

802 Devadas, V.V., Khoo, K.S., Chia, W.Y., Chew, K.W., Munawaroh, H.S.H., Lam, M.K., Lim,  
803 J.W., Ho, Y.C., Lee, K.T., Show, P.L., 2021. Algae biopolymer towards sustainable circular  
804 economy. *Bioresour. Technol.* 325, 124702. <https://doi.org/10.1016/j.biortech.2021.124702>

805 Díaz-Trujillo, L.A., Nápoles-Rivera, F., 2019. Optimization of biogas supply chain in Mexico  
806 considering economic and environmental aspects. *Renew. Energy* 139, 1227–1240.  
807 <https://doi.org/10.1016/j.renene.2019.03.027>

808 Díaz-Trujillo, Tovar-Facio, Nápoles-Rivera, Ponce-Ortega, 2019. Effective Use of Carbon  
809 Pricing on Climate Change Mitigation Projects: Analysis of the Biogas Supply Chain to  
810 Substitute Liquefied-Petroleum Gas in Mexico. *Processes* 7, 668.  
811 <https://doi.org/10.3390/pr7100668>

812 Duarte, A., Sarache, W., Costa, Y., 2016. Biofuel supply chain design from Coffee Cut Stem  
813 under environmental analysis. *Energy* 100, 321–331.  
814 <https://doi.org/10.1016/j.energy.2016.01.076>

815 Dutra, L. da S., Costa Cerqueira Pinto, M., Cipolatti, E.P., Aguiéiras, E.C.G., Manoel, E.A.,  
816 Greco-Duarte, J., Guimarães Freire, D.M., Pinto, J.C., 2022. How the biodiesel from  
817 immobilized enzymes production is going on: An advanced bibliometric evaluation of  
818 global research. *Renew. Sustain. Energy Rev.* 153, 111765.  
819 <https://doi.org/10.1016/j.rser.2021.111765>

820 Egea, F.J., López-Rodríguez, M.D., Oña-Burgos, P., Castro, A.J., Glass, C.R., 2021.  
821 Bioeconomy as a transforming driver of intensive greenhouse horticulture in SE Spain. *N.*  
822 *Biotechnol.* 61, 50–56. <https://doi.org/10.1016/j.nbt.2020.11.010>

823 Elaradi, M.B., Zanjani, M.K., Nourelfath, M., 2021. Integrated forest biorefinery network design  
824 under demand uncertainty: a case study on canadian pulp & paper industry. *Int. J. Prod.*  
825 *Res.* 1–19. <https://doi.org/10.1080/00207543.2021.1944688>

- 826 Ellabban, O., Abu-Rub, H., Blaabjerg, F., 2014. Renewable energy resources: Current status,  
827 future prospects and their enabling technology. *Renew. Sustain. Energy Rev.* 39, 748–764.  
828 <https://doi.org/10.1016/j.rser.2014.07.113>
- 829 Ertz, M., Leblanc-Proulx, S., 2018. Sustainability in the collaborative economy: A bibliometric  
830 analysis reveals emerging interest. *J. Clean. Prod.* 196, 1073–1085.  
831 <https://doi.org/10.1016/j.jclepro.2018.06.095>
- 832 Fadai, D., Esfandabadi, Z.S., Abbasi, A., 2011. Analyzing the causes of non-development of  
833 renewable energy-related industries in Iran. *Renew. Sustain. Energy Rev.* 15, 2690–2695.  
834 <https://doi.org/10.1016/j.rser.2011.03.001>
- 835 Fattahi, M., Govindan, K., Farhadkhani, M., 2021. Sustainable supply chain planning for  
836 biomass-based power generation with environmental risk and supply uncertainty  
837 considerations: a real-life case study. *Int. J. Prod. Res.* 59, 3084–3108.  
838 <https://doi.org/10.1080/00207543.2020.1746427>
- 839 Ferreira Mota, G., Germano de Sousa, I., Luiz Barros de Oliveira, A., Luthierre Gama  
840 Cavalcante, A., da Silva Moreira, K., Thálysson Tavares Cavalcante, F., Erick da Silva  
841 Souza, J., Rafael de Aguiar Falcão, Í., Guimarães Rocha, T., Bussons Rodrigues Valério,  
842 R., Cristina Freitas de Carvalho, S., Simão Neto, F., de França Serpa, J., Karolinny Chaves  
843 de Lima, R., Cristiane Martins de Souza, M., dos Santos, J.C.S., 2022. Biodiesel production  
844 from microalgae using lipase-based catalysts: Current challenges and prospects. *Algal Res.*  
845 62. <https://doi.org/10.1016/j.algal.2021.102616>
- 846 Fikry, I., Gheith, M., Eltawil, A., 2021. An integrated production-logistics-crop rotation planning  
847 model for sugar beet supply chains. *Comput. Ind. Eng.* 157, 107300.  
848 <https://doi.org/10.1016/j.cie.2021.107300>
- 849 Gao, E., Sowlati, T., Akhtari, S., 2019. Profit allocation in collaborative bioenergy and biofuel  
850 supply chains. *Energy* 188, 116013. <https://doi.org/10.1016/j.energy.2019.116013>
- 851 García-Freites, S., Gough, C., Röder, M., 2021. The greenhouse gas removal potential of  
852 bioenergy with carbon capture and storage (BECCS) to support the UK’s net-zero emission  
853 target. *Biomass and Bioenergy* 151, 106164.  
854 <https://doi.org/10.1016/j.biombioe.2021.106164>
- 855 Gaur, A., Kumar, M., 2018. A systematic approach to conducting review studies: An assessment  
856 of content analysis in 25 years of IB research. *J. World Bus.* 53, 280–289.  
857 <https://doi.org/10.1016/j.jwb.2017.11.003>
- 858 Ge, Y., Li, L., Yun, L., 2021. Modeling and economic optimization of cellulosic biofuel supply  
859 chain considering multiple conversion pathways. *Appl. Energy* 281, 116059.  
860 <https://doi.org/10.1016/j.apenergy.2020.116059>
- 861 Gebremariam, S.N., Hvoslef-Eide, T., Terfa, M.T., Marchetti, J.M., 2019. Techno-Economic  
862 Performance of Different Technological Based Bio-Refineries for Biofuel Production.  
863 *Energies* 12, 3916. <https://doi.org/10.3390/en12203916>
- 864 Getachew, D., Mulugeta, K., Gemechu, G., Murugesan, K., 2020. Values and drawbacks of  
865 biofuel production from microalgae. *J. Appl. Biotechnol. Reports* 7, 1–6.  
866 <https://doi.org/10.30491/jabr.2020.105917>

- 867 Ghadami, M., Sahebi, H., Pishvaei, M., Gilani, H., 2021. A sustainable cross-efficiency DEA  
868 model for international MSW-to-biofuel supply chain design. *RAIRO - Oper. Res.* 55,  
869 S2653–S2675. <https://doi.org/10.1051/ro/2020104>
- 870 Gilani, H., Sahebi, H., 2021. A multi-objective robust optimization model to design sustainable  
871 sugarcane-to-biofuel supply network: the case of study. *Biomass Convers. Biorefinery* 11,  
872 2521–2542. <https://doi.org/10.1007/s13399-020-00639-8>
- 873 Guo, M., Song, W., 2019. The growing U.S. bioeconomy: Drivers, development and constraints.  
874 *N. Biotechnol.* 49, 48–57. <https://doi.org/10.1016/j.nbt.2018.08.005>
- 875 Haghghi Mood, S., Hossein Golfeshan, A., Tabatabaei, M., Salehi Jouzani, G., Najafi, G.H.,  
876 Gholami, M., Ardjmand, M., 2013. Lignocellulosic biomass to bioethanol, a comprehensive  
877 review with a focus on pretreatment. *Renew. Sustain. Energy Rev.* 27, 77–93.  
878 <https://doi.org/10.1016/j.rser.2013.06.033>
- 879 Haji Esmaeili, S.A., Szmerekovsky, J., Sobhani, A., Dybing, A., Peterson, T.O., 2020.  
880 Sustainable biomass supply chain network design with biomass switching incentives for  
881 first-generation bioethanol producers. *Energy Policy* 138, 111222.  
882 <https://doi.org/10.1016/j.enpol.2019.111222>
- 883 Hajjari, M., Tabatabaei, M., Aghbashlo, M., Ghanavati, H., 2017. A review on the prospects of  
884 sustainable biodiesel production: A global scenario with an emphasis on waste-oil biodiesel  
885 utilization. *Renew. Sustain. Energy Rev.* 72, 445–464.  
886 <https://doi.org/10.1016/j.rser.2017.01.034>
- 887 Han, H., Chung, W., Wells, L., Anderson, N., 2018. Optimizing Biomass Feedstock Logistics for  
888 Forest Residue Processing and Transportation on a Tree-Shaped Road Network. *Forests* 9,  
889 121. <https://doi.org/10.3390/f9030121>
- 890 He, S., Zhu, D., Chen, Yun, Liu, X., Chen, Yong, Wang, X., 2020. Application and problems of  
891 energy evaluation: A systemic review based on bibliometric and content analysis methods.  
892 *Ecol. Indic.* 114, 106304. <https://doi.org/10.1016/j.ecolind.2020.106304>
- 893 Jin, E., Sutherland, J.W., 2018. An integrated sustainability model for a bioenergy system: Forest  
894 residues for electricity generation. *Biomass and Bioenergy* 119, 10–21.  
895 <https://doi.org/10.1016/j.biombioe.2018.09.005>
- 896 Kang, S., Heo, S., Realff, M.J., Lee, J.H., 2020. Three-stage design of high-resolution  
897 microalgae-based biofuel supply chain using geographic information system. *Appl. Energy*  
898 265, 114773. <https://doi.org/10.1016/j.apenergy.2020.114773>
- 899 Khan, S., Naushad, M., Iqbal, J., Bathula, C., Sharma, G., 2022. Production and harvesting of  
900 microalgae and an efficient operational approach to biofuel production for a sustainable  
901 environment. *Fuel* 311, 122543. <https://doi.org/10.1016/j.fuel.2021.122543>
- 902 Khounani, Z., Nazemi, F., Shafiei, M., Aghbashlo, M., Tabatabaei, M., 2019. Techno-economic  
903 aspects of a safflower-based biorefinery plant co-producing bioethanol and biodiesel.  
904 *Energy Convers. Manag.* 201, 112184. <https://doi.org/10.1016/j.enconman.2019.112184>
- 905 Krey, N., Picot-Coupey, K., Cliquet, G., 2022. Shopping mall retailing: A bibliometric analysis  
906 and systematic assessment of Chebat's contributions. *J. Retail. Consum. Serv.* 64, 102702.  
907 <https://doi.org/10.1016/j.jretconser.2021.102702>

908 Kumar, M., Sun, Y., Rathour, R., Pandey, A., Thakur, I.S., Tsang, D.C.W., 2020. Algae as  
909 potential feedstock for the production of biofuels and value-added products: Opportunities  
910 and challenges. *Sci. Total Environ.* 716, 137116.  
911 <https://doi.org/10.1016/j.scitotenv.2020.137116>

912 Kung, C.-C., 2019. A stochastic evaluation of economic and environmental effects of Taiwan's  
913 biofuel development under climate change. *Energy* 167, 1051–1064.  
914 <https://doi.org/10.1016/j.energy.2018.11.064>

915 Lan, K., Ou, L., Park, S., Kelley, S.S., English, B.C., Yu, T.E., Larson, J., Yao, Y., 2021.  
916 Techno-Economic Analysis of decentralized preprocessing systems for fast pyrolysis  
917 biorefineries with blended feedstocks in the southeastern United States. *Renew. Sustain.*  
918 *Energy Rev.* 143, 110881. <https://doi.org/10.1016/j.rser.2021.110881>

919 Leipold, S., Petit-Boix, A., 2018. The circular economy and the bio-based sector - Perspectives  
920 of European and German stakeholders. *J. Clean. Prod.* 201, 1125–1137.  
921 <https://doi.org/10.1016/j.jclepro.2018.08.019>

922 Li, S., Wang, Z., Wang, X., Zhang, D., Liu, Y., 2019. Integrated optimization model of a  
923 biomass feedstock delivery problem with carbon emissions constraints and split loads.  
924 *Comput. Ind. Eng.* 137, 106013. <https://doi.org/10.1016/j.cie.2019.106013>

925 Li, Y., Kesharwani, R., Sun, Z., Qin, R., Dagli, C., Zhang, M., Wang, D., 2020a. Economic  
926 viability and environmental impact investigation for the biofuel supply chain using co-  
927 fermentation technology. *Appl. Energy* 259, 114235.  
928 <https://doi.org/10.1016/j.apenergy.2019.114235>

929 Li, Y., Kesharwani, R., Sun, Z., Qin, R., Dagli, C., Zhang, M., Wang, D., 2020b. Economic  
930 viability and environmental impact investigation for the biofuel supply chain using co-  
931 fermentation technology. *Appl. Energy* 259, 114235.  
932 <https://doi.org/10.1016/j.apenergy.2019.114235>

933 Liberati, A., Altman, D.G., Tetzlaff, J., Mulrow, C., Gøtzsche, P.C., Ioannidis, J.P.A., Clarke,  
934 M., Devereaux, P.J., Kleijnen, J., Moher, D., 2009. The PRISMA statement for reporting  
935 systematic reviews and meta-analyses of studies that evaluate health care interventions:  
936 explanation and elaboration. *J. Clin. Epidemiol.* 62, e1–e34.  
937 <https://doi.org/10.1016/j.jclinepi.2009.06.006>

938 Lin, H., Borrión, A., da Fonseca-Zang, W.A., Zang, J.W., Leandro, W.M., Campos, L.C., 2021.  
939 Life cycle assessment of a biogas system for cassava processing in Brazil to close the loop  
940 in the water-waste-energy-food nexus. *J. Clean. Prod.* 299, 126861.  
941 <https://doi.org/10.1016/j.jclepro.2021.126861>

942 Liu, W., Xu, J., Xie, X., Yan, Y., Zhou, X., Peng, C., 2020a. A new integrated framework to  
943 estimate the climate change impacts of biomass utilization for biofuel in life cycle  
944 assessment. *J. Clean. Prod.* 267, 122061. <https://doi.org/10.1016/j.jclepro.2020.122061>

945 Liu, Weiguo, Hou, Y., Liu, Wenyan, Yang, M., Yan, Y., Peng, C., Yu, Z., 2020b. Global  
946 estimation of the climate change impact of logging residue utilization for biofuels. *For.*  
947 *Ecol. Manage.* 462, 118000. <https://doi.org/10.1016/j.foreco.2020.118000>

948 Lu, X., Withers, M.R., Seifkar, N., Field, R.P., Barrett, S.R.H., Herzog, H.J., 2015. Biomass  
949 logistics analysis for large scale biofuel production: Case study of loblolly pine and

950 switchgrass. *Bioresour. Technol.* 183, 1–9. <https://doi.org/10.1016/j.biortech.2015.02.032>

951 Malladi, K.T., Quirion-Blais, O., Sowlati, T., 2018. Development of a decision support tool for  
952 optimizing the short-term logistics of forest-based biomass. *Appl. Energy* 216, 662–677.  
953 <https://doi.org/10.1016/j.apenergy.2018.02.027>

954 Marques, A., Cunha, J., De Meyer, A., Navare, K., 2020. Contribution Towards a  
955 Comprehensive Methodology for Wood-Based Biomass Material Flow Analysis in a  
956 Circular Economy Setting. *Forests* 11, 106. <https://doi.org/10.3390/f11010106>

957 Mayer, A., Tavakoli, H., Fessel Doan, C., Heidari, A., Handler, R., 2020. Modeling water-energy  
958 tradeoffs for cultivating algae for biofuels in a semi-arid region with fresh and brackish  
959 water supplies. *Biofuels, Bioprod. Biorefining* 14, 1254–1269.  
960 <https://doi.org/10.1002/bbb.2137>

961 Mayson, S., Williams, I.D., 2021. Applying a circular economy approach to valorize spent coffee  
962 grounds. *Resour. Conserv. Recycl.* 172, 105659.  
963 <https://doi.org/10.1016/j.resconrec.2021.105659>

964 Memari, Y., Memari, A., Ebrahimnejad, S., Ahmad, R., 2021. A mathematical model for  
965 optimizing a biofuel supply chain with outsourcing decisions under the carbon trading  
966 mechanism. *Biomass Convers. Biorefinery*. <https://doi.org/10.1007/s13399-020-01264-1>

967 Mentzer, J.T., DeWitt, W., Keebler, J.S., Min, S., Nix, N.W., Smith, C.D., Zacharia, Z.G., 2001.  
968 DEFINING SUPPLY CHAIN MANAGEMENT. *J. Bus. Logist.* 22, 1–25.  
969 <https://doi.org/10.1002/j.2158-1592.2001.tb00001.x>

970 Mitchell, C.P., 1992. Biomass supply from conventional forestry. *Biomass and Bioenergy* 2, 97–  
971 104. [https://doi.org/10.1016/0961-9534\(92\)90092-5](https://doi.org/10.1016/0961-9534(92)90092-5)

972 Moghaddam, A.A., Seifi, A., Niknam, T., Alizadeh Pahlavani, M.R., 2011. Multi-objective  
973 operation management of a renewable MG (micro-grid) with back-up micro-turbine/fuel  
974 cell/battery hybrid power source. *Energy* 36, 6490–6507.  
975 <https://doi.org/10.1016/j.energy.2011.09.017>

976 Molino, A., Iovinea, A., Leone, G., Di Sanzo, G., Palazzo, S., Martino, M., Sangiorgio, P.,  
977 Marino, T., Musmarra, D., 2020. Microalgae as alternative source of nutraceutical  
978 polyunsaturated fatty acids. *Chem. Eng. Trans.* 79, 277–282.  
979 <https://doi.org/10.3303/CET2079047>

980 Negri, V., Galán-Martín, Á., Pozo, C., Fajardy, M., Reiner, D.M., Mac Dowell, N., Guillén-  
981 Gosálbez, G., 2021. Life cycle optimization of BECCS supply chains in the European  
982 Union. *Appl. Energy* 298, 117252. <https://doi.org/10.1016/j.apenergy.2021.117252>

983 Nguyen, V.H., Topno, S., Balingbing, C., Nguyen, V.C.N., Röder, M., Quilty, J., Jamieson, C.,  
984 Thornley, P., Gummert, M., 2016. Generating a positive energy balance from using rice  
985 straw for anaerobic digestion. *Energy Reports* 2, 117–122.  
986 <https://doi.org/10.1016/j.egyr.2016.05.005>

987 Nie, E., He, P., Zhang, H., Hao, L., Shao, L., Lü, F., 2021. How does temperature regulate  
988 anaerobic digestion? *Renew. Sustain. Energy Rev.* 150, 111453.  
989 <https://doi.org/10.1016/j.rser.2021.111453>

990 Nugroho, Y.K., Zhu, L., 2019. Platforms planning and process optimization for biofuels supply

- 991 chain. *Renew. Energy* 140, 563–579. <https://doi.org/10.1016/j.renene.2019.03.072>
- 992 Nur, F., Aboytes-Ojeda, M., Castillo-Villar, K.K., Marufuzzaman, M., 2021. A two-stage  
993 stochastic programming model for biofuel supply chain network design with biomass  
994 quality implications. *IIE Trans.* 53, 845–868.  
995 <https://doi.org/10.1080/24725854.2020.1751347>
- 996 Osman, A.I., Mehta, N., Elgarahy, A.M., Al-Hinai, A., Al-Muhtaseb, A.H., Rooney, D.W., 2021.  
997 Conversion of biomass to biofuels and life cycle assessment: a review, *Environmental*  
998 *Chemistry Letters*. Springer International Publishing. [https://doi.org/10.1007/s10311-021-](https://doi.org/10.1007/s10311-021-01273-0)  
999 [01273-0](https://doi.org/10.1007/s10311-021-01273-0)
- 1000 Ou, L., Banerjee, S., Xu, H., Coleman, A.M., Cai, H., Lee, U., Wigmosta, M.S., Hawkins, T.R.,  
1001 2021. Utilizing high-purity carbon dioxide sources for algae cultivation and biofuel  
1002 production in the United States: Opportunities and challenges. *J. Clean. Prod.* 321, 128779.  
1003 <https://doi.org/10.1016/j.jclepro.2021.128779>
- 1004 Padilla-Rivera, A., Paredes, M.G., Güereca, L.P., 2019. A systematic review of the sustainability  
1005 assessment of bioenergy: The case of gaseous biofuels. *Biomass and Bioenergy* 125, 79–94.  
1006 <https://doi.org/10.1016/j.biombioe.2019.03.014>
- 1007 Pilecco, G.E., Chantigny, M.H., Weiler, D.A., Aita, C., Thivierge, M.-N., Schmatz, R., Chaves,  
1008 B., Giacomini, S.J., 2020. Greenhouse gas emissions and global warming potential from  
1009 biofuel cropping systems fertilized with mineral and organic nitrogen sources. *Sci. Total*  
1010 *Environ.* 729, 138767. <https://doi.org/10.1016/j.scitotenv.2020.138767>
- 1011 Piwowar-Sulej, K., Krzywonos, M., Kwil, I., 2021. Environmental entrepreneurship –  
1012 Bibliometric and content analysis of the subject literature based on H-Core. *J. Clean. Prod.*  
1013 295, 126277. <https://doi.org/10.1016/j.jclepro.2021.126277>
- 1014 Popovic, M., Woodfield, B.F., Hansen, L.D., 2019. Thermodynamics of hydrolysis of cellulose  
1015 to glucose from 0 to 100 °C: Cellulosic biofuel applications and climate change  
1016 implications. *J. Chem. Thermodyn.* 128, 244–250. <https://doi.org/10.1016/j.jct.2018.08.006>
- 1017 Pournader, M., Ghaderi, H., Hassanzadegan, A., Fahimnia, B., 2021. Artificial intelligence  
1018 applications in supply chain management. *Int. J. Prod. Econ.* 241, 108250.  
1019 <https://doi.org/10.1016/j.ijpe.2021.108250>
- 1020 Prasad, S., Kumar, S., Sheetal, K.R., Venkatramanan, V., 2020. Global Climate Change and  
1021 Biofuels Policy: Indian Perspectives, in: *Global Climate Change and Environmental Policy*.  
1022 Springer Singapore, Singapore, pp. 207–226. [https://doi.org/10.1007/978-981-13-9570-3\\_6](https://doi.org/10.1007/978-981-13-9570-3_6)
- 1023 Punnathanam, V., Shastri, Y., 2021. Optimization-based design for lignocellulosic ethanol  
1024 production: a case study of the state of Maharashtra, India. *Clean Technol. Environ. Policy*.  
1025 <https://doi.org/10.1007/s10098-021-02227-4>
- 1026 Radhakrishnan, S., Erbis, S., Isaacs, J.A., Kamarthi, S., 2017. Novel keyword co-occurrence  
1027 network-based methods to foster systematic reviews of scientific literature. *PLoS One* 12,  
1028 e0172778. <https://doi.org/10.1371/journal.pone.0172778>
- 1029 Raimondo, M., Caracciolo, F., Cembalo, L., Chinnici, G., Pecorino, B., D’Amico, M., 2018.  
1030 Making Virtue Out of Necessity: Managing the Citrus Waste Supply Chain for Bioeconomy  
1031 Applications. *Sustainability* 10, 4821. <https://doi.org/10.3390/su10124821>

- 1032 Ranjbari, M., Saidani, M., Shams Esfandabadi, Z., Peng, W., Lam, S.S., Aghbashlo, M.,  
 1033 Quatraro, F., Tabatabaei, M., 2021a. Two decades of research on waste management in the  
 1034 circular economy: Insights from bibliometric, text mining, and content analyses. *J. Clean.*  
 1035 *Prod.* 314, 128009. <https://doi.org/10.1016/j.jclepro.2021.128009>
- 1036 Ranjbari, M., Shams Esfandabadi, Z., Gautam, S., Ferraris, A., Domenico Scagnelli, S., 2022a.  
 1037 Waste management beyond the COVID-19 pandemic: Bibliometric and text mining  
 1038 analyses. *Gondwana Res.* 1–13. <https://doi.org/10.1016/j.gr.2021.12.015>
- 1039 Ranjbari, M., Shams Esfandabadi, Z., Scagnelli, S.D., 2020. A big data approach to map the  
 1040 service quality of short-stay accommodation sharing. *Int. J. Contemp. Hosp. Manag.* 32,  
 1041 2575–2592. <https://doi.org/10.1108/IJCHM-02-2020-0097>
- 1042 Ranjbari, M., Shams Esfandabadi, Z., Scagnelli, S.D., Siebers, P.-O., Quatraro, F., 2021b.  
 1043 Recovery agenda for sustainable development post COVID-19 at the country level:  
 1044 developing a fuzzy action priority surface. *Environ. Dev. Sustain.* 23, 16646–16673.  
 1045 <https://doi.org/10.1007/s10668-021-01372-6>
- 1046 Ranjbari, M., Shams Esfandabadi, Z., Shevchenko, T., Chassagnon-Haned, N., Peng, W.,  
 1047 Tabatabaei, M., Aghbashlo, M., 2022b. Mapping healthcare waste management research:  
 1048 Past evolution, current challenges, and future perspectives towards a circular economy  
 1049 transition. *J. Hazard. Mater.* 422, 126724. <https://doi.org/10.1016/j.jhazmat.2021.126724>
- 1050 Ranjbari, M., Shams Esfandabadi, Z., Zanetti, M.C., Scagnelli, S.D., Siebers, P.-O., Aghbashlo,  
 1051 M., Peng, W., Quatraro, F., Tabatabaei, M., 2021c. Three pillars of sustainability in the  
 1052 wake of COVID-19: A systematic review and future research agenda for sustainable  
 1053 development. *J. Clean. Prod.* 297, 126660. <https://doi.org/10.1016/j.jclepro.2021.126660>
- 1054 Rentizelas, A.A., 2013. Biomass supply chains, in: *Biomass Combustion Science, Technology*  
 1055 *and Engineering*. Elsevier, pp. 9–35. <https://doi.org/10.1533/9780857097439.1.9>
- 1056 Rodolfi, L., Chini Zittelli, G., Bassi, N., Padovani, G., Biondi, N., Bonini, G., Tredici, M.R.,  
 1057 2009. Microalgae for oil: Strain selection, induction of lipid synthesis and outdoor mass  
 1058 cultivation in a low-cost photobioreactor. *Biotechnol. Bioeng.* 102, 100–112.  
 1059 <https://doi.org/10.1002/bit.22033>
- 1060 Saghaei, M., Ghaderi, H., Soleimani, H., 2020. Design and optimization of biomass electricity  
 1061 supply chain with uncertainty in material quality, availability and market demand. *Energy*  
 1062 197, 117165. <https://doi.org/10.1016/j.energy.2020.117165>
- 1063 Sahoo, K., Bilek, E., Bergman, R., Kizha, A.R., Mani, S., 2019. Economic analysis of forest  
 1064 residues supply chain options to produce enhanced-quality feedstocks. *Biofuels, Bioprod.*  
 1065 *Biorefining* 13, 514–534. <https://doi.org/10.1002/bbb.1958>
- 1066 Sajid, Z., 2021. A dynamic risk assessment model to assess the impact of the coronavirus  
 1067 (COVID-19) on the sustainability of the biomass supply chain: A case study of a U.S.  
 1068 biofuel industry. *Renew. Sustain. Energy Rev.* 151, 111574.  
 1069 <https://doi.org/10.1016/j.rser.2021.111574>
- 1070 Santibañez-Aguilar, J.E., Flores-Tlacuahuac, A., Betancourt-Galvan, F., Lozano-García, D.F.,  
 1071 Lozano, F.J., 2018. Facilities Location for Residual Biomass Production System Using  
 1072 Geographic Information System under Uncertainty. *ACS Sustain. Chem. Eng.* 6, 3331–  
 1073 3348. <https://doi.org/10.1021/acssuschemeng.7b03303>

- 1074 Santibañez-Aguilar, J.E., Quiroz-Ramírez, J.J., Sánchez-Ramírez, E., Segovia-Hernández, J.G.,  
1075 Flores-Tlacuahuac, A., Ponce-Ortega, J.M., 2022. Marginalization index as social measure  
1076 for Acetone-Butanol-Ethanol supply chain planning. *Renew. Sustain. Energy Rev.* 154,  
1077 111816. <https://doi.org/10.1016/j.rser.2021.111816>
- 1078 Shevchenko, T., Vavrek, R., Danko, Y., Gubanova, O., Chovancová, J., 2021. Clarifying a  
1079 Circularity Phenomenon in a Circular Economy under the Notion of Potential. *Probl.*  
1080 *Ekorozwoju* 16, 79–89. <https://doi.org/10.35784/pe.2021.1.09>
- 1081 Shiru, S., Shiru, M.S., 2021. Towards Commercialization of Third-Generation Biofuel Industry  
1082 for Sustainable Energy Production in Nigeria. *ChemBioEng Rev.* 8, 593–611.  
1083 <https://doi.org/10.1002/cben.202100015>
- 1084 Soren, A., Shastri, Y., 2021. Resiliency considerations in designing commercial scale systems  
1085 for lignocellulosic ethanol production. *Comput. Chem. Eng.* 147, 107239.  
1086 <https://doi.org/10.1016/j.compchemeng.2021.107239>
- 1087 Stegmann, P., Londo, M., Junginger, M., 2020. The circular bioeconomy: Its elements and role  
1088 in European bioeconomy clusters. *Resour. Conserv. Recycl.* X 6, 100029.  
1089 <https://doi.org/10.1016/j.rcrx.2019.100029>
- 1090 Stiles, W.A.V., Styles, D., Chapman, S.P., Esteves, S., Bywater, A., Melville, L., Silkina, A.,  
1091 Lupatsch, I., Fuentes Grünewald, C., Lovitt, R., Chaloner, T., Bull, A., Morris, C.,  
1092 Llewellyn, C.A., 2018. Using microalgae in the circular economy to valorise anaerobic  
1093 digestate: challenges and opportunities. *Bioresour. Technol.* 267, 732–742.  
1094 <https://doi.org/10.1016/j.biortech.2018.07.100>
- 1095 Stougie, L., Tsalidis, G.A., van der Kooi, H.J., Korevaar, G., 2018. Environmental and exergetic  
1096 sustainability assessment of power generation from biomass. *Renew. Energy* 128, 520–528.  
1097 <https://doi.org/10.1016/j.renene.2017.06.046>
- 1098 Theozzo, B., Teles dos Santos, M., 2021. A MILP framework for optimal biorefinery design that  
1099 accounts for forest biomass dynamics. *Comput. Chem. Eng.* 146, 107201.  
1100 <https://doi.org/10.1016/j.compchemeng.2020.107201>
- 1101 Tsalidis, G.A., Korevaar, G., 2022. Environmental assessments of scales: The effect of ex-ante  
1102 and ex-post data on life cycle assessment of wood torrefaction. *Resour. Conserv. Recycl.*  
1103 176, 105906. <https://doi.org/10.1016/j.resconrec.2021.105906>
- 1104 van Eck, N.J., Waltman, L., 2010. Software survey: VOSviewer, a computer program for  
1105 bibliometric mapping. *Scientometrics* 84, 523–538. [https://doi.org/10.1007/s11192-009-](https://doi.org/10.1007/s11192-009-0146-3)  
1106 0146-3
- 1107 Varela Villarreal, J., Burgués, C., Rösch, C., 2020. Acceptability of genetically engineered algae  
1108 biofuels in Europe: opinions of experts and stakeholders. *Biotechnol. Biofuels* 13, 92.  
1109 <https://doi.org/10.1186/s13068-020-01730-y>
- 1110 Venkata Subhash, G., Rajvanshi, M., Raja Krishna Kumar, G., Shankar Sagaram, U., Prasad, V.,  
1111 Govindachary, S., Dasgupta, S., 2022. Challenges in microalgal biofuel production: A  
1112 perspective on techno economic feasibility under biorefinery stratagem. *Bioresour. Technol.*  
1113 343, 126155. <https://doi.org/10.1016/j.biortech.2021.126155>
- 1114 Vondra, M., Touš, M., Teng, S.Y., 2019. Digestate evaporation treatment in biogas plants: A

1115 techno-economic assessment by Monte Carlo, neural networks and decision trees. *J. Clean.*  
1116 *Prod.* 238, 117870. <https://doi.org/10.1016/j.jclepro.2019.117870>

1117 Wachyudi, T., Daryanto, A., Machfud, M., Arkeman, Y., 2020. Biofuel supply chain risk  
1118 mitigation strategy framework: Expert interview based Approach. *J. Ind. Eng. Manag.* 13,  
1119 179. <https://doi.org/10.3926/jiem.2812>

1120 Woo, H., Acuna, M., Moroni, M., Taskhiri, M., Turner, P., 2018. Optimizing the Location of  
1121 Biomass Energy Facilities by Integrating Multi-Criteria Analysis (MCA) and Geographical  
1122 Information Systems (GIS). *Forests* 9, 585. <https://doi.org/10.3390/f9100585>

1123 Wu, J., Zhang, J., Yi, W., Cai, H., Li, Y., Su, Z., 2021. A game-theoretic analysis of incentive  
1124 effects for agribiomass power generation supply chain in china. *Energies* 14.  
1125 <https://doi.org/10.3390/en14030546>

1126 Xu, H., Latta, G., Lee, U., Lewandrowski, J., Wang, M., 2021. Regionalized Life Cycle  
1127 Greenhouse Gas Emissions of Forest Biomass Use for Electricity Generation in the United  
1128 States. *Environ. Sci. Technol.* 55, 14806–14816. <https://doi.org/10.1021/acs.est.1c04301>

1129 Yan, D., Liu, L., Li, J., Wu, J., Qin, W., Werners, S.E., 2021. Are the planning targets of liquid  
1130 biofuel development achievable in China under climate change? *Agric. Syst.* 186, 102963.  
1131 <https://doi.org/10.1016/j.agsy.2020.102963>

1132 Zarei, M., Niaz, H., Dickson, R., Ryu, J.-H., Liu, J.J., 2021. Optimal Design of the Biofuel  
1133 Supply Chain Utilizing Multiple Feedstocks: A Korean Case Study. *ACS Sustain. Chem.*  
1134 *Eng.* 9, 14690–14703. <https://doi.org/10.1021/acssuschemeng.1c03945>

1135 Zhao, N., You, F., 2019. Dairy waste-to-energy incentive policy design using Stackelberg-game-  
1136 based modeling and optimization. *Appl. Energy* 254, 113701.  
1137 <https://doi.org/10.1016/j.apenergy.2019.113701>

1138 Zuorro, A., García-Martínez, J.B., Barajas-Solano, A.F., 2020. The Application of Catalytic  
1139 Processes on the Production of Algae-Based Biofuels: A Review. *Catalysts* 11, 22.  
1140 <https://doi.org/10.3390/catal11010022>

1141

1142