

Virtual Representations for Cybertherapy: A Relaxation Experience for Dementia Patients

Original

Virtual Representations for Cybertherapy: A Relaxation Experience for Dementia Patients / Ugliotti, Francesca Maria (ADVANCES IN HUMAN AND SOCIAL ASPECTS OF TECHNOLOGY BOOK SERIES). - In: Handbook of Research on Implementing Digital Reality and Interactive Technologies to Achieve Society 5.0 / Francesca Maria Ugliotti; Anna Osello. - ELETTRONICO. - Hershey PA, USA : IGI Global, 2022. - ISBN 9781668448540. - pp. 573-595 [10.4018/978-1-6684-4854-0.ch024]

Availability:

This version is available at: 11583/2971733 since: 2024-02-28T22:32:53Z

Publisher:

IGI Global

Published

DOI:10.4018/978-1-6684-4854-0.ch024

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

Handbook of Research on Implementing Digital Reality and Interactive Technologies to Achieve Society 5.0

Francesca Maria Ugliotti
Politecnico di Torino, Italy

Anna Osello
Politecnico di Torino, Italy



A volume in the Advances in Human and Social
Aspects of Technology (AHSAT) Book Series



Advances in Human and Social Aspects of Technology (AHSAT) Book Series

Mehdi Khosrow-Pour, D.B.A.
Information Resources Management Association, USA

ISSN:2328-1316
EISSN:2328-1324

MISSION

In recent years, the societal impact of technology has been noted as we become increasingly more connected and are presented with more digital tools and devices. With the popularity of digital devices such as cell phones and tablets, it is crucial to consider the implications of our digital dependence and the presence of technology in our everyday lives.

The **Advances in Human and Social Aspects of Technology (AHSAT) Book Series** seeks to explore the ways in which society and human beings have been affected by technology and how the technological revolution has changed the way we conduct our lives as well as our behavior. The AHSAT book series aims to publish the most cutting-edge research on human behavior and interaction with technology and the ways in which the digital age is changing society.

COVERAGE

- ICTs and human empowerment
- Philosophy of technology
- Technology and Social Change
- Information ethics
- Human Rights and Digitization
- Activism and ICTs
- Human-Computer Interaction
- Cyber Behavior
- Human Development and Technology
- ICTs and social change

IGI Global is currently accepting manuscripts for publication within this series. To submit a proposal for a volume in this series, please contact our Acquisition Editors at Acquisitions@igi-global.com or visit: <http://www.igi-global.com/publish/>.

The Advances in Human and Social Aspects of Technology (AHSAT) Book Series (ISSN 2328-1316) is published by IGI Global, 701 E. Chocolate Avenue, Hershey, PA 17033-1240, USA, www.igi-global.com. This series is composed of titles available for purchase individually; each title is edited to be contextually exclusive from any other title within the series. For pricing and ordering information please visit <http://www.igi-global.com/book-series/advances-human-social-aspects-technology/37145>. Postmaster: Send all address changes to above address. Copyright © 2022 IGI Global. All rights, including translation in other languages reserved by the publisher. No part of this series may be reproduced or used in any form or by any means – graphics, electronic, or mechanical, including photocopying, recording, taping, or information and retrieval systems – without written permission from the publisher, except for non commercial, educational use, including classroom teaching purposes. The views expressed in this series are those of the authors, but not necessarily of IGI Global.

Titles in this Series

For a list of additional titles in this series, please visit: www.igi-global.com/book-series

Technological Influences on Creativity and User Experience

Joshua Fairchild (Creighton University, USA)

Information Science Reference • © 2022 • 305pp • H/C (ISBN: 9781799843542) • US \$195.00

Machine Learning for Societal Improvement, Modernization, and Progress

Vishnu S. Pendyala (San Jose State University, USA)

Engineering Science Reference • © 2022 • 290pp • H/C (ISBN: 9781668440452) • US \$270.00

The Digital Folklore of Cyberculture and Digital Humanities

Stamatis Papadakis (University of Crete, Greece) and Alexandros Kapaniaris (Hellenic Open University, Greece)

Information Science Reference • © 2022 • 361pp • H/C (ISBN: 9781668444610) • US \$215.00

Multidisciplinary Perspectives Towards Building a Digitally Competent Society

Sanjeev Bansal (Amity University, Noida, India) Vandana Ahuja (Jaipuria Institute of Management, Ghaziabad, India) Vijit Chaturvedi (Amity University, Noida, India) and Vinamra Jain (Amity University, Noida, India)

Engineering Science Reference • © 2022 • 335pp • H/C (ISBN: 9781668452745) • US \$270.00

Analyzing Multidisciplinary Uses and Impact of Innovative Technologies

Emiliano Marchisio (Giustino Fortunato University, Italy)

Information Science Reference • © 2022 • 275pp • H/C (ISBN: 9781668460153) • US \$240.00

Handbook of Research on Applying Emerging Technologies Across Multiple Disciplines

Emiliano Marchisio (Giustino Fortunato University, Italy)

Information Science Reference • © 2022 • 548pp • H/C (ISBN: 9781799884767) • US \$270.00

Handbook of Research on Digital Violence and Discrimination Studies

Fahri Özsungur (Mersin University, Turkey)

Information Science Reference • © 2022 • 837pp • H/C (ISBN: 9781799891871) • US \$270.00

Opportunities and Challenges for Computational Social Science Methods

Enes Abanoz (Ondokuz Mayıs University, Turkey)

Information Science Reference • © 2022 • 277pp • H/C (ISBN: 9781799885535) • US \$215.00

Handbook of Research on Promoting Economic and Social Development Through Serious Games



701 East Chocolate Avenue, Hershey, PA 17033, USA

Tel: 717-533-8845 x100 • Fax: 717-533-8661

E-Mail: cust@igi-global.com • www.igi-global.com

Published in the United States of America by

IGI Global
Information Science Reference (an imprint of IGI Global)
701 E. Chocolate Avenue
Hershey PA, USA 17033
Tel: 717-533-8845
Fax: 717-533-8661
E-mail: cust@igi-global.com
Web site: <http://www.igi-global.com>

Copyright © 2022 by IGI Global. All rights reserved. No part of this publication may be reproduced, stored or distributed in any form or by any means, electronic or mechanical, including photocopying, without written permission from the publisher. Product or company names used in this set are for identification purposes only. Inclusion of the names of the products or companies does not indicate a claim of ownership by IGI Global of the trademark or registered trademark.

Library of Congress Cataloging-in-Publication Data

Names: Ugliotti, Francesca Maria, 1987- editor. | Osella, Anna, editor.

Title: Handbook of research on implementing digital reality and interactive technologies to achieve Society 5.0 / Francesca Maria Ugliotti and Anna Osello, editors.

Description: Hershey PA : Information Science Reference, [2023] | Includes bibliographical references and index. | Summary: "The book opens a new interpretation to the digital initiatives experienced in the different sectors of construction, healthcare and smart city to promote human-centred services as physical and virtual space become more interconnected to create highly inclusive communication networks and social frameworks"-- Provided by publisher.

Identifiers: LCCN 2022023495 (print) | LCCN 2022023496 (ebook) | ISBN 9781668448540 (hardcover) | ISBN 9781668448557 (ebook)

Subjects: LCSH: Virtual reality--Case studies. | Human services--Simulation methods. | Society 5.0. | Smart cities.

Classification: LCC QA76.9.C65 H3465 2023 (print) | LCC QA76.9.C65 (ebook) | DDC 006.8--dc23/eng/20220810

LC record available at <https://lccn.loc.gov/2022023495>

LC ebook record available at <https://lccn.loc.gov/2022023496>

This book is published in the IGI Global book series Advances in Human and Social Aspects of Technology (AHSAT) (ISSN: 2328-1316; eISSN: 2328-1324)

British Cataloguing in Publication Data

A Cataloguing in Publication record for this book is available from the British Library.

All work contributed to this book is new, previously-unpublished material. The views expressed in this book are those of the authors, but not necessarily of the publisher.

For electronic access to this publication, please contact: eresources@igi-global.com.

Editorial Advisory Board

Marco Aiello, *University of Stuttgart, Germany*

Francesco Barchi, *Università di Bologna, Italy*

Maurizio Marco Bocconcino, *Politecnico di Torino, Italy*

Adriano Chiò, *Università degli Studi di Torino, Italy*

Pietro Cipresso, *Università degli Studi di Torino, Italy & Istituto Auxologico Italiano (IRCCS), Italy*

Matteo Del Giudice, *Politecnico di Torino, Italy*

Pia Fricker, *Aalto University, Finland*

Andrea Maria Lingua, *Politecnico di Torino, Italy*

Federica Maietti, *Università degli Studi di Ferrara, Italy*

Umberto Morbiducci, *Politecnico di Torino, Italy*

Emilio Sulis, *Università degli Studi di Torino, Italy*

Table of Contents

Preface.....	XXV
--------------	-----

Section 1 Digital Interaction and Education

Chapter 1

Haptic Interaction in Virtual Reality: Are We Ready for the Metaverse? Neuroscientific and Behavioral Considerations	1
<i>Alberto Gallace, University of Milano Bicocca, Italy</i>	

Chapter 2

Design Elements for the Implementation of Threshold Crossing In and Out of Mixed Reality	15
<i>Giorgio Dall’Osso, Alma Mater Studiorum – University of Bologna, Italy</i>	
<i>Michele Zannoni, Alma Mater Studiorum – University of Bologna, Italy</i>	
<i>Ami Licaj, Alma Mater Studiorum – University of Bologna, Italy</i>	

Chapter 3

Virtual World in Learning Disability	42
<i>Anjana Prusty, SR University, India</i>	
<i>Priyaranjan Maral, Central University of Rajasthan, India</i>	

Chapter 4

A Design of Interactive Learning Applications for Phytochemical Screening in Vocational College: Augmented Reality and Gamification	65
<i>Ruth Elenora Kristanty, Poltekkes Kemenkes Jakarta II, Indonesia</i>	
<i>Purnama Fajri, Poltekkes Kemenkes Jakarta II, Indonesia</i>	
<i>Hana Relita, Poltekkes Kemenkes Jakarta II, Indonesia</i>	
<i>Maulita Prima Sari, Poltekkes Kemenkes Jakarta II, Indonesia</i>	
<i>Nashrul Hakiem, UIN Syarif Hidayatullah Jakarta, Indonesia</i>	
<i>Yollan Gusnanda Setiawan, UIN Syarif Hidayatullah Jakarta, Indonesia</i>	

Chapter 5

Exploring Affordances and Limitations of 3D Virtual Worlds in Psychoeducational Group Counseling	96
<i>Abdulmenaf Gul, Hakkari University, Turkey</i>	
<i>Saniye Tugba Tokel, Middle East Technical University, Turkey</i>	

Chapter 6

Immersive Virtual Reality as a Tool for Education: A Case Study 121

Sara Ermini, University of Siena, Italy

Giulia Collodel, University of Siena, Italy

Alessandro Innocenti, University of Siena, Italy

Maurizio Masini, GTM & Partners, Italy

Elena Moretti, University of Siena, Italy

Vincenzo Santalucia, University of Siena, Italy

Chapter 7

Digital Innovation and Interactive Technologies: Educating the Society 5.0 137

Arianna Fonsati, Politecnico di Torino, Italy

Section 2

Smart Environments and Systems

Chapter 8

Augmented Co-Design Methods for Climate Smart Environments: A Critical Discourse and Historical Reflection 156

Pia Fricker, Aalto University, Finland

Chapter 9

Machine Learning and Artificial Intelligence for Smart Visualization, Presentation, and Study of Architecture and Engineering in the Urban Environment: Visualizing City Progress 184

Andrea Giordano, University of Padova, Italy

Kristin Love Huffman, Duke University, USA

Rachele Angela Bernardello, University of Padua, Italy

Maurizio Perticarini, Università degli Studi Luigi Vanvitelli, Italy

Alessandro Basso, University of Camerino, Italy

Chapter 10

Digital Transformation Stemming From a Business Assessment of Construction Industry 4.0 201

Edoardo Montevitoni, Politecnico di Milano, Italy

Claudio Mirarchi, Politecnico di Milano, Italy

Antonino Riccardo Parisi, Politecnico di Milano, Italy

Alberto Pavan, Politecnico di Milano, Italy

Chapter 11

From the Digitization of Building Materials to Their Use in BIM Models on an Open Standard Platform: The eBIM Project and Its Applications 222

Chiara Vernizzi, University of Parma, Italy

Roberto Mazzi, University of Parma, Italy

Chapter 12

Virtual Reality for Fire Safety Engineering 251

Emiliano Cereda, Politecnico di Torino, Italy

Roberto Vancetti, Politecnico di Torino, Italy

Chapter 13

- Major Events, Big Facilities: From FM for a Football Stadium – Tools for Augmented Experiences and Fan Engagement 269
Maurizio Marco Bocconcino, Politecnico di Torino, Italy
Fabio Manzone, Politecnico di Torino, Italy

Section 3 Resilient Cultural Heritage

Chapter 14

- Digital Technologies Towards Extended and Advanced Approaches to Heritage Knowledge and Accessibility 295
Federica Maietti, University of Ferrara, Italy
Marco Medici, University of Ferrara, Italy
Peter Bonsma, RDF Ltd., Bulgaria
Pedro Martin Leronés, Fundación CARTIF, Spain
Federico Ferrari, University of Ferrara, Italy

Chapter 15

- Towards a Smart Cultural Heritage in a Post-Pandemic Era: Enhancing Resilience Through the Implementation of Digital Technologies in Italian Heritage 318
Riccardo Florio, University of Naples Federico II, Italy
Raffaele Catuogno, University of Naples Federico II, Italy
Victoria Andrea Cotella, University of Naples Federico II, Italy

Chapter 16

- Experiences of Digital Survey Data Applied for the Involvement of Societal Smart-Users in Cultural Heritage Awareness 344
Sandro Parrinello, University of Pavia, Italy
Raffaella De Marco, University of Pavia, Italy

Chapter 17

- Phygital Heritage Experiences for a Smart Society: A Case Study for the City of L'Aquila 387
Luca Vespasiano, University of L'Aquila, Italy
Stefano Brusaporci, University of L'Aquila, Italy
Fabio Franchi, University of L'Aquila, Italy
Claudia Rinaldi, University of L'Aquila, Italy

Chapter 18

- Digitization of Cultural Heritage: The Farnese Theatre in Parma 416
Andrea Zerbi, University of Parma, Italy
Sandra Mikolajewska, University of Parma, Italy

Chapter 19

Interactive Virtual Participation for Opera and Theatre Using New Digitization Information Systems 448

Daniela De Luca, Politecnico di Torino, Italy

Chapter 20

Visualization and Fruition of Cultural Heritage in the Knowledge-Intensive Society: New Paradigms of Interaction With Digital Replicas of Museum Objects, Drawings, and Manuscripts... 471

Fabrizio Ivan Apollonio, Alma Mater Studiorum – University of Bologna, Italy

Marco Gaiani, Alma Mater Studiorum – University of Bologna, Italy

Simone Garagnani, Alma Mater Studiorum – University of Bologna, Italy

Chapter 21

Digital Explorations in Archive Drawings: A Project for Cannaregio Ovest in Venice by Luciano Semerani, 1978 496

Starlight Vattano, Università Iuav di Venezia, Italy

Section 4

Healthcare and Fragile People

Chapter 22

Introducing Mixed Reality for Clinical Uses 524

Giuseppe Emmanuele Umata, Gamma Knife Center, Ospedale Cannizzaro, Italy

Paolo Palmisciano, Gamma Knife Center, Ospedale Cannizzaro, Italy

Nicola Montemurro, Azienda Ospedaliera Universitaria Pisana, Italy

Gianluca Scalia, Garibaldi Hospital, Italy

Dragan Radovanovic, University of Belgrade, Serbia

Kevin Cassar, University of Malta, Malta

Stefano Maria Priola, Northern Ontario School of Medicine University, Canada

Igor Koncar, University of Belgrade, Serbia

Predrag Stevanovic, University of Belgrade, Serbia

Mario Travali, Cannizzaro Hospital, Italy

Chapter 23

From Virtual Reality to 360° Videos: Upgrade or Downgrade? The Multidimensional Healthcare VR Technology 549

Francesca Borghesi, Applied Technology for Neuro-Psychology Lab, Istituto Auxologico Italiano (IRCCS), Milan, Italy

Valentina Mancuso, Faculty of Psychology, eCampus University, Novedrate, Italy

Elisa Pedroli, Applied Technology for Neuro-Psychology Lab, Istituto Auxologico Italiano (IRCCS), Milan, Italy

Pietro Cipresso, Applied Technology for Neuro-Psychology Lab, Istituto Auxologico Italiano (IRCCS), Milan, Italy & Department of Psychology, University of Turin, Italy

Chapter 24	
Virtual Representations for Cybertherapy: A Relaxation Experience for Dementia Patients	573
<i>Francesca Maria Ugliotti, Politecnico di Torino, Italy</i>	
Chapter 25	
Human Fragilities Supported by the Digital Social World	596
<i>Nicola Rimella, Politecnico di Torino, Italy</i>	
<i>Edoardo Patti, Politecnico di Torino, Italy</i>	
<i>Francesco Alotto, Olivetti SpA, Italy</i>	
Chapter 26	
Digital Twin for Amyotrophic Lateral Sclerosis: A System for Patient Engagement.....	620
<i>Matteo Del Giudice, Politecnico di Torino, Italy</i>	
<i>Roberta Surian, Politecnico di Torino, Italy</i>	
<i>Anna Osello, Politecnico di Torino, Italy</i>	
Compilation of References	640
About the Contributors	712
Index	727

Detailed Table of Contents

Preface..... XXV

Section 1 Digital Interaction and Education

Chapter 1

Haptic Interaction in Virtual Reality: Are We Ready for the Metaverse? Neuroscientific and Behavioral Considerations 1

Alberto Gallace, University of Milano Bicocca, Italy

Touch is fundamental to create our perception of reality and to allow fulfilling social experiences, such as those at the basis of metaverses. In order to be accurately reproduced, a number of scientific and technological aspects should be considered. In this chapter, the authors highlight the relevance of the tactile modality in eliciting ‘presence’ in virtual reality interactions. They also discuss the neuroscientific foundation of our bodily interactions and the fact that they are based on a number of receptors and neural circuits that contribute to the complexity of our perceptions. The available technological devices for the reproduction of touch in virtual environments and their limitations are also described. They suggest that virtual interactions should include more of this sensory modality and that attempts should be made to go beyond the actual approach to ‘mimicking reality’. In particular, future simulations should consider the perspective of creative ‘hyper-sensations’ including ‘hyper-touch’ on the basis of our psychological and neuroscientific knowledge.

Chapter 2

Design Elements for the Implementation of Threshold Crossing In and Out of Mixed Reality 15

Giorgio Dall’Osso, Alma Mater Studiorum – University of Bologna, Italy

Michele Zannoni, Alma Mater Studiorum – University of Bologna, Italy

Ami Licaj, Alma Mater Studiorum – University of Bologna, Italy

The chapter presents research on the relationship between the human body and the space implemented by data and digital interfaces. In this relationship, technology plays a mediating role. The research introduces the concept of a digital threshold to an interactive space that has the capacity to preserve the cognitive well-being of users and invite interaction. To do this, some characteristics are identified that can be used in the design with the aim of relating the body to the devices in the space. Pressure stimuli, rhythm, and body symmetry are the components of a natural language capable of activating a natural motorial reaction mechanism. The details of the experimentation carried out and the processing of the data collected through data visualisation are provided to support the argument.

Chapter 3

Virtual World in Learning Disability 42

Anjana Prusty, SR University, India

Priyaranjan Maral, Central University of Rajasthan, India

In terms of technological advantages, virtual reality or augmented reality remains less popular within the field of learning disabilities. Research shows that children with learning disabilities face various challenges in their day-to-day lives dealing with these disorders, demanding massive solutions. This chapter will address the pros and cons of virtual reality in learning disabilities across different age groups by combining theories of virtual worlds and learning disorders. Exciting research in virtual reality focuses on finding out how psychotherapies have benefits in learning and education. Upon review, it becomes evident that research in the virtual world along with learning disabilities has not yet been examined from a cohesive perspective, illustrating a lack of alliance that determines a more global understanding of the technological advantages of disabilities. Thus, this chapter aims to provide educators with an overview of explanations of the virtual world and to ensure appropriate development of VR/AR applications and special assistance for learning disabilities.

Chapter 4

A Design of Interactive Learning Applications for Phytochemical Screening in Vocational
College: Augmented Reality and Gamification 65

Ruth Elenora Kristanty, Poltekkes Kemenkes Jakarta II, Indonesia

Purnama Fajri, Poltekkes Kemenkes Jakarta II, Indonesia

Hana Relita, Poltekkes Kemenkes Jakarta II, Indonesia

Maulita Prima Sari, Poltekkes Kemenkes Jakarta II, Indonesia

Nashrul Hakiem, UIN Syarif Hidayatullah Jakarta, Indonesia

Yollan Gusnanda Setiawan, UIN Syarif Hidayatullah Jakarta, Indonesia

The challenges of practicum learning for the vocational institute are increasingly prominent. Innovation is needed to utilize technology and learning media to support distance learning and adaptive learning. Phytochemistry Practicum, a course given in the third semester of the Pharmaceutical and Food Analysis Department of Poltekkes Kemenkes Jakarta II, provides knowledge and skills to analyze chemical compounds in plants. This study aimed to develop interactive learning media for remote practicum of phytochemical screening materials at the Pharmaceutical and Food Analysis Department of Poltekkes Kemenkes Jakarta II. The methods used in this study were descriptive exploratory for laboratory experiment, multi-media development life cycle (MDLC) for AR development, and game development life cycle (GDLC) for building the gamification system. The augmented reality application and education game have been published in Playstore under the name AR Fitokimia and Virtual Lab Fitokimia. Both of these products were able to be accessed easily through mobile devices.

Chapter 5

Exploring Affordances and Limitations of 3D Virtual Worlds in Psychoeducational Group
Counseling 96

Abdulmenaf Gul, Hakkari University, Turkey

Saniye Tugba Tokel, Middle East Technical University, Turkey

The purpose of this study was to explore the potential affordances and challenges of 3D virtual environments in psychoeducational group counseling. The research design was based on multiple case

study methodology. Face-to-face and 3D virtual psychoeducational counseling groups were formed that focused on procrastination, and multiple forms of data were collected from both groups' participants. The study's results revealed that perceived affordances of the 3D environment for group counseling were similar in both groups, with self-disclosure, anonymity, convenience, interactive environment, and accessible content as the emerged affordances. However, the study also revealed mixed results in terms of perceived challenges. While interaction issues, multitasking, lack of social interaction, and trust concerns emerged as common to both groups, factors such as technical issues and negative attitudes towards virtual intervention were revealed as divergent themes. Intervention outcome results revealed similar patterns in terms of procrastination behavior change in both groups.

Chapter 6

Immersive Virtual Reality as a Tool for Education: A Case Study 121

Sara Ermini, University of Siena, Italy

Giulia Collodel, University of Siena, Italy

Alessandro Innocenti, University of Siena, Italy

Maurizio Masini, GTM & Partners, Italy

Elena Moretti, University of Siena, Italy

Vincenzo Santalucia, University of Siena, Italy

After introducing the topic of education in immersive virtual reality (iVR), the authors describe the methodology and procedure used to test an educational game in virtual reality. The objective of this chapter is to contribute to the definition of a format for the evaluation of educational experiences in VR by describing the methodology adopted in the mentioned case study. A group of 30 students completed a lesson in virtual reality, and their experience was evaluated through qualitative (questionnaires, thinking aloud, interviews) and quantitative (task completion and time) tools. The results show some need for improvement of the simulation, but subjects were immersed in the experience and scored highly on the final assessment on understanding the educational content.

Chapter 7

Digital Innovation and Interactive Technologies: Educating the Society 5.0..... 137

Arianna Fonsati, Politecnico di Torino, Italy

Is digital innovation helping towards achieving a higher level of education or not? Since the impact of technologies is affecting more of our society, it is also true that its use in education is still limited, even in university education, where it could have the real added value of experimenting with new approaches to didactics. Within this context, the chapter briefly presents digital innovation and the enabling technologies currently in use that are also producing new opportunities for the architectural, engineering, construction, and operation (AECO) sector. Furthermore, the chapter provides two examples of master and bachelor courses related to BIM and algorithmic parametric modelling that integrates several tools and technologies, such as cloud-computing, big data, and machine learning to add value to harnessing technologies so that digital innovation could truly improve the efficiency of the AECO sector.

Section 2 Smart Environments and Systems

Chapter 8

Augmented Co-Design Methods for Climate Smart Environments: A Critical Discourse and Historical Reflection	156
<i>Pia Fricker, Aalto University, Finland</i>	

The research is based on the hypothesis that integrating site-specific and global data into the design process requires a methodological design approach, which connects local to global systems and extends the application of available predefined algorithmic scripts and singular solutions. These tools allow the designer to apprehend and simulate possible future scenarios with unparalleled precision and speed. Computational design thinking will help us master increasingly complex design challenges as well as build a profound theoretical knowledge base to meaningfully integrate current and future technologies. After re-evaluating the principles of the computational pioneers, computationally driven methods for pressing urban challenges through data-informed design speculations are discussed. Cutting-edge design speculations aim to open up new immersive design simulation and participatory processes in environmental design and urban development and give sustainable answers to societal and environmental challenges, ultimately shaping our future world.

Chapter 9

Machine Learning and Artificial Intelligence for Smart Visualization, Presentation, and Study of Architecture and Engineering in the Urban Environment: Visualizing City Progress	184
<i>Andrea Giordano, University of Padova, Italy</i>	
<i>Kristin Love Huffman, Duke University, USA</i>	
<i>Rachele Angela Bernardello, University of Padua, Italy</i>	
<i>Maurizio Perticarini, Università degli Studi Luigi Vanvitelli, Italy</i>	
<i>Alessandro Basso, University of Camerino, Italy</i>	

This research experiments the theme of cultural heritage (CH) in architectural/engineering fields, located in urban space. Primary sources and new tactics for digital reconstruction allow interactive contextualization-access to often inaccessible data creating pedagogical apps for spreading. Digital efforts are central, in recent years based on new technological opportunities that emerged from big data, Semantic Web technologies, and exponential growth of data accessible through digital libraries – EUROPEANA. Also, the use of data-based BIM allowed the gaining of high-level semantic concepts. Then, interdisciplinary collaborations between ICT and humanities disciplines are crucial for the advance of workflows that allow research on CH to exploit machine learning approaches. This chapter traces the visualizing cities progress, involving Duke and Padua University. This initiative embraces the analysis of urban systems to reveal with diverse methods how documentation/understanding of cultural sites complexities is part of a multimedia process that includes digital visualization of CH.

Chapter 10

Digital Transformation Stemming From a Business Assessment of Construction Industry 4.0 201

Edoardo Montevitoni, Politecnico di Milano, Italy

Claudio Mirarchi, Politecnico di Milano, Italy

Antonino Riccardo Parisi, Politecnico di Milano, Italy

Alberto Pavan, Politecnico di Milano, Italy

The methods, processes, and tools adopted according to the needs of the transition based on the Industry 4.0 should be based on the level of digitization of the companies, checking and monitoring their digitization over time, and considering the relation within the society. The study presented in this chapter starts from the work of the European community, directed to the assessment of the digital maturity of companies in the context of the European network of digital innovation hubs. Assessment that takes place through the compilation of questionnaires assessing the digital maturity of companies. Starting from what has been developed by the European community, the authors believe it is essential to develop specific focal points according to the peculiarities of the different sectors and in particular considering the construction one. This approach will open a new key to promote the digitalisation of the construction sector that is still lagging compared to the other industrial sectors.

Chapter 11

From the Digitization of Building Materials to Their Use in BIM Models on an Open Standard

Platform: The eBIM Project and Its Applications 222

Chiara Vernizzi, University of Parma, Italy

Roberto Mazzi, University of Parma, Italy

The information data that can be included in models can also relate to the different dimensional domains of BIM depending on the purpose of the model itself. On this premise, the POR-FESR eBIM project “Existing Building Information Modeling for the Management of the Intervention on the Built Environment” has developed skills, models, and solutions related to the conservation and enhancement of the built heritage using the BIM methodology implemented on dedicated IT platforms, identifying and characterizing the materials that compose it (from the shell to the structure to the covering). Among the various building materials, particular attention has been devoted to ceramic tiles and to their role and uses in the building industry for their digitization and use in BIM models on an open standard platform.

Chapter 12

Virtual Reality for Fire Safety Engineering 251

Emiliano Cereda, Politecnico di Torino, Italy

Roberto Vancetti, Politecnico di Torino, Italy

The international fire safety framework defines the characteristics of an escape system that can communicate information to allow occupants to make the optimal decision to reach a safe place. Fire safety engineering is the subject that helps the designer to carry out analyses for the study of fire through the use of CFD (computational fluid dynamics) tools and escape modelling. The interaction between the escape system and the occupants is a factor that controls the effectiveness of the design solution. This factor is difficult to assess in the absence of specific tools. An analysis methodology based on numerical simulation models, aided by virtual reality tools, improves the interpretation of results. The authors set out to develop a method capable of exporting fire simulation in a virtual environment and visualising the results within a virtual reality environment. The methodology is able to improve the knowledge of the emergency dynamics within the fire scenario.

Chapter 13

Major Events, Big Facilities: From FM for a Football Stadium – Tools for Augmented Experiences and Fan Engagement 269

Maurizio Marco Bocconcino, Politecnico di Torino, Italy

Fabio Manzone, Politecnico di Torino, Italy

Let us imagine a large sports facility and an integrated system to control its maintenance (structures, facilities, furnishings, communication systems), pre-configure temporary set-ups, procurement of goods and materials, check compliance with technical regulations concerning the safety and regularity of sports and recreational events, contracts with sponsors and suppliers, and the work of technical staff. Then, let's imagine that this mass of data is supplemented by tracking the flows of people attending events, recording their behaviour through the looks they make, the stops they make, the actions they take. This is the theme of the contribution proposed, an experimental application involving a sports facility of international importance and integrating BIM processes for design and maintenance, social and commercial information systems open to the public, marketing and usage analyses based on sensors and big data, and artificial intelligence capable of prefiguring the safest and most comfortable solutions.

Section 3

Resilient Cultural Heritage

Chapter 14

Digital Technologies Towards Extended and Advanced Approaches to Heritage Knowledge and Accessibility..... 295

Federica Maietti, University of Ferrara, Italy

Marco Medici, University of Ferrara, Italy

Peter Bonsma, RDF Ltd., Bulgaria

Pedro Martin Leronés, Fundación CARTIF, Spain

Federico Ferrari, University of Ferrara, Italy

The new directions that digital reality is currently taking include an ever-greater involvement and interaction with the human being. In the field of cultural heritage, there is a need to find new ways to visit, enjoy, understand, and preserve cultural assets, also through digital fruition. The social value of cultural heritage and citizens' participation became crucial to increase quality of life, public services, creative activities, public engagement, new understanding, and education through technology development. Digital technologies can also contribute to safeguarding endangered cultural heritage preventive interventions, as well as ensuring equal and wide access to cultural assets and heritage sites. The aim is to find positive interconnections between physical and virtual spaces by applying digital systems to find additional knowledge and supporting the access to our common heritage through new technologies. The chapter explores more in detail these topics through the description of methodological approaches, applications of Semantic Web technologies, and latest projects.

Chapter 15

Towards a Smart Cultural Heritage in a Post-Pandemic Era: Enhancing Resilience Through the Implementation of Digital Technologies in Italian Heritage 318

Riccardo Florio, University of Naples Federico II, Italy

Raffaele Catuogno, University of Naples Federico II, Italy

Victoria Andrea Cotella, University of Naples Federico II, Italy

Preservation and dissemination of cultural heritage symbolizes a problem already present before the pandemic period and amplified during the COVID-19 crisis. As a result, the dematerialisation of architecture by digital technologies is the approach to connect Society 5.0 and architecture in cyberspace. The ambition of this chapter is to achieve an approach aimed to explain the impact of ICT during the pandemic and post-pandemic period, using HBIM technology, an essential tool for the approximation of Society 5.0 to the tangible smart heritage. On the other hand, the creation of a virtual tour breaks down architectural barriers (physical and spatial) allowing access to all users as a benefit of the dematerialisation of the asset. The work represents the use of technologies to create new knowledge and values, generating connections between people and tangible and non-tangible things.

Chapter 16

Experiences of Digital Survey Data Applied for the Involvement of Societal Smart-Users in Cultural Heritage Awareness	344
<i>Sandro Parrinello, University of Pavia, Italy</i>	
<i>Raffaella De Marco, University of Pavia, Italy</i>	

Heritage accessibility has been highlighted as a fundamental condition to convey multi-sphere values (social, artistic, economic, territorial), necessary for assigning the label of cultural heritage. Similarly, it permits to include new frontiers of educational processes for smart communities within digital data and VR systems developed from 3D survey actions. In this way, digital technologies can convey the societal challenge to evaluate the efficacy of cultural heritage communication beyond the in-situ physical experience, assessing the learning impact of virtual heritage environments. The scientific research on the production of effective heritage learning objects, from the EU project PROMETHEUS, is presented, enhancing opportunities of communication and virtual smart-fruitition for sites along cultural heritage routes. Sites' virtual models are joined to physical prototypes to increase awareness and sustainable knowledge from the users' interactions with digital heritage.

Chapter 17

Phyigital Heritage Experiences for a Smart Society: A Case Study for the City of L'Aquila.....	387
<i>Luca Vespasiano, University of L'Aquila, Italy</i>	
<i>Stefano Brusaporci, University of L'Aquila, Italy</i>	
<i>Fabio Franchi, University of L'Aquila, Italy</i>	
<i>Claudia Rinaldi, University of L'Aquila, Italy</i>	

Starting from a recognition of the progressive settlement of the conception of cultural heritage through years, and the role that digital technologies have played, the contribution analyses how ICT (information communication technology) solutions, altogether intended, could provide a new human centrality in interpretation and presentation of cultural heritage. This opportunity is provided from the experience of INCIPICT project (INnovating CIty Planning through Information and Communications Technology), developed in L'Aquila since 2012. Within its framework, several reflections and applications on the field of cultural heritage have been developed to achieve results in terms of theory and praxis on the route toward a culture-based smart society.

Chapter 18

Digitization of Cultural Heritage: The Farnese Theatre in Parma.....	416
<i>Andrea Zerbi, University of Parma, Italy</i>	
<i>Sandra Mikolajewska, University of Parma, Italy</i>	

Cultural heritage represents the identity of people and, as such, is a fundamental element of our lives. The numerous projects carried out in recent years in the field of CH digitization have shown that the operation of dematerialization may be considered an essential tool for its preservation, conservation, and enhancement. Since advanced technology allows to valorize artifacts and bring a positive impact on the people's life to whom they belong, in the context of Society 5.0 it can be considered as a key tool. Starting from the analysis of the state of the art in the field of digitization, the main goal of the present study is to investigate the role that this process can take on within the complex process of valorization of monuments. To this aim, a research carried out on the Farnese Theatre will be illustrated. Particular attention will be paid to the methodological choices made for the creation of an extremely versatile three-dimensional model and for its possible uses.

Chapter 19

Interactive Virtual Participation for Opera and Theatre Using New Digitization Information

Systems 448

Daniela De Luca, Politecnico di Torino, Italy

Society 5.0 has implemented the use of new digital technologies, overcoming traditional active learning systems with means and methodologies that extend the involvement of the digitized user. This trend has revolutionized how organizations and companies deliver their services through interconnected and interoperable platforms. The prevalence of new media has led to the adoption of applications that exploit gamification techniques and serious games to transfer reality into new virtuality. The contribution analyses procedures and methodologies that can be adapted to digitalize cultural heritage, focusing on the theatrical and musical entertainment sector (i.e., opera and theatre). During the COVID-19 pandemic, cultural organizations received significant containment measures to cancel events and openings. Therefore, investing inaccessible and reality-like digital applications through advanced participatory techniques reduced financial and target losses. In this way, the shift from the digital model to the interactive service model for sensory experiences skills the Citizen 5.0.

Chapter 20

Visualization and Fruition of Cultural Heritage in the Knowledge-Intensive Society: New

Paradigms of Interaction With Digital Replicas of Museum Objects, Drawings, and Manuscripts... 471

Fabrizio Ivan Apollonio, Alma Mater Studiorum – University of Bologna, Italy

Marco Gaiani, Alma Mater Studiorum – University of Bologna, Italy

Simone Garagnani, Alma Mater Studiorum – University of Bologna, Italy

The knowledge-intensive society paradigm fosters relationships between technology and human actors with data, values, and knowledge that become mutual drivers for social innovation. The cultural heritage sector is naturally influenced by this vision, and museums and cultural institutions have a prominent role in dissemination of cultural values. This chapter focuses on a method developed to combine the power of the computer visualization technology with the cultural elements spread across collections, introducing some notes and remarks on how digital replicas of drawings, manuscripts, and museum objects can be successfully employed to spread knowledge. Through a custom application called ISLe, aimed at visualizing 3D models that accurately replicate the original items, some experiences in the production of digital replicas are introduced, highlighting opportunities and criticalities to be considered in the adoption of technology that can be potentially shared and exploited by many possible figures involved in cultural heritage.

Chapter 21

Digital Explorations in Archive Drawings: A Project for Cannaregio Ovest in Venice by Luciano Semerani, 1978 496

Starlight Vattano, Università Iuav di Venezia, Italy

The chapter shows some of the outcomes of a research project begun in 2021 in collaboration with the Archivio Progetti Iuav of Venice, with the aim of disseminating the drawings, documents, and projects preserved. On the basis of the documentary collection including pieces, projects, models, together with a conspicuous repository of photographs and reproductions, the research deepens a little-explored aspect of an unbuilt Venice, circumscribing the investigation scope to the 20th century masters of architecture who contributed in rethinking the urban form of the lagoon city, such as Luciano Semerani's project for the sestiere of Cannaregio Ovest in 1978. The discussion on the Venetian structural system, the urban trace, and the architectural configuration is re-established in a dialogue between its history and its contemporaneity. This is achieved starting from the digital models and virtual tours with in-depth texts that integrate the information actions with respect to the qualities of the architectures and urban spaces activated and consulted with the exploration of the model.

Section 4

Healthcare and Fragile People

Chapter 22

Introducing Mixed Reality for Clinical Uses 524

Giuseppe Emmanuele Umana, Gamma Knife Center, Ospedale Cannizzaro, Italy

Paolo Palmisciano, Gamma Knife Center, Ospedale Cannizzaro, Italy

Nicola Montemurro, Azienda Ospedaliera Universitaria Pisana, Italy

Gianluca Scalia, Garibaldi Hospital, Italy

Dragan Radovanovic, University of Belgrade, Serbia

Kevin Cassar, University of Malta, Malta

Stefano Maria Priola, Northern Ontario School of Medicine University, Canada

Igor Koncar, University of Belgrade, Serbia

Predrag Stevanovic, University of Belgrade, Serbia

Mario Travali, Cannizzaro Hospital, Italy

The advent of mixed reality (MR) has revolutionized human activities on a daily basis, striving for augmenting professional and social interactions at all levels. In medicine, MR tools have been developed and tested at an increasing rate over the years, playing a promising role in assisting physicians while improving patient care. In this chapter, the authors present their initial experience in introducing different MR algorithms in routine clinical practice from their implementation in several neurosurgical procedures to their use during the COVID-19 pandemic. A general summary of the current literature on MR in medicine has also been reported.

Chapter 23

From Virtual Reality to 360° Videos: Upgrade or Downgrade? The Multidimensional Healthcare VR Technology 549

Francesca Borghesi, Applied Technology for Neuro-Psychology Lab, Istituto Auxologico Italiano (IRCCS), Milan, Italy

Valentina Mancuso, Faculty of Psychology, eCampus University, Novedrate, Italy

Elisa Pedroli, Applied Technology for Neuro-Psychology Lab, Istituto Auxologico Italiano (IRCCS), Milan, Italy

Pietro Cipresso, Applied Technology for Neuro-Psychology Lab, Istituto Auxologico Italiano (IRCCS), Milan, Italy & Department of Psychology, University of Turin, Italy

This chapter aims to describe the multidimensional virtual reality tools applied to healthcare: in particular the comparison between virtual reality traditional tools and the 360° videos. The VR traditional devices could differ in terms of specific graphics (2D/3D), display devices (head mounted display), and tracking/sensing tools. Although they are ecological tools, they have several problems such as cybersickness, high-cost software, and psychometric issues. Instead, the 360° videos can be described as an extension of virtual reality technology: they are immersive videos or spherical videos that give the opportunity to immerse the subject in authentic natural environments, being viewed via an ordinary web browser in that a user can pan around by clicking and dragging. The comparison between those two technologies stems from the question if 360° videos could solve and overcome the problems related to virtual reality and be an effective and more ecological alternative.

Chapter 24

Virtual Representations for Cybertherapy: A Relaxation Experience for Dementia Patients 573

Francesca Maria Ugliotti, Politecnico di Torino, Italy

The development of serious games has enabled new challenges for the healthcare sector in psychological, cognitive, and motor rehabilitation. Thanks to virtual reality, stimulating and interactive experiences can be reproduced in a safe and controlled environment. This chapter illustrates the experimentation conducted in the hospital setting for the non-pharmacological treatment of cognitive disorders associated with dementia. The therapy aims to relax patients of the agitation cluster through a gaming approach through the immersion in multisensory and natural settings in which sound and visual stimuli are provided. The study is supported by a technological architecture including the virtual wall system for stereoscopic wall projection and rigid body tracking.

Chapter 25

Human Fragilities Supported by the Digital Social World 596

Nicola Rimella, Politecnico di Torino, Italy

Edoardo Patti, Politecnico di Torino, Italy

Francesco Alotto, Olivetti SpA, Italy

Technological progress must aim at creating Society 5.0 by developing tools to support people. This contribution aims to show how modern technologies and their integration into society can support people with fragility. In particular, the authors present the prototype of a technology that the Turin Polytechnic has developed to provide an IoT device control tool for people with motor neuron degeneration. This, through the use of eye-trackers and building information models (BIM), allows the navigation of models in virtual reality and interaction with different devices and services. Furthermore, the use of micro-

services and the use of standard exchange formats allow easy integration with different services. The authors want to show how it is possible to build applications that, by bridging the real and the virtual, can restore autonomy and quality of life to the frailest people.

Chapter 26

Digital Twin for Amyotrophic Lateral Sclerosis: A System for Patient Engagement..... 620

Matteo Del Giudice, Politecnico di Torino, Italy

Roberta Surian, Politecnico di Torino, Italy

Anna Osello, Politecnico di Torino, Italy

This chapter focuses on the context in which patients such as those with Amyotrophic Lateral Sclerosis (ALS) are placed and what possibilities information and communication technologies (ICTs) offer to keep them in touch with the world to reach Society 5.0. In particular, the authors intend to show how the healthcare sector can use digital twin (DT) through elements of augmented virtuality (AR) and building information modelling (BIM) to create interactive interfaces that can solve, in part, problems involving frail patients but at the same time allowing their monitoring. Interconnection is possible through a gamification approach. In addition, a solution that considers the user (patient) involvement and that aims at its increase through interaction with alternative places to their home so as to stimulate them to keep an active mind and the degree of fun in a limiting condition is proposed.

Compilation of References 640

About the Contributors 712

Index..... 727

Preface

TOWARD A PEOPLE-CENTERED FUTURE

The great challenges of the 21st century constantly push and stretch the frontiers of human knowledge. We are always looking for high-performance, digital, and connected systems. Whether we are talking about problems such as climate change, energy, regions and cities, mobility, healthcare, manufacturing and services, technology is almost always at the center. All spheres of human life are thus influenced by the achievements in the information and knowledge segments, which are the raw materials and main products of our society. However, the quality of life will trust not only information. How will a person be able to exploit it? How will each user be able to satisfy its own needs in terms of information products or services within the established informative space? These simple reflections can completely change the point of view and reinforce the objectives shifting the focus from developing devices to disseminating well-being. Hence, the idea of Society 5.0 (Cabinet Office, 2016) has been conceived to harness the enormous potential expressed by the innovations of the fourth industrial revolution toward solving society's most significant problems and social life. The critical question is, therefore, what to use technologies for. A necessary condition is that the users accept innovation: everyone is called upon to participate in pursuing the values of sustainability, inclusiveness, and welfare. Thus the super-intelligent society (Cabinet Office, 2016) contributes to the vision of the ideal city by rediscovering the anthropocentrism of needs. Within the Society 5.0 paradigm, people and machines establish a positive relationship to balance economic advancement with the resolution of social issues for every possible end-user - from the child to the elderly, from students to professionals, and from citizen to the fragile person – considering the different contexts of everyday life – i.e. homes, schools, workplaces, natural environment, and care facilities. This perspective establishes a strong interconnection between physical (real) space and cyberspace (virtual space), making the user an active player in a knowledge-intensive society. A future of interconnectedness between individuals through a network of 3D virtual worlds centered on social connection is looked for in the Metaverse. Research on Digital Reality – modeling real-world issues in various way, and Interactive Technologies – facilitating the interaction between people and establishing an information flow between the user and the technology, have been extensive in recent years, covering a wide range of topics and leading to new ways to approach and deal with complex situations. In this widely debated scenario, the book looks at experiences and approaches that place people at the center enabling multi-dimensional strategies and additional levels of interdisciplinary collaboration to create a highly inclusive communication network and social framework.

CONSIDERING SUPER-SMART SOCIETY'S NEEDS

The blueprint of Society 5.0 strategically supports the United Nations 2030 Agenda development target and Sustainable Development Goals aimed at creating a sustainable future on a global scale and change in mindset by a shared common direction. Therefore, the topics covered in the book are of international interest as they reflect on some of the most critical challenges of our contemporary times linked to social aspects. In particular, diverse human needs concerning the individual and community dimensions are tackled in the following areas.

Education

Digital Transformation requires digital and transversal skills by companies, public administrations, citizens, and students to work more collaboratively and benefit from new services. Automation, in tandem with the Covid-19 recession, creates a double-disruption scenario for workers. Moreover, according to the World Economic Forum, 65% of children enrolled in primary school today will work in jobs that do not yet exist (World Economic Forum, 2020). Education and training will therefore play a decisive role in the following years to bridge the gap and ease the transition of workers into more sustainable job opportunities. The bounty of technological innovation can be leveraged to unleash human potential. New tools and approaches allow for better interaction and learning in an increasingly inclusive and collaborative manner, considering the users' psycho-emotional well-being. The goal is not just to collect knowledge but to develop problem-solving skills.

Environment and Cities

Half of the world's population lives in urban areas, and the percentage is expected to rise to almost 70 percent by 2050 (United Nations, 2018). Thus, cities have become the crucial reference for sustainable development, facing priorities related to climate change and increasingly limited resources in a context often characterized by growing urban and infrastructural decay. The systemic strategy is centered on increasingly advanced monitoring systems and the strengthening of interdisciplinary interactions: between the environment and networks, between network and network, and between the city and the end users so that the city can be more adapted to the needs of the citizen, and the citizen more active in creating a resilient environment (Mitchell, 2001). Urban information should be integrated through Information Technology to result in the collective optimization of services and develop new businesses. The integration of spatial and temporal information represents the initial approach to the architecture of social and technical integration (Hitachi-UTokyo Laboratory, 2020).

Cultural Enrichment and Accessibility

It is recognized that Cultural Heritage, in its tangible or intangible forms, acts as a resource for creating social cohesion, educating society, and enhancing the territory. Therefore, the relevance of accessibility emerges as a fundamental requirement for transmitting society's values and overcoming social imbalances and inequality. However, this possibility is affected by environmental, social, geographical, political, religious, physical, or cognitive impairments and security-related factors. A further condition

Preface

of deprivation has been experienced in the last few years within the Covid-19 pandemic by the need for social distancing. The democratization of heritage can arise by ensuring the accessibility of the digital replica, the Digital Heritage, for disseminating knowledge and achieving users' involvement and awareness. This way, physically distant sites can be brought closer in virtual space, enabling virtuous behavioral mechanisms.

Healthcare Services

Pressured by a growing and aging population and constraints on public spending, the healthcare sector requires a comprehensive re-thinking to seek the machine's efficiency and to improve the quality of healthcare treatments and services delivery for the patient's well-being. The idea is to achieve a Smart Hospital with a digital brain and systems that can connect with users' needs and meet them in every respect by combining advanced medical concepts and state-of-the-art devices and technologies. Solutions to bring the world into hospitals or private homes are also desirable for patients' therapy and entertainment to overcome physical and spatial barriers.

LOOKING FOR SOLUTIONS

The handbook proposes an interdisciplinary approach based on matching frontier technologies to enable a network among data, information, and all the city stakeholders. The following represents the key drivers to frame innovative solutions addressing social needs. The synoptic overview below shows their use in the different chapters.

- **Digital Twin (DT).** Virtual representation of a physical asset or process integrating multi-source data operating symbiotically in real-time. Querying the digital replica contributes to a dynamic view and monitoring of a system by enabling decision-making processes by managers and owners.
- **Geographic Information System (GIS) and Building Information Modeling (BIM).** Database containing geographic and building data combined with tools for storing, managing, analyzing, and visualizing that information. They support engineers in describing built environment phenomena for cyberspace-based data-driven planning and can be used for interactive knowledge experiences for citizens.
- **Unmanned Aerial Vehicles (UAVs).** Drones are aerial vehicles operated by humans from a remote location or autonomously. They are widespread for three-dimensional mapping activities and reaching inaccessible places, having great potential for monitoring activities on territory, historical heritage and infrastructure, catastrophic events, surveillance, and rescue operations.
- **Digital Reality (DR).** Augmented Reality (AR) refers to the real world overlapping digital information. Virtual Reality (VR) is a computer-generated technology that allows users to be completely immersed in a virtual environment. With Mixed Reality (MR), real and virtual worlds overlap with interactive superimposition of digital objects. 360-degree videos are spherical recordings captured by sophisticated cameras with omnidirectional lenses that can collect images from all over the scene. They enrich the way of approaching information and extracting value from it for a pool of users.


- **Big Data (BD) and Internet of Things (IoT).** BD refers to large or complex data sets to be handled by traditional data-processing application software. IoT identifies the ability to connect every object to the Internet. Together they maximize data availability and utilization towards greater digitalization and process automation.
- **Artificial Intelligence (AI) and Machine Learning (ML).** AI broadly refers to any human-like behavior displayed by a machine or system and responds to the need for lightning-fast responses to automate and speed up decision-making processes. ML technique develops pattern recognition by intelligent algorithms to continuously learn and make predictions based on data available or collected. The potential lies in analyzing masses of data with varying degrees of autonomy to successfully react to unfolding scenarios based on previous outcomes.
- **Robotics.** Designing machines that can help and assist humans. While they reduce jobs, they also improve the quality of life for performing sensitive, routine, strenuous, or risky tasks.

BUILDING THE SOCIAL NETWORK OF THE FUTURE

The Handbook provides an overview of methods, processes, and tools adopted to achieve super-smart society needs by exploiting Digital Reality and Interactive Technologies. It includes use-cases that illustrate applications that place people's quality of life at the center of digitalization, accessing and managing various information and data domains. Due to its cross-cutting approach, the book aims to bring together different types of actors interacting with the functions considering diverse and complementary points of view. Indeed, Society 5.0 is not something to come but something to co-create (Keidanren, 2018). This work can represent a stimulating reference resource addressed to the following.

- Researchers from engineering, computing, medicine, psychology, and sociology with the aim of underscoring the potential for cross-fertilization and collaboration among these communities.
- Students who can, on the one hand, benefit from advanced didactic experimentation proposing collaborative tools establishing interactive virtual learning environments and, on the other hand, can develop a strategic attitude and working method to approaching complex problems.
- Professionals of the same fields as researchers (i.e., Engineers, Managers, Technicians, Health staff, Heritage curators, Cultural institutions, Educator) to exploit and make operative the scientific and academic outcomes and contribute to the digital transition process by formulating new products and services to be placed on the market (i.e., Multinational companies, ICT developers).
- Citizens who can be made aware of and engaged with various subjects by accessing information and cultural content more effectively and inclusively, playing an active role in the digital social network.
- Patients and fragile people who can understand how modern technology can play an essential role in supporting their daily activities and improving their quality of life through increasingly personalized and cutting-edge entertainment and therapy opportunities.

ORGANIZATION OF THE HANDBOOK



The book includes 26 chapters covering four application areas linked to the social needs outlined above. A brief description of each chapter follows.

Section 1: Digital Interaction and Education

Chapter 1 analyzes the importance of the sense of touch and its study from a neuroscientific point of view to reproducing credible and fulfilling experiences in Virtual Reality, starting with a reflection on what is “real” for us. The chapter discusses how this sensory modality contributes to the sense of presence and its fundamental role in reproducing virtual social interactions (such as those occurring in Metaverses). The current technical limitations and future potentialities involved in its application are also discussed.

Chapter 2 discusses the application opportunities of threshold design in Mixed Reality scenarios. These thresholds identify steps beyond which the human body has the ability to access the content. The

experiment is described, and the data recorded through multiple visualizations are discussed to support the conceptual and bibliographical work.

Chapter 3 described the virtual world challenges to overcoming common learning disabilities in children and the possibilities of Augmented Reality within learning disabilities. Virtual Reality has not only proven to be a corrective action for learning disorders but has also succeeded in educating and curing them. Currently, the virtual world can discover the signs and symptoms of learning disorders early, making it easier for special educators and therapists to tackle these problems.

Chapter 4 presents an Android-based learning application related to the digital laboratory concept for phytochemical screening. The chapter considers the users' needs for remote practicum in vocational colleges during the Covid-19 pandemic. Through collaboration with Poltekkes Kemenkes Jakarta II and UIN Syarif Hidayatullah Jakarta, the chapter presents the design of learning technology for building interactive applications.

Chapter 5 presents the results of a multiple case study that explores the affordances and limitations of using 3D virtual environments for group counseling services in higher education. The chapter compares multiple data sources from face-to-face and 3D virtual counseling groups. The authors discuss the implications of 3D virtual environments for counseling services and provide guidelines for researchers and practitioners.

Chapter 6 contributes to the definition of a human-centered approach to Virtual Reality in university teaching. The authors propose a digital game environment applied to health and nutrition education and provide experimental evidence that its effectiveness is strictly related to an educational model based on the specific features of presence and immersion.

Chapter 7 briefly presents digital innovation and the enabling technologies as engines for applying new educational approaches. It introduces two examples of Master's and Bachelor's courses related to BIM and algorithmic parametric modeling that integrates several tools and technologies, such as Cloud Computing, Big Data, and Machine Learning.

Section 2: Smart Environment and Systems

Chapter 8 discusses computationally driven methods for wicked urban challenges through data-informed design speculations. The introduced cutting-edge design speculations conducted at Aalto University (Finland) aim to open up new ways of immersive design simulation and participatory processes in environmental design and urban development to shape the future and give sustainable answers to societal and environmental challenges.

Chapter 9 is focused on the communication of the history of architecture and the city to a broader public with the aid of new tools, underlining how these same tools intervene in the study of the city compared to more traditional, no longer effective today. The challenge is to address issues difficult to narrate with the traditional urban history tools (archive research, bibliographic, iconographic, cartographic): an example is how to deal with not only historical dynamics of transformation (flows of goods and people, movements, sounds) of the life of a city. Therefore, multimedia tools - configured with Machine Learning and Artificial Intelligence - are configured as a moment not only for innovation but also for the development of further research.

Chapter 10 analyzes the current process for evaluating the digital readiness of construction companies starting from the report on the current technological trends in the construction sector. The study highlights the need to integrate the existing methods proposing a dedicated assessment of the level of

Preface

digitalization of construction companies to provide a common ground of analysis that can be used to identify and develop the best strategies for digital innovation.

Chapter 11 presents the outcomes of the POR-FESR “eBIM: existing Building Information Modeling for the management of the intervention on the built environment” project in terms of developing skills, models, and solutions related to the conservation and enhancement of the built heritage. BIM methodology, implemented on open standard dedicated IT platforms, is used to identify and characterize building material.

Chapter 12 presents the first results of a research program that aims to improve the designer’s interpretation of fire evolution and its effects. In particular, the development of an application is proposed that allows the real-time monitoring of fire effects, occupants, signage systems, and fire scenarios. The method represents an aid to research tools related to the world of Fire Safety Engineering and Virtual Reality, as it can fully immerse the user in the environment and evaluate its performance from the point of view of fire prevention.

Chapter 13 illustrates integrated applications for monitoring and managing a sport facility as an information base to involve spectators by recording their behavior, movements, and preferences through sensors, Big Data, and Artificial Intelligence capable of prefiguring customized and fan-engaging solutions.

Section 3: Resilient Cultural Heritage

Chapter 14 explores new directions Digital Reality is currently taking in the field of Cultural Heritage. New needs to visit, enjoy, understand and preserve cultural assets through digital fruition are described, as well as an overview of some significant projects, methodological approaches, and applications in the field of Semantic Web technologies. The topic of the role of digital technologies in safeguarding endangered Cultural Heritage is faced as well, by shortly presenting the EU project 4CH and other related activities.

Chapter 15 presents an innovative approach using HBIM technology as an essential tool for bringing Society 5.0 closer to the concept of tangible Smart Heritage. The final goal is to clarify the impact of ICT during the pandemic and post-pandemic era. In addition, the chapter describes the creation of a virtual tour of the Baia Castle in the south of Italy to break down architectural barriers and allow access to all users as a benefit of dematerializing the architectural asset.

Chapter 16 addresses the topic of Accessibility of Cultural Heritage for educational purposes, enhancing the involving mechanisms that can be triggered from the communication of Digital Heritage to societal users. The design of multiple strategies for presenting Virtual Heritage Environments, and supporting prototypes, to citizens is considered in three different solutions adopted during the European Research Night in Pavia from 2019 to 2021, within the digital data from the documentation of Architectural sites in the H2020 project PROMETHEUS.

Chapter 17 analyzes how digital technologies could provide a new human centrality in interpreting and presenting Cultural Heritage, realizing an inclusive and engaging phygital environment. The contribution focuses on the relationship between heritage and communities, starting from recognizing the progressive settlement of the conception of Cultural Heritage through the years. It reflects the opportunities that technological innovations can open in this field, considering tools for digitization and the enjoyment of heritage and the ICT infrastructure needed to achieve this process given a cultural-based smart society.

Chapter 18 investigates the digitization process’s role in the valorization and dissemination of Cultural Heritage. This chapter also aims to highlight the numerous positive impacts that this operation produces, both from a social and economic point of view, both on individual and collective levels. The

main goal is to illustrate and critically analyze the research carried out on the Farnese Theatre in Parma, Italy. Particular attention is paid to the methodological choices for creating an extremely versatile three-dimensional model for its possible uses.

Chapter 19 describes the adoption of digital applications in the cultural and entertainment sector, where Gamification and Serious Games are exploited to transfer reality into new virtuality. Starting with the digitalization of the Theatre system, the accessibility of content and the sustainability of events is pursued by creating an Interactive Digital Service Model to expand the offer of digital services to an increasingly broad and heterogeneous audience.

Chapter 20 focuses on how real-time computer visualization technology proves to be highly efficient in disseminating cultural values inferred by ancient drawings, manuscripts, and objects belonging to museums and cultural institutions. Following the knowledge-intensive society paradigm, some experiences producing digital replicas are introduced, highlighting opportunities and criticalities to be considered in adopting custom processes and applications for the Cultural Heritage.

Chapter 21 shows some outcomes of a research project begun in 2021 in collaboration with the Archivio Progetti IUAV of Venice to disseminate the preserved drawings, documents, and projects. The chapter deepens the topic of the unbuilt Venice, circumscribing the investigation of the project by Luciano Semerani for the international competition held in Venice in 1978. The discussion on the Venetian structural system, the urban trace, and the architectural configuration is re-established in a dialogue between history and contemporaneity from digital models and virtual tours integrating information actions concerning the qualities of architectures and urban spaces.

Section 4: Healthcare and Fragile People

Chapter 22 summarizes the current application of Mixed Medical Reality within neurosurgery, encompassing the treatment of several neurological pathologies, including brain tumors, traumatic brain injuries, and spine disorders. The chapter also illustrates the pilot study investigating the benefits of using Mixed Reality to reduce exposure time to Covid-19 ICU red zone doctors conducted at the Covid-19 Intensive Care Unit of the University Clinical-Hospital Centre “Dr. Dragiša Mišović-Dedinje” in Belgrade, Serbia.

Chapter 23 examines the benefits and drawbacks of the Virtual Reality range of technologies, highlighting where VR potential ends and 360-degree video potential begins. 360-degree movies, often known as immersive videos or spherical videos, are a contemporary rising trend. They may be a more inventive, cost-effective, and realistic tool than VR devices: they allow users to immerse in truly natural surroundings using a standard web browser or mobile device to pan around the area by clicking and dragging.

Chapter 24 illustrates the application of Virtual Reality and Serious Games to improve the quality of life of Dementia patients through the implementation of non-pharmacological treatment for cognitive disorders. The semi-immersion in Snoezelen and natural settings are experienced to offer a relaxation/rehabilitation therapy besides an entertainment experience with multisensory stimuli.

Chapter 25 discusses how modern technologies and the concept of virtuality, in Digital Twin and Metaverse forms, can help frail people increase their autonomy and quality of life. An analysis is provided on the leading technologies and research projects concerning the use of the digital social world to support frail persons, and the SIRIO solution, developed by Politecnico di Torino, to support people with Amyotrophic Lateral Sclerosis is presented.

Chapter 26 investigates the benefits related to the adoption of innovative methods and tools in the Digital Health field for the development of a Digital Twin for Amyotrophic Lateral Sclerosis with a

Preface

human-centered approach. Through the development of virtual environments, the goal is to evaluate the involvement of ALS patients who succeed in increasing their autonomy in daily actions. The ongoing research aims to evaluate the benefits of BIM-IoT-VR interaction through innovative graphical interfaces with an interdisciplinary approach, assessing user response by increasing user engagement.

SOCIETY 5.0 WILL CHANGE THE WORLD

The search for solutions to achieve Society 5.0 will be a challenging topic in the coming decades; therefore, this volume will be a trailblazer in this line of investigation, establishing a precise identity and affirming its high interest. It opens a new interpretation key to the digital initiatives experienced in the different sectors promoting human-centered services. The case studies presented and how technologies are used are highlighted as models capable of generating a positive impact. Technological development will always go further, but in the future, humans will require imagination to change the world and creativity to materialize their ideas (Keidanren, 2018). This book has a significant impact on the issue of Society 5.0 and on how technology should be used in the service of people, helping to stimulate stakeholders to seek new solutions, even starting from the examples described in the different chapters.

Francesca Maria Ugliotti
Politecnico di Torino, Italy

Anna Osello
Politecnico di Torino, Italy

REFERENCES

Cabinet Office. (2016). *The 5th Science and Technology Basic Plan*. https://www8.cao.go.jp/cstp/kihonkeikaku/5basicplan_en.pdf

Deloitte. (2022). *Digital Reality*. <https://www2.deloitte.com/us/en/pages/consulting/topics/digital-reality.html>

Hitachi-UTokyo Laboratory. (2020). Society 5.0. A People-centric Super-smart Society. *Springer Singapore*, 177. Advance online publication. doi:10.1007/978-981-15-2989-4

Keidanren (Japan Business Federation). (2018). *Society 5.0 - Co-creating the future*. <http://www.keidanren.or.jp/en/policy/2018/095.html>

Mitchell, W. J. (2001). *Smart Cities*. <https://smartcities.media.mit.edu/>

United Nations. (2018). *World Urbanization Prospects. The 2018 Revision*. <https://population.un.org/wup/publications/Files/WUP2018-Report.pdf>

World Economic Forum (WEF). (2020). *The Future of Jobs Report 2020*. https://www3.weforum.org/docs/WEF_Future_of_Jobs_2020.pdf

Chapter 24

Virtual Representations for Cybertherapy: A Relaxation Experience for Dementia Patients

Francesca Maria Ugliotti

 <https://orcid.org/0000-0001-5370-339X>

Politecnico di Torino, Italy

ABSTRACT

The development of serious games has enabled new challenges for the healthcare sector in psychological, cognitive, and motor rehabilitation. Thanks to virtual reality, stimulating and interactive experiences can be reproduced in a safe and controlled environment. This chapter illustrates the experimentation conducted in the hospital setting for the non-pharmacological treatment of cognitive disorders associated with dementia. The therapy aims to relax patients of the agitation cluster through a gaming approach through the immersion in multisensory and natural settings in which sound and visual stimuli are provided. The study is supported by a technological architecture including the virtual wall system for stereoscopic wall projection and rigid body tracking.


INTRODUCTION

In the third millennium, the discipline of drawing, in its various forms of representation, is facing a significant challenge in improving the quality of human life. The introduction and the consolidated diffusion of new means of expression and communication have enabled new perspectives of use that embrace very different fields and domains. The concept of Digital Twin contributes enormously to the vision of a Smart Healthcare (Tian et al., 2019) and truly Smart Hospital, where infrastructure, services and people are the crucial aspects to be managed as schematised in Figure 1. The main idea is to have a building with a digital brain and systems that can connect with users' needs and meet them in every respect using advanced approaches and digital technologies. This vision makes the hospital an ideal

DOI: 10.4018/978-1-6684-4854-0.ch024

place for experimentation as it must master a multitude of challenges simultaneously. Hospitals must reduce labor and operating costs, enable their staff to work more efficiently, optimize space efficiency, and comply with changing regulations without compromising a positive patient experience (Siemens Switzerland Ltd, 2022). In order to deal with these tasks, they are increasingly leveraging digitalization and technological innovations to build resiliency, enhance productivity and meet their strategic objectives. In this framework, high-tech solutions involving cyberspace, advanced robotics, 5G networks, Internet of Things (IoT) and Artificial Intelligence (AI) are therefore brought into play in a synergetic way to evolve and drive future growth and innovation for the healthcare experience. The tools are exploited to provide a virtual-based field to ensure the broadest participation in even more processes revolutionizing hospitals on the human, financial and operational levels. The focus is to seek the machine's efficiency and improve the quality of healthcare treatments and services delivery for the patient's well-being by combining advanced medical concepts and state-of-the-art devices. Within this context, telehealth and Remote Patient Monitoring (RPM) and Virtual Reality (VR) (Riva, 2002) find their place and acceptance by the patient, especially during and after the COVID-19 pandemic. A Smart Hospital is thus a hospital that uses technology to improve the quality of life of its users across the board, overcoming physical and spatial barriers. In this framework, the relation between three-dimensional digital representation, also derived from parametric models, and Virtual Reality technologies, represents an innovative frontier by enabling multi-dimensional scenarios and levels of interdisciplinary collaboration. This combination can be put to the service of the health sector in several areas: the technical knowledge and design, the usability of spaces and information (Ugliotti et al., 2019), training for nurses and caregivers, patient awareness and entertainment, diagnostics and prevention, and physical and psychophysical rehabilitation (Lányi, 2006). Therefore, they can embrace very different points of view of the hospital occupants, from managers and technicians to medical staff and patients and their families.

Figure 1. Smart Hospital framework



In the context of the scenario outlined, the chapter illustrates the application of Virtual Reality for therapeutic purposes. Compared to telehealth, which uses new technologies to provide health services remotely, cybertherapy employs technology to change the attitudes and behavior of its users, with long-term cognitive and bio-physiological effects (Emmelkamp, 2011). Cybertherapy was born in the United

Virtual Representations for Cybertherapy


States in the late 1980s, thanks to the interest and funding of the US Department of Defence. It refers to the different forms of clinical assessment and therapy that are based on the prevalent use of new technologies (Wiederhold & Wiederhold, 2004). In recent years, preliminary investigations have been conducted in this field, focusing on preserving residual skills and executive functions by reproducing of everyday contexts and actions. Through virtual therapeutics (Spiegel, 2020), i.e., Virtual or Augmented Reality experiences used alone or in combination with other tools or with traditional medicines, specific health needs of patients are being addressed. The application fields mainly concern clinical psychology and cognitive and motor rehabilitation (Borgnis et al., 2022). Among psychological impairments, solutions to control anxiety (Opris et al., 2012) and stress, phobias (Morina et al. 2015) and addiction, obesity and eating disorders are studied. The effectiveness of *COVID Feel Good* (COVID Feel Good, 2022), a simple virtual therapy experience able to reduce the anxiety and depression and overcomes the psychological burden generated by the Coronavirus pandemic (Riva et al., 2021), is currently in the news. The clinical trial was conducted by the Italian company *Become* in collaboration with the Università Cattolica and the Istituto Auxologico Italiano. The innovative approach of Immersive Virtual Telepresence (IVT) tools (Riva et al., 2004) makes it possible to improve the performance of rehabilitation and reintegration programs (Rizzo & Kim, 2005) for certain impaired functions. It allows these deficits to be managed, overcome or reduced and enables the patient to benefit from therapeutic support in environments where disorders commonly develop. Cognitive training (Pedroli et al., 2013) based on digital tasks and exercises can be an excellent solution for involving participants in structured mental activities and improving their cognitive functions, especially if the motivational and playful aspect is emphasized. For example, stroke patients (Huygelier et al., 2021) reported less fatigue when using a robotic device to navigate a virtual plane displayed on a regular computer monitor than without this visual feedback (Mirelman et al., 2009). A walk in the park (Moyle et al., 2016), searching for products on the shelves of a supermarket (Zygouris et al., 2015), executing a recipe (Valve Corporation, 2022; Foloppe et al., 2018; X-Tech Blog, 2022), are some activities that require the implementation of choices and strategies. RelieVRx (AppliedVR Inc., 2021) is the first and only Food and Drug Administration (FDA)-authorized at-home immersive Virtual Reality non-pharmacological pain treatment. It is a prescription-use immersive system intended to provide adjunctive treatment based on cognitive behavioral therapy skills (Garcia et al., 2021) and other evidence-based behavioral methods for patients with a diagnosis of Chronic Lower Back-Pain (CLBP). This significant utilization variability is supported by the faithful three-dimensional rendering of human body parts or an avatar that can interact with situations and objects to achieve different goals depending on the subjects involved. The possibility of customizing the scenes and activities, making them more engaging, and adapting the therapy according to patients' feedback on performance are advantages of experimenting with the new visualization method. Volumetric and 360-degree videos (O'Sullivan et al., 2018) are moreover used as low-cost newer technologies in terms of time and resources for development as they are spherical recordings captured by sophisticated cameras with omnidirectional lenses that can collect images from all over the scene. They offer the opportunity to immerse oneself in authentic natural environments that are known to evoke positive emotions (Yeo et al., 2020; Yu et al. 2018; Chirico & Gaggioli, 2019; Lee et al., 2021). For these reasons, they are especially suitable for home-based rehabilitation activities (Pedroli et al, 2022; Pedroli et al, 2021; Boilini et al., 2020) and make sharing content easy with patients and their families on smartphones and tablets beside head-mounted displays. The literature review shows that these innovative digital applications may represent a revolution in cognitive screening methodology within the clinical setting of Dementia (Robert et al., 2014). Preliminary experiences of serious games to assess executive functions (Castelnuovo et.al, 2003), attention, memory and visuospa-

tial orientation are detected (Zucchella et al., 2014; Serrani, 2014; Manera et al., 2015; Dudzinski et al., 2016; Valladares-Rodriguez et al., 2018). The *Cognitive Virtual Stimulation* application presented in this research is created to offer a relaxation/rehabilitation therapy besides an entertainment experience with multisensory stimuli. The serious game developed is used to set up a clinical study.

Research Background

The background of this study is the CANP – la Casa Nel Parco project. It proposes e-health solutions for management processes, telemedicine and telehealth. The aim is to support the accessibility and interoperability of information to achieve better services, decentralise care, rationalise resources, and improve care pathways. The European Commission indirectly funds it through the POR FESR 2014/2020 regional program within the preparatory actions for realizing the future Turin Health, Research, and Innovation Park. In this context, the activities of the Politecnico di Torino have been focused on the design and development of a service ecosystem to support patients, family members/caregivers and professionals to improve patients’ quality of life, as shown in Figure 2. On the one hand, the *Re-Hub* platform has been developed for mapping the healthcare facilities present on the territory. It integrates a recommendation system that allows the user to compare them in a personalized way concerning objective aspects linked to pathology and medical needs and subjective aspects, i.e. territorial services, functional characteristics of preference and user perception. This system, which adopts the logic of booking engines, allows operators and patients to make more effective use of rehabilitation facilities thanks to exploring indicators of interest. On the other hand, a set of Virtual Reality applications for the health sector are promoted within the *Virtual-Hub* platform. These solutions are characterized by a high degree of innovation and creativity, as evidenced by the limited availability of studies in the literature. The approach outline three synergistic lines of research: (i) Design – the creation of multidimensional scenarios for the realization of hospital environments, healthcare facilities and private homes that are increasingly functional and comfortable concerning the needs of users; (ii) Awareness raising: engaging users through interactive experiences to promote consciousness and disseminate information (Ugliotti, 2020); (iii) Cybertherapy – using digital models to test innovative relaxation/rehabilitation therapies for patients (De Luca & Ugliotti, 2020; Fardello, 2020). This last thread is detailed in the following.

Figure 2. Application to raise awareness among patients and their families regarding home hospitalisation








METHODOLOGY

This specific contribution is part of broader research investigating the conditions that can make cybertherapy experimentation effective. As shown in Figure 3, different aspects are considered: such as pathology, patient target (e.g., age, gender, social background), level of self-sufficiency (e.g. autonomous experience, caregiver-assisted or physician-guided), degree of immersiveness (fully immersive, semi-immersive) and place where to carry out the experience (e.g. patient’s home, dedicated rooms in hospital or nursing home). This chapter aims to illustrate a virtual experience evaluated for pathologies that lead to cognitive impairment from the generated matrix of combinations.

Dementia is a comprehensive definition that includes various neurocognitive disorders, often in a progressive manner accompanied by a worsening of the quality of life of both patient and caregiver. It impairs various brain functions, such as memory, language, reasoning, orientation and the ability to perform complex problems. These cognitive dysfunctions are associated with personality and behavioral changes, including irritability, anxiety, depression, insomnia and apathy. The pharmacological search for a molecule that can modify the natural history of the disease has met with multiple failures (ADI, 2018). The only possible therapy is the symptomatic one. The focus has therefore shifted toward non-pharmacological interventions (Abraha, 2017). These are indicated as the first line of treatment, especially in psychological and behavioral disorders associated with Dementia. Non-pharmacological interventions can be classified as (i) sensory stimulation interventions (acupuncture, aromatherapy, chromotherapy, touch/massotherapy, light therapy, ortho therapy, music and dance therapy, transcutaneous electrical stimulation, and multisensory stimulation/snoezelen); (ii) cognitive-affective interventions such as reminiscence therapy; and (iii) other behavioral management interventions such as pet therapy. Among sensory stimulation techniques, only music therapy has been shown in the literature to be effective, especially in reducing agitation, aggression and anxiety. There is still a long way to go in this field, overcoming the current limitations of the studies conducted so far (i.e. low sample size, unclear definition of study designs, heterogeneity of intervention protocols, short duration of treatment and follow-up period).

Figure 3. Methodological investigation matrix

	Pathology 	Target 	Self-sufficiency 	Immersiveness 	Place 
Case 1	Dementia	Senior	Doctor-guided	Semi-immersive	Hospital
Case 2	Dementia	Senior	Staff-guided	Semi-immersive	Nursing home
Case 3	Dementia	Senior	Caregiver-assisted	Full-immersive	Patient home
Case N

The methodological approach adopted involves an investigation path by successive stages of development to evaluate the involvement of Virtual Reality as an element of support for the no-pharmacological management of Dementia-associated behavior disorders. The primary objective is the relaxation of patients through immersion in peaceful environments. It is then possible to introduce interaction elements until an actual cognitive rehabilitation activity can be set up. As a first step, the reaction of patients to the use of Virtual Reality in the hospital context is evaluated through a guided experience by specialized operators and assisted by medical staff. In a further stage, the application in nursing homes and then in the patient's living environment can be considered. Depending on the specific scenario, several technologies can be tested.

In the context of the CANP project, the study promotes a semi-immersive guided experience with Virtual Wall technology in a hospital setting. A Virtual Reality application has been implemented, and a clinical trial has been designed in collaboration with the Geriatrics Department of the Molinette complex of Turin, as described in the following.

Cognitive Virtual Stimulation Application

At the base of this study is the hypothesis that, as happens in reality for physical spaces, virtual environments can also provide positive experiences for Dementia and Alzheimer's patients. Through cybertherapy, it is being tested how quiet and comfortable places can help reduce agitation and anxiety, making users feel better and improving their mood. The *Cognitive Virtual Stimulation* application is implemented using three-dimensional representations and the *Unity* game engine platform (Unity Technologies, 2022) to create interactive content with real-time animations. It is designed to run with the Virtual Wall system. The semi-immersive navigation shown in Figure 4 is allowed through 3D goggles and the Xbox joystick. As mentioned above, the experience is guided considering the target user's age, around 80 years old, and ability to use new technologies. An operator leads the patient on this virtual walk and initiates the different activities.

Figure 4. Semi-immersive guided cybertherapy experience for Dementia patients



Virtual Representations for Cybertherapy

The virtual settings are designed to promote a gradual transition from the real to the virtual context and stimulate different brain areas to slow down the degradation process triggered by the disease. The experience unfolds based on three different scenarios, as shown in Figure 5: the geriatrics ward of the Molinette hospital, an indoor and an outdoor environment, a multisensory room and a natural setting, respectively. The first two scenes come from BIM models, while the third is only graphic modelling. In fact, in the framework of the CANP project, solutions are also analyzed for the digitalization of the built environment, to make information about the building and the assets contained therein usable, and for the participatory design of increasingly high-performance environments available to patients. The indoor setting was originally derived from an actual study and design activity (Carvajal Talero, 2019). This sequence of virtual spaces is conceived to activate different emotions in the patient, of discovery in the initial phase, relaxation and subsequent interaction in the following ones.

The session is started by walking along the corridor of the hospital ward. It recalls the route taken by the patient to reach the place of experimentation. The user's recognition of a familiar environment establishes a phase of acclimatization by establishing a relationship of confidence with the patient, who does not feel disoriented and, therefore, in trouble. The scene is rendered realistically, even if beautified by additional furnishing and natural elements. The path is accompanied by background music to further isolate the participant from the surrounding context. At the end of the corridor, on the right, there is the multisensory room that activates the second set and initiates the appropriate experimental activities.

The indoor scene represents the virtual transposition of a multisensory room designed according to the *Snoezelen* method - a Dutch term deriving from the contraction of the verbs "sniffen" (to explore) and "doezelen" (to relax). The design principles provide a welcoming and relaxing environment. The approach is also known in the literature under the term Multi-Sensory Environment (MSE) (Collier et al., 2017). It is used among the innovative non-pharmacological therapies for patients suffering not only from Dementia but also from other cognitive disabilities and psychiatric pathologies (van Weert et al., 2005). The initial phase of environmental exploration is passive. The objective is to achieve the relaxation of the patient acting in particular through the features of the space such as furniture elements, colors, and soothing sounds to transmit positive energy. The operator accompanies the patient to discover these characteristics. Lighting effects are one of the distinctive aspects achieved by employing bubble lamps, fiber optics, and spotlights. Soft items are placed on the floor, such as pillows or beanbags, simulating comfortable seating in correspondence with a large monitor that reproduces the dynamic vision of an aquarium with colorful fish moving slowly and drawing repetitive trajectories among the corals. Water is also present in the room by bubble tubes that move vertically at a slow and constant speed. They are used as a complementary focal instrument to encourage visual tracking, color recognition, physical movement and hand-eye coordination. Two windows are placed from which well-known Italian points of interest, such as views of the Mole Antonelliana and the Basilica di Superga, can be appreciated. This strategy is used to maintain a connection with reality and open up the environment, not forcing the patient into an utterly locked place that could have triggered feelings of fear and discomfort. Cause and effect items are implemented to allow the individual to control elements within the environment, although not directly as discussed later and return visual- acoustic effects. For example, it is possible to experience different color schemes of the setting by adjusting the room's lighting from cold blue-violet tones to warm yellow-orange tones. Then the patient is subjected to visual and audio cognitive stimuli in the following phase. The focus is on distracting the patient from interrupting possible agitated behavior. The *Memory Train*'s first activity involves scrolling on the screen previously used to show the aquarium a sequence of images evocative of the user's years of youth and maturity, with famous people, familiar

places, and advertising slogans. For example, black and white images of the carousel, wooden school desks and some of Totò's films are shown. These inputs aim to evoke lost memories and emotions in the patient, who may express interest in sharing and recounting them, finding peace and serenity. A second activity encourages the cognitive sphere through music therapy, thanks by listening to a choice of very well-known songs and playing different rhythmical musical instruments (saxophone, electric guitar, drums and violin). From the indoor setting, there is a link to the outdoor one.

The outdoor scene consists of a natural landscape characterized by trees, paths, leaves, streams, a waterfall, and small shrubs. Some animals, from cats to lions, cows to giraffes, arouse amazement thanks to their unusual location. Small squirrels are moving under the trees, and little birds are chirping. The presence of the wind is simulated through the gentle fluttering of tree branches. Here again, the presence of water is used as sound therapy for healing. There is a pool of water in which the shadows of moving fish can be clearly recognized. As the user approaches, the natural running sound of the water becomes louder and louder to emphasize the realistic perception of the scene. Exploration is more free form than before, and the patient's involvement within a pleasant environment is assessed.

Figure 5. Cognitive Virtual Stimulation application structure




Virtual Wall Virtual Reality Technology

The *Cognitive Virtual Stimulation* application is designed to be executed with the Virtual Wall technology, which integrates stereoscopic wall projection and rigid body tracking tools. It is part of the Cave Automatic Virtual Environment (CAVE) visualization system invented at the University of Illinois at Chicago in 1992 (Cruz-Neira et al., 1992). It consists of a cube-shaped VR room in which the walls, floors and ceilings are projection screens. This VR theatre gives back the feeling of being immersed in the virtual scenario projected on the screens by a correct reading of the spaces, volumes and distances simulated with a scale of 1:1 (Cruz-Neira et al., 1993). The Virtual Wall solution instead involves only one screen for a semi-immersive experience. The graphical environment is realized by transmitting the three-dimensional model to the screen using a high precision stereoscopic holographic projector. The user can perceive its positioning in the three-dimensional space and interact with the screen through devices equipped with reflective markers. These sensors are detected by the cameras connected to the

Virtual Representations for Cybertherapy

workstation transmitting a tracking signal processed by the software program. The higher the signal accuracy, the greater the user tracking in the surrounding space. In our specific study, 3D glasses, an Xbox joystick and four infrared cameras are used, as shown in Figure 6. For the Virtual Wall system to be installed, it is necessary to have a room of adequate size, with a free wall of at least 2.70x3.10 m. It is essential to be able to darken the room completely. The equipment must be carefully installed and calibrated in the specific place where it will be used to be effective. Some tracking problems may occur due to reflective surfaces, such as tiles, transparent surfaces and cabinet panels, and non-removable light sources. The virtual environment will be more engaging and realistic if the physical room is confined, free of clutter, with neutral tones.

Figure 6. Virtual Wall Virtual Reality technology



Clinical Trial

At the same time as designing the *Cognitive Virtual Stimulation* application, the opportunity arose to carry out a clinical trial as part of the CANP project. The prospective observational study concerns the use of Virtual Reality and the Virtual Wall system to manage agitation in Dementia patients. Precisely, it is planned to subject the older adults with Dementia to a cycle of twice-weekly sessions of semi-immersive virtual therapy for two months. The overview of the technological infrastructure deployed is outlined in the following section. The main primary and secondary objectives of the study are as follows.

- To assess the feasibility of a non-pharmacological intervention using Virtual Reality in the elderly patient with moderate-to-severe major neurocognitive disorder and agitation.
- To rate the enjoyment of different types of virtual environments.
- To evaluate the effects on agitation in the short and long term.
- To consider the effects on a patient's quality of life.
- To value the impact on the caregiver's perception of the care load.

It is expected to enroll fifty people referred to the outpatient of the S.C.U. Geriatrics department, who are 75 years of age or older and have been diagnosed with moderate-severe major neuro-cognitive

disorder according to the diagnostic criteria of the DSM-V (American Psychiatric Association, 2013). The level of cognitive impairment is assessed through the Mini-Mental State Examination (MMSE) test (Folstein et al., 1975) and Clinical Dementia Rating (CDR) parameter (Morris, 1997). Irritability, aggressiveness, aberrant motor activity and sleep disturbances are some of the behavioral impairments considered. They are primarily concerned with the agitation cluster. The place of experimentation is the hospital. Depending on the requirements for using the Virtual Wall mentioned before, a suitable room was selected at the hospital ward of *Servizio di Ospedalizzazione A Domicilio della S.C. Geriatria e Malattie Metaboliche dell'Osso – PO Molinette* of the *Azienda Ospedaliero Universitaria Città della Salute e della Scienza di Torino* and the set-up and configuration was carried out. The trail was then carefully engineered to make the individual guided virtual experience replicable and comparable in its modalities for all participating subjects. The study protocol comprises five main phases in which different professionals are involved depending on the actions to be carried out. At least two operators and one doctor participate in the study in addition to the patient.

Phase One: Pre-screening and enrolment

The first step to starting the programme is knowledge-based. It involves the assessment of the patient's initial clinical conditions and the determination of eligibility for inclusion in the study. Mainly the drug therapy and the care load are considered. Information on the patient's biography and the level of digital competence is also essential to evaluate the user feedback during the therapy session. This activity consists of an interview of the patient and his/her caregiver with the doctor.

Phase Two: Semi-immersive therapy sessions


Each patient undergoes a program of sixteen sessions, two per week for eight consecutive weeks. Each session lasts 15 minutes, and two experimenters and a doctor are present in addition to the participant. The caregiver can attend the session but should not speak or have eye contact with the patient. It is believed that communicating with a familiar person can distract the patient and affect the session, the enjoyment and the possible outcome of the experience. The subject is welcomed into the experimental environment and made to feel comfortable, allowing him/her to adapt to the situation. He/she is seated in the centre of the room in front of the Virtual Wall screen and is asked to wear an accelerometric sensor placed on the patient's wrist to monitor vital parameters and 3D glasses with markers. To make the session as experiential as possible, the operator positions himself immediately behind the patient and leads him through the virtual walk by moving with the controls of the Xbox joystick. The doctor sits next to the patient and observes his reaction. A second operator also observes the session from the back of the room. The environment is darkened, and the feeling for the patient is that of being alone. The same application is provided to the user for all 16 sessions. Although this may sound repetitive, it is essential for the validation of the study. Moreover, the state of confusion caused by the disease makes the patient forget the contents of the treatment from one session to the next, thus making the experience as attractive and stimulating as the first time. As an experimenter leads the session, it was possible to define precisely all aspects characterising the virtual walk in terms of actions to be performed and timing and overall duration. The start of the route with the linear exploration of the hospital ward corridor (entrance and exit) is used as an acclimatisation time. It, therefore, has a short duration of 1 minute. The multisensory room is assigned a total of 11 minutes. The gradual discovery of the different elements is 4 minutes long and ends with the user observing the aquarium. The visual stimuli proposed in the *Memory Train* activity take up to 3 minutes. In comparison, the sound stimuli with listening to the instruments and a famous song of the user's choice are set aside for 4 minutes. In the natural landscape, 3 minutes are spent. The experience ends with returning to the hospital corridor, where everything started.

Virtual Representations for Cybertherapy

Phase Three: Significant session data recording

At the same time as the virtual therapy session takes place, the patient's reactions are recorded, and observation sheets are filled in by the doctor and the second operator together. At the beginning and immediately at the end of the session, the patient will be measured for blood pressure, heart rate, and respiratory rate. Accelerometric measurements, which are significant for the quantity of movement the subject makes during the session, and heart rate are recorded to check the state of relaxation of the subject. These parameters are measured via the smartwatch-type accelerometer sensor worn on the patient's wrist. The collected data are downloaded using dedicated applications as Comma-Separated Values (CSV) files and made available for analysis. Then these values are correlated with the sequence of the different virtual environments and the visual and sound inputs proposed in the virtual walk. In addition to the trend, the standard deviation, median, mode, maximum, minimum and mean values are also calculated for each dataset. The experimenter also notes aspects of non-verbal communication and body movements: open/closed eyes, the posture assumed in the chair, e.g., whether the back is against the backrest, whether the legs are crossed. These elements help to understand the patient's state of relaxation, whether at ease or in a state of agitation and restlessness. The patient can also be filmed during the session to observe better these elements such as facial expressions, gestures, and behaviour. The patient's reaction to the visual and auditory stimuli is scored, in particular, if the attitude is passive and no interaction is established or if the patient asks questions or comments, telling about their personal experience and verbalising their state of mind. Another significant element is the active listening during the music part, where it is observed whether the patient keeps the rhythm, whistles or sings. At the end of the intervention, the doctor conducts an informal interview with the patient to assess satisfaction. In particular, the presence of emotions such as confusion, fear, sadness, and the appearance of any side effects like discomfort, vertigo, dizziness, and headache due to the use of the technology are checked. The level of gradability of the non-immersive virtual reality tool is assessed by constructing a Likert scale (Joshi et al., 2015). A PDF summary monitoring report is generated using the data storage system discussed in Phase Five based on information collected during each session. The computer language used is Javascript. The experimenter manually loads the punctual information into the system, while the heart rate and accelerometer data are processed from the external datasets recorded by the smartwatch. An example is given in Figure 7. The first part of the report presents a graphical representation of the patient's heart rate and accelerometer fluctuations. Both graphs show on the x-axis the time values, i.e. the time instants in which the recordings are made, while the y-axis shows the values of the monitored data expressed in their unit of measurement. In the graphic restitution of the diagram, vertical reference lines are implemented at specific time instants. These identify the transition between one virtual setting and another, considering the different inputs proposed. They, therefore, correspond to the timing described in Phase Two, i.e. minutes 0, 1, 5, 8, 12, and 15. The second part of the report contains a radar chart indicating: enjoyment, relaxation, level of personal involvement and outcome of interaction with sound and visual input. The two datasets refer to the multisensory and natural rooms. This type of graph is used to quickly visualise the effect and compare the results for the two different environments. It is not possible to establish a priori which of the two virtual environments can return more satisfying sensations. The report's last section is dedicated to collecting a short descriptive text representative of the individual experience. It includes any aspects not considered and evaluated utilising appropriate scales that may prove helpful in understanding the phenomena.

Figure 7. Summary session monitoring report



Phase Four: Baseline, conclusion, post-conclusion assessment


During the program, three moments of clinical evaluation are identified. They are conducted by the doctor through a structured interview individually with both the patient and the caregiver. Patients are evaluated at baseline (t_0), at the end of 8 weeks of non-pharmacological treatment (t_1), and one month after the conclusion of treatment (t_2) in order to detect the feasibility of the intervention with Virtual Reality, the immediate and long-term effects of an innovative non-pharmacological approach on agitation. The data collection is done through structured interviews and the completion of validated scales. The evaluation includes cognitive and functional assessment of the patient, measurement of agitation, also considering indirect aspects such as the impact on quality of life and sleep characteristics of the patient, pharmacotherapy and caregiver burden. With regard to cognitive status, Mini-Mental State Examination (MMSE) test (Folstein et al., 1975) and Clinical Dementia Rating (CDR) parameter (Morris, 1997) are considered. The Cohen-Mansfield Agitation Inventory (CMAI) index (Cohen Mansfield, 1986) and the Pittsburgh Sleep Quality Index (PSQI) self-report questionnaire (Buysse et al., 1989) are assessed for the state of agitation, and the EQ-5D-5L for the patient's quality of life (Herdman et al., 2011). Finally, the caregiver's care burden is assessed through the Caregiver Burden Inventory (CBI) scale (Novak & Guest, 1989).

Phase Five: Reporting and data analytics

As anticipated in the previous steps, many parameters must be monitored to validate the effectiveness of the therapy. For this reason, a structured data collection system was deemed appropriate. The systematization of the dataset makes it possible to analyze the information of test subjects' patients, compare results and perform statistical processing through a generalized linear model for repeated measurements. The logical architecture of the computer network is of the client-server type. The Google Chrome web browser is used with desktop visualisation via local address for the user interface. The entry, consultation and updating of the characteristic patient and related session data are managed through dedicated sections created through HyperText Markup Language (HTML) documents. A local server interprets client input requests and communicates with the database. The XAMPP control panel is used to acti-

vate the Apache and MySQL modules. Communication between the local server and the database takes place via a specific Personal Home Page Language (PHP). The user can display the output via client-processed HTML pages. The process is schematised in Figure 8. When a new patient is registered, a unique identification code is assigned, which will represent the participant throughout the entire care process. A specific section is implemented in the client to visualise the database without the possibility of modification. It allows the doctor to use the system easily while preserving the integrity of the data.

Figure 8. Logical client-server-database integration process




Technological System Architecture

The pilot study is supported by a system of technologies and platforms for testing non-pharmacological interventions using Virtual Reality to manage of cognitive disorders associated with Dementia. The architecture includes several layers of technology, communication and data storage, as shown in Figure 9.

- Virtual Reality Application: designed with Unity software in C#. The application is launched via Unity software. The configuration and the operation require the use of the Virtual Wall system.
- Unity: software for creating and launching virtual scenes.
- Virtual Wall: a system for interactive Virtual Reality based on stereoscopic wall projection equipped with fixed components, transportable if necessary and complete with tools for tracking rigid bodies.
- Optitrack Motive: rigid body tracking software.
- MiddleVR: software for receiving and processing tracking signals by superimposing them on the virtual scene's three-dimensional model.
- Wearable Xiaomi mi band 2: wearable system with accelerometer and heart rate sensors used to monitor movement and heart rate while performing activities non-invasively.
- App Android Mi Fit: Android application combined with Xiaomi mi band 2 Wearable device for activity recording.
- App Sleep As Android: Android application for sleep cycle monitoring used for recording accelerometer data detected by Wearable Xiaomi mi band 2.
- App Tools & Mi Band: Android application associated with Mi Fit used for continuous monitoring of heart rate detected by Wearable Xiaomi mi band 2.
- Front-end: Unity code for the virtual scenes and user interface realized with HTML markup language for the imputation of the characteristic data of the study and the integration of the data recorded by the Sleep As Android and Tools & Mi Band applications. The Visual Studio Code text editor is used.
- Back-end: Unity for the virtual scenes and HTML JavaScript platform that dialogues with the Front-end through PHP programming language calls to the MySQL database, hosted by the XAMPP virtual environment, for the consultation and storage of the characteristics in the MySQL database.
- XAMPP platform: high-level infrastructure used as an application server.
- MySQL: database management system for collecting the study data.
- Apeman A60 1080p HD Sports: Action Camera for image and video capture to assess patient enjoyment of the experience.

Figure 9. Technological system architecture




Pre-Clinical Trial Session

The *Cognitive Virtual Stimulation* application and the prototype configuration of the system have been fully realized and are available for a clinical study. However, the trial has been temporarily suspended due to the COVID-19 epidemiological emergency. In this situation, it was impossible to access the geriatrics department's areas and recruit patients from the target group in question, as it was considered unsafe to have them come to the hospital twice a week. However, a limited test sample is available thanks to some preliminary sessions conducted in concomitance with the installation of the Virtual Wall technology at the Molinette Hospital in Turin. Fifteen patients underwent the first session of the trial on a voluntary basis. No critical issues or adverse reactions emerged at this stage that hindered the session's running. Despite the age target considered, around 80 years of age, the subjects involved were willing to carry out the virtual session. Some did not quite understand why they had to undergo this experience; on the other hand, no one shied away from doing it. They readily agreed to wear the 3D goggles for body tracking and the smartwatch to monitor heart rate and movement. Nobody decided to interrupt the session before the 15-minute time limit. The three-dimensional settings enriched with sound and interactive elements were generally assessed as pleasant. All participants recognized the correspondence of the virtual corridor with the real one of the hospitals they had just walked through to reach the test site, even though it had been decorated with greenery and paintings that were not there. Viewing the aquarium definitely aroused strong interest and entertainment in the multisensory room. Observing the movement of the water and the fishes caught their attention. At the same time, the sequence of pictures proposed in the Memory Train stimulated the patient's openness and willingness to recall moments of lived life. In some cases, the participant reported personal events more or less related to the presented photographs. It was noted that the content of the input was not necessarily related to the patient's stories. Almost no one recognised the Mole and Superga outside the windows present in the room. However, the images were associated with monuments of collective interest familiar to the participant's life. Almost all participants generally achieved a beginning feeling of relaxation in correspondence with the delivery of the sound stimuli. As anticipated, music therapy is widely affirmed in this field. So, it proved to be even when the delivery took place in a virtual setting. It can be noted that all participants showed a more laid-back attitude while listening to the music. The position in the chair is less rigid and more comfortable; the legs are crossed, and the hands and feet keep the rhythm. The patient started to sing in limited cases, more frequently moving his lips or whistling. It was not possible to clearly identify the patients' preferences concerning virtual settings. Thanks to the natural elements, the outdoor setting is indeed rated positively by many users. However, it has been found that being in an environment with a vast horizon can make it difficult for patients, who may even feel disoriented. In contrast, the indoor environment provides a protected environment as it is closed and well-defined, so the user does not feel discomfort. Also, patients with hallucination disorders experienced the presence of shadows often associated with people in the natural environment. For this reason, demented patients with these alterations were excluded from the study. On the other hand, however, the user detected a complete feeling of immersion in the natural environment. This aspect may be due to the gradual patient acclimatisation to the virtual context. For example, some subjects shifted their heads, intending to dodge tree branches during their walk. The observation of the non-verbal language expressed by the patient is fundamental to verifying the performance of the experience both in terms of the quality of the graphic representation and possible calming effects. Only in the case of a drug-sedated patient the session was not very useful as the subject's attention span was minimal, and he tended to fall asleep. Notably, one patient, who was not very communicative during

the session, manifested a condition of total relaxation by whistling a song while virtually walking in the natural landscape setting guided by the operator, as shown in the video shown in Figure 10. This episode in which the most significant involvement was found encourages further feasibility studies and experiments related to the use of virtual technologies.

Figure 10. Feeling of total relaxation achieved in the natural environment



FUTURE RESEARCH DIRECTIONS

The experimentation mentioned above constitutes the first methodological step in a broader research project introducing the use of Virtual Reality for the treatment of cognitive-behavioural disorders. In the event of positive, or at any rate not negative, results from the clinical trial carried out in the hospital setting, new paths of investigation would open up. On the one hand, it is possible to evaluate the customisation of the application to provide an experience characterised by the most significant elements of each participant's life and respond to specific needs. Starting from the *Cognitive Virtual Stimulation* application, for instance, it is possible to replace the images proposed in the *Memory Train* activity with photographs from the patient's private sphere so that they can recognise themselves in different situations at different times in their lifetime. On the other hand, it is planned to set up an actual cognitive rehabilitation programme with the gradual enrichment of the proposed sensory activities and the introduction of a section dedicated to the performance of some basic and more advanced memory exercises (De Luca & Ugliotti, 2020; Carvajal Talero, 2019). For example, the caregiver can ask the patient to remember a meaningful date for him/her or the current date and compose it virtually using a slider. Alternatively, patients can exercise their minds by recomposing the order of a sequence of colours or a jigsaw puzzle. The use of representation, shapes and colours becomes essential to make the experience enjoyable. The patient can also become autonomous in exploring space and performing cognitive exercises. After an initial period of using cybertherapy in a hospital setting, it is expected that the application can be extended to nursing homes and home settings. It is essential to remodel the experience using less expensive and less complex technologies in this latter case. Dementia appears to be just one of the possible pathologies for these studies and activities.

CONCLUSION

This chapter presents the most exciting results of cyberspace exploitation obtained within the CANP research project framework. The therapy is evaluated for the non-pharmacological treatment of Dementia-related cognitive disorders. The *Cognitive Virtual Stimulation* application proposes a multi-sensory indoor scenario and a natural outdoor setting to evaluate the effectiveness of Virtual Reality for the relaxation of the elderly patient with moderate-to-severe major neurocognitive disorder and agitation. Solutions involving serious games are currently evaluated to improve patients' quality of life through innovative, captivating experiences. The implementation as a diagnostic and therapeutic tool offers innovative possibilities for the understanding, evaluation and rehabilitation of numerous cognitive, psychiatric and motor disorders. The study examines Dementia and considers a target group of senior users. However, this experiential approach is considered extraordinarily versatile and can embrace a broad spectrum of case histories and pathologies. From the elderly to children, from care to entertainment. Creating a specialized virtual technology center would undoubtedly enrich the hospital's range of services and be of interest to multiple hospital departments. It is also essential to assess the impact of research on the ability to design actions for the future, considering the development and maturation time of studies and prototypes and the characteristics of possible users. In particular, the target audience is not the patient and older adult of today but the one who will be able to take up interactivity and deal more naturally with technological devices in the medium to long term. The multidisciplinary approach applied to the healthcare context can contribute to the patient's well-being from the perspective of the Society 5.0 and foster new market and research fronts. In this scenario, the role of representation is put at the service of the Smart Hospital to extend and enrich the processes of participatory design and user experience activities.

ACKNOWLEDGMENT

The European Commission indirectly supported this research titled "la Casa Nel Parco" (CANP) through the POR FESR 2014/2020 Piedmont regional program [ID CANP 9455-1572-71680]. The author is pleased to thank the S.C. Geriatria e Malattie Metaboliche dell'Osso – Ospedalizzazione A Domicilio of the Molinette Hospital under the supervision of Dr Renata Marinello for the collaboration to the realisation of the clinical trial, and the biomedical master's student Mario Fardello and the research fellows Riccardo Levante, Francesco Alotto and Daniela De Luca for permission to exhibit part of their work.

REFERENCES

- Abraha, I., Rimland, J.M., Trotta F.M., Dell'Aquila, G., Cruz-Jentoft, A., Petrovic, M., Gudmundsson, A., Soiza, R., O'Mahony, D., Guaita, A., & Cherubini, A. (2017). Systematic review of non-pharmacological interventions to threat behavioural disturbances in older patients with dementia. The SENATOR-On Top series. *BMJ Open*. . doi:10.1136/bmjopen-2016-012759
- Alzheimer's Disease International (ADI). (2018). World Alzheimer Report 2018. *The state of the art of dementia research: New frontiers*. <https://www.alz.co.uk/research/WorldAlzheimerReport2018.pdf>

- American Psychiatric Association. (2013). *DSM-5 Task Force. Diagnostic and statistical manual of mental disorders: DSM-5* (5th ed.). American Psychiatric Publishing, Inc. doi:10.1176/appi.books.9780890425596
- Applied V. R. Inc. (2021). *RelieVRx*. <https://www.relievr.com/>
- Boilini, L., Rossi, M., Stefanelli, L., Goulene, K., Sacco, M., Stramba-Badiale, M., Riva, G., & Gaggioli, A. (2020). A new application for the motor rehabilitation at home: structure and usability of Bal-App. *IEEE Transactions on Emerging Topics in Computing*, 9(3), 1290-1300. doi:10.1109/TETC.2020.3037962
- Borgnis, F., Baglio, F., Pedroli, E., Rossetto, F., Uccellatore, L., Oliveira, J., Riva, G., & Cipresso, P. (2022). Available Virtual Reality-Based Tools for Executive Functions: A Systematic Review. *Frontiers in Psychology*, 13. doi:10.3389/fpsyg.2022.833136
- Buysse, D.J., Reynolds III, C.F., Monk, T.H., Berman, S.R., & Kupfer, D.J. (1989). The Pittsburgh Sleep Quality Index: A new instrument for psychiatric practice and research. *Journal of Psychiatric Research*, 28(2), 193-213. doi:10.1016/0165-1781(89)90047-4
- CANP. (2018). *CANP - la casa nel parco* [CANP – The House in the Park]. <http://casanelparco-project.it/>
- Carvajal Talero, J. R. (2019). *Virtual Reality in Treatments for Alzheimer's patients* [Master's thesis]. Politecnico di Torino.
- Castelnuovo, G., Lo Priore, C., Liccione, D., & Cioffi, G. (2003). Virtual Reality based tools for the rehabilitation of cognitive and executive functions: The V-STORE. *PsychNology Journal*, 1(3), 310–325.
- Chirico, A., & Gaggioli, A. (2019). When virtual feels real: Comparing emotional responses and presence in virtual and natural environments. *Cyberpsychology, Behavior, and Social Networking*, 22(3), 220–226. doi:10.1089/cyber.2018.0393 PMID:30730222
- Cohen Mansfield, J. (1986). Agitated behaviors in the elderly. II. Preliminary results in the cognitively deteriorated. *Journal of the American Geriatrics Society*, 34(10), 722-7) doi:10.1111/j.1532-5415.1986.tb04303.x
- Collier, L., & Jakob, A. (2017) The Multisensory Environment (MSE) in Dementia Care: Examining Its Role and Quality From a User Perspective. *HERD*, 10(5), 9-51. doi:10.1177/1937586716683508
- COVID Feel Good. (2022). <https://www.covidfeelgood.com/>
- Cruz-Neira, C., Sandin, D. J., & DeFanti, T. A. (1993). Surround-Screen Projection-based Virtual Reality: The Design and Implementation of the CAVE. In *SIGGRAPH'93: Proceedings of the 20th Annual Conference on Computer Graphics and Interactive Techniques* (pp.135–142). Association for Computing Machinery. 10.1145/166117.166134
- Cruz-Neira, C., Sandin, D.J., DeFanti, T.A., Kenyon, R.V., & Hart, J.C. (1992). The CAVE: Audio Visual Experience Automatic Virtual Environment. *Communications of the ACM*, 35(6), 64-72. doi:10.1145/129888.129892
- De Luca, D., & Ugliotti, F. M. (2020). Virtual Reality to Stimulate Cognitive Behavior of Alzheimer's and Dementia Patients. In *Augmented Reality, Virtual Reality, and Computer Graphics. AVR 2020* (pp.101-113). Springer. doi:10.1007/978-3-030-58468-9_8

Virtual Representations for Cybertherapy

- Dudzinski, E. (2016). Using the Pool Activity Level instrument to support meaningful activity for a person with dementia: a case study. *British Journal of Occupational Therapy*, 79(2), 65–68. doi:10.1177/0308022615600182
- Emmelkamp, P. M. (2011). Effectiveness of cybertherapy in mental health: A critical appraisal. *Annual Review of Cybertherapy and Telemedicine*, 2011, 3–8. PMID:21685633
- Fardello, M. (2020). *Sperimentazione di terapie innovative che utilizzano la realtà virtuale per la gestione non farmacologica dei disturbi del comportamento associati a demenza* [Experimentation of innovative therapies that use virtual reality for the non-pharmacological management of behavioral disorders associated with dementia] [Master's thesis]. Politecnico di Torino.
- Foloppe, D. A., Richard, P., Yamaguchi, T., Etcharry-Bouyx, F., & Allain, F. (2018). The potential of virtual reality-based training to enhance the functional autonomy of Alzheimer's disease patients in cooking activities: a single case study. *Neuropsychological Rehabilitation*, 28(5), 709–733. doi:10.1080/09602011.2015.1094394
- Folstein, M. F., Folstein, S. E., & McHugh, P. R. (1975). Mini-mental state. A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12(3), 189–198. doi:10.1016/0022-3956(75)90026-6 PMID:1202204
- Garcia, L.M., Birckhead, B.J., Krishnamurthy, P., Sackman, J., Mackey, I.G., Robert, G.L., Salmasi, V., Maddox, T., & Darnall, B.D (2021). An 8-week self-administered at-home behavioral skills-based virtual reality program for chronic low back pain: double-blind, randomized, placebo-controlled trial conducted during COVID-19. *Journal of Medical Internet Research*, 23(2). doi:10.2196/26292
- Herdman, M., Gudex, C., Lloyd, A., Janssen, M.F., Kind, P., Parkin, D., Bonsel, G., & Badia, X. (2011). Development and preliminary testing of the new five-level version of EQ-5D (EQ-5D-5L). *Qual Life Res.*, 20(10). doi:10.1007/s11136-011-9903-x
- Huygelier, H., Mattheus, E., Abeele, V. V., van Ee, R., & Gillebert, C. R. (2021). The Use of the Term Virtual Reality in Post-Stroke Rehabilitation: A Scoping Review and Commentary. *Psychologica Belgica*, 61(1), 145–162. doi:10.5334/pb.1033
- Joshi, A., Saket, K., Chandel, S., & Dinesh Kumar, P. (2015). Likert Scale: Explored and Explained. *Current Journal of Applied Science and Technology*, 7(4), 396-403. doi:10.9734/BJAST/2015/14975
- Lányi, C. S. (2006). Virtual reality in healthcare. In N. Ichalkaranje, A. Ichalkaranje, & L. Jain (Eds.), *Intelligent Paradigms for Assistive and Preventive Healthcare* (Vol. 19, pp. 88–116). Springer. doi:10.1007/11418337_3
- Lee, N., Choi, W. & Lee, S. (2021) Development of an 360-degree virtual reality video-based immersive cycle training system for physical enhancement in older adults: a feasibility study. *BMC Geriatrics*, 21, 325. doi:10.1186/s12877-021-02263-1
- Manera, V., Petit, P. D., Derreumaux, A., Orvieto, I., Romagnoli, M., Lyttle, G., David, R., & Robert, P. H. (2015). “Kitchen and cooking”, a serious game for mild cognitive impairment and Alzheimer's disease: a pilot study. *Frontiers in Aging Neuroscience*, 7, 24. doi:10.3389/fnagi.2015.00024

- Mirelman, A., Bonato, P., & Deutsch, J. E. (2009). Effects of Training With a Robot-Virtual Reality System Compared With a Robot Alone on the Gait of Individuals After Stroke. *Stroke*, *40*(1), 169–174. doi:10.1161/STROKEAHA.108.516328
- Morina, N., Ijntema, H., Meyerbröcker, K., & Emmelkamp, P. M. (2015). Can virtual reality exposure therapy gains be generalized to real-life? A meta-analysis of studies applying behavioral assessments. *Behaviour Research and Therapy*, *74*, 18–24. doi:10.1016/j.brat.2015.08.010 PMID:26355646
- Morris, J. C. (1997). Clinical Dementia Rating: A reliable and valid diagnostic and staging measure for dementia of the Alzheimer type. *International Psychogeriatrics*, *9*(S1), 173176. doi:10.1017/S1041610297004870 PMID:9447441
- Moyle, W., Jones, C., Sung, B., & Dwan, T. (2016). *Alzheimer's Australia Victoria The Virtual Forest project: Impact on engagement, happiness, behaviours & mood states of people with dementia*. Griffith University.
- Novak, M., Guest, C. (1989). Application of a multidimensional caregiver burden inventory. *The Gerontologist*, *29*(6), 798-803. . doi:10.1093/geront/29.6.798
- O'Sullivan, B., Alam, F., & Matava, C. (2018) Creating Low-Cost 360-Degree Virtual Reality Videos for Hospitals: A Technical Paper on the Dos and Don'ts. *J Med Internet Res*, *20*(7). doi:10.2196/jmir.9596
- Opris, D., Pinteá, S., Garcia-Palacios, A., Botella, C., Szamoskozi, S., & David, D. (2012). Virtual reality exposure therapy in anxiety disorders: A quantitative meta-analysis. *Depression and Anxiety*, *29*(2), 85–93. doi:10.1002/da.20910 PMID:22065564
- Pedroli, E., Cipresso, P., Greci, L., Arlati, S., Mahroo, A., Mancuso, V., Boilini, L., Rossi, M., Stefanelli, L., Goulene, K., Sacco, M., Stramba-Badiale, M., Riva, G., & Gaggioli, A. (2021). A New Application for the Motor Rehabilitation at Home: Structure and Usability of Bal-App. *IEEE Transactions on Emerging Topics in Computing*, *9*(3), 1290-1300. doi:10.1109/TETC.2020.3037962
- Pedroli, E., Cipresso, P., Serino, S., Albani, G., & Riva, G. (2013). A Virtual Reality Test for the Assessment of Cognitive Deficits: Usability and Perspectives. *Proceedings of the ICTs for Improving Patients Rehabilitation Research Techniques*. 10.4108/icst.pervasivehealth.2013.252359
- Pedroli, E., Mancuso, V., Stramba-Badiale, C., Cipresso, P., Tuena, C., Greci, L., Goulene, K., Stramba-Badiale, M., Riva, G., & Gaggioli, A. (2022). Brain M-App's Structure and Usability: A New Application for Cognitive Rehabilitation at Home. *Front. Hum. Neurosci*, *16*. doi:10.3389/fnhum.2022.898633
- Riva, G. (2002). Virtual reality for health care: the status of research. *CyberPsychology & Behavior*, *219-225*. doi:10.1089/109493102760147213
- Riva, G., Bernardelli, L., Castelnuovo, G., Di Lernia, D., Tuena, C., Clementi, A., Pedroli, E., Malighetti, C., Sforza, F., Wiederhold, B. K., & Serino, S. (2021). A Virtual Reality-Based Self-Help Intervention for Dealing with the Psychological Distress Associated with the COVID-19 Lockdown: An Effectiveness Study with a Two-Week Follow-Up. *International Journal of Environmental Research and Public Health*, *18*(15). . doi:10.3390/ijerph18158188

Virtual Representations for Cybertherapy

- Riva, G., Morganti, F., & Villamira, M. (2004). *Immersive Virtual Telepresence: virtual reality meets eHealth* (Vol. 99). Studies in Health Technology and Informatics. doi:10.3233/978-1-60750-943-1-255
- Riva, G., Wiederhold, B. K., & Mantovani, F. (2019). Neuroscience of Virtual Reality: From Virtual Exposure to Embodied Medicine. *Cyberpsychol Behav Soc Netw*, 22(1), 82-96. doi:10.1089/cyber.2017.29099.gri
- Rizzo, A. A., & Kim, G. J. (2005). *A SWOT analysis of the field of VR rehabilitation and therapy presence Teleoper* (Vol. 14). Virtual Environ. doi:10.1162/1054746053967094
- Robert, P.H., König, A., Amieva, H., Andrieu, S., Bremond, F., Bullock, R., Ceccaldi, M., Dubois, B., Gauthier, S., Kenigsberg P.A., Nave, S., Orgogozo, J.M., Piano, J., Benoit, M., Touchon, J., Vellas, B., Yesavage, J., & Manera V. (2014). Recommendations for the use of Serious Games in people with Alzheimer's Disease, related disorders and frailty. *Frontiers in Aging Neuroscience*, 6, 54. . doi:10.3389/fnagi.2014.00054
- Serrani, D. (2014). Virtual reality training improves spatial navigation disorientation in dementia patients. *Dementia (London)*, 189–195.
- Siemens Switzerland Ltd. (2022). *Whitepaper. Hospitals harness digitalization to reach new levels of operational performance*. <https://new.siemens.com/global/en/markets/healthcare/smart-hospitals/documents-resources/smart-hospitals-whitepaper.html>
- Spiegel, B. (2020). *VRx: how virtual therapeutics will revolutionize medicine*. Basic Books New York.
- Tian, S., Yang, W., Grange, J. M. L., Wang, P., Huang, W., & Ye, Z. (2019). Smart healthcare: making medical care more intelligent. *Global Health Journal*, 3(3), 62-65. doi:10.1016/j.glohj.2019.07.001
- Ugliotti, F. M. (2020). Increase the awareness of ALS patients through a Virtual Reality Application. In *EDULEARN20 Proceedings, 12th International Conference on Education and New Learning Technologies* (pp. 4403-4408). IATED Academy. 10.21125/edulearn.2020.1166
- Ugliotti, F. M., Osello, A., Levante, R., & Urbina, E. N. B. (2019). Digital evolution of representation implemented at the Galliera Hospital in Genova [Evoluzione digitale della rappresentazione applicata all'Ospedale Galliera di Genova]. *Riflessioni. L'arte del disegno/il disegno dell'arte [Reflections. The art of drawing/the drawing of art]* (pp. 1775-1780). Gangemi Editore spa.
- Unity Technologies. (2022). <https://unity.com/>
- Valladares-Rodriguez, S., Fernández-iglesias, M., Anido-Rifón, L., Facal, D., & Pérez-Rodriguez, R. (2018). Episodix: A serious game to detect cognitive impairment in senior adults. A psychometric study. *PeerJ*, 6. . doi:10.7717/peerj.5478
- Valve Corporation. (2022). *The Cooking Game VR*. https://store.steampowered.com/app/857180/The_Cooking_Game_VR/
- van Weert, J.C., van Dulmen, A.M., Spreeuwenberg, P.M., Ribbe, M.W., & Bensing, J.M. (2005) Behavioral and mood effects of snoezelen integrated into 24-hour dementia care. *Journal of the American Geriatrics Society*, 53(1), 24-33. . doi:10.1111/j.1532-5415.2005.53006.x

Wiederhold, B. K., & Wiederhold, M. D. (2004). *The future of cybertherapy: improved options with advanced technologies Cybertherapy*. IOS Press.

X-Tech Blog. (2022). *Let's Start Cooking With Virtual Reality!* <http://x-tech.am/lets-start-to-cook-virtual-reality-cooking-lessons/>

Yeo, N. L., White, M. P., Alcock, I., Garside, R., Dean, S. G., Smalley, A. J., & Gatersleben, B. (2020). What is the best way of delivering virtual nature for improving mood? An experimental comparison of high definition TV, 360 video, and computer generated virtual reality. *Journal of Environmental Psychology*, 72, 101500. doi:10.1016/j.jenvp.2020.101500 PMID:33390641

Yu, C.-P., Lee, H.-Y., & Luo, X.-Y. (2018). The effect of virtual reality forest and urban environments on physiological and psychological responses. *Urban Forestry and Urban Greening*, 35, 106-114. doi:10.1016/j.ufug.2018.08.013

Zucchella, C., Sinforiani, E., Tassorelli, C., Cavallini, E., Tost-Pardell, D., Grau, S., Pazzi, S., Puricelli, S., Bernini, S., Bottiroli, S., Vecchi, T., Sandrini, G., & Nappi, G. (2014). Serious games for screening pre-dementia conditions: From virtuality to reality? A pilot project. *Functional Neurology*, 29(3), 153–158. PMID:25473734

Zygouris, S., Giakoumis, D., Votis, K., Doumpoulakis, S., Ntovas, K., Segkouli, S., Karagiannidis, C., Tzovaras, D., & Tsolaki, M. (2015). Can a virtual reality cognitive training application fulfill a dual role? Using the virtual supermarket cognitive training application as a screening tool for mild cognitive impairment. *J Alzheimers Dis*, 44(4), 1333-47. doi:10.3233/JAD-141260

KEY TERMS AND DEFINITIONS

Cave Automatic Virtual Environment (CAVE): Surround-screen projection-based virtual reality. Theater immersive visualization system was invented at the University of Illinois in 1992, consisting of a cube-shaped VR room in which the walls, floors and ceilings are projection screens.

Cognitive Stimulation Therapy: Treatment which aims to improve cognitive skills and quality of life of people through activities such as categorisation, word association, discussion of current affairs and executive functions.

Cyberspace: Digital space navigable in virtual mode by people from different realities communicating with each other within a computerised world of digital networks.

Cybertherapy: Different forms of clinical assessment and treatment that use new experiential technologies as their primary intervention tool.

Dementia: Global deterioration of the cognitive state, often in a progressive manner that impairs various brain functions, such as memory, language, reasoning, orientation, and the ability to perform complex problems. These cognitive dysfunctions are associated with personality and behavioural changes, including irritability, anxiety, depression, insomnia, and apathy.

Digital Twin: Virtual representation of an object or system that spans its lifecycle, is updated from real-time data, and uses simulation, machine learning and reasoning to help decision-making.

Virtual Representations for Cybertherapy

Multi-Sensory Environment: Dedicated space or room where sensory stimulation can be controlled (intensified or reduced), presented in isolation or combination, packaged for active or passive interaction, and matched to fit the perceived motivation, interests, leisure, relaxation, therapeutic and educational needs of the user.

Serious Game: Games designed for educational purposes.

Smart Hospital: Hospital building with a digital brain and systems that can connect with users' needs.

Virtual Wall: Screen projection-based virtual reality part of the CAVE visualisation system. It involves only one screen for a semi-immersive experience and the use of peripherals equipped with markers such as 3D glasses and a joypad.