

NIR spectroscopy and chemometrics against food fraud: spotting Mechanically Separated Meat (MSM) in processed meat products

Original

NIR spectroscopy and chemometrics against food fraud: spotting Mechanically Separated Meat (MSM) in processed meat products / Giraud, Alessandro; Cavallini, Nicola; Pennisi, Francesco; Esposito, Giovanna; Pezzolato, Marzia; Savorani, Francesco; Geobaldo, Francesco; Bozzetta, Elena. - ELETTRONICO. - (2023), pp. 47-48. (Intervento presentato al convegno NIR 2023 - 21st International Conference on Near Infrared Spectroscopy - Good Vibrations, Smooth Contours tenutosi a Innsbruck, AT nel 20-24 August, 2023).

Availability:

This version is available at: 11583/2990903 since: 2024-07-16T14:35:46Z

Publisher:

Austrian Society of Analytical Chemistry (ASAC)

Published

DOI:

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)



NIR2023.AT

**BOOK OF
ABSTRACTS**

NIR 2023

**21ST INTERNATIONAL
CONFERENCE
ON NEAR INFRARED
SPECTROSCOPY**

GOOD VIBRATIONS, SMOOTH CONTOURS

August 20-24, 2023 INNSBRUCK - AUSTRIA

NIR SPECTROSCOPY AND CHEMOMETRICS AGAINST FOOD FRAUD: SPOTTING MECHANICALLY SEPARATED MEAT (MSM) IN PROCESSED MEAT PRODUCTS

Alessandro Giraud¹, Nicola Cavallini¹, Francesco Pennisi²,
Giovanna Esposito², Marzia Pezzolato², Francesco Savorani¹

¹*Polytechnic of Turin, Turin, Italy*, ²*Istituto Zooprofilattico Sperimentale del Piemonte, Liguria e Valle d'Aosta, Turin, Italy*

Along the meat production chain, mislabelling and meat substitution can take place easily. This is typically the case of sausages in which minced meat can be intentionally replaced with Mechanically Separated Meat (MSM), partially or completely, with no mention in the product label. MSM is obtained by separating from the bone the edible tissues remaining after slaughter, under high pressure conditions. The quality and safety of this product are far lower than minced meat obtained by selected meat cuts, leading not only to health risks and deception for consumers, but also to a considerable economic advantage for producers [1].

In this study, NIR spectroscopy coupled with chemometrics was investigated as a rapid, non-destructive, cheap and green method primarily to discriminate between MSM and non-MSM samples and, as a second step, to quantify the amount of MSM. In order to investigate the suitability of both laboratory and onsite NIR acquisitions, three NIR spectrometers were considered: a benchtop NIR – MPA (Bruker) and two portable ones, i.e., MicroNIR (Viavi) and SCiO (Consumer Physics). The spectra acquired with each instrument were organized as a separated dataset and the same processing steps were operated on each of them.

For the classification step, 70 samples of poultry (chicken and turkey) sausages, including non-MSM and MSM samples, were longitudinally half cut and analysed. After exploratory analysis with PCA (Figure 1a), the spectra were used to build a PLS-DA model for each NIR dataset. For the regression step, sausages with different percentages of MSM were minced and mixed with non-MSM ones to obtain mixture samples with a specific MSM content. One PLS [2] model for each dataset was developed using a training set of 30 samples spanning a MSM content between 0% and 91% (in steps of 10%) and validated with a test set of 27 samples starting from the 5% of MSM content (in steps of 10%, until the 85%).

All the three NIR analytical techniques yielded good prediction performances both in classification, with model accuracies higher than 95%, and in regression (Figure 1b), with R^2 above 0.95 and RMSEP of 3.30%. These promising results suggest a successful applicability of the method, also using cheap portable instruments, to detect food frauds directly in the marketplace.




Fig 1a - PCA scores plot on SCiO spectra




Fig. 1b - PLS results with SCiO spectra

[1] Barrere, V., et al. 2020. Food fraud vulnerability assessment: Towards a global consensus on procedures to manage and mitigate food fraud. Trends in Food Science and Technology, 100, 131-137. <https://doi.org/10.1016/j.tifs.2020.04.002>

[2] Wold, S., et al. 2001. PLS-regression: a basic tool of chemometrics. Chemometrics and Intelligent Laboratory Systems, 58, 109-130. [https://doi.org/10.1016/S0169-7439\(01\)00155-1](https://doi.org/10.1016/S0169-7439(01)00155-1)

IMPRINT

Editor
Austrian Society of Analytical Chemistry (ASAC)
ZVR number: 660640313
President: Univ.-Prof. Dr. Rudolf Krska
Institute of Bioanalytics and Agro-Metabolomics
Universität für Bodenkultur Wien / Campus Tulln
Konrad-Lorenz-Straße 20
3430 Tulln an der Donau

Layout
carpemedi Gbr
6020 Innsbruck
www.carpemedi.at
info@carpemedi.at