

New trends in freeze-drying of pharmaceutical products

Original

New trends in freeze-drying of pharmaceutical products / Pisano, R.; Fissore, D.. - In: PHARMACEUTICS. - ISSN 1999-4923. - ELETTRONICO. - 15:7(2023), p. 1975. [10.3390/pharmaceutics15071975]

Availability:

This version is available at: 11583/2980509 since: 2023-07-19T11:00:04Z

Publisher:

MDPI

Published

DOI:10.3390/pharmaceutics15071975

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

New Trends in Freeze-Drying of Pharmaceutical Products

Roberto Pisano  and Davide Fissore * 

Dipartimento di Scienza Applicata e Tecnologia, Politecnico di Torino, Corso Duca degli Abruzzi 24, 10129 Torino, Italy; roberto.pisano@polito.it

* Correspondence: davide.fissore@polito.it

Freeze-drying, also known as lyophilization, is a process that facilitates the removal of water through sublimation from a frozen product (primary drying). Subsequently, the (low) target value of residual moisture is obtained by promoting desorption of the non-frozen water, bound to the product molecules (secondary drying). Lyophilization is therefore a method of choice for temperature-sensitive products requiring a low water content for shelf stability, preferably without a cold chain commitment, such as biopharmaceutical vaccines, antibiotics, and other products.

This Special Issue shows the main innovations in the field of freeze-drying of pharmaceutical products, with a specific emphasis (i) on the investigation of formulation features that must be accounted for in case freeze-drying is used as a downstream process, (ii) on the new types of containers being investigated, (iii) on process monitoring in the three steps of the process (freezing, primary drying, and secondary drying), and (iv) on the process innovation in the freezing stage (due to its impact on the drying stages).

The review by Groël et al. [1] addresses the use of differential scanning calorimetry (DSC) and isothermal microcalorimetry (IMC) to investigate, among others, molecular mobility, particularly in the form of α -relaxations, thus assisting in optimizing the formulation recipe. The authors evidenced that an increase in the relaxation time results in higher shelf stability, which may be obtained either through post-processing temper or through collapse or aggressive freeze-drying to remove the excess energy in the product during processing. The optimization of the formulation recipe is also addressed by Vallerintevide et al. [2], who proposed the use of a nanoscale, thermostable exoshell (tES) to prevent protein aggregation and denaturation in the process.

With respect to the container, alternatives to glass vials were investigated, aiming to obtain, among the other results, better heat transfer to the product in the endothermic stages of the process (primary and secondary drying). Hårdter et al. [3] considered containers made of cyclic olefin polymer (COP) as they are characterized by a high break resistance, and they are biocompatible and exhibit homogeneous heat transfer. Unfortunately, they are permeable to gases and, thus, require storage in aluminum pouches in the presence of oxygen and moisture absorbers to perform similarly to glass vial storage. This precaution was not taken by Malik et al. [4], who used only plastic microtubes as an alternative container for small-volume filling. Although they appeared to be a suitable alternative for glycans, they should not be used in the case of labile biological materials.

Product monitoring is a key issue to guarantee product quality in-line, and not by testing at the end of the process, as required by the Guidance for Industry PAT issued by the FDA about two decades ago. Particularly interesting are those techniques that allow the evolution of the product (temperature and residual moisture content) to be monitored in a non-invasive way, without interfering with the process itself. Through-Vial Impedance Spectroscopy (TVIS) was used by Pandya et al. [5] to track the ice sublimation stage, focusing on the change in the shape of the sublimation interface over time and the identification of the end point of primary drying. Always in the field of primary drying, Emteborg et al. [6] used an infrared (IR) thermocamera, placed outside the dryer chamber,



Citation: Pisano, R.; Fissore, D. New Trends in Freeze-Drying of Pharmaceutical Products. *Pharmaceutics* **2023**, *15*, 1975. <https://doi.org/10.3390/pharmaceutics15071975>

Received: 13 July 2023

Accepted: 17 July 2023

Published: 19 July 2023



Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

to monitor product temperature in a non-invasive way, both at the top surface and vertically, by using custom-made cuvettes, with a Ge window placed close to an IR mirror having a 45° angle. Leys et al. [7] focused on the secondary drying stage, using near-infrared (NIR) spectroscopy, coupled with a PLS-based model, to track the residual moisture of the product vs. time, thus investigating the desorption kinetics and the effect of the operating conditions on the secondary drying stage. Moreover, the researchers pointed out that in the unit used for this study, where a continuous spin freeze-drying process is carried out, using high cooling rates in the freezing stage results in a higher desorption rate, due to the formation of smaller ice crystals.

With respect to the freezing process, which has a substantial impact on the following drying stages as the structure of the dried product relates to the disappearance of the ice crystals, vacuum surface-induced freezing (VISF) was shown by Harguindeguy et al. [8] to promote ice nucleation in the batch at the same time, thus removing the main sources of batch inhomogeneity, both in the case of vials placed over the shelf and in the case of vials being suspended. An IR thermocamera placed inside the drying chamber is used to evaluate the freezing front temperature and its change over time, thus enabling the use of simple models to estimate the distribution of ice crystals. Regis et al. [9] investigated the effect of hydrophilic or hydrophobic inner coatings, pointing out that hydrophobic coatings promoted blow-up and boiling phenomena, while hydrophilic coatings could increase fogging, in all cases resulting in unacceptable aesthetic features in the product. The addition of a surfactant, with a degassing step before VISF, is shown to avoid boiling and bubbling. Nuytten et al. [10] and Lammens et al. [11] investigated spin freezing as a first step in a continuous process for unit doses. A mechanistic model proposed in [10] was used to set and control the vial temperature during freezing, and the impact of the process on the pore size distribution and, finally, on the resistance to mass transfer during primary drying was investigated in [11]. A higher spin-freezing rate results in small lamellar pores, with a low tortuosity structure, while the opposite is obtained at a low spin-freezing rate, with larger, more spherical pores. This is a critical issue as the porous structure has a substantial impact on the drying stages, in particular on the drying kinetics, as shown by Thomik et al. [12], who determined pore structures through micro-computed tomography (μ CT), and drying kinetics were obtained through neutron radiographic imaging.

As a concluding remark, we hope that this Special Issue will contribute to highlighting some of the most relevant innovations in the field of freeze-drying of pharmaceutical products, with particular reference to process optimization and monitoring, in order to reduce its cost and guarantee the quality of the final product.

Funding: This research received no external funding.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Groël, S.; Menzen, T.; Winter, G. Calorimetric Investigation of the Relaxation Phenomena in Amorphous Lyophilized Solids. *Pharmaceutics* **2021**, *13*, 1735. [[CrossRef](#)] [[PubMed](#)]
2. Vallerinteavide, M.G.; Sadeghi, S.; Vaidya, S.; Kong, S.; Drum, C. Nanoencapsulation as a General Solution for Lyophilization of Labile Substrates. *Pharmaceutics* **2021**, *13*, 1790. [[CrossRef](#)] [[PubMed](#)]
3. Härdter, N.; Menzen, T.; Winter, G. Minimizing Oxidation of Freeze-Dried Monoclonal Antibodies in Polymeric Vials Using a Smart Packaging Approach. *Pharmaceutics* **2021**, *13*, 1695. [[CrossRef](#)] [[PubMed](#)]
4. Malik, K.; Duru, C.; Stickings, P.; Wenzel, E.; Hust, M.; Matejtschuk, P. Investigating Alternative Container Formats for Lyophilization of Biological Materials Using Diphtheria Antitoxin Monoclonal Antibody as a Model Molecule. *Pharmaceutics* **2021**, *13*, 1948. [[CrossRef](#)] [[PubMed](#)]
5. Pandya, B.; Smith, G.; Ermolina, I.; Polygalov, E. Observations on the Changing Shape of the Ice Mass and the Determination of the Sublimation End Point in Freeze-Drying: An Application for Through-Vial Impedance Spectroscopy (TVIS). *Pharmaceutics* **2021**, *13*, 1835. [[CrossRef](#)] [[PubMed](#)]
6. Emteborg, H.; Charoud-Got, J.; Seghers, J. Infrared Thermography for Monitoring of Freeze Drying Processes—Part 2: Monitoring of Temperature on the Surface and Vertically in Cuvettes during Freeze Drying of a Pharmaceutical Formulation. *Pharmaceutics* **2022**, *14*, 1007. [[CrossRef](#)] [[PubMed](#)]

7. Leys, L.; Nuytten, G.; Lammens, J.; Van, B.P.; Corver, J.; Vervaet, C.; De, B.T. A NIR-Based Study of Desorption Kinetics during Continuous Spin Freeze-Drying. *Pharmaceutics* **2021**, *13*, 2168. [[CrossRef](#)] [[PubMed](#)]
8. Harguindeguy, M.; Stratta, L.; Fissore, D.; Pisano, R. Investigation of the Freezing Phenomenon in Vials Using an Infrared Camera. *Pharmaceutics* **2021**, *13*, 1664. [[CrossRef](#)] [[PubMed](#)]
9. Regis, F.; Arsiccio, A.; Bourlès, E.; Scutellà, B.; Pisano, R. Surface Treatment of Glass Vials for Lyophilization: Implications for Vacuum-Induced Surface Freezing. *Pharmaceutics* **2021**, *13*, 1766. [[CrossRef](#)] [[PubMed](#)]
10. Nuytten, G.; Revatta, S.; Van, B.P.; Kumar, A.; Lammens, J.; Leys, L.; Vanbillemont, B.; Corver, J.; Vervaet, C.; De, B.T. Development and Application of a Mechanistic Cooling and Freezing Model of the Spin Freezing Step within the Framework of Continuous Freeze-Drying. *Pharmaceutics* **2021**, *13*, 2076. [[CrossRef](#)] [[PubMed](#)]
11. Lammens, J.; Goudarzi, N.; Leys, L.; Nuytten, G.; Van Bockstal, P.; Vervaet, C.; Boone, M.; De, B.T. Spin Freezing and Its Impact on Pore Size, Tortuosity and Solid State. *Pharmaceutics* **2021**, *13*, 2126. [[CrossRef](#)] [[PubMed](#)]
12. Thomik, M.; Gruber, S.; Kaestner, A.; Foerst, P.; Tsotsas, E.; Vorhauer, H.N. Experimental Study of the Impact of Pore Structure on Drying Kinetics and Sublimation Front Patterns. *Pharmaceutics* **2022**, *14*, 1538. [[CrossRef](#)] [[PubMed](#)]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.