

Athens Authentication Point

Recognized as:

Sistema Bibliotecario del Politecnico di Torino (314-36-772)

1241 CILEA LN Italy (704-88-862)

Open Consortium Italy (589-89-716)

3960 CILEA-CIBER e-books Italy (818-59-898)

Welcome!

To use the personalized features of this site, please log in or register.

If you have forgotten your username or password, we can help.

My SpringerLink

Marked Items

Alerts

Order History

Saved Items

All

Favorites





International Journal of Thermophysic conducting materials: A new technique International Journal of Thermophysics Journal

Publisher Springer Netherlands

ISSN 0195-928X (Print) 1572-9567 (Online) Issue Volume 13, Number 2 / March, 1992

DOI 10.1007/BF00504442 351-360 Pages

Subject Collection Physics and Astronomy SpringerLink Date Friday, September 30, 2005

Disable Highlighting

ap Chalcopyrites t, S., Rau, U.

A. Sparavigna ¹, M. Omini ¹, A. Pasquarelli ¹ and A. Strigazzi¹

(1) Dipartimento di Fisica, Politecnico di Torino, CISM and INFN, Unità di Torino, Corso Duca degli Abruzzi 24, 10129 Torino, Italy

Received: 22 April 1991

Abstract A comparative method is presented, suitable to measure both thermal diffusivity and conductivity of lowconducting solids. The repeatibility of the measurements of thermal conductivity is 3%, whereas for diffusivity is 6%. Data for some low-conducting materials are given, consistent with those reported in the literature.

Key words low-conducting materials - thermal conductivity thermal diffusivity

References secured to subscribers.

more options ... Go Within all content Within this journal Within this issue

Export this article

Add to saved items

Request Permissions

Recommend this article

Export this article as RIS | Text

PDF

The size of this document is 386 kilobytes. Although it may be a lengthier download, this is the most authoritative online format.

Open: Entire document

Ads by Google

Measurement services Thermal Conductivity / Diffusivity / CTE / CP measurement services www.tprl.com

Coating Services Leading Supplier of Plasma & HVOF Ceramic, Metal and Carbide Coatings www.plasmathermalcoatings.com

Thermal Conductivity of fluids. Precise measurements a to ASTM D.2717 Selective gas sensors For dissolved CO2, N2, He, H2 and D2 low level WAIL. Frequently asked questions | General information on journals and books | Send us your feedback | Impressum © Springer. Part of Springer Science+Business Media

Privacy, Disclaimer, Terms and Conditions, © Copyright Information

Remote Address: 130.192.10.82 • Server: mpweb20 HTTP User Agent: Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.1; .NET CLR 2.0.50727; InfoPath.1)

