

A Survey of Quality Engineering–Management Journals by Bibliometric Indicators

Original

A Survey of Quality Engineering–Management Journals by Bibliometric Indicators / Franceschini, Fiorenzo; Maisano, DOMENICO AUGUSTO FRANCESCO. - In: QUALITY AND RELIABILITY ENGINEERING INTERNATIONAL. - ISSN 0748-8017. - STAMPA. - v.26 n.6:(2010), pp. 593-604. [10.1002/qre.1083]

Availability:

This version is available at: 11583/2373561 since:

Publisher:

Wiley

Published

DOI:10.1002/qre.1083

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

A Survey of Quality Engineering–Management Journals by Bibliometric Indicators

Fiorenzo Franceschini^{*†} and Domenico Maisano

This paper analyses some of the most popular scientific journals in the Quality field from the point of view of three bibliometric indicators: the Hirsch (h) index for journals, the total number of citations and the h -spectrum. In particular, h -spectrum is a novel tool based on h , making it possible to (i) identify a reference profile of the typical authors of a journal; (ii) compare different journals; and (iii) provide a rough indication of their ‘bibliometric positioning’ in the scientific community. Results of this analysis can be helpful for guiding potential authors and members of the scientific community in the Quality Engineering/Management area. A large amount of empirical data are presented and discussed.

Keywords: Hirsch index; Hirsch spectrum; citations; journal authors; Quality Engineering/Management journal; bibliometrics

1. Introduction

In the world of scientific research, there are a large number of journals, which represent the natural destination of the output of researchers. These journals cover many different scientific disciplines and can be differentiated by the subject/topic of interest, their reputation and their popularity within the scientific community. Although representing a relatively limited portion of the Engineering field, Quality (i.e. Quality Engineering/Management) is not an exception: in this area there are several scientific journals, constantly growing in number.

Considering the perspective of a researcher of this area, many questions may be raised: ‘What criteria can be used to evaluate and compare the different journals in the Quality field?’, ‘How is it possible to find rough information about the author population of each Quality journal?’, ‘What is the bibliometric positioning of different Quality journals and their influence on the scientific community?’.

Answering the above questions is not a trivial task. There are many ways to monitor, compare and study how scientific journals change over the years, such as considering their circulation, the reputation/prestige of the editorial board or the presence of articles submitted by eminent authors. However, these evaluations are often subjective and not very reliable. A more objective tool for this purpose can be represented by bibliometric indicators, which are based on citation statistics. Although indicators can show some weak points, most of the time they seem to be the essential method for evaluating, comparing and ranking scientific journals^{1–3}.

The goal of this paper is to analyse some of the major Quality journals from the point of view of three bibliometric indicators. Analysis results can be helpful for guiding potential authors and members of the scientific (academic) community in the Quality Engineering/Management area. Indicators are, respectively, the Hirsch (h) index for journals, the total number of citations (C) and the h -spectrum. h index for journals and C are relatively diffused, whereas h -spectrum is introduced for the first time in order to complement the others^{4,5}. Differently from other very diffused indicators such as ISI Impact Factor (ISI-IF), Cited Half-life and Immediacy Index—which are evaluated only for journals indexed by Thomson Scientific—the indicators we propose can be applied to all kinds of journals^{6,7}. Particular attention is given to h -spectrum. This indicator can be used for several practical purposes:

- To define the profile of the ‘typical authors’ of a specific journal. This profile may represent a reference for other (potential) authors.
- To help a journal’s editorial board to periodically monitor the effect of the paper selection policy, from the viewpoint of the population of the journal authors. In this sense, h -spectrum may become an indicator of the editorial strategy.
- To provide a rough indication of the bibliometric positioning of a journal on the scientific community.

Dipartimento di Sistemi di Produzione ed Economia dell’Azienda (DISPEA), Politecnico di Torino, Corso Duca degli Abruzzi 24, 10129 Torino, Italy

^{*}Correspondence to: Fiorenzo Franceschini, Dipartimento di Sistemi di Produzione ed Economia dell’Azienda (DISPEA), Politecnico di Torino, Corso Duca degli Abruzzi 24, 10129 Torino, Italy.

[†]E-mail: fiorenzo.franceschini@polito.it

All the three examined indicators are based on citation statistics and, as well as ISI-IF, they should not be used for comparing journals of different disciplines (e.g. Medicine, Physics, Engineering, Mathematics, etc.), owing to the different citation rates⁸.

The remainder of this paper is organized into three sections. Section 2 provides a description of the bibliometric indicators used in the analysis. Section 3 focuses on the analysis methodology. Section 4 presents some analysis results and reflections about them. Finally, conclusions are given, summarizing the original contribution of this paper.

2. Bibliometric indicators

2.1. *h-index*

The *h-index* is a relatively recent bibliometric indicator for evaluating the scientific productivity and diffusion of one author in terms of publications and citations, respectively. *h* is defined as the number such that, for an author's publications, *h* publications received at least *h* citations, whereas for the other publications it received no more than *h* citations^{4, 9}. Figure 1 illustrates the calculation of *h* for a fictitious author. In general, the larger the *h*, the larger the diffusion and prestige of one author in the scientific community.

A peculiarity of *h* is that it cannot decrease with time. In fact, it aggregates the number of papers and the corresponding number of citations, and both these variables do not decrease over time. For example, in case of career interruption or retirement, the *h-index* of one author remains constant or may increase (if already published papers accumulate new citations). The negative consequence of this fact is that *h* is not perfectly suitable to compare scholars with different seniority, being in favour of those with long careers³.

Ever since its introduction, *h* has received much attention and also some criticism; in any case it has the unquestionable merit of being simple, synthetic and robust¹⁰⁻²⁴. Another tangible sign of the popularity of *h* is the appearance of many proposals for new variants and improvements^{8, 25-36}.

Braun *et al.*²⁸ proposed using the *h-index* for evaluating and comparing scientific journals as well. In detail, the *h-index* of a journal is the number such that, for the group of papers published by the journal in a precise time period (e.g. 1 year), *h* articles received at least *h* citations, whereas the others received no more than *h* citations. Thus, the way of the calculation is the same as that one shown in Figure 1, with the only exception being that the articles are related to a journal in a specific publication period.

2.2. Total number of citations

C is the total number of citations so far received by the journal issue(s) published in a specific period (e.g. in 1 year). This information is immediately available from the most diffused search engines (i.e. Google Scholar (GS), Web of Science and Scopus) and does not require any calculation^{7, 23, 37}.

2.3. *h-spectrum*

The *h-spectrum* is defined as the distribution representing the *h* values associated with the authors (and co-authors) of a specific journal, considering a specific publication period⁵. The term 'spectrum' is originated from the fact that this distribution provides an image of the journal author population in a precise time period. Advantages of this new indicator are discussed later.

rank	citations for each publication
1	30
2	20
3	18
4	12
5	9
6	8
7	8
8	6
9	6
10	5
11	4
12	3
13	2
14	2
15	1
16	1
...	...

Figure 1. Example of calculation of the *h-index* for the (fictitious) author. Publications are sorted in the descending order with respect to the citation number. In this case $h=7$ as seven publications received at least seven citations each. It can be noticed that *h* corresponds to the size of a particular subset containing the most cited publications (*h-core*)⁴

Table I. List of the 12 Quality journals selected for the analysis. Journals are sorted in alphabetical order with regard to the journal acronym

Journal name	Acronym	Publisher	Indexed by Thomson Scientific
IIE Transactions (on Quality and Reliability Engineering)	IIE TR	Taylor & Francis	Yes
International Journal of Quality and Reliability Management	IJQRM	Emerald	No
Journal of Quality in Maintenance Engineering	JQME	Emerald	No
Journal of Quality Technology	JQT	ASQ	Yes
Managing Service Quality	MSQ	Emerald	No
Quality Engineering	QE	ASQ	No
Quality Management Journal	QMJ	ASQ	No
Quality Progress	QP	ASQ	No
Quality and Quantity	QQ	Springer	Yes
Quality and Reliability Engineering International	QREI	Wiley	Yes
Technometrics	TM	ASQ	Yes
Total Quality Management and Business Excellence	TQM	Taylor & Francis	No

3. Methodology

We selected 12 different journals from the most popular and representative of the Quality Engineering/Management disciplines^{7, 38}. These journals belong to different publishers and only a few of them (see Table II) are indexed by Thomson Scientific. In addition, Table II reports the journal acronyms used hereafter in the text.

For each journal we calculate the h , C and the h -spectrum relative to the different years.

Citation statistics are collected using GS as the search engine. It was decided to use this database (i) because of its greater coverage and (ii) since it can be easily accessed through the Publish or Perish (PoP[©]) freeware software, especially designed for citation analysis with GS²³. Nevertheless, the analysis can be repeated using other databases, such as Web of Science or Scopus. Indicators are calculated taking into account the citations accumulated up to the moment of the analysis (in our case, June 2009).

It is worth remarking that QP is not a refereed archival journal like the others, and it is generally addressed to practitioners rather than to academics. Despite this significant distinction, QP has been included in the list of journals because it sometimes contains ideas or insights of interest for the academic world. Furthermore, we point out that IIE TR is composed of four focus issues: Design and Manufacturing, Operations Engineering and Analysis, Quality and Reliability Engineering and Scheduling and Logistics. For homogeneity with the other journals, only the contributions related to Quality and Reliability Engineering are taken into account in the analysis. As a consequence, the number of examined articles and the corresponding authors associated with the IIE TR are significantly smaller than those associated with the other journals.

4. Empirical data analysis

4.1. h and C viewpoint

Figures 2 and 3 represent the values of h and C for the 12 Quality journals in Table II in 20 consecutive years (from 1989 to 2008). For example, in the year 2000 JQTs h is 14, meaning that the 14 most cited articles published in JQT have received at least 14 citations each.

In general, h and C have quite similar patterns. Their empirical correlation is represented in Figure 4, taking into account 3 of the 12 examined journals. Considering the scientific production of one scholar, Hirsch empirically showed that C is approximately proportional to h^2 ⁴. Analysing the patterns in Figure 4, this behaviour seems to apply to the h for journals as well.

The C profile of TM looks rather nervous, with many peaks that often fall beyond the upper limit of the vertical axis scale. The reason is that—in several years, such as in 1991, 1992, 2000 and 2004— C values are inflated by a small number of ‘big hit’ articles with a huge number of received citations. For instance, in 2000, TM published three articles that had received so far more than 1500 citations each. On the other hand, the TMs h profile is rather smooth. This is an empirical demonstration that, being insensitive to accidental excess of lowly and highly cited articles, h is a robust indicator¹⁹. Furthermore, in 1999 and 2000 we can observe a peak in the h and C profiles of TQM. Again, this is due to the presence of a relatively large number of highly cited publications. Profiles relative to the other journal are fairly more regular, with moderate fluctuations. Profiles of TQM, QMJ, MSQ and JQME are not complete since these journals appeared for the first time after 1989.

h and C can be used to compare different journals. It must be pointed out that citation accumulation of one article requires a certain amount of time to become stable. According to some authors, about 5 years for journals in the Management/Engineering field^{6, 39, 40}. This ‘physiological’ behaviour is well represented in Figures 2 and 3 and applies to most of the journals: in the recent years (e.g. from 2004 to 2008), h and C values tend to decrease and are significantly smaller than in the previous years. Thus, h and C are not suitable to evaluate the most recently published journals and, much less, to compare them with other older




Figure 2. *h* values for the 12 Quality journals (see Table II) in 20 consecutive years (from 1989 to 2008). Values are calculated taking into account the citations accumulated up to the moment of the analysis (June 2009). For the purpose of readability, journal profiles are first sorted in alphabetical order with regard to the journal acronyms and then divided into two groups of six each




Figure 3. *C* values for the 12 Quality journals (see Table 1) in 20 consecutive years (from 1989 to 2008). Values are calculated taking into account the citations accumulated up to the moment of the analysis (June 2009). For the purpose of readability, journal profiles are first sorted in alphabetical order with regard to the journal acronyms and then divided into two groups of six each. The profile of TM has many peaks—precisely those related to 1992, 2000 and 2004—falling beyond the upper limit of the vertical axis scale. The corresponding numeric values are reported in brackets. In these years, *C* values are inflated by a small number of ‘big hit’ articles with a huge number of received citations




Figure 4. Relationship between h and C considering data related to three Quality journals (i.e. JQT, QE and QP), over 20 consecutive years (from 1989 to 2008). Hirsch empirically showed that, for one researcher, C is approximately proportional to h^2 . This behaviour seems to apply also to the h for journals and can be extended to the remaining journals




Figure 5. h and C mean values—respectively, \bar{h} and \bar{C} —and corresponding standard deviations—respectively, s_h and s_c : (a) for 12 Quality journals and (b) for three additional Manufacturing journals, in the years 1989–2003. Manufacturing journal acronyms are: CIRP Annals—Manufacturing Technology (CAMT), International Journal of Advanced Manufacturing Technology (IJAMT), Production and Operations Management (POM)

publications. Besides, being sensitive to the number of articles per issue, if calculated on a yearly basis, h and C tend to favour journals with many articles/issues per year.

Apart from the last 5 years, most of the journal h values are included between 5 and 15. Similarly, most of the journal, C values are included between 100 and 1000. Figure 5(a) shows the journal h and C mean values (respectively, \bar{h} and \bar{C}) and the corresponding standard deviations (respectively, s_h and s_c), in the years 1989–2003. It can be interesting to see how these typical values compare with those of other adjacent scientific fields. Figure 5(b) reports the values related to three major journals in the Manufacturing area.

4.2. h -spectrum viewpoint

The h -spectrum analysis can be divided into two distinct activities:

- construction and comparison of the h -spectra related to the 12 journals in the same reference year (i.e. 2008), so as to investigate how the h -spectrum changes from journal to journal;
- construction and comparison of the h -spectra related to the same journal(s) in 5 consecutive years (precisely, from 2004 to 2008), so as to investigate how a journal's h -spectrum tends to change over time.

4.2.1. Analysis in the year 2008. For each journal, we identify the authors of papers published in 2008. Then, the h -indexes of the individual authors are calculated. Finally, the distribution of the authors' h -indexes is constructed. The output of this analysis is illustrated in Figure 6, showing the h -spectra related to the journals in Table II.

At a first glance, all these distributions are right skewed and have a characteristic profile, which is approximately decreasing. Analysing the distributions in more detail, some interesting aspects emerge. Figure 7 shows the h -index average value (\bar{h}), the corresponding standard deviation (s) and the number of authors (N) associated with each journal. Journals are sorted in




Figure 6. *h*-spectra (authors' relative frequency VS *h*-index) for 12 Quality journals (see Table II), in the year 2008. For each journal, the authors' *h*-index average value (\bar{h}), the corresponding standard deviation (*s*) and the number of authors (*N*) are reported. Spectra are sorted in the descending order with respect to \bar{h} values




Figure 7. Synthetic results of the analysis of twelve Quality journals, in the year 2008. The table reports the \bar{h} , *s* and *N* values relative to each journal. In the bar chart, journals are sorted in the descending order with regard to \bar{h}




Figure 8. Relationship between s and \bar{h} related to the h -spectra in Figure 6

descending order with regard to \bar{h} . It can be seen that, despite their similar shape, distributions are appreciably different in terms of the values of \bar{h} and s .

Furthermore, it is interesting to notice that—considering the same journal— \bar{h} and s have generally similar values. Their empirical correlation is nearly linear with a rather high coefficient of determination ($R^2 = 0.85$, see Figure 8). On the other hand, there is no empiric correlation between \bar{h} and N or s and N ($R^2 \approx 0$).

On the basis of this result, it seems quite appropriate using \bar{h} as a synthetic indicator to perform quick evaluations and comparisons among different h -spectra.

4.2.2. Analysis over 5 consecutive years. The second part of our study is aimed at finding how h -spectra changes over time. To this purpose, the construction of the journal h -spectrum is extended to 5 consecutive years (from 2004 to 2008). For simplicity, Figure 9 reports the resulting spectra concerning only three of the previous 12 journals (JQT, QE and QP).

For each of these journals, the h -spectrum seems relatively robust and stable over the 5 examined years. This behaviour can be extended to the nine remaining journals, as it emerges analysing the \bar{h} profiles in Figure 10. Possible variations in one journal profile are due to (i) change of the journal editorial board; (ii) variation of the article selection policy; (iii) appearance of a competing journal, etc.

Considering the shape of h -spectrum profiles, moderate fluctuations can be observed over the years (see Figure 10). Two possible reasons for the profiles' relative stability are:

- authors of a particular journal tend to be 'attracted' to it over the years;
- the editorial board policy tends to be consistent over time.

As, there can be small variations from 1 year to the next, we noticed that the characteristic shape of one journal's h -spectrum becomes more and more consolidated by increasing the reference time period. This aspect is shown in Figure 11, reporting the h -spectra for 3 of the 12 Quality journals, in three different time periods (1 year, 3 years and 5 years, respectively). Numerical data related to the h -spectra of all the examined journals are reported in Table IV.

4.2.3. Further reflections on the h -spectrum. h -spectrum may have many different practical utilizations, such as:

- Providing a 'snapshot' of the author population of a specific journal, representing a reference for other (potential) authors. For example, assuming that a (potential) author with $h=3$ compares himself with the QP authors in 2008, he will fall on the 80th percentile of the corresponding h -spectrum, or another author with $h=1$ will fall on the 55th percentile.
- Helping a journal's editorial board to periodically monitor the practical effect of the article selection policy from the point of view of the author population. In this sense, h -spectrum may be interpreted as a signal of the editorial strategy. For example, if \bar{h} decreases significantly from 1 year to the next, it probably means that—among authors—the portion of young researchers or professionals/managers (generally, with small h values) tends to increase with respect to the portion of senior academics (generally, with high h values).
- Providing a rough indication of one journal's bibliometric positioning on the scientific community.

h -spectra can be a reliable tools for evaluating a journal at the very moment of the publication, despite the fact that they are based on the publications/citations accumulated before the publication itself. There are empirical proofs of the fact that the citations received by a new article are generally consistent with the citations received by previous articles by the same author, that is to say the *author's reputation*³⁹. Being the number of authors per journal quite large (typically more than 60–70 authors per year), it is reasonable to assume that the authors' reputation will be generally respected.

4.3. Remarks on the combined use of different bibliometric indicators

Evaluating and comparing scientific journals by bibliometric indicators is a very delicate task. To make this activity as complete as possible, it is convenient to use a combination of different indicators and to construct a bibliometric map. Each indicator can




Figure 9. *h*-spectra associated with three Quality journals (JQT, QE and QP), in 5 consecutive years (from 2004 to 2008). For each spectrum, \bar{h} , s and N are reported

be used to define an axis of this map. The map allows the bibliometric positioning and comparison of journals, and can be subdivided into 'journal reputation regions', according to which journals are classified (see Figure 12). Alternatively, the different bibliometric indicators can be synthesized into a single global ranking by a proper aggregation technique^{10, 41}. A more detailed description of the bibliometric map and the techniques for aggregating indicators will be analysed in detail in the future works.

Finally, it is worth underlining the difference between *h*-spectrum, which is related to the reputation of a journal's authors, and ISI-IF, *C*, *h* for journals and other traditional bibliometric indicators, which are related to the citations effectively accumulated by a journal's articles. Generally speaking, the academic reputation of a journal's author group is not the equivalent of the reputation of the journal, as well as not the equivalent of the influence of the journal. For this reason, these different indicator typologies represent two complementary ways to evaluate/compare scientific journals.




Figure 10. Graphs showing the \bar{h} time evolution for the 12 Quality journals (see Table II), in 5 consecutive years (from 2004 to 2008). For the purpose of readability, journal profiles are first sorted in alphabetical order with regard to the journal acronyms and then divided into two groups of six each. Tables report the corresponding s and N values




Figure 11. h -spectra for three Quality journals (JQT, QE and QP), calculated considering three different reference time periods (respectively, one year, three years and five years). For each journal, \bar{h} , s and N values are reported. It can be seen that the larger the time period, the more consolidated the journal's h -spectrum

Table II. Numerical data related to the h -spectra of the 12 examined Quality journals. Journals are sorted in alphabetical order with respect to the journal acronym									
		1 year	3 years	5 years			1 year	3 years	5 years
IIETR	\bar{h}	5.1	5.9	6.2	QMJ	\bar{h}	4.4	4.1	4.3
	s	4.1	4.8	4.8		s	5.0	5.5	5.9
	N	17	42	84		N	34	94	153
IJQRM	\bar{h}	2.7	3.6	4.1	QP	\bar{h}	2.3	2.3	2.3
	s	3.9	4.4	4.5		s	3.2	4.4	3.8
	N	119	340	573		N	67	227	395
JQME	\bar{h}	3.0	3.6	3.9	QQ	\bar{h}	5.1	4.2	4.5
	s	3.6	4.2	4.1		s	5.9	4.8	5.0
	N	48	170	277		N	84	255	412
JQT	\bar{h}	6.7	6.3	6.7	QREI	\bar{h}	4.5	4.8	4.9
	s	6.2	6.0	6.1		s	5.2	5.2	5.1
	N	67	199	322		N	166	457	712
MSQ	\bar{h}	4.4	4.4	4.8	TM	\bar{h}	7.2	7.7	8.2
	s	5.0	4.5	5.0		s	6.6	6.4	6.9
	N	69	233	388		N	97	256	313
QE	\bar{h}	5.7	4.8	4.2	TQM	\bar{h}	3.8	4.0	4.1
	s	7.6	6.4	5.3		s	5.1	5.1	5.0
	N	70	213	417		N	170	482	763

Data are evaluated considering three different reference time periods (respectively, one year, three years and five years). This table reports the values of h , s , and N associated with the resulting h -spectra.




Figure 12. Example of a simplified map for comparing journals on the basis of different bibliometric indicators. The map associates \bar{h} values (vertical axis) with C values (horizontal axis) and makes it possible to identify four regions: (1) journals with low authors' reputation (in terms of \bar{h} values) and few received citations; (2) journals containing articles with a high number of citations, submitted by authors with low h -indexes; (3) journals with medium-high authors' reputation but few received citations; and (4) journals containing articles with a high number of citations, submitted by authors with high h -indexes

For example, a combined use of these indicators can be performed for identifying the following situations:

1. Journals with medium-high authors' reputation (in terms of \bar{h} values) but few received citations. This can be the case of relatively recent journals that are still struggling to become popular in the scientific community.
2. Journals containing articles with a high number of citations, submitted by authors with low h -indexes. This can be the case of journals open beyond the academic world, for instance to professionals and industrial managers (such as QP, as mentioned before). Alternatively, they can be journals with a relatively large group of young authors, consisting of brilliant young researchers with relatively low citation indexes.

5. Conclusions

This paper analysed 12 of the major journals in the Quality Engineering/Management field by three bibliometric indicators: h for journals, citation number and h -spectrum. Differently from other diffused indicators such as ISI-IF, these indicators can be

applied to all kinds of journals—not necessarily those indexed by Thomson Scientific or other organizations. Citation statistics are collected using the GS freeware search engine.

One novelty of this paper is the introduction of the h -spectrum, a new tool based on the h -index. It is interesting to observe that the h -spectrum has a peculiar shape and it is rather robust over the years. Furthermore, it can be calculated at the very moment of the journal publication, unlike ISI-IF (which is calculated 1–2 years after the publication), h and C . Differently from h and C , h -spectrum does not tend to favour journals with many articles/issues per year.

The bibliometric analysis we proposed can be helpful for different reasons: (i) it provides a reference for the (potential) authors of the major scientific journals on Quality sector; (ii) it makes it possible to perform rough comparisons between different journals and estimate their bibliometric positioning; and (iii) it supports a journal's editorial staff to periodically monitor the effect of the paper-selecting policy.

Several ideas for further research activities may originate from this work. It would be interesting to extend the analysis to a wider set of journals and to other disciplines—such as manufacturing, industrial engineering and mechanical engineering—and define a guideline for ranking journals by using several bibliometric indicators. Moreover, alternative author spectra can be constructed on the basis of other indicators, different from h .

References

1. Garfield E. The history and meaning of the journal impact factor. *JAMA* 2006; **295**(1):90–93.
2. Leydesdorff L. How are new citation-based journal indicators adding to the bibliometric toolbox? *Journal of the American Society for Information Science and Technology* 2009; **60**(7):1327–1336. DOI: 10.1002/asi.21024.
3. Mingers J. Measuring the research contribution of management academics using the Hirsch-index. *Journal of the Operational Research Society*, 2009; DOI: 10.1057/jors.2008.94.
4. Hirsch JE. An index to quantify an individual's scientific research output. *Proceedings of the National Academy of Sciences of the United States of America* 2005; **102**:16569–16572. DOI: 10.1073/pnas.0507655102.
5. Franceschini F, Maisano D. The Hirsch spectrum: A novel tool for analysing (academic) scientific journals. *Journal of Informetrics*, 2009; DOI: 10.1016/j.joi.2009.08.003.
6. Amin M, Mabe M. *Impact Factors: Use and Abuse*. Elsevier Science: Amsterdam, 2000.
7. Thomson Reuters. Available at: www.thomsonreuters.com/products_scientific/Journal_Citation_Reports [10 June 2009].
8. Antonakis J, Lalive R. Quantifying scholarly impact: IQp versus the Hirsch h . *Journal of the American Society for Information Science and Technology* 2008; **59**(6):956–969. DOI: 10.1002/asi.v59.6.
9. Hirsch JE. Does the h index have predictive power? *Proceedings of the National Academy of Sciences of the United States of America* 2007; **104**(49):19193–19198. DOI: 10.1073/pnas.0707962104.
10. Franceschini F, Galetto M, Maisano D. *Management by Measurement: Designing Key Indicators and Performance Measurement Systems*. Springer: Berlin, 2007.
11. Moed HF. *Citation Analysis in Research Evaluation*. Springer: Dordrecht, 2005.
12. Egghe L. Theory and practise of the g -index. *Scientometrics* 2006; **69**(1):131–152. DOI: 10.1007/s11192-006-0144-7.
13. Glänzel W. On the opportunities and limitations of the h -index. *Science Focus* 2006; **1**(1):10–11.
14. Kelly CD, Jennions MD. The h index and career assessment by numbers. *Trends in Ecology and Evolution* 2006; **21**(4):167–170. DOI: 10.1016/j.tree.2006.01.005.
15. Rousseau R. New developments related to the Hirsch index. E-prints in Library and Information Science (ELIS). Available at: www.eprints.rclis.org [10 June 2009].
16. Saad G. Exploring the h -index at the author and journal levels using bibliometric data of productive consumer scholars and business-related journals respectively. *Scientometrics* 2006; **69**(1):117–120.
17. Bornmann L, Daniel HD. What do we know about the h index? *Journal of the American Society for Information Science and Technology* 2007; **58**(9):1381–1385. DOI: 10.1002/asi.20609.
18. Costas R, Bordons M. The h -index: Advantages, limitations and its relation with other bibliometric indicators at the micro level. *Journal of Informetrics* 2007; **1**(3):193–203. DOI: 10.1016/j.joi.2007.02.001.
19. Orbay M, Karamustafaoglu O, Oner F. What does Hirsch index evolution explain us? A case study: Turkish journal of chemistry. *Biblios* 2007; **27**(8):1–5.
20. Schreiber M. Self-citation corrections for the Hirsch index. *EuroPhysics Letters* 2007; **78**. DOI: 10.1209/0295-5075/78/30002.
21. Van Raan AFJ. Comparison of the Hirsch-index with standard bibliometric indicators and with peer judgment for 147 chemistry research groups. *Scientometrics* 2006; **67**(3):491–502. DOI: 10.1007/s11192-006-0066-4.
22. Wendl M. H -index: However ranked, citations need context. *Nature* 2007; **449**:403. DOI: 10.1038/449403b.
23. Harzing AW, van der Wal R. Google scholar as a new source for citation analysis. *Ethics in Science and Environmental Politics* 2008; **8**(11):61–73.
24. Franceschini F, Maisano D. Analysis of the Hirsch index's operational properties. *European Journal of Operational Research* 2009; DOI: 10.1016/j.ejor.2009.08.001.
25. Lehmann S, Jackson AD, Lautrup BE. Measures and Mismeasures of Scientific Quality. Available at: <http://arxiv.org/abs/physics/0512238> [10 June 2009].
26. Banks MG. An extension of the Hirsch index: Indexing scientific topics and compounds. *Scientometrics* 2006; **69**(1):161–168. DOI: 10.1007/s11192-006-0146-5.
27. Batista PD, Campiteli MG, Kinouchi O, Martinez AS. Is it possible to compare researchers with different scientific interests? *Scientometrics* 2006; **68**(1):179–189. DOI: 10.1007/s11192-006-0090-4.
28. Braun T, Glänzel W, Schubert A. A Hirsch-type index for journals. *The Scientist* 2006; **69**(1):169–173. DOI: 10.1007/s11192-006-0147-4.
29. BiHui J, LiMing L, Rousseau R, Egghe L. The R - and AR -indices: Complementing the h -index. *Chinese Science Bulletin* 2007; **52**(6):855–963. DOI: 10.1007/s11434-007-0145-9.
30. Burrell QL. On the h -index, the size of the Hirsch core and Jin's A -index. *Journal of Informetrics* 2007; **1**(2):170–177. DOI: 10.1016/j.joi.2007.01.003.
31. Burrell QL. Hirsch index or Hirsch rate? Some thoughts arising from Liang's data. *Scientometrics* 2007; **73**(1):19–28. DOI: 10.1007/s11192-006-1774-5.
32. Katsaros D, Sidiropoulos A, Manolopoulos Y. Age decaying H -index for social network of citations. *Proceedings of the Workshop on Social Aspects of the Web*, Poznan, Poland, April 2007.
33. Sidiropoulos A, Katsaros D, Manolopoulos Y. Generalized Hirsch h -index for disclosing latent facts in citation networks. *Scientometrics* 2007; **72**(2):253–280. DOI: 10.1007/s11192-007-1722-z.

34. Schreiber M. A modification of the h-index: The h_m -index accounts for multi-authored manuscripts. Available at: <http://arxiv.org/abs/0805.2000v1> [10 June 2009].
35. Woeginger GH. An axiomatic characterization for the Hirsch-index. *Mathematical Social Sciences* 2008; **56**:224–232. DOI: 10.1016/j.mathsocsci.2008.03.001.
36. Franceschini F, Maisano D. The Hirsch index in manufacturing and quality engineering. *Quality and Reliability Engineering International*, 2009; DOI: 10.1002/qre.1016.
37. Scopus—Elsevier. Available at: www.info.scopus.com [10 June 2009].
38. ASQ—American Society for Quality. Available at: www.asq.org [10 June 2009].
39. Castillo C, Donato D, Gionis A. Estimating number of citations using author reputation. *String Processing and Information Retrieval*. Springer: Berlin, Heidelberg, 2007; 107–117. DOI: 10.1007/978-3-540-75530-2_10.
40. Harzing AW. Reflections on the h-index. Available at: www.harzing.com [10 June 2009].
41. Franceschini F, Galetto M, Varetto M. Ordered samples control charts for ordinal variables. *Quality and Reliability Engineering International* 2005; **21**:177–195. DOI: 10.1002/qre.614.

Authors' biographies

Fiorenzo Franceschini is a Full Professor of Quality Engineering at Politecnico di Torino. Currently, he is Head of the Department of Manufacturing Systems and Business Economics (DISPEA) at the same university. He is a Senior Member of ASQ (American Society for Quality), and Full Member of INFORMS (The Institute for Operations Research and Management Sciences).

Since August 1997, he is a member of the European Experts Database as evaluator of the Research Technological Development (RTD) proposals in Industrial and Materials Technologies for the European Community.

He is the author and co-author of 7 books and about 120 published papers in scientific journals, and international Conference proceedings. His current research interests are in the areas of Quality Engineering, Statistical Process Control, QFD, and Industrial Metrology. At present, he coordinates some important projects in the area of Quality Management for Public and Private organizations.

Domenico Maisano graduated cum laude in Mechanical engineering, from Politecnico di Torino, where he is currently Assistant Professor. From 2003 to 2005, he was involved in a project in the area of Quality Management for FIAT Auto. In 2008 he received his PhD degree in 'Systems for the Industrial Production' at Politecnico di Torino. His current research interests are industrial metrology, performance measurements, and quality management.

He is the co-author of 2 books and about 30 publications on international journals and proceedings.