POLITECNICO DI TORINO Repository ISTITUZIONALE

Formalized Approach in Prevention through Design and Detailed Definition of the Input Data on the Basis of Occurred Accidents: Some Experiences at Italian Extractive Activities

Original

Formalized Approach in Prevention through Design and Detailed Definition of the Input Data on the Basis of Occurred Accidents: Some Experiences at Italian Extractive Activities / Martinetti, Alberto; Patrucco, Mario; Paola, Molina; Raffaele, Romano. - STAMPA. - 26 parte 2:(2012), pp. 627-632. (Intervento presentato al convegno 5th International conference on safety & environment in process & power industry tenutosi a Milano nel 3-6 June 2012) [10.3303/CET1226105].

Availability:

This version is available at: 11583/2498424 since:

Publisher: Associazione italiana di ingegneria chimica

Published DOI:10.3303/CET1226105

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

Volume 26, 2012 Part. 2



CHEMICAL ENGINEERING TRANSACTIONS

Guest Editors

Valerio Cozzani Eddy De Rademaeker



Associazione Italiana Di Ingegneria Chimica

CHEMICAL ENGINEERING TRANSACTIONS, Volume 26, 2012 Published by AIDIC

CISAP5, 5th International Conference on Safety & Environment in **Process & Power Industry**

CISAP5

3-6 June 2012, Milan, Italy

Organized and Promoted by: AIDIC, the Italian Association of Chemical Engineering

Guest Editors

Eddy De Rademaeker Valerio Cozzani

PART 2



ADC Associazione Italiana Di Ingegneria Chimica





VOL. 26, 2012 Guest Editors: Valerio Cozzani, Eddy De Rademaeker Copyright © 2012, AIDIC Servizi S.r.I., ISBN 978-88-95608-17-4; ISSN 1974-9791

Formalized Approach in Prevention through Design and Detailed Definition of the Input Data on the Basis of Occurred Accidents: Some Experiences at Italian Extractive Activities

Alberto Martinetti^{*a}, Mario Patrucco^a, Paola Molina^b Raffaele Romano^b

^aDipartimento di Ingegneria dell'Ambiente, del Territorio e delle Geotecnologie, Politecnico di Torino, Torino, Italy ^bServizio Tutela Ambientale, Provincia di Torino, Torino, Italy alberto.martinetti@polito.it

The paper deals with the principia and results of a formalized approach in Prevention Through Design applied to a number of North Western Italian extractive activities. The goal of an effective occupational Risk Analysis and Management, coherent to the national enforcements of the European safety regulations for the exploitation plan and development, involves a pro-active approach. The statistical data confirms in fact that the extractive activities should be considered with special care, due to the impressive figures of work related accidents (in number and seriousness), and of the health impairments associated with the presence of quite noxious pollutants at the workplaces.


Taken into account on one hand the impressive developments in the geotechnics – geomechanic sciences, and in the mining techniques and technologies, and on the other hand the results of the recent epidemiologic surveys, in particular with reference to the possible criticality of the silica dust, a Prevention through Design approach appears to be the only solution to correctly manage the substantially modified overall safety situation.

Obviously, the availability of reliable input data drawn from occurred accidents is essential for the development of an exhaustive Risk Analysis and Management in the Prevention through Design proactive approach. To overcome the physiological limits to the work related accidents available databases, and to get detailed information on the chain of intermediate events up to the root causes laying at the very base on an accident, a special technique was developed, useful also to pinpoint the safety measures necessary to prevent the accident. The characteristic of the technique and the possible results are discussed, together with the possibilities and advantages of its implementation in a computer assisted tool.

1. The occupational Safety and Health situation of the Italian extractive sector

In 2009, the Italian mineral industry reflected the conditions of the global recession showing severe decreases in the production of most mineral commodities.

The bentonite production fell by 48 %, granite production decreased by 31.8 %, and the estimated cement output decreased by about 15.5 % compared with that of 2008. Nitrogen production, however,



increased by 400 %, and there were also increases in the production of ball clay (81 %), salt (58 %), common clay (41.4 %), and silica sand (41.1 %) (Figure 1).

Figure 1: Industrial Mineral Production / Number of Workers in Mining sectors in Italy – INAIL/USGS data mean 2005-2009






Figure 2: Accident Severity Rate of Fatal/NON Fatal injuries in Italy - INAIL data mean 2006 - 2008

With reference to the occupational level and the Safety and Health aspects, in Italy more than 60,000 workers are involved in the mineral production activities, and more than 1200 accidents were recorded each year (data from INAIL, 2009)

Even if the number of invalidating and fatal injuries and health impairments is apparently low if compared with the overall national data, the following charts confirm the paramount criticality of the considered industrial sector in terms of Safety and Health problems and in particular in terms of the Frequency Index values. Moreover the extractive activities are characterized by the typical problems both of the building and constructions sites sector and by the problems of the industrial sector; the resulting accident scenario to take into account it is certainly worthy of attention and must be properly analyzed in terms of frequency and severity index and not only in absolute numbers.





2. The approach to the problem in the Italian Safety & Health regulations

The Italian regulation on the safety and health of workers at work D.Lgs. 81/2008 (Italian Regulation, 2008), directly drawn from the 89/391 EEC Directive (EC, 1992a,b) on the measures to encourage improvements the safety and health actions, introduces the Risk Analysis as a mandatory task for the employer. Where the extractive operations are considered, taken into account their criticality in terms of accidents and of correlated health impairments, a special "daughter" regulation should be furthermore applied -derived from 92/91 and 92/104 EEC Directives (EC, 1992a) - which integrates the main directive statements with further detailed clauses, and imposes a special Safety and Health Document to be drawn and carefully kept up to date, covering the relevant requirements of Articles 6, 9 and 10 of the 89/391 EEC Directive (EC, 1992a,b).

It must be strongly underlined that, even if in the Italian enforcement of the 92/104 EEC Directive (EC, 1992a) is not included in the afore mentioned Safety and Health Document, the Safety and Health problems should be carefully considered from the very first phases of the activity design and must be set in force at the beginning of the exploitation activities, in coherence with the statements of art.6 (and in the corresponding National enforcement) of the afore mentioned 89/391 EEC Directive (EC, 1992a,b).

This is a substantial difference from the 92/57 EEC Directive (EC, 1992b), and from the corresponding National enforcement, on the implementation of minimum safety and health requirements at temporary

or mobile construction sites where along the design phases the PSC document (Safety and Health Plan) has to be drawn up with the safety analysis and followed by a final document. Even though the DSS (Safety and Health Document) corresponds formally to the POS (Safety and Health Plan at execution stage), the resulting situation being potentially confounding for some *self proclaimed* Risk Analyzers.

The special Italian regulation for extractive industries charges the Local Mining Inspectorates Offices of the task to verify both the mining plan, an official approval being required before the activity start up, and the Safety and Health Document, and to carry out routine inspections on the safety conditions at workplaces during the mining operations.

The previously mentioned Offices, in cooperation with the Politecnico di Torino, according to the articles 15, 17, 28, 29 of the D.Lgs. 81/08 (Italian Regulation, 2008), are starting to request a "preliminary hazard identification" to induce a more careful consideration during the activity design phase.

3. The computer assisted technique developed in cooperation with the Local Mining Inspectorates Offices

Taken into account the impressive developments in the techniques and technologies characterizing the modern extractive activities, and the results of the recent epidemiologic surveys, the task of an effective Risk Analysis, upon which the activity plan and management should be based, involves a proactive approach. Only such an attitude makes possible to produce positive results, since slapdash remedies and occasional inspections are clearly inadequate to effectively highlight and control the underlying safety criticalities typical of a complex activity.

The paper discusses the approach according to the 92/104 EEC Directive (EC, 1992a), developed by the Department of Land, Environment and Geotechnologies of the Politecnico di Torino (where since more of 20 years important research work is being carried on Mining Safety and Health topics), based on the analysis of the several accidents occurred in metal and non metal activities and available on the internet site of the Provincia di Torino.

Open New Save	basic info	- company references - company general organization - company local organization
Produce a report Data retrieval	analysis approach at design stage: do the decisions consider a risk analysis approach?	 local geology (in brief) orebody extent, as evaluated on the basis of prospecting activities (brief report of techniques, e.g. geostatistics, etc.)
Mining rights Ore, main and accessory Prospecting / exploration / development / exploration / reclamation Rock minning technique Waste disposal organization Pollutant emission/minision management Subcontractors (if any) Excel graphs Excel tables		 external conditions (geographic, environmental, climate, pedology,) affecting decisions main and accessory ore typologies mining technique, and selection criteria: do the decisions consider a risk analysis approx expected production rate mining machinery characteristics, and selection criteria: do the decisions consider a risk analysis approach? processing plant layout and characteristics: do the decisions consider a risk are approach? waste disposal occupied area and technical characteristics, preliminary phases, mach and plarts expected energy consumptions kWh'y and installed power kW (total, mine, plant, other number of workers in mine, processing plant, total – work organization (shift dur hrweek, days/year)
Customized data retrieval Personal data Environment classification Exploitation technique	risk analysis special for	 efficiency parameters (mine, plant and total): tonn/man hour, tonn/kW electric, tonu diesel) mechanization level (mine, plant and total): kW/man criticalities identified with reference to the environmental impact and work safety countermeasures workers safety and health management Company policy (in a quality approach, if any)
SAFETY Safety in planning	workers safety and health	 approach to the management of the local safety and health problems (is a quality app adopted?)
Safety in management solution Supervision Select all Deselect all Export in excel tales	Workers Safety Check / conservation / improvement Environmental impact	 health and safety work conditions check procedures (both for routine and occas situations) emergencies management organization safety systems maintenance policy workers safety information and training - updating accident records and violations check and analysis pollutarts generation / emissions / immissions (initial and periodic check program.) waste disposal safety (stability, pollutant release,)
Upen standards Slave standards		
Exit		

Figure 4: Data input features of the main input screen

The approach was substantially improved thanks to a computer assisted interactive technique, able to support the analysts -industrial technicians, consultants and inspectors- in the evaluation of both the general and special safety aspects, starting from the very first plan phase, up to the evolving development steps, taken into account the Risk Analysis improvements and revisions.

The following figures show the main screenshot of the data input and the data output. It must be underlined the free compilation system of the computer technique, the empty lines acting as a memo, so that they can be completed later, finally providing an exhaustive document suitable for the Official approval and the periodic revisions. A very interesting feature of the database is the updating through TCP/IP protocol: the main database resides on a main server, and users can add their own data to the archive. New entries, after a validation stage by the system operators, are finally added to the main database.

Data input for each mine site	Net		
Open			
New			
Save			
Produce a report			
Data retrieval	single extractive site	- report (all the stored data) of the last recorded situation - time history of the main recorded data (a list of main site data is updated at every access	
Mining rights			- mine company
Ore, main and accessory			- mine location (district)
Prospecting / exploration / development /		pre-organized retrieval possibilities	- mining rights and duration
exploitation / reclamation			- sub-contractors (if any)
Rock minning technique			 ore, main and accessory
Waste disposal organization			 mining technique(s)
Pollutant emission/immision management			 processing plant characteristics
Subcontractors (if any)			 waste disposal characteristics
			- emissions / immissions: criticalities (if any) and co
Excel graphs Excel tables			 mine company mine location (detail) mining technique(s) details
	extractive sites comparison		 processing plant characteristics details
Customized data retrieval			
Customized data retrieval			 waste disposal characteristics details
Personal data		custom retrievals	- efficiency parameters (mine exploitation, plant and to
Personal data Environment classification		custom retrievals	 efficiency parameters (mine exploitation, plant and to tonn/man hour, tonn/kW electric, tonn/kW diesel)
Personal data		custom retrievals	 efficiency parameters (mine exploitation, plant and to tonniman hour, tonnikW electric, tonnikW diesel) mechanization level (mine, plant and total): kW/man
Personal data Environment classification Exploitation technique		custom retrievals	 efficiency parameters (mine exploitation, plant and to tominian hour, tom/kW electric, tom/kW diesel) mechanization level (mine, plant and total); kW/man emissions / immissions measurement: measure
Personal data Environment classification		custom retrievals	 efficiency parameters (mine exploitation, plant and to tomman hour, tomn/kW electric, tomn/kW diesel) mechanization level (mine, plant and total): kW/man emissions / immissions measurement: measure techniques and organization, recorded values, co
Personal data Environment classification Exploitation technique		custom retrievals	 efficiency parameters (mine exploitation, plant and to tonniman hour, tonn/kW electric, tonn/kW diesel) mechanization level (mine, plant and total): kW/man emissions / immissions measurement: measure techniques and organization, recorded values, co measures detail
Personal data Environment classification Exploitation technique SAFETY		custom retrievals	 efficiency parameters (mine exploitation, plant and to tonniman hour, tonnikW electric, tonnikW diesel) mechanization level (mine, plant and total); kW/man emissions / immissions measurement measure techniques and organization, recorded values, co measures detail safety topics as approached at the design phase
Personal data Environment classification Exploitation technique <u>SAFETY</u> Safety in planning			 efficiency parameters (mine exploitation, plant and to tominian hour, tom/kW electric, tom/kW diesel) mechanization level (mine, plant and total); kW/man emissions / immissions measurement: measure techniques and organization, recorded values, co measures detail safety topics as approached at the design phase safety topics as approached at the checking phase
Personal data Environment classification Exploitation technique SAFETY Safety in planning Safety in management		custom retrievals on safety	 efficiency parameters (mine exploitation, plant and to tomman hour, tom/kW electric, tom/kW diesel) mechanization level (mine, plant and total): kW/man emissions / immissions measurement: measure techniques and organization, recorded values, co measures detail safety topics as approached at the design phase safety topics as approached at the checking phase safety measures (technical data)
Personal data Environment classification Exploitation technique SAFETY Safety in planning Safety in management			 efficiency parameters (mine exploitation, plant and to tominian hour, tom/kW electric, tom/kW diesel) mechanization level (mine, plant and total); kW/man emissions / immissions measurement: measure techniques and organization, recorded values, co measures detail safety topics as approached at the design phase safety topics as approached at the checking phase

Figure 5: Data output features of the main output screen

The software proved effective to manage as many different analysis types as possible, in order to identify the administrative data, and the potentially critical working situations requiring a proactive workers safety approach, and careful safety management/improvement during the exploitation phases. It has then been decided to develop such a package with Microsoft Visual Basic® 6.0 Professional, since many procedures, especially related to the high quality graphic output and to the available export procedures to standard data formats were already available, and this could significantly make our work faster, saving time that could profitably be spent in the data structure analysis. In addition, such an approach grants full compatibility with the Italian Public Administration existing data bases, so that information import and export are quite easy.

It has then been decided to develop such a package with Microsoft Visual Basic® 6.0 Professional, since many procedures, especially related to the high quality graphic output and to the available export procedures to standard data formats were already available, and this could significantly make our work faster, saving time that could profitably be spent in the data structure analysis. In addition, such an approach grants full compatibility with the Italian Public Administration existing data bases, so that information import and export are quite easy.

4. Conclusion

The new Prevention Through Design in a pro-active approach cannot be suddenly established, it needs a sort of modulation in time according to a sustainable development modus operandi; moreover an effective result can be reached only by the cooperation of employers, safety analysts and inspectors and with the availability of reliable input data drawn from occurred accidents, essential for the development of an exhaustive Risk Analysis and Management. The authors are deeply convinced that, thanks to the user-friendly system and the exhaustive info available, it will become both an effective tool for the Mining Inspectorate to achieve both an objective evaluation of the safety approach of new projects submitted for approval, finally structured in a clear and comparable way, and a reference for the scheduling of the in field inspection activities, and a good reference for everyone involved both in the development of new extractive activities and in the correct management of the already in operation ones.

Furthermore, the technical, organizational and procedural solutions progressively introduced to improve the S&H conditions of workers at the workplaces, and to reduce the environmental impact of the extractive activities, can become as good practice references for similar situations, leading to a progressive reduction of work related injuries and health impairments.

References

- Faina L.; Patrucco M.; Savoca D., 1996, Guidelines for risk assessment in Italian mines, Gubbio Workshop on Risk Assessment, Doc. n° 5619/96 EN S.H.C.M.O.E., pp. 46-71.
- EC, 1992a. Council of the European Communities, 1992, Council Directive 92/104 EEC concerning the minimum requirements for improving the safety and health protection of workers in surface and underground mineral-extracting industries (eleventh individual Directive within the meaning of Article 16 (1) of Directive 89/391/EEC). Official Journal of the European Union, L 404, 10-25.
- EC, 1992b. Council of the European Communities, 1992, Council Directive 92/57 EEC concerning the implementation of minimum safety and health requirements at temporary or mobile construction sites (eighth individual Directive within the meaning of Article 16 (1) of Directive 89/391 EEC), Official Journal of the European Union, L 245, 6-22.

Italian Regulation, 2008, Decreto Legislativo 81 concerning the safety and health at work places (In Italian), <www.lavoro.gov.it/NR/rdonlyres/0D78BF49-8227-45BA-854F-064DE686809A/0/

20080409_Dlgs_81.pdf>, Accessed 09.05.2012.

- Italian Regulation, 1996, Decreto Legislativo 624 concerning the safety and health at extractive activities (In Italian), <www.normattiva.it/uri-res/N2Ls?urn:nir:stato:decreto.legislativo:1996;624>, Accessed 09.05.2012.
- Provincia di Torino, 2010, <www.provincia.torino.it/ambiente/attivita_estrattiva/software_sicurezza>, Accessed 25.01.2012.

INAIL, 2010, <www.inail.it>, Accessed 25.02.2012.