

6. Bell J. C., Colgan T. A., “Critical Physical Conditions in the Lubrication of Automotive Valve Train Systems”, Trib. Int., 1991, Vol. 24 (2), pp. 77-84
7. Calabretta M., Cacciatore D., Carden P., “Valvetrain Friction – Modeling, Analysis and Measurement of a High Performance Engine Valvetrain System”, SAE Paper 2010-01-1492
8. Koch F., ”Chapter 9: Friction”, in Internal Combustion Engine Handbook edited by Basshuysen R. and Schafer F., SAE International, Warrendale, 2004
9. Morel T., Flemming M. F., Buuck B. A., “Evaluation of Variable Camshaft Effects on Performance of a High Output, 4-Valve SI Engine”, SAE Paper 905173, 1990, pp. 397-433
10. Dowson D., Higginson G. R., “Elasto – Hydrodynamic Lubrication”, SI Edition, Pergamon Press, 1977
11. Teodorescu M., Kushwaha M., Rahnejat H., Rothberg S. J., “Multi-physics Analysis of Valve Train Systems: From System Level to Microscale Interactions”, Proc. IMechE Vol. 221 Part K: J. Multi-body Dynamics, 2007, pp. 349-361
12. Beloiu D. M., “Modeling and Analysis of Valve Train, Part I – Conventional Systems” SAE Paper 2010-01-1198
13. Hoglund E., “Influence of Lubricant Properties in Elastohydrodynamic Lubrication”, Wear 232 (1999): 176-184, 1999
14. Johnson K. L., Cameron R., “Shear Behaviour of Elastohydrodynamic Oil Film at High Rolling Contact Pressures”, Proc. Inst. Mech. Eng., 208: 307, 1967

15. Dowson D., “Elastohydrodynamic and Micro-Elastohydrodynamic Lubrication”, *Wear* 190: 125-138, 1995
16. Guangteng G., Cann P. M., Olver A. V., Spikes H. A., “Lubricant Film Thickness in Rough Surface, Mixed Elastohydrodynamic Contact”, *Trans. ASME, Journal of Tribology*, Vol. 122, 2000, pp. 65 – 76
17. Tallian T. E., “The Theory of Partial Elastohydrodynamic Contact”, *Wear*, Vol. 21, 1972, pp. 49 – 101
18. Patir N., Cheng H. S., “Application of Average Flow Models to Lubrication Between Rough Sliding Surfaces”, *ASME Journal of Lubrication Technology*, Vol. 101, 1979, pp. 220 -230
19. Kweh C. C., Evans H. P., Snidle R. W., “Micro-Elastohydrodynamic Lubrication of an Elliptical Contact with Transverse and Three-Dimensional Sinusoidal Roughness”, *ASME Journal of Tribology*, Vol. 111, 1989, pp. 577 – 584
20. Chang L., Jackson A., Webster M. N., “Effects of 3-D Surface Topography on the EHL Film Thickness and Film Breakdown”, *Tribology Transaction*, Vol. 37, 1994, pp. 435 – 444
21. Venner C. H., Lubrecht A. A., “Amplitude Reduction of Anisotropic Harmonic Surface Patterns in EHL Circular Contacts Under Pure Rolling”, *Leeds – Lyon Symposium – Lubrication at the Frontier*, September 1998
22. Elcoate C. D., Evans H. P., Hughes T. G., Snidle R. W., “Thin Film, Time Dependent, Micro-EHL Solutions with Real Surface Roughnesses”, *Leeds – Lyon Symposium – Lubrication at the Frontier*, September 1998
23. Chang L., “A Deterministic Model for Line Contact Partial Elastohydrodynamic Lubrication”, *Tribology International*, Vol. 28, 1995, pp. 75 – 84

24. Spikes H. A, “Mixed Lubrication – An Overview”, *Lubrication Science*, Vol. 9, 1997, pp. 221 – 253
25. Jackson A., Cameron A., “An Interferometric Study of the EHL of Rough Surfaces”, *ASLE Transactions*, Vol. 19, 1976, pp. 50 – 60
26. Cusano C., Wedeven L. D., “Elastohydrodynamic Film Thickness Measurements of Artificially Produced Non Smooth Surfaces”, *ASLE Transactions*, Vol. 24, 1980
27. Kaneta M., Cameron A., “Effects of Asperities in Elastohydrodynamic Lubrication”, *ASME Journal of Technology*, Vol. 102, 1980, pp. 374 – 379
28. De Silva G. M. S., Leather J. A., Sayles R. S., “The influence of Surface Topography on Lubricant Film Thickness in an Elastohydrodynamic (EHD) Point Contact”, *Proc. 12th Leeds – Lyon Symposium*, September 1985
29. Liang X., Linqing Z., “A New Method for the Experimental Investigation of Contact in Mixed Lubrication”, *Wear*, Vol. 132, 1989, pp. 221 – 233
30. Tondor K., Jakobsen J., “Interferometric Studies of Effects of Striated Roughness on Lubricant Film Thickness under Elastohydrodynamic Conditions”, *ASME Journal of Tribology*, Vol. 114, 1992, pp. 52 – 56
31. Kaneta M., Sakai T., Nishikawa H., “Effects of Surface Roughness on Point Contact EHL”, *Tribology Transactions*, Vol. 36, 1993, pp. 605 – 612
32. Kaneta M., Nishikawa H., “The Effects of a Transversely Oriented Bump on Point Contact EHL in Reciprocating Motion with a Small Stroke Length”, *Leeds – Lyon Symposium – Lubrication at the Frontier*, September 1998

33. Hundal M. S., “Aid of Digital Computer in the Analysis of Rigid Spring Loaded Valve Mechanisms”, SAE Progress in Technology, 5, 1963, p. 409
34. Johnson G. I., “Studying Valve Dynamics with Electronic Computers”, SAE Progress in Technology, Vol. 5, 1963, pp. 10 – 28
35. Sakai H., Tsuda K., “Analysis of Valve Motion in Overhead Valve Linkage – Measurement of Valve Motion and Discussion of Single Mass System”, Bulletin of the JSME, Vol. 13, No. 55, 1970, pp. 120 – 128
36. Kanesaka H., Akiba K., Sakai H., “A New Methods of Valve Cam Design – HSDYNE Cam”, SAE Paper 770777
37. Desai H. D., Patel V. K., “Computer Aided Kinematic and Dynamic Analysis of Cam and Follower”, Proc. World Congress on Engineering 2010 Vol. II, London, UK
38. Shigley J. E., ”Theory of Machines and Mechanisms”, Tata McGraw-Hill, New York, 2003
39. Keribar R., “A Valvetrain Design Analysis Tool with Multiple Functionality”, SAE Technical Paper 2000-01-0562
40. Okarmus M. M., Keribar R., Suh E., “Application of a General Planar Kinematics and Multi-Body Dynamics Simulation Tool to the Analysis of Variable Valve Actuation Systems”, SAE Technical Paper 2010-01-1193
41. Flierl R., Hofman R., Landerl C., Melcher T., Steyer H., “The New BMW Four Cylinder Engine with Valvetronic. Part I: Concept, Design and Construction”, MTZ 62(2001)6, pp. 450 – 463

42. “Variable Valve Lift and Duration Mechanism Designed for a High-Speed Engine”, Engine Technology Progress in Japan, April, 2007
43. Du I. H. Y., Chen J.-S., “Dynamic Analysis of a 3D Finger Follower Valve Train System Coupled with Flexible Camshafts”, SAE Paper 2000-01-0909
44. Hsu W., Pisano A. P., “Modeling of a Finger – Follower Cam System with Verification in Contact Forces”, ASME Journal of Mechanical Design, Vol. 118, 1996
45. Lin Y., Pisano A. P., “General Dynamic Equations of Helical Springs with Static Solution and Experimental Verification”, ASME Journal of Applied Mechanics, Vol. 54, 1987
46. Lin Y., Pisano A. P., “ Three – Dimensional Dynamic Simulation of Helical Compression Springs”, ASME Journal of Mechanical Design, Vol. 112, 1990
47. Lin Y., Hodges P. H., Pisano A. P., “ Optimal Design of Resonance Suppression Helical Springs”, ASME Journal of Mechanical Design, Vol. 115, 1993
48. Zeischka J., Kading D., Croscheck J., “Simulation of Flexible Engine Block, Crank, and Valvetrain Effects using DADS”, Proceeding of GM Global Powertrain Congress, 6-8 October, 1998
49. Schlachter R., Allgeier M., “Modeling and Simulation the Dynamic Behaviours of Valve Spring in Valvetrain”, DADS User’s Meeting, Nürtingen, 15 September, 1998
50. Teodorescu M., Kushwaha M., Rahnejat H., Taraza D., “Elastodynamic Transient Analysis of a Four-Cylinder Valvetrain System with Camshaft Flexibility”, Proc. IMechE Vol. 219 Part K: J. Multi-body Dynamics, 2005, pp. 13-25

51. Teodorescu M., Votsios V., Rahnejat H., “Multiphysics Analysis for the Determination of Valvetrain Characteristics”, Proc. IMechE Vol. 219 Prt D: J. Automobile Engineering, 2005, pp. 1109-1117
52. Zou D., McCormick H., “Dynamic Model and Computer Simulation of Valvetrain Assemblies with Hydraulic Lash Adjusters”, SAE Paper 96
53. Dyson A., “Elastohydrodynamic Lubrication and Wear of Cams Bearing Against Cylindrical Tappets” SAE Paper 770018
54. Staron J. T., Willermet P. A., “An Analysis of Valve Train Friction in Terms of Lubrication Principles”, SAE Paper 880165
55. Colgan T., Bell J. C., “A Predictive Model for Wear in Automotive Valve Train Systems”, SAE Paper 892145
56. Grubin A. N., “Investigation of the Contact of Machine Components” edited by Ketova K. F., Central Scientific Research Institute of Technology and Mechanical Engineering, Book 30, Moscow, 1949
57. Block H., “Elastohydrodynamic Lubrication – Communications”, Proc. Instn Mech. Engrs, 1965 – 66, 180 (3B), 237 – 238
58. Cameron A., “Righting 40 Years-Old Wrong“, Tribol. Int., 1985, 18, 92
59. Morales-Espejel G. E., Wemekamp A. W., “Ertel – Grubin Methods in Elastodynamic Lubrication – A Review”, Proc. IMechE Vol. 222 Part J: J. Engineering Tribology, 2008
60. Zhang P.-S., Wang J.-G., “Partial Elastohydrodynamic Lubrication of Rough Rollers”, Proc. 50 Years of Tribology Conf., London, July 1 – 3, 1987, pp. 111 – 119

61. Dowson D., Toyoda S., “A Central Film Thickness Formula for EHD Line Contacts”, Proc. 5th Leeds – Lyon Symp. on Tribology, Leeds, September 1978, Mechanical Engineering Publications, London, pp. 60 – 65
62. Zhang P.-S., Gou J.-H., “Two New Formulae to Calculate the Film Thickness in Elastodynamic Lubrication and an Evaluation of Grubin’s Formula”, Wear 130 (1989) 357-366
63. Zhang P.-S., “A Universal Film Thickness Formula and a Modified Map of Regimes of EHD Line Contacts” edited by Tamai Y., Proc. JSLE Int. Tribology Conf. Tokyo, July 8 – 10, 1985, pp. 967 – 972
64. Crook A. W., “Lubrication of Rollers Pt. III”, Philos. Trans. R. Soc. London, Ser. A, 1961, 254, 237
65. Wolveridge P. E., Baglin K. P., Archard J. F., “The Starved Lubrication of Cylinders in Line Contacts”, Proc. Instn Mech. Engrs, 1970 – 71, 185(81), 1159
66. Archard J. F., Baglin K. P., “Nondimensional Presentation of Frictional Traction in Elastohydrodynamic Lubrication – Part I: Fully Flooded Conditions”, Trans. ASME, J. Lubr. Tech., 1975, 97(3), 412 – 423
67. Archard J. F., Baglin K. P., “Nondimensional Presentation of Frictional Traction in Elastohydrodynamic Lubrication – Part II: Starved Conditions”, Trans. ASME, J. Lubr. Tech., 1975, 97(3), 412 – 423
68. Greenwood J. A., “An Extension of the Grubin Theory of Elastohydrodynamic Lubrication”, J. Phys. D, Appl. Phys., 1972, 5, 2195
69. Morales-Espejel G. E., “Elastohydrodynamic Lubrication of Smooth and Rough Surfaces”, PhD Dissertation, University of Cambridge, UK, 1993

70. Greenwood J. A., Morales-Espejel G. E., “Pressure spikes in EHL”, in *Lubricants and Lubrication* – Eds D. Dowson, C. Taylor, T. Childs, G. Dalmaz -, Tribology Series, 1995, vol. 30, pp. 555 – 564 – Elsevier, Amsterdam
71. Greenwood J. A., Morales-Espejel G. E., “The Amplitude of the Complementary Function for Wavy EHL Contacts”, in *Elastohydrodynamics '96* – Eds D. Dowson, C. Taylor, T. Childs, G. Dalmaz, Y. Berthier, L. Flamand, J. M. Georges, and A. A. Lubrecht -, Tribology Series 32, 1997, pp. 307 – 312 – Elsevier, Amsterdam
72. Chow L. S. H., Cheng H. S., “The Effects of Surface Roughness on the Average Film Thickness Between Lubricated Rollers”, *Trans. ASME J. Lubr. Technol.*, 1976, 98, 117 – 124
73. Gohar R., Rahnejat H., “Fundamentals of Tribology”, Imperial College Press, 2008
74. Dowson D., Taylor C. M., Zhu G., “A Transient Elastohydrodynamic Lubrication Analysis of a Cam and Follower”, *J. Phys. D; Appl. Phys.*, 1992, 25, 313-320
75. Xiaolan A., Haiqing Y., “A Numerical Analysis for the Transient EHL Process of a Cam - Tappet Pair in I.C. Engine”, *Trans. ASME, J. Tribology*, July 1989, 111, 413-417
76. Hamilton M., “The Hydrodynamics of a Cam Follower”, *Tribology Int.*, June 1980, 113-119
77. Rahnejat H., “Influence of Vibration on the Oil Film in Concentrated Contacts”, Ph.D. Thesis, Imperial College of Science and Technology, London, 1984

78. Mostofi A., Gohar R., “Oil Film Thickness and Pressure Distribution in Elastohydrodynamic Point Contacts”, *J. Mech. Engng. Sci.*, 1982, 24(4), 173-182
79. Glovena R. P., Spikes H. A., “Elastohydrodynamic Film Collapse During Rapid Deceleration – Part II: Theoretical Analysis and Comparison of Theory and Experiment”, *Trans. ASME, J. Tribol.* 2001, 123(2), 262 – 277
80. Nélias D., Trujillo Jiménez A., “A Simplified Model to Study EHL Film Collapse During Rapid Halting Motion”, *Tribol. Trans.*, 2002, 45(4), 512 – 520
81. Archard J. F., Cowking E. W., “Elastohydrodynamic Lubrication at Point Contacts”, *Proc. Instn Mech. Engrs.*, 1965 – 66, 180(3B), 47 – 56
82. Snidle R. W., Archard J. F., “Lubrication at Elliptical Contacts”, *Proc. Instn Mech. Engrs.*, 1968 – 69, 183(3P), 138 – 146
83. Mei X., Xie Y., “A Numerical Analysis of Nonsteady EHL Process in High-Speed Rotating Engine Cam/Tappet Pairs”, *Trans. ASME J. Tribol.* 118, 1996
84. Ai H., Yu H., “A Full Numerical Solution for General Transient Elastohydrodynamic Line Contacts and its Application”, *Wear* 121, 1988
85. Ai H., Yu H., “A Numerical Analysis for the Transient EHL Process of a Cam/Tappet Pair in I.C. Engine”, *Trans. ASME J. Tribol.* 111, 1989
86. Kushwaha M., Rahnejat H., “Transient Elastohydrodynamic Lubrication of Finite Line Conjunction of Cam to Follower Concentrated Contact”, *J. Phys. D: Appl. Phys.* 35 (2002) 2872 – 2890
87. Fessler H., Ham R., “Lubrication and Stress Analysis as a Basis for Camshaft Optimization”, *Proc. XXIII FISITA Congress, Turin, Italy, May 1990*

88. Dowson D., Higginson G. R., “Elastohydrodynamic Lubrication: The Fundamentals of Roller and Gear Lubrication”, Oxford – Pergamon, 1966
89. MSC ADAMS VIEW 2005 R2 Help – Adams/Solver (FORTRAN) manual
90. MSC ADAMS VIEW 2005 R2 Help – Build manual
91. Rahnejat H., “Multi-body Dynamics – Vehicles, Machines, and Mechanisms”, SAE International, 1998
92. Anderson R. A., “Fundamentals of Vibrations”, McMillan, 1967
93. Wang Y., “Introduction of Engine Valve Train”, SAE International, 2007
94. Stachowiak G. W., Batchelor A. W., “Engineering Tribology”, Elsevier – Butterworth Heinemann, 2005
95. Martin G. H., “Kinematics and Dynamics of Machines”, McGraw-Hill, 1982
96. Chen F. Y., “Mechanics and Design of Cam Mechanisms”, Pergamon Press, 1982
97. Norton R. L., “Cam Design and Manufacturing Handbook”, Industrial Press, 2002
98. Roeland C. J. A., “Correlation aspects of the Viscosity – Temperature – Pressure Relationship of Lubricating Oils”, Ph.D. Thesis, Technische Hogeschool Delft, The Netherlands, 1966
99. Teodorescu M., Taraza D., Henein N. A., “Simplified Elasto-Hydrodynamic Friction Model of the Cam-Tappet Contact”, SAE Technical Paper 2003-01-0985
100. Greenwood J. A., Tripp J. H., “The Contact of Two Nominally Flat Rough Surfaces”, Proc. Instn Mech. Engrs, Vol. 185 48 / 71, pp. 625 - 633, 1970 – 71