### POLITECNICO DI TORINO Repository ISTITUZIONALE

Engineering knowledge and new railways in the second half of XIX century. Pietro Spurgazzi and his professional activity

Original

Engineering knowledge and new railways in the second half of XIX century. Pietro Spurgazzi and his professional activity / Fracchia, BEATRICE MARIA. - ELETTRONICO. - (2012), pp. 59-59. (Intervento presentato al convegno International Conference on Architectural Research tenutosi a Milano nel 7-10 giugno 2012).

*Availability:* This version is available at: 11583/2504995 since:

*Publisher:* EAAE

Published DOI:

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)



Ideas, Methods, Techniques, Tools, Case Studies

**EAAE / ARCC** International Conference on Architectural Research

Milano 7-10 June 2012

# Posters



### POLITECNICO DI MILANO



UNIVERSITÀ DEGLI STUDI DI GENOVA

ARCC

ARCHITECTURAL RESEARCH CENTERS CONSORTIUM



EUROPEAN ASSOCIATION FOR ARCHITECTURAL EDUCATION









EAAE / ARCC

International Conference on Architectural Research



### **Conference Committee**

*Organization* Adalberto Del Bo (Politecnico di Milano) Head of Committee Ebbe Harder (The Royal Danish Academy of fine Arts)

Scientific Committee Politecnico di Milano Marco Bovati Federico Bucci Michele Caja Adalberto Del Bo Giancarlo Floridi Martina Landsberger Maurizio Meriggi Ilaria Valente

### ARCC

Leonard Bachman, University of Houston J. Brooke Harrington, Temple University Philip Plowright, Lawrence Technological University Hazem Rashed-Ali, The University of Texas at San Antonio Katherine Wingert-Playdon, Temple University


### EAAE

Per Olaf Fjeld, Oslo School of Architecture and Design (AHO) Maire Henry, Waterford Institute of Technology Johannes Käferstein, Lucerne University of Applied Sciences Stefano Musso, Università di Genova Herman Neuckermans, Katholieke Universiteit Leuven Aart Oxenaar, Amsterdam Academy of Architecture David Vanderburgh, Université Catholique de Louvain Chris Younès, Ecole Spéciale d'Architecture de Paris



ORDINE DEGLI ARCHITETTI PIANIFICATORI PAESAGGISTI E CONSERVATORI DELLA PROVINCIA DI MILANO

E CONSERVATORI



ORDINE DEGLI ARCHITETTI PIANIFICATORI PAESAGGISTI E CONSERVATORI DELLA PROVINCIA DI COMO *Secretariat* Cristina Giannetto (Politecnico di Milano)

*Graphic design* Salvatore Gregorietti

# EAAE, Leuven, 2012

©EAAE-ARCC ISBN 978-2-930301-56-3





POLITECNICO DI MILANO



**EAAE / ARCC** International Conference on Architectural Research

# Summary

Knowledge of the City for Urban Transformation		Politecnico di Bari, Italy Juliana Forero	38
<b>Francesca Barone,</b> Politecnico di Bari, Italy	5	Huazhong University of Science and Technology, China	39
<b>Aurore Bonnet</b> Grenoble School of Higher Studies in Architecture		<b>Pierfranco Galliani</b> Politecnico di Milano, Italy	4(
France <b>Paola Bracchi</b>	6	<b>Antonella Versaci</b> Università di Enna "KORE", Italy	4-
Politecnico di Milano, Italy Maria Antonietta Crippa	7	<b>Mo Zell</b> University of Wisconsin, Milwaukee, U.S.A.	42
Politecnico di Milano, Italy Noheir Elgendy	8	Tema 4 Housing and the Shape of the City	
Politecnico di Milano, Italy	9	Sofia Barroco	
<b>Caterina Gallizioli</b> Politecnico di Milano, Italy	10	Technical University of Lisbon, Portugal <b>Francesco Defilippis</b>	44
<b>Ilaria Giuliani</b> Politecnico di Milano, Italy	11	Politecnico di Bari, Italy           Sara Fois	45
<b>Narges Golkar</b> Politecnico di Milano, Italy	12	Università degli studi di Cagliari, Italy	46
<b>Inci Guldogan</b> Anadolu University, Eskişehir, Turkey	13	<b>Nicola Parisi</b> Politecnico di Bari, Italy	47
<b>Fatema Meher Khan</b> Bangladesh University of Engineering and Technology Bangladesh	14	Milan Stamenkovic Moscow Institute of Architecture (State Academy), Moscow, Russia	48
<b>Giorgia Lupi, Paolo Ciuccarelli</b> Politecnico di Milano, Italy	15	<b>Chiara Toscani</b> Politecnico di Milano, Italy	49
Beatrice Mariolle		<b>Lei Wang</b> Aalto University in Helsinki Finland	50
École Nationale Supérieure d'Architecture Paris-Belleville France	16	<b>Manuela Zorzi</b> Istituto Universitario di Venezia, Italy	5-
<b>Barbara Pau</b> Università degli Studi di Cagliari, Italy	17	Tema 5	
<b>Raffaele Pé</b> Politecnico di Milano, Italy	18	Infrastructure Networks and Landscape Valentina Dessì	
<b>Manuela Raitano</b> Università di Roma "La Sapienza", Italy	19	Politecnico di Milano, Italy	50
<b>Ana Ferreira Ramos</b> Politechnic Institute of Castelo Branco, Portugal	20	<b>Eva Oravcová</b> Slovak University of Technology in Bratislava Slovak Republi	54
<b>Ida Recchia</b> Università della Calabria, Italy	21	<b>Payman Sadeghi</b> University of Wisconsin Milwaukee, U.S.A.	55
<b>Shafik I. Rifaat</b> University of Houston, Texas, U.S.A.	22	<b>Nataliya Tinyaeva</b> Astrakhan Engineer Building Institute, Russia	56
<b>Lorenzo Santosuosso</b> Politecnico di Milano, Italy	23	Tema 6 Infrastructure Networks and Landscape	
<b>Giulia Setti</b> Politecnico di Milano, Italy	24	<b>Gustavo Ambrosini</b> Politecnico di Torino, Italy	58
<b>Elif Tatar</b> University, Eskisehir, Turkey	25	<b>Beatrice Fracchia</b> Politecnico di Torino, Italy	59
<b>Zhu Tan</b> Politecnico di Milano, Italy	26	<b>Alessandra Giannini</b> Politecnico di Milano, Italy	60
<b>Stefania Zuccarello</b> Università KORE di Enna, Italy	27	<b>Andrea Oldani</b> Politecnico di Milano, Italy	6-
Tema 2 History, Theory and Criticism		<b>Henrika Pihlajaniemi</b> University of Oulu, Finland	62
of Architecture and Urban Design Daniela De Mattia		<b>Pisana Posocco</b> Università di Roma "La Sapienza", Italy	63
Politecnico di Bari, Italy <b>Felicita Forte</b>	29	Tema 7 Education in Architecture	
Politecnico di Milano, Italy <b>Felix Schmuck</b>	30	<b>Francesca Di Gennaro</b> Politecnico di Milano, Italy	65
HafenCity University, Hamburg, Germany	31	Ado Franchini	
<b>Julia Yanuskina</b> Volgograd State, University of Architecture and Civil Engineering (VSUACE), Russia	32	Politecnico di Milano, Italy Gonçalo Canto Moniz	66
Tema 3 Criticism, Conservation and Restoration		University of Coimbra, Portugal           Alessia Riccobono	67
<b>Silvia Arroyo</b> Politecnico di Milano, Italy	34	Università di Palermo, Italy Maria Del C. Vera - Colleen O' Malley	68
Laura Balboni Politecnico di Milano, Italy	35	Southern Illinois University, U.S.A.	69
Arthur Chen		Università degli Studi di Cagliari, Italy	7(
University of Minnesota, U.S.A. <b>Thais Fátima dos Santos Cruz</b>	36	<b>Colleen O'Malley</b> Southern Illinois University, U.S.A.	7-

Politecnico di Torino, Italy	59	
<b>Alessandra Giannini</b> Politecnico di Milano, Italy	60	
<b>Andrea Oldani</b> Politecnico di Milano, Italy	61	
<b>Henrika Pihlajaniemi</b> University of Oulu, Finland	62	
<b>Pisana Posocco</b> Università di Roma "La Sapienza", Italy	63	
Tema 7 Education in Architecture		
<b>Francesca Di Gennaro</b> Politecnico di Milano, Italy	65	
<b>Ado Franchini</b> Politecnico di Milano, Italy	66	
<b>Gonçalo Canto Moniz</b> University of Coimbra, Portugal	67	
<b>Alessia Riccobono</b> Università di Palermo, Italy	68	
Maria Del C. Vera - Colleen O' Malley Southern Illinois University, U.S.A.	69	
<b>Francesco Zuddas</b> Università degli Studi di Cagliari, Italy	70	
<b>Colleen O'Malley</b> Southern Illinois University, U.S.A.	71	

З

# mo per demont transner & Locorum uoune de

# Tema 1 Knowledge of the City for Urban Transformation



LA AECAA

POLITECNICO **DI MILANO** 



UNIVERSITÀ DEGLI STUDI **DI GENOVA** 



ARCHITECTURAL RESEARCH CENTERS CONSORTIUM







POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research


5

Tema 1 Knowledge of the City for Urban Transformation

# **Francesca Barone,** Politecnico di Bari, Italy


# "THE STONE FACADE": urban construction and tectonic metaphor. FRANCESCA BARONE, PHD Student - Politecnico di Bari, Faculty of Architecture







1667

1882




1884









# Building Regulations on the road profile: relationship between the building organism and the city

















POLITECNICO **DI MILANO** 



EAAE / ARCC International Conference

on Architectural Research

Tema 1 **Knowledge of the City for Urban Transformation**  **Aurore Bonnet** Grenoble School of Higher Studies in Architecture France

At the beginning of videographic approaches in urban research, video was first used as a tool for methodological apparatus. Allowing the recording on the same support of various observational data of urban ambiences, the audiovisual tool was used within the framework of the fieldwork and also to illustrate the research results.

The evolution of videographic practices in urban researches brings us to reconsider the role of video. Today, video does not only seem to be reduced to a tool or an illustration. Thus, the relationship between video and research can not be reduced solely to the use of one for another, but would develop as an interweaving of one inside the other. By looking at different disciplinary postures, the question of the video is part of a reflection on the interweaving processes of knowledge and transformation.



# Videographic Approaches in Urban Research

By observing the works of different urban research actors (researchers, teachers) or videographers), we propose a reflection at the crossroads of disciplines, through which we try to question the capacity of understanding, conception and representation of the urban ambiences from the video.



In an interdisciplinary dialogue, which took place in a seminar entitled «Video & Ambience» (25th and 26th of October 2011 at the Grenoble School of Higher Studies in Architecture, France) we convened three types of postures (linked to ethnography and urban sociology, to processes of urban planning, and to artistic and film production) which each feed the understanding of the place and role of videographic approaches in urban research.

It is also an opportunity to question the various forms of link between the videographic work and the production of knowledge for the city, at different moments of these practices: 1/the fieldwork, 2/the analysis, 3/the reproduction.

# 1/ the fieldwork

This phase refers to different choices and strategies of filming, postures and positions in space. Also, how to build a posture of capture by considering different movements and relationship to time knowing that it has an impact on the editing and the reproduction?

Filming is to find its place, fit into a space with his individual experience, in a relationship to another. The content and approach of the video are to think with regard to these points of view.

# 2/ the analysis

During the analysis, what meanings and what forms can take a sequence? What transformations of the raw footage can be used to analyze it? How can the editing influence and direct understanding of the object being studied?

We can enter at least three types of processes related to the moment of analysis: immersion in images, identification and selection of items. These processes are not organized sequentially but take shape in a double movement from the video material.


# 3/ the reproduction

This phase is related to the question of language. It invites us to formulate a reflection on the possible forms of research results communication. In an operational perspective, how the use of video is it able to serve the urban design? To what forms of creativity, innovation and debate, video approaches can lead?

If certain videographic practices are not likely to go up the reproduction, others record this stage in the very process of forming a thought and a project. Reproduction raises the question of sharing a glance, a subjectivity, sometimes leading

For more information on the seminar «Video and A	Ambience»
--	-----------









POLITECNICO **DI MILANO** 

Paola Bracchi



EAAE / ARCC

International Conference on Architectural Research

Tema 1 **Knowledge of the City** for Urban Transformation

# FIGURES AND STRATEGIES FOR THE CITY'S TRANSFORMATION

PAOLA BRACCHI. PHD SUDENT, POLITECNICO OF MILANO, DIAP


Politecnico di Milano, Italy

The city evolution is not a metamorphic flux, but it occur through the alternation between phases of stability and instability. The transition from one phase to another bring with it previous arrangement inside the new configuration, without any repetition. The contemporary cities seem forgot it and live always in the same moment, but they cannot be only present because their identity and essence are part of a process that is written in the soil, in the geography and in the urban archeology like a "dig in the cultural thickness of the built spaces, like a sediment of memories". The soil is not a addition

of different historical phases, but a complex stratification made by sedimentation and interaction between all the signs, the cuts and the passages of phase that remain impressed in the urban territories' pages.

The proliferation of signs make difficult understand which are the ones that are part of city's DNA, filter the signs through some fundamental figure is necessary first for untwist the tangle of signs and then reach the morphogenetic essence. The concept of sign has inside it space and time in unstable balance between the destructive aspect of the ruin and the projective aspect of the trace. Gedorg Simmel in his essay "De Ruine" says that the architecture is the only art in which is possible reach an equilibrium between "soul's wills and natural wills", the ruins seem to be a nature revenges, that push down the human wills of elevation. In the ruin the nature transform the architecture in material for a new form, so it can be used as an active principle, because is a structural part in the process of transformation.

Also the recognition of traces is fundamental in the understanding



process of multiplicity of signs. If the richness of the cities come from their differences, so in the experimentation of contradiction as integration, we can say that what allow the interaction between the fragments is the trace, like a deep sign.

When we are called to make some intervention inside the city, both historical and contemporary, is important to read and interprets it with those figures, that are also closely related with the concept of memory. When urban and architectural projects are related with the built up spaces, those kind of reading of the urban text allowed us to think about strategies of transformation of the city. Strategies that can work trough addition, demolition or substitution of the existence. Thanks to the process of knowledge make before and during the project, that kind of actions are not destructive of the past and of the present, but transformative because linked to the city's DNA chain.

The aim of the paper will be, starting from this reflections about the relation with the history, study in deep some strategies either through design experiences that from theoretical point of view.

### THEME 1. KNOWLEDGE OF THE CITY FOR URBAN TRANSFORMATION







EAAE / ARCC

International Conference on Architectural Research

Tema 1 Knowledge of the City for Urban Transformation Maria Antonietta Crippa Politecnico di Milano, Italy

The case of Italian mental hospitals: relationships between architectural design and urban development in the twentieth and twenty-first centuryies


\* Psychiatry, society and the Italian government, from the national Unification to the period between the two world wars, contributed to the construction of mental (or psychiatric) hospitals characterized by rigid separation and by functional architectures.

\* In Italy in 1978 only, the laws n. 180, "Basaglia law", and n. 833 have resulted in the closure of psychiatric hospitals.. The national situation is reflected in the area of study on the North-East (Lombardy, Veneto, Trentino, Friuli-Venezia Giulia). (Varedo-Mombello, Gorizia, Trieste); cession and fragmentation of areas (Bergamo, Trieste, Gorizia), cultural enhancements through museums (Trieste, Venice, Milan).












Ex psychiatric or mental hospital, Pergine (Trentino)

An initial survey identified: heterogeneous construction projects, some of which of urban significance (Gorizia), adaptations of existing

Ex psychiatric mental hospital; Trieste (Friuli, Venezia Giulia)

Important issues are the evaluation processes elapsed since 1978 to date, and the protection of buildings and the vast green areas, often keepers of tree species or micro ecosystems,







POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

Tema 1 Knowledge of the City for Urban Transformation


# **Noheir Elgendy** Politecnico di Milano, Italy

# The Islands within the City | Tales of a Transition

Transformations in the form and structure of the city are not just about a scale jump: it is also about reversing codes in the city. The city fabric turned into a collective tissue of a diversity of mono-functional 'islands', and so strategies for the reconstitution of a civil architecture and a society that is both open and aware of the importance the ultimate 'shared' places - namely cities - needs to be rethought.


There are periods and epochs when the city stops working as a necessary counterpart to the aggregative pulses which

**Topos | Logos** \_ The "Island" as a concept is a metaphorical shape, that signifies an entity holding a certain typological, morphological, cultural or social enclave within the city fabric, identifying its own borders and independent.



**Enclave|Heterotopia\_**The city form was transformed due to the sedimentations of historical layers form a collection of enclaves and armatures, to include a sort of heterotopia.

push forward urban society. It stops being a necessary break from the over homogenous nature of ordinary urban space. In these periods these 'islands' begin to dominate. Their energy is freed up through numerous small activities, which dilute the value of human relationships and construct enclaves where there is no social or cultural variety. These 'islands' grow parallel to each other. Each one identifying its own borders and containing a certain life and nature. They do not merely emerge from the fact that too many similar kinds of lives are concentrated in spaces which are too similar, and where urban revolts explode, showing a total alienation from the urban condition. Their diverse typomorphological characteristics reflect economical, social, and cultural isolation. They house communities of homogenous race and ethnic backgrounds holding their traditions and performing them within a contemporary urban environment, forming a city within



**Formation |Transformation** \_The 'Island' is a form of a Heterotopia, a metaphorical as well as physical enclosed and bordered typomorphological entity




**Metacity** Megacity The modes of transformation of the territory has resulted in deeper understanding the city and the formation of various typologies islands.




the city.

The 'island' is a source of deep energy and is apparently peaceful, and it does not oppose itself to the cities where we live. It tends, on the other hand, to erode it from within. Without making radical gestures, it moves quietly and often invisibly within the mechanisms of reproduction of contemporary urban space. It breaks down connections, and unties knots; it compromises the very workings of the city. Yet, paradoxically, the 'island' remains an essential part of the creation of the city. It cannot stop feeding off those energies which are pushing towards the coming together of spaces and social groups in order to fragment and weaken them. Those energies which bring people together create links between them, connect up identities and favour the sharing of experiences and daily practices.We need to understand those 'island' in all

**Formal | Informal**\_The island a sort of a hybrid heterotopia including different functions and forming a separate social and cultural entity.



**Natural |Artificial\_**The Island spontanous formation has developed a spontanous relation between natural and artificial forming a new model for Landscape Urbanism.













POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

10

Tema 1 Knowledge of the City for Urban Transformation


### **Caterina Gallizioli** Politecnico di Milano, Italy

# WATER MEETS

The urban industrial and growth process, bound to the development of cities until now, hasn't spared open urban spaces, sometimes modifying their structure, but at the same time generating new chances relation between public **O**<sup>†</sup> water. **Rivers**, and space creeks and canals -as well as lake and seas, even though in different ways- have always been a characterizing feature of landscapes and, over time, also of the urban context. Through architectural project the water's presence is given back to the city enriched with new meanings more suited to answer modern needs and lifestyles. The project is a translator of the complex experience between man and water.



# man as interpreter of the relationship water <sup>87</sup> <sup>88</sup> <sup>89</sup> <sup>1990</sup> <sup>91</sup> <sup>92</sup> <sup>93</sup> <sup>94</sup> <sup>95</sup> <sup>96</sup> <sup>97</sup> <sup>98</sup> <sup>99</sup> <sup>2000</sup> <sup>01</sup> <sup>02</sup> <sup>03</sup> <sup>04</sup> <sup>05</sup> <sup>06</sup> <sup>07</sup> <sup>08</sup> <sup>99</sup> <sup>2010</sup> <sup>11</sup>



Politecnico di Milano I Architettura degli Interni e Allestimento I DRAIA I PhD student Caterina Gallizioli





POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

Tema 1 Knowledge of the City for Urban Transformation **Ilaria Giuliani** Politecnico di Milano, Italy

# Cultural industries and brownfields. **ZONA TORTONA** e **VENTURA LAMBRATE**

Urban transformation processes between physical renovation and territorial identity creation



The new configurations of the space within the Contemporary City emerge as **interactions between the past and the present**, what resists to the new processes and what appears as shaped by them. These two areas of Milan are involved by the relation between urban space with the presence of brownfield sites and the agglomeration of economic activities tied to creativity and cultural production.


NTERMEDIATE POSITION **FUNCTIONAL MIXITÈ PENDING AREAS PIVOTAL INTERVENTION SPONTANEOUS** PROLIFERATION ........ **GOING ON** TRANSFORMATIONS **EVENTS AND** INITIATIVES TERRITORIAL IDENTITY

Located in a **strategic position within Milan**, these neighbourhoods benefit both of the advantages deriving from the proximity to the city centre, and of a good accessibility of being in the first periphery. Traditionally they used to be **historical industrial areas**, thanks to the presence of the Navigli in Tortona area and of the river Lambro in Lambrate area, and later to the railway networks. They presented a functional mixité containing traditional forms of housing mixed with the industrial settlements in a heterogeneous composition. These specific morphologies, histories, and geographical characteristics partially determined the paths of the urban developments.

Since the '60s, the two areas have been through a **massive post industrial decay**, when most factories were dismantled to be moved farther from the expanding city centre. Afterwards they have undergone two decades of urban blight and socio-economic depression with vacant factories, whose values went down leading to a relative low price of properties and to an immediate availability to be restored. These new spatial and economic configurations transformed the neighbourhoods in **fragmented areas**, without any precise vocations.

Instead of introducing large-scale redevelopment projects, the rebirths started in 1983 with the settlement of Superstudio in Via Tortona promoted by two photographers, and in the 2003 with the Via Ventura complex by a private entrepreneur. These **pioneer interventions** triggered **spontaneous** incremental processes of regeneration. Gradually old buildings get renovated one after another. Thus the risk in investing in such kind of properties have been reduced, encouraging other professionals of the creative class to buy industrial buildings to start their activities there. The creative atmosphere infiltrated into the areas, and soon some professionals moved there within new residential complexes and some others renovating old houses by themselves. These expansions added new values to the existing residential buildings and transformed the status of the devastated industrial communities, maintaining the traditional functional mixité. The new identities have been enhanced by a phenomenon of territorial branding. Gradually they have been selected as alternative locations for the unofficial section of the International Furniture Fair, the **Fuori Salone**. During that week, all the streets adjacent to Tortona and Ventura streets are filled with endless initiatives, and every industrial space is temporarily occupied by showrooms, galleries, and fashion and design exhibitions. Along with the consolidation path of the event and the progressive renovation of spaces, two territorial brands have been created, Zona Tortona (recently changed in Tortona Design Week) and Ventura Lambrate (exported as Ventura Projects in Berlin and in Belgium), involving many associations, agencies and sponsors. These processes prove a new way of regenerating existing urban fabric, alternative to the large-scale development model typical of some portions of Milan, with a gradual process of preserving as well as improving the traditional neighbourhoods communities, imagining new functions for these territories.

Giuliani I. (2010): Dismissione industriale e città creativa. Due processi di trasformazione urbana tra riqualificazione fisica e strategie di promozione del territorio: i casi di Zona Tortona e Ventura Lambrate a Milano.







POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

12

Tema 1 Knowledge of the City for Urban Transformation

### Narges Golkar Politecnico di Milano, Italy

# **Heterogeneous Paces in Urban Transformation...**

The city form is never static and predetermined, city is a living entity; a reproductive and growing organism that generates new divisions, and develops character which is depended upon what it has been generated from and what it is destined to become. It continuously mutes and adapts to the new situations caused by their global and local context, transform over time and experience growth and decline but never stop changing. The transformation of the city occurs through the alteration of its physical form plus non-physical structure (economic, social, political and technological) which both together shape the city form. Therefore this transformation not just has impact on the spatial aspect of the city, but also the way which citizen experience and live it simultaneously. Needless to say this justify why the cities transformation and its consequences are always considered as a focal point in the urban studies and literature. Since the transformation is a gradual and incremental process and needs it's time to be formed; the speed and the pace of this change process in city's physical form is a significant issue which provokes different consequent effects in the prospect of the city. The time factor in urban transformation and the different paces in alteration of its components (context and constituents), minor changes and radical ones respect to the time, impact on the outcome of each urban development and its success or failure. Heterogeneous speed in alteration of city's components will end up by some problematic issues such as obsolescence or an illegible urban fabric that has lost its memorable image. Accordingly, consideration of the homogeneous paces in the process of the urban change will become more critical, and this is the main concern that brings up this investigation.







POLITECNICO **DI MILANO** 



EAAE / ARCC International Conference on Architectural Research


Tema 1 **Knowledge of the City for Urban Transformation**  Inci Guldogan Anadolu University, Eskişehir, Turkey

# **ARCHITECTURAL, CULTURAL AND INSTITUTIONAL POTENTIAL IN TRANSFORMATION OF SEYITGAZI**

Prof. Dr. Ruşen Yamaçlı, Assoc. Prof. Dr. Leyla Y. Tokman, Assis. Prof. Dr. Yüksel Demir, Res. Ass. Inci Güldoğan, Res. Ass. Elif Tatar

Anadolu University, Faculty of Engineering and Architecture, Department of Architecture e-mail: ryamacli@anadolu.edu.tr, tokmanly@gmail.com, yukseldemir@gmail.com, iguler@anadolu.edu.tr, elifguclu@gmail.com


Seyitgazi is a historic district of Eskişehir City in Turkey and it was named after the Seyit Battal Gazi Complex, the most important historic building complex in the area. The town settlement has been existing since 1200 B.C.



# Transformation of Old Military Building into Tourism Information Center Project: Ismail Kanber




Student transformed Old Military Building, which was out of use and also damaged, into Tourism Information Center, where the identity of Seyitgazi will be introduced. He conserved the wall fabric of the structure and integrated offices, head department and meeting room to building.



# Transformation of Old Prison House into Accomodation House




Project: Ezgi Kalfe



# Transformation of Old Monopoly House into Butic Hotel

# **Project: Durak Arıkan**

13



Student presented an idea about transformation of damaged Old Monopoly House into Butic Hotel. He proposed a new laminated timber structural system for restoration of the building. A public cafe was designed in the basement floor, so not only visitors, but also the citiziens can use a building.









POLITECNICO **DI MILANO** 



EAAE / ARCC

e-Mugha

aka

L L

International Conference on Architectural Research

Tema 1 **Knowledge of the City for Urban Transformation** 

### **Fatema Meher Khan** Bangladesh University of Engineering and Technology Banğladesh

### Transformation and growth of Shophouses in connection with changing spatial dynamics of Old Dhaka Dr. Farida Nilufar Fatema Meherkhan Fig 1:Spatial structure of old Lecturer, Dept. of Architecture, BUET. Professor, Dept. of Architecture, BUET. Dhaka during pre-Mughal period Shophouses were an important aspect of old Dhaka's economic life since its development. Initially its location was limited to the pre-Mughal Hindu core of the city which was eventually flourished in other localities (Fig 1 Fig 2: Spatial structure of old Dhaka during 1916 - Fig 3). By the end of 20<sup>th</sup> century entire old Dhaka was identified as mixed residential area. Therefore the morphological transformations in old Dhaka require investigation into the spatial dynamics of the city in relation to the growth of shophouses. The traditional shophouses have also experienced morphological changes in terms of their extent and spatial organization. Fig 5 and 7 show that in new

development the number of shops have increased and shops have penetrated deep into the building, away from street. Hence direct relationship of shops with the street in earlier period has changed which influenced the spatial properties of streets in local areas.






Fig 6:Traditional shophouse at plot no. 29

Fig 7:New shophouse at plot no. 29

The study, aims to examine the relationship between the spatial structure and locational aspects of \_ shophouses in old Dhaka and proceed to investigate the impact of the changes of built forms of Tanti Bazar in 🖉 spatial terms. The spatial structure of old Dhaka is modeled from different historical periods till to date and the "Space Syntax" method is used to analyze the spatial properties of street configuration like accessibility to find out its interrelationship with the locational aspects of shophouses and their organization pattern. The spatial organization of built form of Tanti Bazar is used as embedded system in spatial analysis to reveal the changing level of spatial properties of street with the shophouses due to the morphological changes of built forms.



0,804	
0.896	has positive correlation with
0.896	•
0.701	the spatial structure of the city
0.985	
0.842	as in most of the cases the
0.585	
0.687	integration i,e, accessibility
0.677	
0.585	value of the location of
0.932	value of the location of
0.776	abanhayaaa ia ahaya tha
0.808	shophouses is above the
0.970	average integration of the
0.753	average integration of the
0.899	avetem Thus whenever
0.899	system. Thus whenever



Nawab Eusuf road	-	-	0.927
English road	-	-	0.977
North South road	-	-	0.918
Nasiruddin Sardar road (Dulai Khal)	-	-	0.966
Murgitola (Dulai khal)	-	-	0.872
Lohar Pool road	-	-	0.727
Rankin street (Wari)	-	-	0.843
Lutfur Rahman road	_	-	0.805
Majed sardar road	-	_	0.819

0 46?

0.371

Urdu road

Bongaon

Amligola

Channighat

Islambhag

Banshal

Suritola

Malitola

Siddik bazar

Ray Narayan Dhar road

Nazimuddin road

Kazi Alauddin road

Aga Sadek road

Posta

The texts in red indicate the integration values those are above the average integration of the system.

shophouses had grown in new areas of old Dhaka, they mostly located themselves to the accessible roads.

The accessibility of the streets





POLITECNICO DI MILANO



**EAAE / ARCC** International Conference on Architectural Research

Tema 1 Knowledge of the City for Urban Transformation **Giorgia Lupi, Paolo Ciuccarelli** Politecnico di Milano, Italy


# depicting perceived city-scapes

Giorgia Lupi (giorgia.lupi@mail.polimi.it) PhD candidate, Politecnico di Milano, Dipartimento INDACO; Paolo Ciuccarelli (paolo.ciuccarelli@polimi.it) Associate Professor, Politecnico di Milano, Dipartimento INDACO.

### (abstract)

**Depicting Perceived City-Scapes** is an ongoing research that aims at designing a new method for interpreting, crossing, analyzing and visual representing quantitative and qualitative data at the urban scale; with the aim of returning **dynamic polyphonic images of the city** as it is used and perceived by its denizens. The research is first experimenting a method for crossing and inquiring the digital traces able to enlighten potential answers to unsolved urban questions, in order to improve decision-making processes at urban scale. A fundamental further part of the research is the design of new visual languages that could enable the understanding of urban phenomena and the discovering of patterns of behaviors through the visualization itself.

# (background)



More and more methods for harvesting and analyzing (through text-mining and sentiment analysis) digital traces embedded into streets and building, and directly shared by citizens, are evolving and becoming open and easy to be used.

If properly crossed and returned, such digital traces could offer new insights about the city, which are of great interest both from a economic and political perspective:

- **for citizen**, allowing them to feel the pulse of the population and discover potential ways of improving their urban experience;
- for the public administration, allowing to evaluate and foresee urban planning strategies;
- and **for the private** sector as well, allowing to determine where and when to invest.

# (methods)

The research is experimenting a method to properly organize the knowledge we can extract from those data in order to enlighten potential answers to unsolved urban

questions, providing a high level of data querying and pattern analysis and constantly extracting urban qualitative indicators. The method is constructing a **matrix** where **question of urban interests** (collected and organized trough a collaboration with an international network of professionals and researchers in urban fields) are crossed with **kind of information** that those data returns.


### (visual narratives)

Aiming at offering meaningful and immediate interpretable collective urban stories, the research is testing and evaluating new ways of visually representing the combination of data that the matrix enlighten as important. The final goal is to create **new languages** that applied into dynamic visualizations can be capable to extract new insights on cities and citizens through the visualization itself.

15

### (aknowledgments)

the ongoing research and experiments are conducted with: Paolo Patelli, Luca Simeone and Salvatore Iaconesi.













POLITECNICO **DI MILANO** 



EAAE / ARCC


International Conference on Architectural Research


Tema 1 **Knowledge of the City for Urban Transformation**  **Beatrice Mariolle** École Nationale Supérieure d'Architecture Paris-Belleville France

BEATRICE MARIOLLE PARIS BELLEVILLE - IPRAUS ARCHITECTURE BETWEEN RESEARCH AND TEACHING PROJECT IN LOW DENSITY TERRITORIES NATURE RESSOURCE FOR SELF SUFFICIENCY Α AS Key words: ecology, low density, Landscape, rurburbia, metabolism

schéma des facteurs et des résultats

This teaching, carried out for several years now with students preparing their Master in architecture, relies on personal research concerning low density territories. The question could be: can low density territories be considered being sustanable?





# Architecture

The progressive vision of the 20th century has led to the building of technical networks accompanying the increase in urbanization. These systems, conceived in the dense city to compensate for its distance to nature, are inappropriate for the periphery. New exchanges are to be imagined between architectural and territorial scales, natural environment and built areas. It is about experimenting a reciprocal link between the natural environment and the morphologies of the built areas,

ENRIQUE LOPEZ 2010

16

positioning the constructions in a virtuous circle between needs, waste and recycling. Experimental studio: architecture and physical environment context = earth + water + waste + air + biodiversity + minerals + sun

This experimental studio takes place in small periurban or rurban towns. The project concerns an "architectural experience" tackled from the territory towards the built, searching for a location, suitable for the installation of accommodation, in a reciprocal linking of the morphologies of the natural and built environment. The project is carried out simultaneously on various scales: those of the city












EAAE / ARCC International Conference


on Architectural Research

Tema 1 **Knowledge of the City for Urban Transformation** 

# **Barbara Pau** Università degli Studi di Cagliari, Italy

The aim of the research is to investigate the traditional Mediterranean architecture by studying the characters of the Mediterranean space and the wall as an element of structure of these places; the classification of the various typologies of internal-external spaces alternate and structure the settlement at different scales and the relevance that these spaces have in characterizing a place and an introvert culture. In this geographical and cultural area, the wall gains qualities which go beyond the strictly structural and constructive function, becoming a structuring and qualifying element for settlements and living spaces and also the expression of local identity. The research, by "interpreting" the wall as a conceptual category, wants to give an answer to the deep need of improvement of the urban habitat architectural quality within a more proper relationship between identity characters and contemporary project. In the Mediterranean countries, we will inevitably identify some primitive elements which characterize, build, structure and distinguish public from private spaces. Courtyard, wall, the cell and Urban block type analysis road are "particles". When they combine organically, they model settlement patterns and determine spatial perception, both partial and global. The space detaches itself from the conthe role of alley tinuity of the landscape surrounding the built-up area, becoming even more "internal". It is a stereotomic space based on the archetype of the enclosure. In this sense the wall plays a central role in the internal development dynamics of the settlement, becoming the "creator" of the domestic space, around which we can recognize the introvert nature of these places. It regulates the relations among the built-up areas by regulating the relations between public and private. The ramified structure of the streets through narrow alleys gives emphasis to the introvert nature of the settlement, the alley becoming another






living fabric of courtyard house: relationship between built areas

and empty spaces Urban space genesis.




courtyard access system


intermediate space:




permeability of the urban fabric



scheme type 1: built - street - courtyard = wall *v* - urban space - wall *s* Windows and door (interruption of wall) are few and concentrated in specific places. The public space is bounded by a built (wall v) and the courtyard enclosure (wall s).




scheme type 2: courtyard - street - courtyard = wall s - urban space - wall s The interruption of wall are few with only function of access. The wall is a continuum. The public space is bounded by the courtyard enclosure (wall s).



filter between public and private gaining the status of "semi-public". On the street, the long wall enclosing the courtyard, physically and visually defines the public space, mostly acting like a boundary and strongly characterizing the perception of the internal image of

▲ The wall as a conceptual category creates numerous subgroups. The relation of homology generated at the various scales of the built-up, makes the wall a participant of the definition and the formation of the characteristics of settlement, block, street and their









POLITECNICO DI MILANO



EAAE / ARCC


International Conference on Architectural Research

Tema 1 Knowledge of the City for Urban Transformation **Raffaele Pé** Politecnico di Milano, Italy

# Raffaele Pé PhD Candidate – Politecnico di Milano

# Hyper-localism and self-regeneration: a collaborative model for strategic urbanism


Spatial awareness in digital communities to discern emergent patterns of urban transformation



18

The poster presents a study on transforming data harvested from a social network into spatial explicit information, which can be relevant for urban redevelopment. The experiment focuses on the issues related to the regeneration of the suburb of London Hackney, a site in need of spatial improvement, nonetheless one of the most vibrant and enlivened district of the city. This exercise approaches transformation as a matter of systemic interpretation (Berger, 2006) of relevant social phenomena in local colonization, promoting spatial awareness to envision urban reconfiguration: the use of hyper-local websites to gather information on the local for planning purposes implies the acknowledgement of their ability to promote social inclusion and spatial awareness as drivers of urban development. In order to disclose such dynamics, the employment of parametric maps can provide a tool for the detection of self-generated patterns of urban appropriation. Organized networks are comparable to self-organized communities in spontaneous relationship, that build their activities on principles like participation and shared action (Rossiter, 2006). Exploited as instruments for urban monitoring, they can structure a correspondence between biographies of places and the agenda of their users, recreating an objective interweave between the history and the geography of a place.

The outcome of the modelling process is an augmented image of the city (see above), which shapes some of the intrinsic characters of the neighbourhood and it envisions possible future developments. The generative map displays the relationships existing between what is perceived by its inhabitants as a local attractor (as detected from the hyper-local network *Yeah Hackney* <a href="http://www.yeahhackney.com">http://www.yeahhackney.com</a>) and the surrounding operators. Spatial disposals for urban growth and their attractiveness for local users can be identified and visualized. Integrating these social aspects into the urban planning and design process more collaborative and socially acceptable paradigms of urban development can be informed (Scholz, 2011). In particular, the map shows that, where the site of the Olympic Games 2012 is located, the sense of attraction is quite low in comparison to the great offer of public spaces and commercial facilities. The inhabitants of Hackney don't seem to be affected by the presence of such a global infrastructure nearby, despite the intentions of the mayor to land the Olympics in this context to provoke urban regeneration following perhaps more consolidated practices in urban planning. The extrusions of the local attractors' appreciation (third layer on top of the model) indicate capillary entities like local markets or public spaces for art and culture as more appreciable drivers of regeneration. A future development of the exercise will be the inclusion of real-time data used as rating system of the information provided by the map, to show how the model is received by the users on the hyper-local network before the actuation of any new plan or project. A more "dynamic" platform of spatial analysis can be fostered through the display of contents in constant update within a virtual forum where proposals can be assessed by rulers and users. This strategy could also provide a feasible answer to the issue of displacement processes, for which places







POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

Tema 1 Knowledge of the City for Urban Transformation Manuela Raitano Università di Roma "La Sapienza", Italy

# EAAE/ARCC Conference Milano 7/10 June 2012 Man

Manuela Raitano / Rome "La Sapienza"

From Architecture of the City to >>> architectures for the city runs a substantial difference. first one fills urban void with monumental scale building

>>>>>>

second one put new buildings as a frame of urban voids



We aim to focus this difference, supporting the idea that contemporary cities need architecture to



strategy # 1 Housing as a qualified urban facility As a sort of upgraded Unité implemented to respond to a double scale of needs, ones of the inhabitants, others of neighborhood, housing can avoid a sense of closure and expand urban vitality, at the very opposite of the duality of 'fabric' and 'monument'

provide a *network of services* for improving their quality of life, not their monumental quality.

The roman plan of Sixtus V was exemplary for Rossi's theories, fixing the succession of streetsquare-obelisk-Basilica and producing an urban pattern that worked as a sort of Counter-Reformation Church trademark, in which the Basilica represented the monumental element that gives identity to the whole.

From this famous urban pattern, still readable in the city of Rome nowadays, descends Rossi idea that a community can find identity through the form of its institutional architecture. But this theory is passed throughout the gap between ideal and reality, in front of the failure of politics, the uncertainties of institutions and the inanity of policy to manage urban transformation.





strategy # 2 Infrastructure as material of architecture Finally freed from the exclusive dominion of technical engineering, infrastructure passes to be material of architectural design to minimize its brutal impact and to allow, at the same time, a qualified kinetic fruition of the cities



Consequently, today we define an *anti-rhetorical condition* for contemporary urban architectures: to be *friendly user*, conceived for the cities, to serve citizens and visitors, no more to represent themselves.

Recent architectural researches outline some possible operative strategies.





# strategy # 3

# Public spaces as a network

Small diffuse interstitial spaces interconnected allow a *continuous walk/bike fruition* producing an high quality of public spaces, generating a sort of '*democratic life style*' in which the citizens









POLITECNICO **DI MILANO** 



EAAE / ARCC

International Conference on Architectural Research


Tema 1 **Knowledge of the City for Urban Transformation**  **Ana Ferreira Ramos** Politechnic Institute of Castelo Branco, Portugal


# **EMBRACING THE OLD CENTRES IN THE CITIES' GROWTH**

# Ramos, Ana Ferreira<sup>1</sup>; Silva, J.A.R. Mendes<sup>2</sup>

he fast development of new areas in Portuguese cities, and also the implementation of some politics that had discouraged the conservation of buildings due to the evolution of the rent values led to the neglecting of old areas that are characterized as the cradle and strategic centre of







A house is like a small city and a city is like a big housi

Cities in transformation **Research & Design** 

In order to check the state of conservation of buildings and urban spaces, as well as to know the living conditions, the old centre of Coimbra was carefully studied by team groups from University of Coimbra. Several data were collected making possible the characterization of this area and the conditions of local population.

25

Number os streets

450

Number of buildings

400

30

500

20

urban areas.

Along the years, these areas were defined by out of context and isolated interventions, as well as the aging of local inhabitants once that the old buildings don't answer the growing needs of comfort of modern and young families.

Jrban Rehabilitation Societies were created to grant the adoption of strategic guidelines of intervention in old areas with special attention at the following aspects: The social encouragement must consider the life quality of


occupants and the

control of the cost

of living.

Nowadays, a new flexibility, performance, Buildings interior conditions, use of challenge must be rehabilitation resources, waste taken into account: generation How to grant the generation of urban Recovering public sustainable areas? Social activities, flexibility, spaces maintenance, exterior Besides the initial condition premises, the Economic strategies for activity Local economy, tourism, interventions have commerce and services, to include facilities (parking, etc.) sustainable Social aspects related to aspects the improvement of Living conditions of local inhabitants inhabitants, conditions to conditions. visitors, support

The economic support must contribute to create self-sustainable poles. The environmental encouragement must promote the quality of natural and built environment in all levels – from urban context to the neighbourhood (old area); The cultural promotion must respect the memory and tradition.







POLITECNICO **DI MILANO** 



EAAE / ARCC

International Conference on Architectural Research

Tema 1 **Knowledge of the City** for Urban Transformation Ida Recchia Università della Calabria, Italy

# Sound towards new quality of urban transformations Ida Recchia

# **Theories of sound**

Starting from the theoretical experiences of: Soundscape Eco*logy* that considers sound as an ecological parameter for environment (Schafer, 1977); the multidisciplinary approach to Sound Architecture of France Research (Laboratory CRESSON, 1990; Dandrel, 1990) that introduce qualitative Sound Maps to describe the urban space; and from the interpretation of Scandinavian research on Sensorial Design that illustrate how the senses can become parameters for architectural process (Pallasmaa, 2000), sound can be considered today as a quality parameter for the government of quality of urban space. These studies, and theories reveal sound as an aesthetic parameter and not only a quantity to control, because it is defined by its sensorial, symbolic and semantic meanings. Sound, in the large and middle scale, is considered as "property" that describes and characterizes, but also a "tool" for

### **Architectures of sound**

Moreover the architectural production reveals today, in advance and even before every urban regulation, the innovative qualities of sound in design field. Some virtuous projects (LoLa Landscape Architects, NABITO, MVRDV, Zumthor, Mangado) anticipate the idea of using sound as aesthetic component of design and demonstrate the possibility to generate "sound ambiance" employing the use of sound effects. Or else it is demonstrated the generative use of sound that can be a starting point to create architectural and urban shapes.

# **Towards urban sound qualities**

Sound-oriented theories and architectures can (re)animate today the urban debate on theme of sound. Building regulations and conventions, in fact, neglect the idea of sound as a qualitative parameter. And to fill this misalignment among theories, architectures and regulations it is suggested to introduce sound as a parameter to manage, safeguard and modify through the tools of urban design:



- inducing the sensibility on sound and noise as aesthetic parameters;

- introducing a qualitative definition of sound and noise;


- stimulating the use of qualitative Sound Maps to describe and operate in territories.


# Figures: Dandrel, Brusci, MVRDV, Schafer.

### References

modifying or safeguarding the sound-quality of space.







AUGOJARD, J.; TORGUE, H., 1995: A l'ecoute de l'environnement. Repertoires des effects sonores, Marseille: Editions Parenthèses.

BLESSER, B.; SALTER, L., 2006: Spaces Speak, Are you Listening ? Experiencing Aural Architecture, Cambridge, MA: MIT press.

SCHAFER, M., 1977: The Tuning of the World, New York: Knopf, Toronto: McClelland and Stewart Ltd.

SOUTHWORTH, M., 1969: "The sonic environment of cities", Envirornment and Behaviour, vol.1, n.1, p.49-70.

ZARDINI, M.; SCHIVELBUSCH, W., 2005: Sense of the City: an alternate approach to urbanism,







EAAE / ARCC

International Conference on Architectural Research

Tema 1 Knowledge of the City for Urban Transformation **Shafik I. Rifaat** University of Houston, Texas, U.S.A.

# MODEL FOR A FUTURE CITY

Anchor New Town, Heavy Industry, Airport Radial HWY Concentric HWY Outer Loop Linear HWY Development Residential Wedges

Urban Node — Mixed Use, High Density Development

Central Business District (CBD)

Public Transportation -


Urban Agriculture Green Belt \_\_\_\_\_ Urban Agriculture \_\_\_\_\_

HWY (Auto)


- HWY Related Development (Linear)
- Rail (Public Transportation)



Rail Related Development (Urban Nodes) Central Business District (CBD)



# THE CENTRAL BUSINESS DISTRICT









POLITECNICO DI MILANO



EAAE / ARCC


International Conference on Architectural Research

Tema 1 **Knowledge of the City for Urban Transformation** 


### Lorenzo Santosuosso Politecnico di Milano, Italy

# MILAN BY DESIGN - REFRAMING URBAN TRANSFORMATIONS Lorenzo Santosuosso

Milan is currently in need of a project. Such a project should clearly state a method, which makes the project itself valid for the society, communicable to different subjects and sufficiently abstract to last over time. Thus the city needs to be recognized in its real dimension, a territory whose true boundaries A4 Milano, Torin are physical rather than administrative. Open spaces: In this dimension open new urban structures on the edges of the spaces cross the scales, compact city organize relations between the various parts of the territory and represent a continuous and flexible centrality. Similarly, mobility infrastructures outline the development directions of the city and characterize its environment. Finally, form assigns, through the project, meaning and value to these materials.



Possible scenarios for the Milan



of hierarches and relationships between the parts. The reuse of seven rail-yards in Milan highlights a network of voids connected by the new

metropolitan area construct figures at different scales, which express a coherent design through the definition





UNIVERSITÀ DEGLI STUDI DI GENOVA

EAAE / ARCC

International Conference on Architectural Research

Tema 1 **Knowledge of the City** for Urban Transformation

# **Giulia Setti** Politecnico di Milano, Italy

# Theme 1. Knowledge of the City for Urban Transformation.


The Space of Industrial Fence.

# Strategies for Consolidation and Removal of Architectural Traces in the **Contemporary Cities.**

Giulia Setti | PhD in Urban and Architectural Design | Politecnico di Milano

Contemporary city is symbol of its ever-changing, it's seems a beating heart, "the city grows on itself' [1] modifying and transforming what it was before. Nowadays, the growing of the city has saturated every available spaces, the real problem is to understand how and where cities can still grow.

Cities keep traces and memory of their past; space inside the cities often change, while maintaining the relationships whit the existing context. Today, we cannot speak about available surfaces in the city or about huge urban voids as the place of the city's project: building the city for parts is no longer possible as it was until eighties.



[1] in A. Rossi, L'architettura della *città*, CittàStudi, Milano 2006, p. 10. \_Olivetti factory

Building contemporary city means that the question of urban regeneration of consolidated tissues, that have lost their original characters, becomes a design practice.

Industrial enclosures become the places of the city's transformation; project must reflect on how it is possible to transform and recover the industrial fragments and ruins. Therefore, industrial archeology is not considered as a process of industrial building museification, instead it becomes a complex system of 'working' operations on the artifact'. How is it possible to work on the industrial ruins with operations of reconversion that are able to preserve traces of these places?

If the city and territory could be defined as a "*palimpsest*" [2] on which the project could intervene, what is the degree of consolidation of industrial tissues as the places of cities' transformation? What does the project could intervene modifying them? The issue that arises is to define a new identity of these parts of the city: an identity that should be able to create a new urban development and that it looks to the past as a resource. Regeneration of industrial ruins, that are between destruction and construction, could happen through design strategies that work on the topic of measure and urban scale. Infill – addition, demolition – subtraction, stratification, inclusion are design operations thanks to which it is possible to give new identity to the industrial buildings. Moreover, these strategies should defined a reconversion of areas in order to rethink industrial spaces as a space for new form of production. Not a total reconversion that it determines different uses of spaces, but a reconversion of industrial areas to allow innovative productions. Industrial enclosures become the contemporary image of the Diocleziano's palace in Spalato, where urban infill is a design strategies that saturates voids and it defines an identity through the regeneration of its spaces. If, until now, cities have been transformed through the redesign of new parts, composing different elements in a similar transposition of the '*Città Analoga*' by Aldo Rossi, nowadays, the point is to understand how built on built can work on existing artifacts.



[2] in A. Corboz, *II territorio come palinsesto*, Casabella, n. 516, 1985.











POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

Tema 1 Knowledge of the City for Urban Transformation


# **Elif Tatar** University, Eskisehir, Turkey


# SUSTAINABILITY IN ARCHITECTURAL DESIGN IN HISTORIC CITIES BY REHABILITATION IN CASE OF SEYITGAZI, ESKISEHIR, TURKEY

2010 - 2011 Summer Period \_ Architectural Design Studio VII


Prof. Dr. Ruşen Yamaçlı, Assoc. Prof. Dr. Leyla Y. Tokman, Assist Prof Dr. Yüksel Demir Research Assistant Elif Tatar, Research Assistant İnci Güldoğan

Environmental conditions re-form as aresult of factors such as technology, population growth, changes in the culture of life; this situation speeds up the process of urban transformation. Some historical cities, that has been evaluated as a whole and has been indicating an organic development since ancient times, depreciate against this rapid transformation process, face the loss of urban identity and memory. Social, economic and ecological sustainability of the cities, which have important historical values, must be provided. In this process to achieve sustainability, existing texture's and existing structures' restruction and rehabilitation is important. Conservation of the current texture contributes to the urban transformation process by supporting sustainability of urban identity and memory.





Social




# different disciplines



# **Conservation of the current texture**






In this context, Anadolu University Department of Architecture's Architectural Design Studio VII atelier started a project about






Sustainability of urban identity and memory.



Architectural restructuring, rehabilitation and sustainability





Seyitgazi settlement, which is important with its historical texture, as a case study on 2010 – 2011 summer period. Seyitgazi settlement, that is in Eskisehir-Turkey and which have intense and organic structure in terms of historical, cultural, archeological and natural values, brings very different disciplines together through architectural restructuring, rehabilitation and sustainability. Projects, prepared within atelier, developed as pre-study phase, they will be base for the future projects. Studies, that were strated in this characteristic field in the context of research, education and the application by Anadolu University in Eskisehir, guiding the department of architecture studio







EAAE / ARCC


International Conference on Architectural Research

26

Tema 1 Knowledge of the City for Urban Transformation **Zhu Tan** Politecnico di Milano, Italy


# TRANSFORMATION AND DEVELOPMENT OF CHINESE ARCHITECTURAL COURTYARD SPACE IN THE MODERN AGE

Tan Zhu



**Courtyard** is the main feature of the traditional Chinese urban form. The forms of the traditional Chinese single building are not diverse. They are composed by the basic structural unit "JIAN" to form the shape of rectangle box. Following a certain cultural concept, the single buildings form a series of harmony and organic spaces by using the courtyards as an organized tool, to complete the function, for example, the family housings, temples, palaces,etc. Then all these together compose the classical Chinese horizontal urban fabric. At different ages and in different areas, due to the various ways of people's life, the scale, function, organization of the courtyards showed the corresponding changement to adapt to the needs of a variety of daily life. And they provided an useful experience

for the subsequent housing in the region.



■ Since the Opium War of the second half of 19th century, western countries which finished the industrial revolution had colonized China for a long time. As a result, the western life style and its related urban architectural form arrived China and started to affect the Chinese local residence architecture. At the same time, the started of the urban modernization construction made the density of urban population increased sharply, which promoted the requirement of the high-density residence and stimulated the transformation of the horizontal low-density courtyard-style buildings. The high-density compact urban courtyard residence buildings were appeared, and the number of the storeys of their single building was gradually increased.




■ After a period of stagnation which was led by a variety of wars, the foundation of PRC started the rapid development of the new country which encouraged the people to restart to search for the appropriate urban residence form. However, with the goal of building the industrial cities, the influence of the Soviet functionalism made the line buildings becoming the main players in the urban environment throughout of China. Because of the expansion of the urban population and the reduction of the per capita area, the developmental prospect of the traditional housing was completely lost. Even the original courtyard became crowded with the confused additions, totolly destoryed the comfortable their scales.



Meanwhile, the integrated functional "Unit" courtyard and the mid-high rise






community which was founded in the spirit of the traditional courtyard were developed. The unit always took the whole area of one block, surrounding by walls and inside which there were all the functions. It liked a mini-city located in the large one. The community followed the traditional horizontal organization style to form the small courtyards between the single buildings, and then all the construction were enclosed by the block wall. No matter the unit or the community, the main buildings inside which are all the line buildings, that made the uniform taste in all the cities of China which couldn't express the aesthetic feeling of the courtyard.

■ The reform and opening policy at the beginning of 1980s, started the urban construction and the discussion about the urban housing form again. The conception with Chinese characteristics had been emphasized for one more time, meanwhile, the new approaches and new forms which according to the local conditions were invented. For the courtyard, constructing completely copy the traditional types obviously couldn't meet the requirement of the contemporary life, new inventions of them were required. With the sort of modern spirit which was carried by the Chinese traditional courtyard itself, some high density, high intensity urban complexes appeared, which conveyed to the inhabitant the classical courtyard spirit through their modern spaces.

**THE END:** After 2000, the development of Chinese urbanization was completely speeding up. Almost every city, no matter big or small, set up the master plan till 2020 to transform themselves a whole new modern city. In the post-industrial and information age, plenty of advanced technologies change the style









POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

Tema 1 Knowledge of the City for Urban Transformation


# **Stefania Zuccarello** Università KORE di Enna, Italy




# FROM THE KNOWLEDGE PROCESS TO THE REVITALIZATION PROJECT: THE CASE STUDY OF THE OLD HOSPITAL COMPLEX IN ENNA Stefania Zuccarello, Università degli Studi di Enna "Kore", stefania zuccarello@gmail.com

Stefania Zuccarello\_Università degli Studi di Enna "Kore"\_stefaniazuccarello@gmail.com in collaboration with the Laboratory of Restoration\_UKE\_responsible Prof. Ing. Antonella Versaci

Rehabilitation and regeneration activities in the inherited built environments represent a great opportunity for stimulating introspective reflections on the city and its transformations. Running away from the traditional dichotomy of "preserve tradition-destroy it", based on the idea that cultural heritage has to be respected as an essential component for sustainable development, these reflections can be very useful to establish proper intervention strategies. To this end, it is necessary to look back, in the first instance, to all the changes that over time have accompanied the life of the "place". However, this knowledge process cannot be limited to documentary investigations (albeit necessary), because the analyzed sources often provide only partial answers on the origins, transformations and changing processes of the pre-existing architectural environment. Furthermore, the gathering of metric, chromatic and material data, as well as of any other relevant information has to take into account the essential need to formulate, before the intervention, a survey project. Based on a critical process and in close connection with the project purposes, this planning process should make use of all opportunities offered by today's modern acquisition and restitution technologies.



27



The use of virtual models, in fact, can provide a better understanding and an objective representation of the "reality". In particular, the most advanced laser scanning methodologies offer the opportunity to create, according to the criteria of cost and time saving, a rich database of information able to document, with remarkable accuracy, the complex geometry of the considered buildings; points clouds from which to obtain orthophotos and perspective representations useful to highlight features in itself difficult to recover using traditional methods. Starting from these assumptions, aware that architecture should be seen not as immutable but as an asset changing in accordance with successive thoughts and reflections, it is possible to develop conservation and planning activities necessary to ensure architecture evolution with the full respect for the genius loci. This poster aims at summarizing a research work carried out on an wide built-up urban area of the town of Enna, that project overpass the "culture based on the indiscriminate use of legislative constraints" in favor of a "culture of reasoned and sustainable







# **Iema 2** History, Theory and Criticism of Architecture and Urban Design



POLITECNICO **DI MILANO** 



UNIVERSITÀ DEGLI STUDI **DI GENOVA** 



ARCHITECTURAL RESEARCH CENTERS CONSORTIUM







POLITECNICO DI MILANO




EAAE / ARCC

International Conference on Architectural Research


29

Tema 2 History, Theory and Criticism of Architecture and Urban Design **Daniela De Mattia** Politecnico di Bari, Italy

Learning from the history of urban design: the relationship between the monumental architecture and the city



We can find the implications of the studies on urban design in the classic and Hellenistic city, on the design of modern monumental architecture in relation to the neighboring urban spaces, with the exemple of museums and universities in cities such as Berlin, Monaco and Athens, to see if we can retrieve compositional techniques that allowed urban architecture specialist to transform the city, without causing fractures and re-assess the relationship between public space and monumental architecture in the contemporary city.







POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

Tema 2 History, Theory and Criticism of Architecture and Urban Design **Felicita Forte** Politecnico di Milano, Italy

# To detect, design and develop empathy in urban habitats

C. Bradbee - Dalhousie University, Halifax, Nova Scotia, Canada - c.bradbee@dal.ca F. Forte - Politecnico di Milano, Polo di Piacenza, Italy - arch.forte@tin.it



Today the task of city building must address environmental and social issues. **Design based on outward appearance and aesthetics is not enough to fulfill the needs required by sustainability. Neither is technology alone sufficient.** Urban architecture has to include an understanding of human behaviour, the development of empathy and cooperation, and the means to connect to other species that share our urban habitats.

New research by many of those who study humans, primates and other species has turned to cooperation, altruism and the development of empathy in human and interspecies bonding (Berreby 2005; Brizendine 2006; DeWaal 2006; Wright 2000). There are claims that it is **sociality, our tendency to bond with others that gave us language development and much of how our minds work**. In a future where humans will have to construct lifestyles based on caring for the earth, what does it mean to city-build and problem-solve, with this new knowledge of human nature in a changing ecological context (Nassauer et al. 2009; Singer 1981)? Is it possible to **design urban landscapes that promote attachment and empathy between people, with the landscapes, and with other species**?





One of the first approaches to rethinking the urban landscape is to find out how people already perceive it. **How do the users understand the places of the city in which they live and move**? Do they experience, in their day-to-day use of the human constructed habitat, increased trust of other people and contact with the natural environment? An analysis of the **ordinary perception of the cityscape is an essential tool** for those with decision making power in municipalities and other levels of government. The European Landscape Convention acknowledges this issue and notes that human perception of the landscape is "a key element of well-being and an important part of the quality of life".


According to Nassauer, the perception of the urban landscape is determined by social values often reinforced by the design of the city space. "Culture and landscape interact in a feedback loop in which culture structures landscapes and landscapes inculcate culture" (Nassauer, 1995: 230). Because the urban landscape must function ecologically as well as socially and culturally (Meyer,




2008), we need to investigate how the experience of the city can lead to recognition of, empathy with, and care for the environment and people. Understanding **the feedback process among design, perception and behaviour is critical for sustainable design** of human settlements. It is within the urban landscape that future sustainability will be worked out and made visible and desirable.



Planners, architects and landscape architects should thoroughly study and use methods (established or emerging) to detect and design for the enhanced empathy and cooperation, that support the inseparability of the biological and cultural dimensions of the city. This goes beyond participative design processes: it's a drive to design with all the senses (smell, hearing, haptic senses, walkability, touchability), to use experiential practices to assess and interpret urban spaces (sketching, walking, non-expert mapping, photographing), to consider and promote the informal use of the city ("sitting on", "playing with", "socializing in" and "learning from" the city), to encourage simple and low cost practices of community self-construction, and to learn from the historical











POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

Tema 2 History, Theory and Criticism of Architecture and Urban Design Felix Schmuck HafenCity University, Hamburg, Germany



# a 2011 1976 1805 1996 2011 1830

# The Bond between Urban and Architectural Transformations and their Times.

The structure of every city is a result of a continuous metamorphosis. In contrast to a house, a city is always unfinished and constantly being altered and extended. The processes of change in a city proceed iteratively, that is, each developmental step in the urban fabric relates to the preceding one. In all this, parts of the urban structure are remodelled, but others remain visible under the layers of spatial accretion and take on a character of permanency. This means that a current cityscape always includes past stages of development: be distinguishable from the original so that restoration does not falsify the artistic or historic evidence." This stipulation thus forbids any possibility of what is ,not new' as something tantamount to historical imitation or counterfeit.

At the same time, as a counter-reaction to the dictatorship of speed and – according to Aldo Schiavone – to the concomitant loss of the notion of ,future', a desire for presenting history as a formal component of a city is growing. The new forms of history materialise in cities in order to act as sites

We encounter history as spatial structure.

The capacity of a city to lay down the passage of time constantly in the form of built layers is only made possible by the invisible bonds of material and time in architecture. As a structure, a house is always the result of a constant negotiation between the essential nature of architectural activity and how its physical reality is bound up with time. Both disciplines, architecture and urban planning, are hence time and time again forced to renegotiate the impact of the new on what already exists.

At first sight, the principle of the new not being allowed to disturb a city's preservation values does seem logical. However, the historical context conceals one of urban transformation's specific conflicts: article 12 of the Venice Charter, rooted as it is in the belief that every age creates its own forms, was already stipulating in 1962: "Replacefor the yearnings of a society moving faster and faster but with no sense of place.

Neither houses nor cities can avoid the question of their respective involvement with time. The conflict is, much rather, an immanent component of every form of urban transformation. It cannot offer any answer taking the focus of an individual discipline. The answer to it can only be offered structurally: architecture and cities can respond to the demands to express their times only through a consciousness of their contradictory nature in the collaborative work done by the disciplines.

for further information: felix.schmuck@gmx.net

3e Staaken | Hans Kollhoff
4a Paris | Pierre Le Muet
5d Bremen | N.N.
6c Marburg | Oswald Mathias Ungers
7b Frankfurt | Morger & Dettli













POLITECNICO DI MILANO




EAAE / ARCC

International Conference on Architectural Research

Tema 2 History, Theory and Criticism of Architecture and Urban Design


# Julia Yanuskina

Volgograd State, University of Architecture and Civil Engineering (VSUACE), Russia



# IS32 IS33 IS43 • FIGURATIVELY--SPATIAL STRUCTURE OF STALINGRAD-VOLGOGRAD • THEME "THE SACRED CENTER" • THEME "THE WAY" • THEME "GATES" • THEME "BORDER" • THEME "GATES" • THEME "BORDER"





# **Iema 3 Criticism, Conservation** and Restoration



POLITECNICO **DI MILANO** 



UNIVERSITÀ DEGLI STUDI DI GENOVA



ARCHITECTURAL RESEARCH CENTERS CONSORTIUM







POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

Tema 3 Criticism, Conservation and Restoration **Silvia Arroyo** Politecnico di Milano, Italy

# Panamá Viejo: Transformation from village to city Silvia I. Arroyo D.

PhD Preservation of Architectural heritage - PoliMi, Senacyt Scholar, Patronato Panamá Viejo

This poster is the result of an interdisciplinary team work and years of experiences at the archaeological site of Panamá Viejo, in the center of Panamá city (Rep. of Panamá). It was the first European settlement on the American Pacific Coast. The tittle "From village to city" it is also the name given to a permanent exhibition and a book, which was the product of this work, that like this paper tells the history or story- of Panamá Viejo. At this moment, there are **5 distingishable transformations in the history of Panamá Viejo**:



1. **Before 1519**, Panamá was a small coastal native village. The small settlement was engaged in fishing and it believed to be linked politically to a bigger town. Most of the remains are still unexcavated.

2. Between 1519 and 1671 (image 1 and 2), the city was founded and it became an strategic point of interest in the region. Panamá was designed according the instructions of the King of Spain and had a total surface of approximately 50 Hectares and around 8000 people. It continued to prosper and influence interchange in the region until 1671 when Henry Morgan and his pirate army attacked and plundered Panamá.

3. After 1671 (image 3), what remained of the city, now called Panamá Viejo (Old Panamá), was abandoned and reduced to ruins. Parts of the city were used as a source of cut stone quarry for the building of a new settlement. During the 18th century through the end of the 19th century Panamá Viejo became interesting for foreign visitors who gave fantastic and romantic descriptions, quite common at that time.

4. First part of the 20th century (image 3), in 1912 Panamá Viejo was designated the first "Public Monument" of Panamá. During this





period and in the following 20 years of the 20th century, the capital continued to grow. In the 1950s the neighborhood of Panamá Viejo took shape around the ruins and Vía Cincuentenario was built as part of the 50th anniversary of republican life. In 1976, Panamá Viejo was declared a monumental complex.

# 5. During the second part of the 20th century (images **4 and 5)** the site has been managed by different institutions, until Patronato Panamá Viejo was founded in 1995 with the mission to preserve the site. In 2003, it

was inscribed as a UNESCO World Heritage site and also as an extension of the Historic District of Panamá, with a surface of approximately 28 Hectares.

Panamá developed into an important city in the Americas for the Kingdom of Spain and the rest of the world in the colonial period, due to its strategic position along the coast of the Pacific Ocean. Today, Panamá continues as an strategic coastal location along the Americas for the rest of the world. Panamá Viejo is an archaeological site in the middle of a growing and modern metropolis. Due to its abandonement, certain portions of the city were kept intact. There are the remains of the colonial period combined with the archaeological vestiges of the pre Hispanic era. It is an interesting overlay of elements that mixes the urban and the coastal landscapes with the archaeological ruins to create an outstanding panorama.



34




# Bibliography

1. Castillero Calvo, Alfredo. "Sociedad, economía y cultura material: historia urbana de Panamá la Vieja". Imprenta Alloni. Argentina, 2006. 2. Fitzgerald, Carlos. "Cien años de monumentos en Panamá" seminario "Enfoques metodológicos sobre la restauración: Panamá, Italia, México y Puerto Rico". Panamá, 2003. 3. Patronato Panamá Viejo. "Panamá Viejo: de la aldea a la urbe". Editorial Patronato Panamá Viejo. Panamá, 2006. 4. UNESCO World Heritage Centre web site: <u>http://whc.unesco.org/</u>

### Images

1. Plan of Panamá city in 1586 by Antonelli, image from "Panamá Viejo: de la aldea a la urbe". 2. Hypotetical model of the town around 1671, photograph by Patronato Panamá










EAAE / ARCC

International Conference on Architectural Research

35


Tema 3 **Criticism, Conservation and Restoration** 


Laura Balboni Politecnico di Milano, Italy



Uncertain dating

The Politecnico core campus, since its building in the 20s within the project for a self-sufficient area for higher education, had a decisive effect upon the character of a part of Milan that was still predominantly rural. As a result of the increasing needs of spaces for the didactics and the research over time, there was continuous intervention upon the surroundings and the campus, transformed by new buildings, raisings, reforms. The archival exploration, with a careful comparison with the existing pavilions, gives back the sequence of construction and the varieties of materials and structures which reflect different moments in the history either of the Città studi and of architecture and urban-planning within the city. This knowledge will play a decisive role in defining any programme for intervention in order to improve the efficiency of the structures (e.g. energy efficiency; structural stability) whilst preserving their quality and character, that is, protecting them as expressions of our cultural heritage. Sections of project outlines for raisings of the East wing of Insegnamenti generali nord (1948) and of the main front towards L. da Vinci square. Below, the plan for a floor added in the pavilion of *Elettrochimica*: plan, section and façade detail.









POLITECNICO DI MILANO




EAAE / ARCC

International Conference on Architectural Research


Tema 3 **Criticism, Conservation and Restoration**  **Arthur Chen** University of Minnesota, U.S.A.


# **TYPOLOGICAL STUDY OF SWAHILI** URBAN SQUARES IN LAMU, OLD TOWN



Urban morphology studies urban fabric as a means of discerning the underlying structure of the built landscapes. A morphological study can reveal the genius loci of Swahili squares.







Type 1 Square forms at the intersection of pedestrian pathways

Type 2 Square created as a result of street widening

Type 3 Square forms in the remaining footprint of a collapsed building

40 80 120 160 200

Type 4 Square created where the urban fabric overlaps with a major road or seafront

Type 5 Square emerges from the space behind surrounding residences to create a courtyard

Type 6 Neighborhood communal and gathering space forms around the presence of an adjacent mosque

36

Arthur Chen - PhD. Director, Center for World Heritage Studies, University of Minnesota













POLITECNICO **DI MILANO** 



EAAE / ARCC International Conference on Architectural Research

Tema 3 **Criticism, Conservation and Restoration** 

Thais Fátima dos Santos Cruz Faculdade de Arquitetura e Urbanismo (FAPESP), Estado de São Paulo, Brasil

### (Symposium 3. Criticism, Conservation and Restoration) The restoration interventions of the "Castelinho" in the Railway Village of Paranapiacaba, state of São Paulo, Brazil.

aranapiacaba is an antique railway village reminiscent of the nineteenth century that has hierarchically divided housing typologies. Among these types the most prominent is the home of the chief engineer, popularly known as Little Castle, built in 1897. This property passed through a general intervention in 2004 based on exceeded methods and concepts, for example, the way back to the original characteristics. Having as a final result, theory and action didn't come together.



Main Facade. Before, (2002).During, (2004) and after (2012)

riginally the building was in vanished. As time passed by it was the same oil base paint used in painting locomotives and train's wagons. There was no restoration of the wood (European pine), but their replacing. According to document the time the windows were never white.



Ambient: pantry. Before, (2002). During, (2004) and after (2012) efore with built-in cabinets. Removal and exclusion of built-in cabinets. Changing the wall's color. Without a thorough study of prospecting.



rong intervention methods damaged the original timber. The whole building passed through a fire torch treatment to remove the old layers of paint.

If the work that was done in this building has as a final result, the loss of the original features, just what is sought to achieve this intervention. Then, the theory described in the memorial differs much from the work carried out. This is a not a model example that it should be follow it.



Universidade de São Paulo - PhD Students of





POLITECNICO DI MILANO




**EAAE / ARCC** International Conference on Architectural Research

38

Tema 3 Criticism, Conservation and Restoration

**Vito De Bellis** Politecnico di Bari, Italy







POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

39

Tema 3 Criticism, Conservation and Restoration Juliana Forero Huazhong University of Science and Technology, China

# Urban Renewal Under Social Sustainability Approach: Mirador de los Nevados Park in Bogota, Colombia

Juliana Forero, Huazhong University of Science and Technology, Wuhan, China

### **PURPOSE OF THE RESEARCH**

To describe how through the recognition of the spirit of the place for cultural heritage preservation, within social sustainability context, it is possible to achieve sustainable development processes. The analysis of the creation of the park Mirador de los Nevados helps to understand how the link between social sustainability and cultural heritage preservation, bring up sustainable cultural and urban heritage preservation practices.

### THE PARK

Mirador de los Nevados is a metropolitan urban ecological park created in 2002 and belongs to the Muisca Indigenous Reservation Area. The site is one of the cultural and natural heritage places of the city and it has become a platform for environmental conservation and education of the citizens. Its architectural design is based on the Muisca Indigenous cosmology.

### SOCIAL SUSTAINABILITY

Concerns to how the communities coexist, their "chances of life" and the natural and created environments they live in. It involves specific cultural or social relationships, social structures, custom and values, as well as entail the notions of happiness, wellbeing and quality of life.




### SPIRIT OF PLACE FOR CULTURAL HERITAGE PRESERVATION

The Spirit of Place theory embraces the essential categories for heritage -identity, memory and territory-, considering that its material and immaterial components cannot be divided and its relation within the space. Cultural heritage is protected because of its cultural significance and social function.



Defined as an integrated vision, dealing with urban problems by improving environmental, social, physical and economic conditions of the area. The case of the park is an example of how an urban renewal projects for cultural heritage preservation, rather than start from the recovery of a physical object, can begin dealing with the socio-cultural representation of a specific community, and then make it tangible through the materialization of the Spirit of Place.







POLITECNICO **DI MILANO** 



EAAE / ARCC International Conference on Architectural Research

Tema 3 **Criticism, Conservation and Restoration**  **Pierfranco Galliani** Politecnico di Milano, Italy

### Project for the identity of 20th-century architecture: recognition, *reclaiming*, sustainability


Functional, spatial and expressive *reclaiming* of 20th-century buildings underlines a highly complex and problematic area which has become a key theme in the architectural debate of recent years. Towards the modern architectures, the project implies the assumption of a deep responsibility in the meditated selection of significant built examples to maintain as well as in the designing procedures to be chosen "case by case" with reference to the experimentalism often characterising the 20th century.


Therefore, the architectural works to be *reclaimed* must be subjected to a process of historicization that envisages a realistic chance for their still advantageous use and their consequent placement in an overall urban redevelopment strategy for the future. The method describes the "critical continuity" that the *reclaiming* operation can express about the 20th-century buildings between safeguarding the original identity, renewal of its values and updating to current performance and environmental requirements. Recognition, *reclaiming*, sustainability are the keywords that identify the various interventions.


Recognising means to consider and evaluate the identity of the 20th-century buildings, that represent progress highlights in the culture of the project, stating the chance of their confirmation in the contemporary.

*Reclaiming* means to operate through the project looking for the balance between conservation and modification for re-use, for functional and technological improvement, for valorisation of material and figurative characteristics of the existing architectural space.

Finally, sustainability means restoring a new environmental quality in obsolete buildings or architectural complexes limiting the urban sprawl and contrasting the common practices of demolition and consumption of new areas. The project researches about the case studies of Park Hill in Sheffield, and ex-Ospedale Marino in Cagliari, demonstrate the joint goal of functional and structural-material *reclaiming* that acts on the reorganization of interior spaces and the critical renewal of the facades, facing the problems of modern constructive experimentalism as well as energy saving issues.







Park Hill Housing, Sheffield (United Kingdom) This case verifies the inclusion of innovative activities for the culture (library, exhibition spaces, etc.) and residential functions (housing for students, home-studios for artists, etc.) in the buildings of Park Hill, which were designed by Ivor Smith and Jack Lynn (Smithson's pupils) between 1955-1961, and which have became a social

### **Ex-Ospedale Marino, Cagliari (Sardinia, Italy)** This project studies the re-use of an old hospital as hotel in Cagliari; this building was designed by Ubaldo Badas for a seaside holiday camp on the beach in 1938.

It has a very interesting morphological structure and the project faces the challenge of considering the construction of the facade of the original

















EAAE / ARCC

International Conference on Architectural Research

Tema 3 Criticism, Conservation and Restoration Antonella Versaci Università di Enna "KORE", Italy




The Case-study of Floristella – Grottacalda Mining Site

Globalization, economic crisis and loss of values characterize our territories, even if they are full of history, civilization and culture, such as in the Enna's case. A spread heritage often left to itself, not well known, protected and/or promoted; in the popular imagination usually restricted to a series, even numerically large, of churches and palaces standing as vestiges of a more glorious past. Considered as a silent presence, difficult to reach these undisclosed monuments are almost disconnected from social and cultural context in which they lie. Even if they are "familiar" images, they are experienced and primly perceived, because not understood and/or considered no longer adequate to the contemporary exigencies and needs. Significant examples of an important chapter in the history of Sicily, connected to the historical exploitation of its large sulphureous deposits that are today just "echoes": quite evanescent signals on abandoned tracks.

Among these, the complex composed by Floristella and Grottacalda mines, located not far from the UNESCO World Heritage site of the Villa Romana del Casale (Piazza) Armerina) and the archaeological excavations of Morgantina (Aidone), is one of the most expressive examples of industrial archeology in Southern Italy. In this area, still visible and dramatically evocative are the signs of several ages (from the end of 18th century to 1986 when activities where stopped), as well as the related systems and methods of mining and sulphur melting. Only partially located within "protected enclosures" and managed by a park governing body that should take care of its safeguarding and development, this place appears quite "distant" from people that do not "recognize themselves", therefore not visit it. Especially, the mining village of Grottacalda, whose activities started in 1815, remains abandoned, almost inaccessible and it run down, although characterized by a various and extremely interesting architectural heritage: industrial systems and buildings, among which is situated Pozzo Mezzena: an impressive and fascinating architecture with concrete members. Nevertheless, if properly protected and promoted, for example, in the framework of an Eco-museum structure, strictly connected to the territory; when studied explored and managed for scientific, educational and cultural reasons, in close collaboration with the community and in synergy with the Institutions, such heritage would be a very useful tool for the reinforcement of identities among the population. It will also help in increasing the awareness of the value of cultural and environmental heritage, collaborating for its safeguarding. In this light, the objective of the research summarized here, is to establish criteria for transforming this heritage - not only structures, but also people, ways of life, traditions



Alessandro Ensabella University of Enna KORE Faculty of Engineering and Architecture *alessandroensabella@yahoo.it* Antonella Versaci














UNIVERSITÀ DEGLI STUDI DI GENOVA

EAAE / ARCC International Conference on Architectural Research


Tema 3 **Criticism, Conservation and Restoration**  Mo Zell University of Wisconsin, Milwaukee, U.S.A.


# CHICAGO REDOX: BUILDING INTO INFRASTRUCTURE




The consequence of positioning single program mega-structures into urban centers in the 1970's resulted in a glut of large-scale underutilized buildings, many retaining vast parking lots. Prior responses to these mega-structures included demolition, inserting new program or adaptive reuse.


Our design research transforms these mega structures from building into infrastructure and with it changes single, static program to flexible public amenities. Our proposal reconsiders the embodied energy (intellectual, cultural, material, economic) of Gene Summers' McCormick Place (1971), optimally situated on Chicago's lakefront. Given the public position of McCormick Place (the base situated 40' above Chicago's lakefront), we propose a radical reformation of the existing building components. By subdividing the site laterally, a spatial manifestation of the biological process redox (the portmanteau of reduction-oxidation), two new surfaces for outdoor public space capitalize on the existing building's embodied energy. The research considers removing, launching, and floating the roof super-structure into Lake Michigan, creating a new destination for Chicagoans, the ISLAND. What remains becomes the INLAND, a mat-form flexible program below an expansive new surface that hosts seasonal public amenities. This proposal expands 800,000 SF of under-utilized mega-structure into 1.6 million SF of public land.











# Tema 4 Housing and the Shape of the City



POLITECNICO DI MILANO



UNIVERSITÀ DEGLI STUDI DI GENOVA



ARCHITECTURAL RESEARCH CENTERS CONSORTIUM







POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

Tema 4 Housing and the Shape of the City Sofia Barroco Technical University of Lisbon, Portugal

### Housing typologies and appropriation of the urban form The case study of Alvalade's Neighborhood, Lisbon

Sofia Barroco

sofia.barroco@gmail.com










The cell one was the first to be built and where the assumptions were applied to the planned urban neighborhood.


number of Increased types of economic rent.



Daily support to residents,  $\Sigma$ **IPMENT** are distributed in the cell boundaries.


ous

In largest number in the cell boundaries there is no option for a specific housing E type, but by the peripheral location.



### nism ited Sent olai no.) alth cial ent ent mic Existe Relig Moder Econo Commei T Scl 500 900 $\bigcirc$ Not

It can be seen that the occupational spots are accentuated on the periphery (north, east and west) of the cell.





Residents and equipment (of daily use) appropriated privileged areas, due to its proximity to the roads that structure the neighborhood.
















POLITECNICO DI MILANO





**EAAE / ARCC** International Conference on Architectural Research


Tema 4 Housing and the Shape of the City

# **Francesco Defilippis** Politecnico di Bari, Italy




















































		1	


















POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

46

Tema 4 Housing and the Shape of the City Sara Fois Università degli studi di Cagliari, Italy



The Sant'Elia housing estate in Cagliari, the son of the urban experiments of the '60s and '70s, has always lived a state of urban blight, social decay, and a condition of "otherness" than the rest of the city. In response to his condition many redevelopment projects have been proposed. A part of project remained on paper, so they have caused a sense of abandonment in the inhabitants but they have, also, a sense of belonging to the place. The buildings were designed for a generic inhabitant people who live here have brought many modifications. These modifications, carried out to varying degrees of intrusiveness, express their needs and wants. Needs and want that original project and in the transformation have not been considered. The interpretation proposed "formal uses and appropriations" will highlight, at scale of the city, informal uses of space that in time have completed and modified the place. The appropriations are considered evolutions through which the project fits the time, to the changing needs of contemporary. The observation wants to focus on informal uses that have improved the quality of neighborhood life. These appropriations, which the practice of fishing along the coastline and in the small harbor, the layout of courses drawn from daily actions in the time of the settlements or the sports practiced by young people in the stadium parking, may represent the input reflection about the content of redevelopment project that develops the germs of the changes already undertaken by the inhabitants, already present in the place. This analysis method is developed on different scales, from scale of the city to scale of lodging, because this relationship is a fundamental part of the conception of these urban systems. Architecture and cities are, in this urban systems, closely related, in fact it is possible to talk about architecture of the city.









EAAE / ARCC

International Conference on Architectural Research

Tema 4 Housing and the Shape of the City

### Nicola Parisi Politecnico di Bari, Italy

## Bringing the 'crowds' back to the city

an urban renewal plan aimed at seamlessly integrating business and residential areas

The 'urban space' as a place for social aggre gation par excellence has reached a crisis point. For centuries businesses, manufa cturing and homes created dense urban settlement patterns with clear expan sion areas where business life was enacted in squares, thereby attrac ting 'crowds'. Nowadays are places that have been emptied of those old 'crowds'. The latter now throng to out-of-town shopping centres, brand name outlet store malls, and large

megastores. All

of these in

order to

do

business' play city sound tracks, in a manner that is often kitsch. One is therefore losing that smooth blend between different func tions and, consequently, between different interests, both public and private. The ball has passed exclusively to private business which is taking the shapes of spaces away from the city. Nowadays those noisy squares are often lacerated, desolate and frighteningly silent. People live shoehorned in little boxes, and to meet each other they need another place which

emulates

they no longer have. Can

esesodesses



te qualities that are part and parcel of cities such as the integra tion between public and private spaces? Often in city consi derable empty spa ces can be identi fied near the mo dern urban fabric. These grey-looking non places' have an explosive urban po tential. Since these are free areas, it is possible to fully exploit the subsurface for loca ting parking areas, which would usefully allow innovative districts to be built on the surface where homes and businesses merge







POLITECNICO DI MILANO




EAAE / ARCC

International Conference on Architectural Research

Tema 4 Housing and the Shape of the City Milan Stamenkovic Moscow Institute of Architecture (State Academy), Moscow, Russia


# The reorganization of low-rise housing blocks in Serbia comprising the new energy technologies.

This article is devoted an adaptive reorganization of low-rise housing blocks in peripheral areas of big cities in Serbia. It is also regarded the possibility of the integration of new energy technologies and the




It is clearly formulated demand within the concept of sustainable development and in the architecture and urbanism causes a new look at an object and to find principles and tools available to resolve the problem. Today a society is oriented at formulation of a new character and principles of life, in particular, the transition to alternative, renewable sources of energy. One of specific aspect of architecture as a profession is in focusing at a solution of complex multifactorial problems. In the XXI century the boundaries of profession are greatly expanded. It is the necessity to create the architectural objects obtaining the new quality characteristics within careful attitude to the environment. This circumstance is forcing us to use life-support technologies as the form creative factors. The building shape and form is getting alive under the influence of new energy saving and lifesupporting technologies. It looks like a living organism dynamically opening to meet the heat and sun and having the mechanisms to protect against adverse effects. The various technological solutions allow us to have different look at the relationship between architecture and natural environment. Instantly, it is not only question of protection themselves from climate impacts, but also question of getting use of its energy potential. Today are acquiring the investigations closely connected with energy potential use characteristic for any territory. It underlines the possibility of future

The spatial structure of Serbian cities has its own character. A fairly wide ring of the low-rise residential development with private neighborhoods usually surrounds the city centers. The great majority the population is oriented on the life in individual, multi-family housing defined by many factors. The sociological and economical peculiarities of the country development are confirming this steady settlement type remain in near future. The bulk of private houses, constituting more than half the housing stock were built the 1960-1670s. The unification of residential development is leading to a loss of national specific, especially taking into account the influence of climatic factors in different re gions of the country.



implementation of the results in design and reorganization of existing architecture structures.



In such a case it's getting relevant a task of reorganization of the residential blocks by integration of the houses with traditional shape and structure with use of energy-efficient technologies. This task of restructuring involves three levels of the activities comprised of use of inner block areas, threedimensional structure of the houses, the changes

### of surface properties of materials and details of ar-

48

chitectural objects.





POLITECNICO DI MILANO





**EAAE / ARCC** International Conference on Architectural Research

49

Tema 4 Housing and the Shape of the City **Chiara Toscani** Politecnico di Milano, Italy


WHICH URBANITY? A crucial issue, which applies to new developments on the outskirts of towns and settlements within the territory of a more widespread, is the identification of a new condition of urbanity.





The product of this constant sum of enclaves, residential and other functions, is wasteful sequence of spaces, as parking lots, open spaces that are required to operate the contemporary city, that can become a resource, given their essence from the interstitial and ambivalent between inside and outside of these enclaves, a new contemporary urban pochè.

In the past few years, a new generation of housing ensembles has emerged, building a new density and a different sociality. A new principle of urbanity can arise from the interpretation of the shape of these connection spaces, within the residential development, as part of more extensive morphological that de-










EAAE / ARCC

International Conference on Architectural Research


50

Tema 4 Housing and the Shape of the City Lei Wang Aalto University in Helsinki Finland



# PERCEPTION OF DWELLING: Residential Experience and Housing Interior

By taking with is stand point in combining K.Lynch's idea of City Image, what I tried to propose here is, the basic elements also could be interpreted in residential interior space, and the similar factors could be found, viz route, boundary, territory, nodes landmarks. The perception of dwelling is represented in 4 dimentions: 1m<sup>3</sup>,10m<sup>3</sup>,100m<sup>3</sup>,1000m<sup>3</sup>.












**EAAE / ARCC** International Conference on Architectural Research

Tema 4 Housing and the Shape of the City Manuela Zorzi Istituto Universitario di Venezia, Italy

### The Venetian casa in linea: a current model

The sixteenth-century Venetian casa in linea is an evolution of the serial type, and though strongly rooted in the context in which it was developing, has in itself the characteristics that it allows us to recognize as a universal model and most importantly, current. In this particular typological residential model the elements are not row houses: each member of the series includes two dwellings, variously overlapped, but completely independent with road access and vertical distribution. Different aspects characterize the casa in linea and relate not only to the distribution of the individual rooms, within the unit, but especially the way in which individual accommodations relate to each other, while maintaining their individuality, by the definition of the building architecture in its entirety. These systems report that they devices: some the use entrance, the so-called double staircases or "leonardesche", the *portego* and finally the solution of the head. Although labelled as minor

external appearance of the complex. The double staircase, realizing the independence of the distribution paths in a small apartment building, ensured the peculiarities of the individual private house. The service rooms on the ground floor and first floor mezzanine allowed a separate work area from home; the nobile piano was superimposed for housing and on the mezzanine floor of the attic there was a separate place for the servants. With regard to the horizontal distribution, the plan was formed from the portego: main room with the double facing, which, was bounded by two parallel walls which allowed access to side environments (usually two three) or eliminating corridors and all of other elements of the distribution of the spaces. With regards to the external appearance of the complex, this was usually quite impressive, punctuated by the repetition of *trifore*, *bifore* and *monofore*, often made richer by the colour of ornamental or painted graffiti, which bound the opening spaces horizontally vertically and which and required well-cadenced rhythm of chimneys.



Leonardo da Vinci, Codice B, (1468), fol. 68v.

which the solution in unit construction terminal of the house itself is rotated 90° taking on the appearance typical of the Venetian halls tripartite, with the *piano nobile* and *polifora*. It should be emphasised that this artifice also implies the rotation of the structure of the building, i.e. of bearing walls and ceilings, and it was always in the presence of particularly significant space.


Thus, at the same time, a deeper relationship between internal and external, to "close" the composition of long fronts, without leaving any possible rise to recurrence and preventing the modification of the installation space.


51


resulted in some cases, buildings defined as "palaces" by the efforts deployed for the figurative and for the dimensions, and has interested architects like Jacopo Sansovino but mostly responds to needs without time. It is, in fact, the universal desire to live in an "environment" where family life can exist secluded and secret, but at the same time with dignity and exterior "decorum".


construction, it has actually, in

The casa in linea is the answer to these requirements: the door and hallway entrance were detached, along with the staircase whose ramps allow, directional crossing on opposing ways, and saving of area and volume but, especially, allowing the illusion of an optire dwelling, which wee In many *case in linea*, built between the XVI and the XVIII centuries, there is a proven









# **Jema 5** Infrastructure Networks and Landscape



POLITECNICO **DI MILANO** 



UNIVERSITÀ DEGLI STUDI DI GENOVA



ARCHITECTURAL RESEARCH CENTERS CONSORTIUM







POLITECNICO **DI MILANO** 



EAAE / ARCC

International Conference on Architectural Research

Tema 5 **Infrastructure Networks and Landscape**  Valentina Dessì Politecnico di Milano, Italy


# POLITECNICO DI MILANO Valentina Dessì **Politecnico di Milano – Dip. BEST** Energy performance of urban materials for the changing city The poster shows the influence of urban pavements and building facades materials on the open spaces environmental performance and on thermal comfort conditions.


### Simulated models are: trihedral


configurations, that represent microclimatic niches inside squares (like closed angle),

<u>dihedral</u> configurations representing the area of the street close to the façade

open space that can represent the centre of a big square not influenced by the presence of facing building walls.







hours


Differences among the materials in open space are due to the physical properties, like albedo, thermal capacity and density.


Comparison among materials with the same albedo value. The albedo is the most influencing characteristic as the simulation with the realistic albedo values confirmed

### Thermal comfort was considered in terms of PET.

The graph considers the dihedral and trihedral with facing walls 20 metres high and the analysed position 10 metres far from the wall.

It is strongly recommended not to use glass wall and to be careful with the light wall too. Massive structures











POLITECNICO **DI MILANO** 



EAAE / ARCC

International Conference on Architectural Research

54

Tema 5 **Infrastructure Networks and Landscape** 

**Eva Oravcová** Slovak University of Technology in Bratislava Slovak Republi



Abstract





The issue of reducing energy consumption and fuel are increasingly gaining prominence. Using renewable energy is one of road the necessary to sustainability, the achievement of ecological principles and the need for environmental protection and improvement of both local and global living conditions on Earth. Solar radiation is an inexhaustible source of energy. It is therefore necessary to create conditions and opportunities for its utilization.

The article refers to the possibilities of integration of PV systems in the architecture - in the construction, reconstruction and revitalization of family residential houses and apartment buildings, civic amenities, buildings for agricultural and industrial production - in their various forms of application into the roofs and facades. The value of the building multiplies effective integration of solar systems directly into the facade elements of windows, shading systems, railings, awnings, overlapping courtier, foyers, halls, connecting roads, skylights, roofing pitched and flat roofs. In all these applications, the price photovoltaics should of be considered not only as an energy generating source but also as building a substitute of constructions. The knowledge of the principles of this progressive form of design is an essential precondition for a quality-driven and responsible approach to current architectural concepts, offering the perspective of sustainability, attractive appearance and unconventional design.

AquaCity Poprad - Aquapark, Slovakia, authors: P.Kučera, F.Rubáš, ARCHSTUDIO (CZ), Relaxation Pool Sapphire Blue, 2007 (fi. Ingsteel, Schuco International, Solarklima)



There is doubt that no photovoltaics is booming а technology and one of the most promising sources of renewable energy.

Student work – Study of Projects using photovoltaics, authors: V.Hain (EcoFarm, 3.year), J.Ondrašina (Restaurant, 4.year), Bc. Z.Procházková (Dance Theatre, 5.year)









POLITECNICO **DI MILANO** 



EAAE / ARCC

International Conference on Architectural Research

### Tema 5 **Infrastructure Networks and Landscape**

# Payman Sadeghi University of Wisconsin Milwaukee, U.S.A.

### Simulation Software Application: Analyzing Energy Utilization **Intensity of Architectural Design Options**

### Payman Sadeghi, Michael D. Utzinger

University of Wisconsin Milwaukee, Milwaukee, Wisconsin

### Abstract

Architectural designs, in the past, were usually integrated with contextual climatic surroundings to enhance comfort conditions. Although modern architecture also aimed at increasing human comfort level, ecological consciousness was less considered in the process of architectural design. Today, integration of energy management into the early stages of architectural design, as a function of ecological/sustainable consciousness, is a paradigm of the contemporary architecture and of crucial concern. This paper intends to evaluate impact of different design options on the annual energy utilization intensity (EUI) of buildings. TRNSYS, transient systems simulation program, was used to simulate a sample module in a hypothetical building with six design options in three typical climate conditions of Minneapolis, Atlanta, and Phoenix. These six variables were: "Orientation", "Amount of Glazing", "Number of Panes", "Shading", "Wall Insulation", and "Occupancy." The result of the sixteen runs from the simulation program has been interpreted through a quantitative approach. Ultimately, the impact of each variable, for each of the three climates, will be elaborated in the three following sections: the module's annual EUI, heating/cooling, and its associated economic analysis.

Keyword: TRNSYS, Simulation, Ecological Design Process, Architectural Design, Energy Utilization Intensity, Passive System.


### Introduction

Architectural designs, in earlier times and in various cultures, were typically integrated with contextual climatic surroundings in order to enhance comfort conditions. With an initially constructive mentality, modern architecture also aimed at increasing human comfort level. However, ecological consciousness was less considered in the process of architectural design, partially, due to the increasing use of high-tech mechanical and electrical systems in buildings. Nowadays, enhancing an ecological/sustainable worldview is, no doubt, a fundamental goal for architects, and it is critical to integrate this theoretical framework into the early stages of every aspect of design. An efficient design rooted in sustainable architecture criteria diminishes built environment's dependency on the exhaustible energy sources, and instead of these sources, non-fossil energy resources such as sun, earth, water and/or wind could be employed to supply the built environments' resource demands. Energy management, thus, has been one of the essential concerns and paradigms of the contemporary architecture.

Parallel to these concepts, advanced computer technologies and software are available for integration in sustainable design processes. Simulation software can be employed to validate or evaluate decision-making and design process in order to lower the energy demands of built environments. Yet, it is crucial to investigate the potential roles that the integration of passive system solutions as well as simulation software can play from early stages to reduce the necessity of high-tech systems and consequently lead toward a more sustainable result.

### Methodology

The methodology applied in this research is a combination of "simulation," done by TRNSYS, and "quantitative" approach for the interpretation of the outcome. In other words, the result from the simulation program has been set in a way that is explicable by "two-level fractional design for k variables and N runs in which the annual EUI for each run will be interpreted through a quantitative technique. Utilization of fractional factorials tends to decrease the number of runs and as a result experimental struggles. In this study the number of variables is 6, and the number of runs is 16 for each of the three climates. By eliminating confounding between effects of different runs, the total number of runs will be 48 that is decreased from potential 192 runs (3 x 2^6) due to the exclusion of redundant runs (Table 3).



### Table 3: Two-level fractional design for k variables and N runs (K=6 & N=16 illustrated by grey color) Retrieved from Box, G. E. P., Hunter, W. G., & Hunter, J. S. (1978). Statistics for experimenters: An introduction to design, data analysis, and model building.

								Olfeat	C, cool		
Runt	(-)	(-)	(-)	(-)	(-)	(-)		-101,755,181	62,942,615	164,697,797	
Runž	(+)	(-)	(-)	(-)	(+)	(-)		-75,215,327	/1.9/9,9/9	147,165,276	
Run5	(-)	(+)	(-)	(-)	(+)	(+)		39,710.543	28,130,423	67,841.268	
Run4	(+)	(+)	(-)	(-)	(-)	++		42,837.334	23,482,871	66,323,725	
Run5	(-)	(-)	(+)	63	(+)	1+1		-20,298.527	66,001,438	87,110.065	
Runó	(+)	ě	(+)	è	(-)	++		-11,097,066	/5.416,234	86,513,299	
			(+)								
Run7	(-)	(+)		(-)	(-)	(-)		15,160,843	45,280,306	60,441,831	
Run3	(+)	(+)	(+)	(-)	(+)	(-)		2,174.581	63,645,804	65,820.685	
RunD	0	0	0	(+)	0	(+)		-122,634.727	33,454,148	156,088.375	
Run 10	(+)	(-)	(-)	(†)	(†)	(+)		-95,295,195	25,985/202	121,282/098	
Run11	(-)	(+)	(-)	(+)	(+)	(·)		-30,536,064	40,353,300	70,899,370	
Run12	(+)	(+)	(-)	(+)	(-)	(·)		34,412.794	31,093,852	65,505.546	
Run13	(-)	(-)	(+)	(+)	(+)	6)		<6,225.295	70,350,317	86,575.512	
Run 14	(i)	(-)	0	(ii	()	ö		-5,753,195	70,010,177	75,799,368	
Run15	0	(+)	(+)	(+)	()	(+)					
								24,675,282	23,281,204	47,956,486	
Run15	(+)	(+)	(+)	(+)	(+)	(+)		4,505.133	29,095,878	33,602.031	
Average Value							-	-10,392,996	47,568/914	87,981,910	
Delembed	a Cillant							11.005.414	1 5 1 5 5 5	6 464 545	11%
Orientation Mail							1000	11,968,430	2,501,838	5,461,512	
Glazing Percents								32,282.587	-24,034,366	-56,365.733	-64%
No. of Pane Mair								54,813,755	15,827,061	-38,986,505	-14%
Shading Main Lf	fect							-7,723,485	-14,259,657	< 0.536, 197	-12%
Wall Insulation #	Abin Effect							5,794,995	3,927,927	5,867,068	7%
Occupancy Main	Effect							-6,478.171	-18,740,803	-6,262.532	-11%
Buol	(-)	(-)	(-)	(-)	(-)	(-)		101,755,181	67.942.613	164,697,797	
	(-) (+)	(·)	(+) (-)	(-) (-)	() [2]	(c) (c)		101,755,181	62,942,613	164,697.797 146 940 007	-118
Runta	(+)	(-)	(+)	(-)	(·)	(+)		-77,473,102	69,466,905	146,940,007	-11%
terta tert5	(+) (+)	(-) (+)	(+) (+)	(+) (+)	(+) (+)	(+) (+)		-77,478,102 -4,506,153	69,456,903 29,095,878	146,940,007 39,602,031	
Ranta Run15	(+)	(-)	(+)	(-)	(·)	(+)		-77,473,102	69,466,905	146,940,007	-118 21%
Ronta Run15 Run15a	(+) (+) (-)	(+) (+) (+)	(+) (+) (+)	(+) (+) (+)	(+) (+) (+)	(+) (+) (+)		-77,473,102 -4,506,153 -10,193,347	69,466,903 29,095,878 30,525,399	146,940,007 39,602,031 40,719,745	
Ranta Run15 Run15a Run1	(*) (*) (-)	(+) (+) (+)	(+) (+) (+)	(+) (+) (+)	(3) (4) (3)	6) (2) (4) (4)		-77,478,102 -4,508,153 -10,193,347 -101,755,181	69,456,003 29,095,878 30,525,399 62,912,613	146,940,007 33,602,031 40,719,745 164,697,707	21%
Rants Run15 Run15e Run1 Run1o	(+) (+) (-) (-)	(+) (+) (+) (+) (+)	(+) (+) (+) (-)	(+) (+) (+) (-)	(3) (4) (3) (3)	(-) (24) (-) (-) (-)		-77,478,102 -4,505,153 -10,193,347 -101,755,181 -13,667,732	69,456,005 29,095,878 30,525,399 62,942,615 38,856,145	146,940,007 33,602,031 40,719,745 164,697,707 82,543,877	
Ranta Rant5 Ranta Ranta Ranta Ranta Ranta	(*) (*) (-) (-) (+)	(+) (+) (+) (+) (+) (+)	(*) (*) (*) (*) (*)	6-) (*) (4) (-) (-) (4)	(3) (4) (4) (3) (3) (4)	(*) (*) (*) (*) (*)		-77,478,102 -4,506,153 -10,193,347 -101,755,181 -43,667,732 -4,506,1,3	69,456,905 29,095,878 20,525,399 62,972,515 38,856,145 29,095,878	146,910,007 33,602,031 40,719,745 164,697,707 82,543,877 79,602,031	21% -50%
Runta Runt5 Runt6 Runt	(+) (+) (-) (-)	(+) (+) (+) (+) (+)	(+) (+) (+) (-)	(+) (+) (+) (-)	(3) (4) (3) (3)	(-) (24) (-) (-) (-)		-77,478,102 -4,505,153 -10,193,347 -101,755,181 -13,667,732	69,456,005 29,095,878 30,525,399 62,942,615 38,856,145	146,940,007 33,602,031 40,719,745 164,697,707 82,543,877	21%
Ronis Ronis Runice Runi Ronis Runis Runis	(*) (*) (*) (*) (*) (*)	(*) (*) (*) (*) (*)	6) (4) (4) (4) (4) (4)	(*) (*) (*) (*) (*) (*)	(3) (4) (3) (3) (4) (4)	6) 14 14 6) 6) 14 14		-77,478,102 -4,505,153 -10,193,547 -101,755,181 -43,667,732 -4,500,153 -12,009,041	69,456,003 29,095,878 20,525,399 62,942,618 38,856,148 29,095,878 48,576,263	146,940,007 33,602,031 40,719,745 164,697,707 82,543,877 32,602,031 60,585,506	21% -50%
Ronlə Ron15 Ron15 Ron15 Ron15 Ron155 Ron155		(2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	ा (म) (म) (म) (म) (म) (म) (म)	(*) (*) (*) (*) (*) (*)	(3) (4) (3) (3) (4) (4) (4) (4) (4)	() (4) (4) (4) (4) (4) (4)		-77,478,102 -4,505,153 -0,193,547 -101,755,181 -43,667,732 -4,506,173 12,009,041 -101,755,181	60,456,003 29,095,878 20,525,389 62,972,618 38,656,148 29,095,878 48,576,263 62,972,618	146,940,007 33,602,031 40,719,745 164,697,707 82,543,877 39,602,031 60,525,306 164,697,797	21% -50% 83%
Runlə Run15 Run10 Run10 Run10 Run15 Run15 Run15 Run16		ा (म (म (म (म (म (म) (म) (म) (म)	ा स स () () () () () () () () () () () () ()	(*) (*) (*) (*) (*) (*) (*)	(2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	0) 144 00 00 144 144 144 144 144 104		-77,478,102 -4,506,153 -10,193,547 -101,755,181 -43,667,732 -4,506,173 12,009,041 -101,755,181 -101,755,181 -10,019,538	e0,456,003 29,095,873 70,525,399 62,972,613 38,856,145 29,095,875 48,575,265 62,972,613 25,949,419	146,940,007 33,602,031 40,719,745 164,697,707 32,513,877 33,602,031 60,585,506 164,697,797 101,967,077	21% -50%
Runta Runts Runts Runts Runts Runts Runts Runts Runts Runts			6) (H) (C) (C) (H) (C) (H) (H) (H)	(*) (*) (*) (*) (*) (*) (*) (*)	(*) (*) (*) (*) (*) (*) (*) (*) (*) (*)	00 194 104 104 104 104 104 104 104 104 104 10		-77,478,102 -4,508,153 -0,193,347 -101,755,181 -43,687,732 -4,506,173 12,019,041 -101,755,181 -0,019,508 -4,506,173	e0,456,003 29,095,873 30,525,359 62,972,618 38,856,143 29,095,875 48,575,263 62,972,618 85,929,419 29,095,875	146,910,007 33,602,031 40,719,745 164,697,707 82,513,877 33,602,031 60,535,306 164,697,797 201,967,077 33,602,031	22% -50% 23% -39%
Roola Rool5 Rool5 Rool5 Rool5 Rool5 Rool5 Rool5 Rool5		ा (म (म (म (म (म (म) (म) (म) (म)	ा स स () () () () () () () () () () () () ()	(*) (*) (*) (*) (*) (*) (*)	(2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	0) 144 00 00 144 144 144 144 144 104		-77,478,102 -4,506,153 -10,193,547 -101,755,181 -43,667,732 -4,506,173 12,009,041 -101,755,181 -101,755,181 -10,019,538	e0,456,003 29,095,873 70,525,399 62,972,613 38,856,145 29,095,875 48,575,265 62,972,613 25,949,419	146,940,007 33,602,031 40,719,745 164,697,707 32,513,877 33,602,031 60,585,506 164,697,797 101,967,077	21% -50% 80%
Runta Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5			DAA A CAA DAA A CAA	(*) (*) (*) (*) (*) (*) (*) (*)	(*) (*) (*) (*) (*) (*) (*) (*) (*) (*)			-77,478,102 -4,508,153 -0,193,347 -101,755,181 -43,687,732 -4,506,173 -12,019,041 -101,755,181 -0,019,508 -4,506,173	e0,456,003 29,095,873 30,525,359 62,972,618 38,856,143 29,095,875 48,575,263 62,972,618 85,929,419 29,095,875	146,910,007 33,602,031 40,719,745 164,697,707 82,513,877 33,602,031 60,535,306 164,697,797 201,967,077 33,602,031	22% -50% 23% -39%
Runta Runt5 Runt5 Runt5 Runt5 Runt55 Runt55 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5			DAU DECE		(*) (*) (*) (*) (*) (*) (*) (*) (*) (*)			-77,473,102 -4,505,133 -0,193,147 -101,755,181 -13,667,732 -4,590,173 -12,039,041 -101,755,181 -0,010,558 -4,506,173 20,619,811 -101,755,181	e0,456,003 29,935,873 70,525,389 e2,972,613 38,855,143 29,935,874 48,574,263 e2,972,613 85,929,439 29,935,874 19,574,716 e2,972,613	146,910,007 33,622,031 40,719,745 164,637,707 33,632,707 33,642,031 60,585,306 164,637,797 39,692,031 40,194,527 164,637,797	21% -50% 21% -39% 48%
Runta Runts Runts Runts Runts Runts Runts Runts Runts Runts Runts Runts Runt	(*) (*) (*) (*) (*) (*) (*) (*) (*) (*)		27. 22. 23. 23. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 24. 24. 24. 24. 24. 24. 24. 24. 24	ः (म (म (म (म (म (म (म (म (म (म (म (म))))))))	(*) (*) (*) (*) (*) (*) (*) (*) (*) (*)			-77,473,102 -4,535,133 -0,193,147 -101,755,181 -43,687,732 -4,506,173 -22,019,641 -101,755,181 -0,019,538 -4,506,173 -20,619,831 -101,755,181 -101,755,181	e0,456,003 28,935,875 70,525,389 e2,942,615 38,856,145 29,935,876 48,576,265 e2,942,615 e2,942,615 e2,942,615 e2,942,615 e2,942,615 e2,942,615	146,910,007 33,622,031 40,719,745 164,697,797 82,593,877 79,602,051 60,585,306 164,697,797 101,967,077 39,602,031 46,194,327 164,697,797 124,671,418	22% -50% 23% -39%
Runtə Runt5 Runt5 Runtu Runtu Runtu Runtu Runtu Runtu Runtu Runtu Runtu Runtu			8 F B 8 8 B B 8 8 B B 8 8 B B 8 8 B	ः (म (म (म (म (म (म (म (म (म (म (म ()	(*) (*) (*) (*) (*) (*) (*) (*) (*) (*)			$\begin{array}{c} .77, 473, 102\\ .4, 526, 133\\ .0, 193, 147\\ .101, 755, 181\\ .43, 687, 732\\ .4, 505, 173\\ .2, (199, 041\\ .2, (199, 041)\\ .2, (199, 041)\\ .20, (195, 181\\ .2, (190, 139\\ .4, 500, 139\\ .2, (190, 139\\$	e0,456,003 29,035,873 70,525,389 62,942,613 38,856,145 29,035,876 48,575,263 62,942,615 85,940,419 29,035,876 62,942,615 45,468,754	146,910,007 33,602,031 40,719,745 164,607,707 82,543,877 73,602,031 60,585,306 164,697,797 39,602,031 40,194,527 164,697,797 164,697,797 164,697,797 164,697,797 164,697,797 164,697,797 164,697,297	21% -50% -39% 45% -178
kanla kanlo kanlo kanlo kanlo kanlo kanlo kanlo kanlo kanlo kanlo kanlo kanlo	(*) (*) (*) (*) (*) (*) (*) (*) (*) (*)		27. 22. 23. 23. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 20. 24. 24. 24. 24. 24. 24. 24. 24. 24. 24	ः (म (म (म (म (म (म (म (म (म (म (म (म))))))))	(*) (*) (*) (*) (*) (*) (*) (*) (*) (*)			-77,473,102 -4,535,133 -0,193,147 -101,755,181 -43,687,732 -4,506,173 -22,019,641 -101,755,181 -0,019,538 -4,506,173 -20,619,831 -101,755,181 -101,755,181	e0,456,003 28,935,875 70,525,389 e2,942,615 38,856,145 29,935,876 48,576,265 e2,942,615 e2,942,615 e2,942,615 e2,942,615 e2,942,615 e2,942,615	146,910,007 33,622,031 40,719,745 164,697,797 82,593,877 79,602,051 60,585,306 164,697,797 101,967,077 39,602,031 46,194,327 164,697,797 124,671,418	21% -50% 21% -39% 48%
Rumla Rumls Rumls Rumls Rumls Rumls Rumls Rumls Rumls Rumls Rumls Rumls Rumls Rumls			8 F B 8 8 B B 8 8 B B 8 8 B B 8 8 B	ः (म (म (म (म (म (म (म (म (म (म (म ()	(*) (*) (*) (*) (*) (*) (*) (*) (*) (*)			$\begin{array}{c} .77, 473, 102\\ .4, 526, 133\\ .0, 193, 147\\ .101, 755, 181\\ .43, 687, 732\\ .4, 505, 173\\ .2, (199, 041\\ .2, (199, 041)\\ .2, (199, 041)\\ .20, (195, 181\\ .2, (190, 139\\ .4, 500, 139\\ .2, (190, 139\\$	e0,456,003 29,035,873 70,525,389 62,942,613 38,856,145 29,035,876 48,575,263 62,942,615 85,940,419 29,035,876 62,942,615 45,468,754	146,910,007 33,602,031 40,719,745 164,607,707 82,543,877 73,602,031 60,585,306 164,697,797 39,602,031 40,194,527 164,697,797 164,697,797 164,697,797 164,697,797 164,697,797 164,697,797 164,697,297	21% -50% -39% 45% -178
Runta Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5			OFF OFFE OFFE	© (H C) C) C) C) C) C) C) C) C) C) C) C) C)	(*) (*) (*) (*) (*) (*) (*) (*) (*) (*)			$\begin{array}{c} .77,473,102\\ .4,505,133\\ .01,193,147\\ .101,755,181\\ .43,667,732\\ .45,061,10\\ .12,019,041\\ .101,755,181\\ .00,105,182\\ .00,103\\ .20,619,811\\ .101,755,181\\ .101,755,181\\ .101,755,181\\ .101,755,181\\ .101,755,183\\ .4,505,153\\ .4,253,725\\ \end{array}$	e0,486,003 29,935,873 70,525,389 e2,972,613 38,855,173 29,935,876 e2,972,613 85,929,439 29,935,876 19,574,718 e2,972,613 45,448,754 29,035,876 36,240,033	146,910,007 33,622,031 40,719,745 164,697,707 32,573,877 37,692,031 60,585,306 164,697,797 39,692,051 46,194,527 164,697,797 154,671,418 32,602,031 40,490,736	21% -50% -39% 45% -178
Runla Runl5	E CONTRACTOR CONT	DEE DEEE DEEE DE	27. 27.7. 27.7. 27.7. 27.7. 27.7.	2003 2223 2223 2232 2233 2233 2233 2233				.77,478,102 .4,506,153 .01,193,147 .101,755,181 .43,667,732 .4,500,125 .12,019,041 .101,755,181 .01,015,183 .01,019,55,181 .01,755,181 .101,755,185 .101,755,185 .101,755,185 .101,755,185 .101,755,185 .101,755,1	e0,456,003 29,095,873 20,525,359 e2,972,618 38,855,145 29,095,874 48,576,263 e2,972,618 e3,942,618 e2,972,618 e2,972,618 e2,972,618 e2,972,618 e2,972,618 e2,972,618 e2,972,618 e2,972,618 e2,972,618 e4,512,857	146,910,007 33,622,031 40,719,745 164,697,597 32,513,877 32,513,877 32,513,877 32,513,877 32,513,877 32,523,535 164,697,797 101,967,077 32,622,031 40,194,527 164,697,797 104,677,874	21% -50% -39% 48% -17% 21%
Runta Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5 Runt5			273 2237 2373 2237 2		(*) (*) (*) (*) (*) (*) (*) (*) (*) (*)			-77,473,102 -4,536,133 -0,193,147 -101,755,181 -43,687,732 -4,506,173 12,019,041 -101,755,181 -0,019,558 -4,506,173 26,619,811 -102,725,181 -102,725,181 -102,725,181 -102,725 -101,755,181	e0,456,003 28,035,875 70,525,389 e2,942,615 38,856,145 29,035,875 48,576,265 e2,942,615 e5,940,419 29,035,875 19,574,716 e2,942,615 45,468,794 29,035,875 36,240,033 e2,942,615	146,910,007 33,602,031 40,719,745 164,697,797 82,513,877 93,602,031 60,585,306 164,697,797 101,967,077 32,602,031 40,194,527 164,697,797 124,671,418 32,602,031 40,400,758 104,697,797	21% -50% -39% 48% -178 21%
Runta Runta Runta Runta Runta Runta Runta Runta Runta Runta Runta Runta Runta Runta Runta Runta Runta Runta Runta Runta	E COURT COURT COURT	STE SEES SSEE SSEE	SEE GEEE SEES SEEE SEEE	2003 2203 2203 2302 2003 2203 2203	OFF F OFF F OFF F OFF F OFF F OFF C OFF F OFF OFF OFF OFF F OF	30世世 20世世 20世世 20世世		-77,473,102 -4,536,133 -0,193,147 -101,755,181 -43,667,732 -4,506,173 12,019,041 -101,755,181 -0,019,558 -4,506,173 26,619,811 -102,722,524 -4,568,133 -4,253,725 -101,755,181 -102,722,524 -4,568,133 -4,506,133 -2,6695,226	e0,456,003 28,935,875 70,525,389 e2,942,615 38,856,145 29,935,875 e2,942,615 e5,942,615 e5,942,419 29,935,875 19,574,716 e2,942,615 e2,942,615 e2,942,615 e2,942,615 e3,6240,033 c2,942,611 e4,512,857 20,055,875 18,865,211	146,910,007 33,602,031 40,719,745 164,697,797 82,513,877 93,602,031 60,585,306 164,697,797 101,967,077 194,62,031 40,194,527 164,697,797 124,671,418 32,602,031 40,402,758 104,697,797 164,718,742 32,602,031 96,560,438	21% -50% 80% -39% 48% -0% 21%
Runta Runt5	THE SECTION SE	OFFE OFFE OFFE OFFE O	SES SECS SEES SEES S	2003 2233 2233 2333 2333 br>2333 2		(2) 计计 (2) (2) 计计 (2) (2) 计计 (2) (2) 计计 (2) (2) 计计 (2) (2) 计计 (2) (2) 计计		-77,473,102 -4,505,133 -0,193,147 -101,755,181 -43,667,732 -4,500,1,75 -12,039,041 -101,755,181 -0,019,518 -0,019,518 -0,019,518 -101,755,181 -101,755,181 -101,755,181 -101,755,183 -101,755,183 -105,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -05	en, 456,003 25,035,873 70,525,399 e2,972,613 38,855,6145 25,922,613 25,922,613 25,922,613 25,922,613 25,922,613 45,924,2,613 45,429,754 24,935,875 36,240,033 62,942,613 45,422,613 45,855,212 62,942,613	144,910,007 33,622,031 40,719,745 164,697,707 82,513,877 73,942,031 60,585,306 164,697,797 101,967,077 39,692,031 40,104,527 164,697,797 154,671,438 164,697,797 164,718,742 33,602,031 94,550,438 164,697,797	21% -50% -39% 48% -17% 21% 1% 9%
Runi Runis Runis Runis Runis Runis Runis Runis Runis Runis Runis Runis Runis Runis Runis Runis Runis Runis Runis Runis	E CONTRACTOR CONT	OFF OFFO OFFO OFFE OF	STE SEES SEES SEES SEES SE	2000 2200 2000 2000 2000 200	D F F F F F F F F F F F F F F F F F F F	·····································		-77,473,102 -4,505,133 -0,193,147 -101,755,181 -13,667,732 -4,506,1,73 -101,755,181 -101,755,181 -001,755,181 -001,755,181 -101,755,181 -101,755,181 -101,755,181 -101,755,183 -4,506,133 -4,506,133 -26,695,226 101,755,181 -1,4,218,209	e0,486,003 29,935,873 70,525,389 e2,972,613 38,855,143 29,935,876 48,574,263 62,972,613 85,929,439 29,935,876 19,574,716 e2,972,613 45,448,754 20,958,876 36,240,033 e2,942,613 e4,512,857 19,865,213 e2,942,613 40,686,775	146,910,007 33,622,031 40,719,745 164,697,707 37,692,031 60,585,306 164,697,797 101,967,077 132,692,051 40,194,527 164,697,797 154,671,418 32,602,031 40,497,397 163,905,523 164,697,797 163,905,523	2108 -5090 -3000 -300 -3000 -3
Runla Runla Runl5 Runl6	THE SECTION SE	OFFE OFFE OFFE OFFE O	SES SECS SEES SEES S	2003 2233 2233 2333 2333 br>2333 2		(2) 计计 (2) (2) 计计 (2) (2) 计计 (2) (2) 计计 (2) (2) 计计 (2) (2) 计计 (2) (2) 计计		-77,473,102 -4,505,133 -0,193,147 -101,755,181 -43,667,732 -4,500,1,75 -12,039,041 -101,755,181 -0,019,518 -0,019,518 -0,019,518 -101,755,181 -101,755,181 -101,755,181 -101,755,183 -105,722 -101,755,181 -05,722 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -101,755,181 -05,725 -05	en, 456,003 25,035,873 70,525,399 e2,972,613 38,855,6145 25,922,613 25,922,613 25,922,613 25,922,613 25,922,613 45,924,2,613 45,429,754 24,935,875 36,240,033 62,942,613 45,422,613 45,855,212 62,942,613	144,910,007 33,622,031 40,719,745 164,697,707 32,573,877 72,573,877 72,573,877 72,573,877 72,573,877 72,573,877 72,573,877 72,573,877 101,967,797 154,674,1438 74,627,787 164,697,787	21% -50% -39% 48% -17% 21% 1% 9%

2(Or entation) 2(Glazing Percel ( 20) or Pane) 4(Shading) 5–123(Wall insulation) 6–224(Occupaney)


### Table 4: Simulation results for Minneapolis

Runs	1(Or ontation)	2(Glazing Percel )	3(No. of Pane)	4(Shading)	5-123(Wall insulation)	6–234(Occupancy)	Yick	t i	Annual CLI	Percentage
							Olfeat	C, cool		
Bund	(-)	(-)	(-)	(-)	()	(+)	-27,445,341	100,777,527	128,222,368	
Run2	(+)	(-)	(-)	(-)	(+)	(·)	-17,165,140	111.010,/25	128,176,165	
Runs	(-)	(+)	(-)	(-)	(+)	(+)	7,957.909	46,453,172	54,411.081	
Run4	(+)	(+)	(·)	(-)	(-)	(+)	-7,427.886	41,403,469	48,831.555	
0			2.41	<i>.</i>	1.1	1.1	1.805.040	CT 4 05 72 4	06 E00 721	

Today, cooling, heating, ventilation, and lighting are typically provided by the energy expended through highly developed mechanical systems. These high-tech systems are generally "added on" to the buildings once the location, orientation, adjacency, form, and materials have already been decided. This process often results in greater consumption of energy, and accordingly, depletion of the natural resources in the environment. By considering environmental performance criteria in early design stages, architects can decrease the need for high-tech systems and reduce energy demand. As Donald Watson argues:

Had energy opportunities been pursued in the design of the United Nations Office Building in New York City, it might not have become an east-west facing block with large expanses of unshaded glass. Had it been turned instead to face north-south, with the south facade shaded by relatively modest overhangs similar to the brise-soleil that consultant Le Corbusier originally proposed, its energy load would have been reduced by as much as one-half (1984, p.4).

This paper explores how and to what extent diverse decisions made in the process of architectural design can influence the annual Energy Utilization Intensity (EUI) of buildings. In the following sections, the assumptions made to simulate a portion of an assumed building will be explained in detail.



### Variables as different design options

Six examined variables consist of orientation, amount of glazing, number of panes, shading, wall insulation, and occupancy. Hypothetically, each of the variables is intended to have two levels which can, mainly, be considered as either a more energy efficient or less energy efficient decision made by the designer. For ease of identification, they are indicated with the sign (+) or (-) respectfully (Table 1). Beneath, various aspects of these six variables are described:

Variables	1(Orientation)	2(Glazing % )	3(No. of Pane)	4(Shading)	5(Wall Insulation)	6(Occupancy)
Values	Tonentation	zfergruß vol	s(no, or rane)	-tauganiĝi	ə(wan məciadəri)	otoccopancy
(+)	South	1/3 of Façade	Double pane	Well Designed	R- value = $20 \text{ m}^2 \text{ K/W}$	Office
(-)	West	3/3 of Façade	Single pane	None	R-value = 5 m² K/W	Classroom

Table 1: Six considered variables and their value as

1) Two levels for orientation are south (east-west elongated) and west (north-south elongated) since the optimal building orientation is, theoretically, recognized to be east-west elongated as opposed to north-south elongated in terms of sunlight control.

### Simulation Results

There could be different approaches to interpret the simulation results, but in this research the impact of each variable, for each of the three climates, will be elaborated in three sections below:

- 1) The module's annual energy utilization intensity analyses
- 2) The module's Heating/Cooling energy utilization intensity analyses
- 3) The module's annual economic analyses

### A) Minneapolis (as the representative of continental climates )

1) As illustrated in (Table 4), annual EUI for all the sixteen runs is extracted through TRNSYS. The most annual EUI (Qheat+ Qcool) is related to the situation that all variables have the value of negative (-), which was thoroughly described in the previous sections. It shows that the maximum annual EUI for the module will be 164,697,797 kj for the run1. The least, then, is when all the variables' values in a run are (+) which is for the run 16 with the EUI of 33,602,031 kj. The variables' main effects, also, are indicated, and the results show that the variable of the glazing percentage in a cold climate similar to Minneapolis with the main effect of 56,366,753 kj plays the most critical role in the annual EUI. The amount of annual EUI decreases by 64% as the window height decreases from 3/3 to 1/3 of the facade. This percentage has been calculated via dividing the main effect by the average of annual EUI for all 16 runs (56,366,753kj / 87,981,910kj). The orientation's main effect indicates that the module's annual EUI from choosing an inappropriate orientation (West facing module in a cold climate) to an appropriate decision (South facing) will be cut by 11%. Similarly, the module's annual EUI, related to number of pane, reduces from a single-pane window to a double-pane window by 44%. By a well-designed overhang, the module's annual EUI could be diminished up to 12%, in terms of shading. Surprisingly, from selecting an exterior wall with the R-value of 5 m<sup>2</sup> K/W to an exterior wall with the R-value of 20 m<sup>2</sup> K/W, the module's annual EUI, related to wall insulation, will decrease only by 7%. Finally, the occupancy's main effect demonstrates that the module's annual EUI will be cut by 11% from the function of classroom to the office.

Associated to the orientation, the run1 and the run1a are compared with the run16 and the run16a. The annual EUI decreases up to 11% when the orientation is optimum and the other variables have the value of (-) while it increases by 21% when the orientation is not optimum and the other variables have the value of (+). In the same fashion, it is 50% decrease vs. 80% increase for the glazing percentage, 38% decrease vs. 46% increase for the number of pane, 6% decrease vs. 21% increase for the shading, 1% decrease vs. 9% increase for the wall insulation, and 0% decrease vs. 74% increase for the occupancy respectively.

2) As shown in the main effect of the variable's Qheat and Qcool illustrated in (Table 4), the orientation's main effect, from the east facing module to the south facing module, shows that both module's Qheat and Qcool are (+). As a result, the east facing module's Qheat is more than south facing module whereas the east facing module's Qcool is less than the south facing module. Considering the glazing percentage's main effect, the module's Qheat and Qcool from 3/3 to 1/3 of the façade are (+) and (-) respectively; both the Qheat and Qcool for 3/3 of the façade as window are more than 1/3 of the façade. The number of pane's main effect, from the single to the double-pane window, illustrates that both the Qheat and Qcool are (+); the single-pane window's Qheat is more than the double-pane window's whereas the single-pane window's Qcool is less. The shading's main effect from no overhang to the well-designed overhang shows that both the Qheat and Qcool are (-). Therefore, the no overhang's Qheat is less than the well-designed overhang's, and the no overhang's Qcool is more. Regarding the wall insulation's main effect from the R-value of 5 to the R-value of 20, both the Qheat and Qcool are (+); the R-value of 5's Qheat is more than the R-value of 20's whereas the R-value of 5's Qcool is less. At last, the occupancy's main effect, from the function of classroom to office, shows that both the Qheat and Qcool are (-); the classroom's Qheat is less than the office's whereas the classroom's Qcool is more. More information about the amount of a variables' effect in the best and the worst conditions, in terms of considering the other proper variables, is demonstrated in the appendix as well.

Comparing the results of the sixteen runs in this climate, the difference between the best design (run16) 3) and the worst (run1) is 131,095,766 kj per year. Given that each kj is 3600 kwh, and the average electricity fee per kwh in the United State is \$ 0.12, the amount of the module's saving could be up to \$ 4370 per year depending on the six variables' proper design [ $(131,095,766 \text{ kj} / 3600) \times 0.12 = 4370$ ]. As the module's area is 980 square meters, the saving amount will be around \$ 4.46 per square meters or around \$ 0.42 per square feet.

### B) Atlanta (representative of humid subtropical climates)

1) The annual EUI for all the sixteen runs taken out by TRNSYS is illustrated in the (Table 5). The most annual EUI (Qheat+ Qcool) is related to the condition that all the variables have the negative value (-). This indicates that the maximum annual EUI for the module will be 128,222,868 kj for the run1. The least, then, is for the run15 with the EUI of 41,286,596 kj rather than the run16 that was expected to have the least EUI. Apparently, the reason is due to the wrong assumption that the appropriate orientation was expected to be the south facing module. Results show that the variable of the glazing percentage in this moderate climate with main effect of 44,766,470 kj is, also, the most important factor; the range of annual EUI reduces by 54% as the window height decreases from 3/3 to 1/3 of the facade. The orientation's main effect indicates that the annual EUI from the west facing module to the south facing module is not different; the orientation is not an influential variable in this setting. This is the case for the number of pane as well since the module's annual EUI from choosing the single-pane window to the double-pane window is just reduced by 1%. In terms of shading, designing a proper overhang, though, can reduce the annual EUI by 18%. Having an exterior wall with the R-value of 20 in comparison to an exterior wall with the R-value of 5, which is related to wall insulation, only decreases the module's annual EUI by 2%. Ultimately, changing the classroom's function to the office for the occupancy, in this case, reduces the module's annual EUI by 27%.

ISOTI I			2.1	67	2.4	101	e dan ikana		a , i i i i je i i	
Runő	(+)	(-)	(+)	(-)	(-)	{+}	-563,795	105.504,656	106,065,451	
Run7	(-)	(+)	(+)	(-)	(-)	(·)	1,517,572	69,662,730	71,183,402	
RunS	(+)	(+)	(+)	(-)	(+)	(·)	63.027	85,965,489	86,028.516	
Run2	0	0	0	(+)	0	(+)	-37,807.048	57,351,727	95,169.575	
Circle)	(1)	(-)	(-)	(1)	(+)	1+1	-25,866,126	51,814,755	77,682,380	
Runll	6	(+)	(-)	(+)	(+)	(c)	5,411,561	04,089,389	65,500,950	
Run12	(+)	(+)	i)	(+)	0	ö	3,631.107	36,493,343	62,124,432	
Run13	6	(-)	(+)	(+)	(+)	ö	-1,335.537	102,213,951	103,550.268	
Run 14	(i)	ĕ	0	(ii	0	i)	-653/482	101,659,512	102, 326,995	
Run15	Ö	(+)	(+)	(+)	ĕ	i.	2,460,393	37.826,003	41,286,396	
Run15	(+)	(+)	(+)	(+)	(*)	(+)	137.133	48,154,820	48,291.953	
121122	111		2.1	24	11	14	127.122	40,204,020	40,201.000	
Average Value							-8,995,962	70,534,185	82,513,148	
Or entation Main	n Effect					_	2,613.575	3,315,821	297,534	0%
<b>Glazing Percents</b>							10,090,208	-34,676,267	-44,765.470	-54%
No. of Pane Mair							15,685,005	14,837,344	-849,561	-1%
Shading Main Lft							-2,005,147	-17,292,500	-15,195,5:4	-18%
Wall Insulation N							2,135,781	4,513,629	1,377,848	2%
Occupancy Main							-3,184,433	-25,782,291	-22,597.558	-27%
Bunl	(-)	(-)	$\left(\cdot\right)$	(-)	Θ	(-)	27,445.541	100,777,527	128,222.868	
sana Ranta	(+)	(-)	(-)	(-)	0		- 7,794,004	108,359,057	126,163,336	-28
						(-)				-78
Run15	(+)	(+)	(+)	(+)	(+)	(+)	-137,133	48,154,820	48,291,953	
Run15a	(-)	(+)	(+)	(+)	(+)	{+}	-466,359	46,002,348	40,769,707	-3%
Runt	(-)	(-)	(-)	(-)	()	(4)	-27,445,541	100,777,537	128,222,368	
Ranto	(-)	(+)	(-)	(-)	(-)	(i)	-5,984.377	€3,836,284	72,791,151	-43%
Run15	(+)	(+)	(+)	(+)	(+)	(+)	-137,133	48,154,820	48,291,953	
Run15b	(+)	 (-)	(+)	(+)	(+)	(+)	755.049	74,936,888	75,741.937	57%
Rant	(-)	(-)	(-)	(-)	(-)	(-)	-27,445,341	100,777,527	128,222,868	
Runic	(-)	(-)	(+)	(·)	(-)	(•)	-1,147.709	120,095,802	124,233,521	-3%
Run15	(+)	(+)	(+)	(+)	(+)	(+)	-137.133	48,154,820	48,291,953	
Run15c	(+)	(+)	6)	(+)	(+)	1+1	4,324.321	38,353,400	42,683.520	128
Run1	(-)	(-)	(-)	(-)	Θ	(-)	-27,445.341	100,777,527	128,222,868	
Runld	(-)	(-)	(-)	(+)	(-)	6)	-91,591.109	75,645,151	107,296.520	-10%
Ruo 15	(+)	(+)	(+)	(+)	(+)	(+)	137.133	48,154,820	48,291.053	
Run15d	(+)	(+)	(+)	0	(+)	1+1	-117.185	55,346,808	55,463,993	15%
	(-)	(-)	(-)	(-)	(-)	(·)	-27,445.641	100,777,527	128,222.808	
Runl	(-)	(-)	(-)	(-)	(+)	(·)	26,569,548	102,717,044	128,286.593	1%
		(+)	(+)	(+)	(+)	(+)	-137.133	48,154,820	48,291.053	
Runle				(*)	(-)	(+)	-1,276,551	37,066,164	38,365,715	-21%
Runle Runl5	(+) (+)	(+)	(*)	741						
Runle Runl5 Runl5e	(+) (+)	(+)								
Bunle Runl5 Runl5e Runl	(+) (+) (-)	(+) (-)	(-)	(-)	(-)	6)	27,445.541	100,777,527	128,222,868	
Runle Runl5 Runl5e Runl Runlf	(H) (H) (C)	(*) (-) (-)	e) C)	6) ()	(-) (-)	(+)	-32,729,340	81,129,229	113,859,069	-11%
Run1 Run16 Run15 Run15 Run1 Run15 Run15 Run151	(+) (+) (-)	(+) (-)	(-)	(-)	(-)					-11% 6 <i>3</i> %

### Table 5: Simulation results for Atlanta

Runs	1(Orientation)	2)Giczing Percel (	S(No. of Pane)	4(Shading)	3–123(Wall Insulation)	5-234(Occupancy)		kid .	Amnual BUI	Percentas
							Qircat	C, cool		
Runi	()	0	0	0		D	7.374.51	184.855.505	192.710.814	
Run2	1+1	0	0	0	1+1	D	2.777.39	200.345.135	205.524.075	
Run3	$\langle \phi \rangle$	+	<li>(-)</li>	(-)	1+1	+	1.135.55	35,050,457	35.217.031	
Run4	+	+	<li>(-)</li>	(-)	(-)	+	553.03	85.200,400	85.753.435	
Run5	(-)	$\langle \cdot \rangle$	1+1	(-)	1+1	1+1	.74,94	148.553.535	143,435,579	
Run6	+	()	1+1	(-)	(-)	+	35.24	150.531.533	150,417,331	
Bun7	69	1+1	1+1	(i)	(-)	1-)	134.35	102.549.270	102.583.587	
Run8	iH .	11	11	(-)	iti	10	-20.37		113,432,794	
Runa	(4)	(i) (i)	(-)	17	(-)	15	-12/415.34		157,999,035	
Bun13	11	ίΰ.	40 40	1+1	17	1+1	5.275.14		124,020,579	
Bunll	(i) (i)	17	17 (-)	11	11		-323.75		104.771.504	
Sunt2							-375.40		100/451.555	
	11	U.	(-) (-)	11	(-)	19				
Run I R	(-)	6)	11	11	10	19	-25,00		147.317.753	
Run I 4	10	(·)	11	10	(-)	1-)	-35,24		145,535,740	
Root 5	(·)	11	11	11	4-)	11	-251,43		55402.314	
Rout 6	10	10	11	10	11	11	-20,87	72,542,233	72,553,111	
èverage Value							-1,000,00	172,579,002	124,578,100	
Stientation M	in Effect						1,710,80	4,204,535	2.574.334	
Gazins Fewer	age Main Tife (						3,1/8,5/		-55/083.515	و
No. of Pane M							5,828,00		-0.735,005	
theoling Main							-821,51		-24.215.873	2
Wall les ratio							1/22,75		888,805	
Occupancy Ma							-252,05		-28,933,247	-
	$(\cdot)$	(·)	$\langle \cdot \rangle$	(-)	(-)	Ю	-7,677,51		192,710,81	
Runta	[+]	$\langle \cdot \rangle$	$\langle \cdot \rangle$	(-)	(-)	(-)	-2,921,08	197,831,020	200,752,104	
Run1s Run16	+]  +]	(+) [+]	(-) [+]	(-) (+)	(-) [+]	-)  +	-2,921,08 -20,67	197,831,020 72,542,233	200,752,104 72,553,111	
Run1s Run16	[+]	$\langle \cdot \rangle$	$\langle \cdot \rangle$	(-)	(-)	(-)	-2,921,08	197,831,020 72,542,233	200,752,104	
Run1a Run16 Run16a	+]  +]	(+) [+]	(-) [+]	(-) (+)	(-) [+]	-)  +	-2,921,08 -20,67	197,831,020 72,542,233 A),255,135	200,752,104 72,553,111	
Run1.a Run16 Run16a Run1	王 王 王 王 王 王 王 王 王 王 王 王 王 王 王 王 王 王 王	(+)  +   +	(-)  +   +  (-)	(-) (+) (+)	(-)  +   +	-)  +   +	-2,921,08 -20,87 -25,31	197,831,020 72,842,233 A),256,235 184,836,503	200,752,104 72,553,111 70,962,777	
Run1.s Run16 Run16s Run1 Run16	+   +  (-) (-)	(-)  4   4  (-)  4	()          () ()	(-) (+) (-) (-)	4-)  +   +  4-)	-)  +   +   -)  -)	-2,921,08 -20,97 -25,27 -7,874,31 -1,583,11	197,831,020 72,512,233 A),255,235 1 184,835,503 109,447,715	200,752,10 72,553,111 70,964,777 192,710,814 110,810,894	
Runl <i>a</i> Run16 Run16# Run1 Run16 Run16	王 王 王 王 王 王 王 王 王 王 王 王 王 王 王 王 王 王 王	(-)  4   4   4   4   4	(-)  +   +  (-)	(-) (+) (+)	(-)  +   +	-)  +   +	-2,921,08 -20,87 -25,27 -75,874,31	197,831,020 197,831,020 197,842,233 197,842,233 109,855,503 109,8227,775 109,8227,775	200,752,10 72,553,111 70,962,777 192,710,814 110,810,892 72,555,111	-
Runlə Run16 Run16ə Run1 Run16 Run16 Run16 Run166	+   +   +   +   +	(-)  4   4   4   4  (-)	()             	4-)  +   +   +   +   +	+)  +   +  +) +)  +	-)  4   4   4   -)  4   4	-2,921,98 -2),97 -25,97 -25,97 -2,97 -1,983,17 -20,97 -30,97	197,831,020 72,512,233 71,255,735 184,835,503 184,835,503 184,835,503 184,835,503 184,835,503 184,835,503 184,835,503 117,942,525	20),752,10 72,553,111 70,962,777 192,710,814 110,810,892 72,553,111 117,954,057	-
Runla Runl6 Runl6a Runl6 Runl6 Runl6 Runl6E	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(·)  4  4  4  4  4 (·)	() 	4)  4   4   4   4   4	+)  4   4   4   4   4	10 14 14 10 10 14 14 14	-2,721,08 -20,97 -25,5* -25,5* -20,97 -20,97 -20,97 -20,97 -21,58,14 -20,97 -20,97 -20,97 -20,97	197,831,020 72,512,233 70,955,735 184,835,903 709,227,755 72,512,235 117,927,825 184,835,905	20),752,10 72,553,111 70,962,777 192,710,812 110,810,892 74,555,111 117,952,057 192,710,812	
Run1s Run16 Run16s Run16 Run16 Run16 Run16 Run1	 	()  위  위  위  위 () ()		(*) (*) (*) (*) (*) (*) (*)	(4) (4) (4) (4) (4) (4) (4) (4)	19 14 19 19 19 19 19 19	-2,221,38 -30,39 -30,57 -40,57 -1,563,1* -20,57 -30,65 -7,574,51 -7,574	197,831,020 72,542,233 70,905,135 184,835,905 109,227,775 72,512,235 117,927,825 184,855,905 175,545,221	20),752,10* 72,553,111 70,962,777 192,710,814 110,810,892 72,553,111 117,954,057 192,710,814 175,420,215	-
kunls kunl6 kunl6 kunl6 kunl6 kunl6 kunl6 kunl6 kunl	 	()                 		40 (4) (4) (4) (4) (4) (4) (4)	(*) (*) (*) (*) (*) (*) (*)	19 14 19 19 19 19 19 19 19 19	-2,221,08 -20,07 -20,07 -25,07 -25,07 -20,00	197,831,020 77,542,735 10,455,735 184,835,503 199,227,775 77,512,235 117,927,825 187,555,221 72,542,235	20),752,137 72,553,111 72,962,777 192,713,814 113,913,894 72,555,111 117,954,957 192,713,814 117,954,957 192,713,814 175,423,215 72,555,111	
kunls kunl6 kunl6 kunl6 kunl6 kunl6 kunl6 kunl6 kunl	 	()  위  위  위  위 () ()		(*) (*) (*) (*) (*) (*) (*)	(4) (4) (4) (4) (4) (4) (4) (4)	19 14 19 19 19 19 19 19	-2,221,38 -30,39 -30,57 -40,57 -1,563,1* -20,57 -30,65 -7,574,51 -7,574	197,831,020 77,542,735 10,455,735 184,835,503 199,227,775 77,512,235 117,927,825 187,555,221 72,542,235	20),752,10* 72,553,111 70,962,777 192,710,814 110,810,892 72,553,111 117,954,057 192,710,814 175,420,215	-
2001s 20016 20016s 20016 20016 20016 20016 20016 20016 20016		()                    	OND OND OND OND OND OND OND OND OND OND	() () () () () () () () () () () () () (	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	19 14 19 19 19 19 19 19 19 19	-2,221,38 -3),57 -2),57 -7,574_31 -1,563,1 -20,57 -30,65 -7,574_31 -70,59 -20,57 -191,59	197,831,020 70,542,33 70,542,33 70,545,33 184,855,035 110,942,355 117,942,825 117,942,825 154,855,035 175,943,821 74,944,835 155,854,825	20),752,15 72,553,111 72,956,777 192,713,814 103,813,834 74,555,111 117,954,957 192,713,814 175,954,957 195,955,987	
Runla Runlb Runlba Kunlb Kunlb Kunlb Kunlb Kunlt Kunlt Kunlt Kunlt	n H H H H H H H H H H H H H H H H H H H		ONE ONE ONE	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	47) [4] [4] [4] [4] [4] [4] [4] [4] [4] [4]	1) 14 19 19 19 19 19 19 19 19 19	-2,221,38 -3),57 -3),57 -23,57 -1,563,17 -30,55 -30,55 -7,5,74 -30,57 -30,59 -40,57 -30,59 -40,57 -7,574 -31,59 -7,574,51	197,831,020 70,542,33 70,542,33 184,856,503 199,827,75 117,927,825 117,927,825 117,927,825 117,925,821 170,955,821 170,955,825 184,856,505 184,856,505	20),752,10 72,555,111 70,962,777 192,713,812 10,951,952 74,555,111 175,423,215 74,555,111 75,055,987 1942,713,814	
2un1s 2un16 2un16s 2un16 2un16 2un16 2un16 2un11 2un11 2un16 2un16 2un16 2un16 2un16	n n o o o o o o o o o o o o o o o o o o		金田田 公会国国 合同国合 合合	() () () () () () () () () () () () () (	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	1) 14 19 19 19 19 19 19 19 19 19	-2,221,38 -20,37 -25,37 -1563,17 -1563,17 -20,57 -20,57 -35,45 -7,574,51 -7,594 -20,57 -191,59 -7,574,51	197,831,020 72,542,33 9,955,35 184,835,505 199,427,75 74,542,435 117,947,825 175,945,421 74,542,435 74,542,435 74,542,435 184,855,005 184,855,005 144,255,180	20),752,15 72,553,111 70,962,777 192,713,812,932 74,555,111 17,954,957 192,713,812 175,954,915 175,955,911 75,955,987 192,713,812 192,713,812 192,713,812 192,713,812 192,713,812 192,713,812 192,713,812 192,713,812 192,713,812 192,715 193,75 192,715 193,75 192,715 193,75 192,715 193,75 192,715 193,75 193,75 192,715 193,75 192,75 193,75 192,75 192,75 192,75 192,75 192,75 192,75 192,75 192,75 192,75 192,75 192,75 192,75 192,75 193,75 192,75 192,75 192,75 192,75 193,75 192,75 193,75 192,75 192,75 193,75 193,755 193,755 193,755 193,755 193,755 194,755	
kunls kunlb kunl kunl kunl kunlb kunlb kunlb kunlt kunlt kunlt kunlb	n H H H H H H H H H H H H H H H H H H H		ONE ONE ONE	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	47) [4] [4] [4] [4] [4] [4] [4] [4] [4] [4]	1) 14 19 19 19 19 19 19 19 19 19	-2,221,38 -3),57 -3),57 -23,57 -1,563,17 -30,55 -30,55 -7,5,74 -30,57 -30,59 -40,57 -30,59 -40,57 -7,574 -31,59 -7,574,51	197,831,020 70,552,33 70,552,33 74,555,505 185,855,055 117,942,455 117,942,455 117,943,421 74,554,221 74,554,225 155,542,255 148,555,055 148,555,055 148,555,055 148,255 148,255,055 148,255 148,255 148,255,055 148,255	20),752,10 72,555,111 70,962,777 192,713,812 10,951,952 74,555,111 175,423,215 74,555,111 75,055,987 1942,713,814	
Run1s Kun16s Kun1 Kun1 Kun1b Kun1b Kun1t Kun1t Kun1b Kun1b Kun1b Kun1b Kun1b	n 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	()     	日本会 化间面 化氯化化	位置的 化合金属 化合金属	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	9 14 19 19 19 19 19 19 19 19 19 19 19 19 19	-2,221,38 -3),97 -25,57 -1,1653,17 -20,67 -35,45 -35,45 -75,45 -20,87 -191,59 -7,874,51 -9,51,57 -20,87 -20,87 -20,87 -20,87	197,831,020 70,542,33 70,542,33 1,945,535 1,954,235 1,954,235 1,17927,825 1,	20),752,10 72,553,111 70,962,777 192,713,812 112,953,2057 192,713,812 74,555,111 175,423,215 74,555,111 75,055,987 192,713,814 158,015,755 72,555,111 82,425,512	
Runis Runis Runibs Runib Runib Runib Runib Runib Runib Runib Runib Runib Runib	利用学 计分用图 计分用图 计		公司国 公司国团 公司国际 公司国际	位置于 经合置单 经通过分	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	10 14 19 19 19 19 19 19 19 19 19 19 19 19 19	-2,221,38 -3),4% -25,5% -7,574,51 -30,63,1 -30,63 -30,65% -30,	197,831,020 70,552,33 70,552,33 70,552,35 185,855,055 117,942,255 117,942,255 117,942,255 127,942,255 148,255,055 148,255,055 148,255,055 184,255,055	20),752,107 72,553,111 73,966,777 192,713,814 110,813,854 74,555,111 117,954,957 192,713,814 175,655,917 192,713,814 182,425,534 192,713,814	
Runis Kunib Kunib Kunib Kunib Kunib Kunib Kunib Kunib Kunib Kunib Kunib Kunib	n 19 19 19 19 19 19 19 19 19 19 19 19 19		日本会 化间面 化二氯化化	令国王 令令国王 令令国王 令令国王	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	9 1 1 9 19 19 19 19 19 19 19 19 19	-2,221,38 -3),3% -25,5% -7,8%=,51 -1,563,1* -60,5% -35,65 -7,58%=,51 -7,58% -20,5% -191,56 -7,5%,55,7 -20,5% -20,5	197,831,020 70,542,33 70,542,33 197,855,035 199,827,75 109,827,75 109,827,75 109,827,75 109,827,75 109,827,75 109,827,825 117,927,927 117,927,927 117,927,927 117,927 1	20),752,10* 72,553,111 73,962,777 192,713,814 113,913,694 74,555,111 117,954,957 192,713,814 175,955,987 192,713,814 152,915,755 192,713,814 192,535,111 82,425,532 192,713,814 192,537,219	
Run1.4 Kun16 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10 Kun10	医骨骨骨 化合金属 化合金属	()         )         )            	公司国 公司国团 公司国际 公司国际	位置于 经合置的 经合置的 化合合	位 	9 14 19 19 19 19 19 19 19 19 19 19 19 19 19	-2,221,38 -3),4% -25,5% -7,574,51 -30,63,1 -30,63 -30,65% -30,	197,831,020 70,542,33 70,542,33 184,856,503 199,827,75 117,927,825 117,927,825 117,927,825 117,927,825 117,927,825 117,927,825 117,927,825 117,927,825 117,927,825 1184,856,505 1184,856,505 1184,856,505 1184,856,505 1184,856,505 1184,856,505 1184,856,505 1184,856,505 1184,856,505 1184,255,269 1184,255,269 1184,252,255 1184,255,255 1184,255,255 1184,255,255 1184,255,255 1184,255,255 1184,255,255 1184,255,255 1184,255,255 1184,255,255 1184,255,255 1184,255,255 1184,255,255 1184,255,255 1184,255,255 1184,	20),752,10* 72,553,111 70,962,777 192,713,812 10,951,952 74,555,111 175,423,215 74,555,111 75,955,211 82,425,532 192,713,814 194,713,814 194,714 19	-
Kunl Runls Kunlbs Kunlbs Kunlb Kunlb Kunlb Kunlb Kunlc Kunlc Kunlc Kunlc Kunld Runld Runld Runld Runld Runlz Runlz Runlz	n 19 19 19 19 19 19 19 19 19 19 19 19 19		日本会 化间面 化二氯化化	令国王 令令国王 令令国王 令令国王	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	9 1 1 9 19 19 19 19 19 19 19 19 19	-2,221,38 -3),3% -25,5% -7,8%=,51 -1,563,1* -60,5% -35,65 -7,58%=,51 -7,58% -20,5% -191,56 -7,5%,55,7 -20,5% -20,5	197,831,020 70,542,33 70,542,33 184,856,003 199,227,75 117,927,825 117,927,825 117,927,825 117,927,825 117,927,825 117,927,825 117,925,221 184,856,005 148,255,005 148,255,005 148,255,005 148,255,005 184,255,00	20),752,10* 72,553,111 73,962,777 192,713,814 113,913,694 74,555,111 117,954,957 192,713,814 175,955,987 192,713,814 152,915,755 192,713,814 192,535,111 82,425,532 192,713,814 192,537,219	
Runis Kunib Kunib Kunib Kunib Kunib Kunib Kunib Kunib Kunib Kunib Runib Runib Runib	利用券 静静间间 静静间间 静静间间	O H H O H H O O H H O O H H O O H H O O H H O O O H H O O O H H O O O H H O O O H H	日本会 国际会会 医间周炎 计通道分词 医	位置的 经存储制 经存储制 经间间存 经存储制	位置的 化合金属 化合金属 化合金属	9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-2,221,38 -3),4% -43,5% -4,55,4 -1,563,1 -30,65 -7,57,4 -30,87 -30,97 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,97 -3	197,831,020 70,542,33 70,542,33 184,855,055 184,855,055 175,845,221 175,845,221 175,845,225 184,855,055 184,855,055 184,855,055 184,855,055 184,855,055 184,855,055 184,855,055 184,855,055 184,855,055 184,855,055 184,855,055 184,855,055 187,125,249 72,142,285 50,796,379	20),752,10* 72,553,111 73,962,777 192,713,814 113,913,894 74,555,111 174,954,957 192,713,814 182,713,814 182,713,814 182,713,814 182,713,814 182,713,814 192,535,111 82,425,532 192,713,814 194,587,219 72,555,111 50,817,519	
2001.4 2001.6 20	机用管 静脉间间 静静间间 静静间间 静	() 	白耳目 合合用 合用用合 合用用合合 用用合合	位置的 化合金属 化合金属 化合金属 化	位置 一位	9 1 1 9 19 19 19 19 19 19 19 19 19 19 19	-2,221,38 -30,57 -7,874,51 -1,563,1* -20,87 -35,45 -7,574,51 -7,574,51 9,551,57 20,87 -20,87	197,831,020 70,542,33 70,542,33 184,856,005 184,856,005 199,827,75 117,947,825 117,947,825 117,947,825 117,947,825 117,947,825 117,947,825 117,947,825 117,947,825 1184,856,005 187,125,249 184,856,005 187,125,249 184,856,005 187,125,249 184,856,505 184,856,505 184,856,505 184,856,505	20),752,10* 72,553,111 71,962,777 192,713,814 113,813,834 74,555,111 17,954,957 192,713,814 182,045,957 192,713,814 192,713,814 192,713,814 192,713,814 192,713,814 192,713,814 192,713,814	
Kunla Kunlba Kunlba Kunlb Kunlb Kunlb Kunlt Kunlt Kunlt Kunlt Kunlt Kunlt Kunlt Kunlt Kunlt Kunlt	利用券 静静间间 静静间间 静静间间	O H H O H H O O H H O O H H O O H H O O H H O O O H H O O O H H O O O H H O O O H H	日本会 国际会会 医间周炎 计通道分词 医	位置的 经存储制 经存储制 经间间存 经存储制	位置的 化合金属 化合金属 化合金属	9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-2,221,38 -3),4% -43,5% -4,55,4 -1,563,1 -30,65 -7,57,4 -30,87 -30,97 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,87 -30,97 -3	197,831,020 70,542,33 70,542,33 184,835,003 184,835,003 117,947,828 184,835,005 17,942,828 184,835,005 184,835,005 184,835,008 184,835,00	20),752,10* 72,553,111 73,962,777 192,713,814 113,913,894 74,555,111 174,954,957 192,713,814 182,713,814 182,713,814 182,713,814 182,713,814 182,713,814 192,535,111 82,425,532 192,713,814 194,587,219 72,555,111 50,817,519	

One-third of the façade has been suggested as proper glazing percentage whereas floor to ceiling glazing 2) is another option which would "potentially" cause a huge amount of energy loss.

3) Obviously, a double pane window is assumed to be an appropriate option for number of pane compared to single pane that is rarely used in current architecture. The u-value of double pane window is 1.4 W/m<sup>2</sup> K, and U-value of single pane window is 5.68 W/m<sup>2</sup> K while the area of window would be 23.28 m<sup>2</sup> (19.40m x 1.20m) for 1/3 of façade and 69.84 m<sup>2</sup> (19.40m x 3.60m) for 3/3 of façade.

4) For the sample module, the two following shading levels are analyzed: a well-designed overhang and an option with no overhang. Considering the solar altitude angle for the three cities in winter (December, 21th) and summer (June, 21th), optimal depth of a horizontal overhang above the window is designed which is almost the same for Atlanta and Phoenix (Table 2). As shown in (Fig. 2) the optimum depth for Minneapolis is 1.35 m. Although, based on altitudes, a depth of 0.8 m seems to be sufficient for the other two cities, an overhang with the depth of 1.35 m functions more effectively as TRNSYS illustrated. Therefore, well-designed overhangs in the three cities are considered to be 1.35 m.

5) Likewise, two types of walls with the R-value of 20 m<sup>2</sup> K/W (U-value of 0.05 W/m<sup>2</sup> K) as a proper and 5 m<sup>2</sup> K/W (U-value of 0.2 W/m<sup>2</sup> K) as an improper wall insulation are employed, and finally,

6) All the mentioned variables are examined for the occupancy of both an office and a classroom. The office has 16 employees plus 16 computers and the classroom has the capacity of 80 people with a computer for the professor. Both the office and classroom are scheduled to be open from 6:00 AM to 6:00 PM during the weekdays and close on the weekends.

Cities	Minneapolis (°)	Atlanta (°)	Phoenix (°)
Seasons	winneabons ( 1	Adanta ( )	Fildenik ( )
Winter Altitude	22	32	32
Fall Altitude	46	56	56.5
Summer Altitude	68	76	78

### Table 2: The solar altitude angle for the three citiesdesign options




Figure 2: The optimum depth of overhang for Minneapolis (left) & Atlanta as well as Phoenix (right)

### Climate

In order to specifically measure the impact of the six variables in various climates, three locations are chosen: Minneapolis (MN) as the representative of continental climates with cold winters and hot summers, Atlanta (GA) as the representative of humid subtropical climates with mild winters and hot summers, and Phoenix (AZ) as the representative of subtropical arid climates with extremely hot summers and warm winter. Accordingly, Typical Meteorological Year (TMY2) data sets of National Solar Radiation Data Base (NSRDB) during 1961-1990 for these three cities have been used in TRNSYS.

### **Comfort conditions**

Although comfort zone for human being could be different related to various climatic, cultural, or mental characteristics of each person, in this study 20-26 degree centigrade (68-79 degree Fahrenheit) and 50% relative humidity is defined as the comfort zone. It means that mechanical system would work if it is colder than 20°c or warmer than 26°c in summer.

Related to the glazing percentage, the run1 and the run1b are compared with the run16 and the run16b. The annual EUI decreases up to 43% when the glazing percentage is optimum and the other variables have the value of (-) while it increases by 57% when the glazing percentage is not optimum and the other variables have the value of (+). In the same fashion, it is 2% decrease vs. 3% decrease for the orientation, 3% decrease vs. 12% decrease for the number of pane, 16% decrease vs. 15% increase for the shading, 1% increase vs. 21% decrease for the wall insulation, and 11% decrease vs. 63% increase for the occupancy respectively.

### 2) As shown in the main effect of the variable's Qheat and Qcool (Table 5), the orientation's main effect, from the east facing module to the south facing module, indicates that both module's Qheat and Qcool are (+); the east facing module's Qheat is more than south facing module whereas the east facing module's Qcool is less than the south facing module. Based on the glazing percentage's main effect, the module's Qheat and Qcool from 3/3 to 1/3 of the façade are (+) and (-) respectively; both the Qheat and Qcool for 3/3 of the façade as window are more than 1/3 of the facade. The number of pane's main effect, from the single to the double-pane window, shows that both the Qheat and Qcool are (+); the single-pane window's Qheat is more than the double-pane window's whereas the single-pane window's Qcool is less. The shading's main effect from no overhang to the well-designed overhang proves that both the Qheat and Qcool are (-); the no overhang's Qheat is less than the well-designed overhang's, and the no overhang's Qcool is more. Considering the wall insulation's main effect from the R-value of 5 to the R-value of 20, both the Qheat and Qcool are (+); the R-value of 5's Qheat is more than the R-value of 20's whereas the R-value of 5's Qcool is less. Finally, the occupancy's main effect, from the function of classroom to office, shows that both the Qheat and Qcool are (-); the classroom's Qheat is less than the office's whereas the classroom's Qcool is more. More information about the amount of a variables' effect in the best and the worst conditions, in terms of considering the other proper variables, is demonstrated in the appendix as well.

3) Considering the results of the sixteen runs in this climate, the difference between the best design (run15) and the worst (run1) is 86,935,672 kj per year. Therefore, the amount of the module's saving could be up to \$ 2898 per year depending on the six variables' appropriate design [(86,935,672 kj / 3600) x \$ 0.12 = \$ 2898]. The saving amount in this climate will be around \$ 2.96 per square meters or around \$ 0.28 per square feet.

### C) Phoenix (representative of subtropical arid climates)

1) In this climate, the run2 has the most annual EUI with 203,624,075 kj, and the least is referred to the run15 with 66,492,314 kj (Table 6). Again, the reason is referred to the wrong assumption that the proper orientation was anticipated to be the south facing module; the proper orientation in this type of climate is a north-south elongated (east facing) rather than east-west (south facing). The glazing percentage is still the most critical one in this type of climate as well. The orientation's main effect is 2,574,834 kj. This, interestingly, means that by designing from the south facing module to the west facing, the annual EUI will be increased by 2%. The glazing percentage's main effect with 65,983,616 kj is the most significant variable in this climate. The simulation result shows that as the window height decreases from 3/3 to 1/3 of the facade, the annual EUI will be decreased by 53%. The number of pane's main effect, then, is 9,786,996 kj which indicates that having the double-pane instead of the single-pane window cuts the annual EUI by 8%. The shading's main effect is 24,215,873 kj while it can reduce the annual EUI by 19% if the proper overhang is designed. In this type of climate, the wall insulation's main effect of the module is 888,806 kj. Surprisingly, having the R-value of 20 for the exterior wall will increase the annual EUI by 1% in comparison to the R-value of 5. Finally, the occupancy's main effect is 28,603,247 kj, and the simulation result indicates that the annual EUI will be decreased by 23% if the module, with the mentioned characteristics, is used for an office rather than a classroom.

Associated to the number of pane, the run1 and the run1c are compared with the run16 and the run16c. The annual EUI decreases up to 8% when the number of pane is appropriate and the other variables have the value of (-) while it increases by 5% when the number of pane is not appropriate and the other variables have the value of (+). In the same fashion, it is 4% increase vs. 2% decrease for the orientation, 42% decrease vs. 62% increase for the glazing percentage, 18% decrease vs. 21% increase for the shading, 1% increase vs. 8% decrease for the wall insulation, and 11% decrease vs. 43% increase for the occupancy respectively.

2) Similar to the two other climates, as shown in the main effect of the variable's Qheat and Qcool (Table 6), the orientation's main effect, from the east facing module to the south facing module, shows that both module's Qheat and Qcool are (+); the east facing module's Qheat is more than south facing module whereas the east facing module's Qcool is less than the south facing module. Considering the glazing percentage's main effect, the module's Qheat and Qcool from 3/3 to 1/3 of the façade are (+) and (-) respectively; both the Qheat and Qcool for 3/3 of the façade as window are more than 1/3 of the façade. The number of pane's main effect, from the single to the double-pane window, shows that the Qheat and Qcool are (+) and (-) respectively; both the single-pane window's Qheat and Qcool are more than the double-pane window's. The shading's main effect from no overhang to the well-designed overhang demonstrates that both the Qheat and Qcool are (-) as well; the no overhang's Qheat is less than the well-designed overhang's, and the no overhang's Qcool is more. Taking the wall insulation's main effect from the R-value of 5 to the R-value of 20, both the Qheat and Qcool are (+); the R-value of 5's Qheat is more than the R-value of 20's whereas the R-value of 5's Qcool is less. Finally, the occupancy's main effect, from the function of classroom to office, shows that both the Qheat and Qcool are (-); the classroom's Qheat is less than the office's whereas the classroom's Qcool is more. More information about the amount of a variables' effect in the best and the worst conditions, in terms of considering the other proper variables, is demonstrated in the appendix as well.

### Table 6: Simulation results for Phoenix

### Conclusion

1- As far as energy efficiency is concerned, west-east elongated orientation (south facing) always is the optimum orientation in continental climates. In humid subtropical climates, orientation does not significantly impact the annual EUI whereas in subtropical arid climates, the building energy demands will slightly increase by choosing west-east elongated orientation.

2- Among the discussed design options, glazing percentage is the most effective variable to lower building energy demands regardless of the location of the site. It might be in part because of the choice of single-pane windows as one of the design options. However, there is still a significant increase in the amount of annual EUI when a considerable portion of the facade's surface is glazing compared to the optimum window height that is 1/3 of the facade.

3- Double-pane windows with proper R-value are essential in continental climates although they play a less significant role in arid climates. Surprisingly, they do not considerably change the annual EUI of buildings in humid subtropical climates.

4- Designing a proper overhang can noticeably cut down the building energy demands regardless of the building location is in continental, humid subtropical or subtropical arid climates, although the role of overhang is less significant in continental climates.

5- Wall insulation lowers building energy demands in continental climates, although it surprisingly, yet, slightly increases the building energy demands in subtropical arid and humid subtropical climates.

6- The number of people, computers, and electrical appliances generate heat that will noticeably increase the building energy demands regardless of location. It is also clear that the increased amount of annual EUI will be less in cold climates.

7- The impact of a variable is more significant when other variables are also considered appropriately, and this impact becomes less if other parameters are not optimally considered.

To summarize these concluding thoughts, glazing percentage should always be no more than one-third of the façade, and sun light control is an indispensable parameter in any architectural design. However, orientation, wall insulation, and number of pane are not definite parameters. It is strongly recommended to design south-facing buildings, and to select proper wall and glazing with high U-value in continental climates. Yet, in subtropical arid and humid subtropical climates, other architectural parameters could derive the design concept.

As a final point, it is vital to have in mind that these conclusions are drawn from the presumed setting conditions in the simulation; therefore, the results could have changed if there were other variables involved. In other words, the conclusions are "transferable," but are not necessarily "generalizable" under the conditions where other creative design solutions are applied in order to decrease the shortcomings of each design variable. The application of operable windows in a naturally ventilated building, for instance, can have impacts on the significance of other design options. Thus, more studies on the integration of other relevant performance criteria can help to validate the study outcomes.

### References:

- Box, G. E. P., Hunter, W. G., & Hunter, J. S. (1978). Statistics for experimenters: An introduction to design, data analysis, and model building. Wiley series in probability and mathematical statistics. New York: J. Wiley.
- Bradley, D. and Utzinger, D. M., (2007). The Enhancement and Use of Combined Simulation Tools in the Assessment of Hybrid Natural/Mechanical Ventilation Systems. In ASHRAE Transactions, 113 (2).
- National Solar Radiation Data Base 1961 1990. (n.d.). Retrieved from National Solar Radiation Data Base: http://rredc.nrel.gov/solar/old\_data/nsrdb/
- P. Haves, P.F. Linden, & G. Carrilho da Graça. (2004). Use of simulation in the design of a large, naturally ventilated office building. In Building Services Engineering Research & Technology, 25(3), 211-221. Date accesses: March 18, 2010, Retrieved from:

**Heat Gains** 

### There are three sources of heat gain considered in this simulation: people, computers, and artificial lighting, which would vary from office to classroom. Air change infiltration, also, is supposed to be 0.2 per hour. Since the window is not operable, there would not be any natural ventilation system in the building, and all efforts to get to the comfort zone are provided by a mechanical system.

3) The sixteen runs' results in this climate prove that the difference between the best design (run15) and the worst (run1) is 137,131,761 kj per year. Hence, the amount of the module's saving could be up to \$4572 per year depending on the six variables' correct design [(86,935,672 kj / 3600) x \$ 0.12 = \$ 4572]. The saving amount in http://www.inive.org/members\_area/medias/pdf/Inive%5CIBPSA%5CUFSC912.pdf. Rashed-Ali, H. (2009). Integrating Environmental Performance Criteria in Architectural Design Studios. Presented at ARCC 2009: Leadership in Architectural Research, between academia and the profession, San Antonio, TX, 15-18 April 2009. TRNSYS 17. (n.d.). Retrieved from University of Wisconsin-Madison: http://sel.me.wisc.edu/trnsys/features/ TRNSYS Overview. (n.d.). Retrieved from TESS: http://www.tess-inc.com/home Watson, D. (1984). Model, Metaphor and Paradigm, In Journal of Architectural Education. 37(3/4). 4-9. Watson, D., & Labs, K. (1983). Climatic design: Energy-efficient building principles and practices. New York: McGraw-Hill. Watson, D., (1997). Architecture, Technology, and Environment. In Journal of Architectural Education, 51 (2). 119-126. Groat, L. N., & Wang, D. (2002). "Chapter 2: System of Inquiry and Standards of Research Quality." In Architectural research method: New York: J. Wiley, 21-43






POLITECNICO **DI MILANO** 




EAAE / ARCC

International Conference on Architectural Research

Tema 5 **Infrastructure Networks and Landscape**  Nataliya Tinyaeva Astrakhan Engineer Building Institute, Russia



# ENVIRONMENTAL INFLUENCES




During all period of mankind development human tried to create an adaptation envelope that will be as mediator between environment and himself to create comfortable living conditions. Till 20th century it was nature itself just modified into walls, roof etc. With the beginning of industrial revolution and big building process it was replaced with technical devices. In conditions of growing population of the world it requires more and more energy and other natural resources. It creates dangerous process on the planet. Nowadays scientific researches represent new types of cooling, heating and conditioning, using renewable power sources. But I propose to use architecture as a mediator in humanenvironment relations as before but with modern understanding of the house and its place in the city.

So we can mark out three main steps:

STEP – Techprotection – is a system of technical devices such as ventilators, condition systems, heating appliances and so on. These instruments create artificial conditions for human living. Such system existed since the beginning of the 20th century till 70tieth (p.1).

2 STEP – Bioprotection – is a conception of complicated system of solar energy heating and electricity, or wind sources devices. It appeared in the end of the 20th century because of ecological problems on the planet (p.2). 3 STEP – Archprotection – is a conception based on the heritage achievements but with modern innovations (constructions, materials). It means that all required comfort condition could be achieved by thoughtful architectural decisions. Part of it can be selected from historic experience. Another part should be produced and checked by computer system (p.3). Nowadays climate changes showed that constant house structure can't provide convenient conditions for human in changing world. So let the house change to save constant comfort conditions for people.

So city and the house will be like an organism that adapts to environment conditions. In sought regions for example house will be overgrowned with different sun shading and heat insulation devices. And the city will be overgrowned with development or gardens according to climate, social or other condition.





# Tema 6 Infrastructure Networks and Landscape



POLITECNICO **DI MILANO** 



UNIVERSITÀ DEGLI STUDI DI GENOVA



ARCHITECTURAL RESEARCH CENTERS CONSORTIUM







POLITECNICO DI MILANO



EAAE / ARCC


International Conference on Architectural Research

58

Tema 6 **Infrastructure Networks and Landscape**  **Gustavo Ambrosini** Politecnico di Torino, Italy

Cities in Transformation. Research & Design. Ideas, Methods, Techniques, Tools, Case Studies Infrastructure Networks and Landscape EAAE/ARC Conference Milano 7-10 June 2012

Gustavo Ambrosini, Guido Callegari Politecnico di Torino, 1st Faculty of Architecture



### Reshaping Mobility Infrastructure System in Zhaoqing, Guangdong, China


Infrastructure design should be considered as an up-to-date issue, forcing to re-think urban design practice as a meeting point for different disciplines referring to engineering, architectural and landscape field. The difficulty to control their impact on the territory shows the need to look at large scale transformations as landscape project, shifting design attitude from single objects to settlement forms, in order to generate meaningful and sustainable urban patterns. We introduce a research-teaching work that experienced this awareness in relationship to urban developing dynamics of one of the fast growing areas of China, the Guangdong province. Starting from a general co-operation scenario among Italian universities and Guangdong province, the activity has been carried out in the research framework settled among four faculties of architecture (Turin, Cagliari, Genoa, Florence) and the administration of Zhaoqing city, to study strategies for enhancing living quality and sustainable development.

The activity focused on the development of city and transport: the aim has been to deal with infrastructure design from architectural and urban design point of view, pointing out the opportunities to renovate and improve urban areas starting from new mobility solutions.

Methodology: a Studio of Politecnico of Turin, 1st Faculty of Architecture. "Infrastructures and environment" (proff. G. Ambrosini, G. Callegari, L. Cantarella, G. Cosmacini) worked in 2009 in accordance with Zhaoqing town planning bureaux to re-design existing infrastructures in the city; improving new development possibilities and, in the meantime, enhancing landscape condition, were the main objectives. Four disciplines were involved – Architectural and urban design, Technology of architecture, Landscape architecture, Multimedia – strongly integrated in design process from zenith to street level point of view and back, from overall scale to detail and back.

The main problem investigated has been the improving of East-West connections, due to the increasing heavy traffic affecting central areas of the city, where the extraordinary Seven Star Crags Lake national park constitutes a natural barrier to be preserved. Two areas have been especially investigated:

1) North lakeside ribbon of infrastructures, thus reshaped as a parkway; 2) new East-West tunnel access areas. The result is not a taxonomy of archetypical solutions, but an open source of possible and useful design attitudes, suggesting patterns for settlement and public space typology.



### Main outputs:

- carrying out of new design options able to improve the strategic objectives scheduled in planning documents, suggesting innovative options for mobility strategies to be undertaken.

- testing the ability of new settlement and landscape forms proposed to establish worthwhile relationship with existing landscape and urban patterns.

- developing a distance knowledge system: to afford an initially unknown and so far (physically and culturally) situation, it is something forcing us to open our mind by searching references in other cultures and stimulating synthesis abilities.











POLITECNICO DI MILANO



EAAE / ARCC


International Conference on Architectural Research

Tema 6 Infrastructure Networks and Landscape **Beatrice Fracchia** Politecnico di Torino, Italy

### Engineering knowledge and new railways in the second half of XIX century. Pietro Spurgazzi and his professional activity.


In the second half of nineteenth century, engineering knowledge about railway is considered the highest expression of scientific and technological developments. This theme is a subject of study for Pietro Spurgazzi (Turin 1815-1889), an engineer that in his long career is engaged as a member of Parliament, inspector of Civil Engineers in Council of Government, member of the Board of Public Work and, from 1864 to 1866, General Secretary of the Ministry of Public Works. Spurgazzi is indirectly involved in the initial actions of the plan for the Central Station in Milan, for the Venice Sea Station, for a railroad in the Marche Region, etc. He is actively involved in several technical committees.

area that is analyzed. These examples of infrastructure design call lots of interdisciplinary practices, characterized by the research on the compatibility between networks and affected landscapes. The investigations concern the areas of Turin: Porta Susa, Valdocco, Vanchiglia and Aurora. There are lots of considerations about the future values of the lands next to the station, about evaluation of the distance from the exiting station of Porta Nuova and the healthiness of the location places. This is important to show a great attention and sensitivity by Spurgazzi on issues that are linked to the urban plan of the city and to the urban decorum as well.




Stazione Marittima in Venezia. Archivio di Stato di Torino, Corte, Carte Spurgazzi, m. 10, s. 10.

The State Archive of Turin retains the fund Ministero dei Lavori Pubblici, in which are kept all the documentations about the railways. A found,




*Strada ferrata da Torino a Novara.* Archivio di Stato di Torino, Corte, *Disegni Spurgazzi*, 9.



called Carte Spurgazzi, holds all the family documents, drawings, correspondences and publications of Spurgazzi. These numerous reports demonstrate the technical activities within the civil engineers and the cultural environment of the railway in Piedmont in the second half of the nineteenth century. It's a meaningful picture of the advanced technology and design achievements of the first railroads in Piedmont. Many papers in the archives and a large number of documents underline the involvement of the engineer in a local level, in the realization of many stretches of railway lines and stations in the land of Piedmont, and in a larger national level. Among the designs of Spurgazzi, many plans are preserved, for instance the original plan of the Central Station of Milan with its circular remittance disengaged from the rotating central platform; there are plans about Belgian stations of Bruges, Ostenda and Termonde. Spurgazzi is active in Turin in the works on the railway station of Turin-Novara. This matter, that involves the Municipality, the Chamber of Commerce, the Provincial Council of

*Strada ferrata da Torino a Novara.* Archivio di Stato di Torino, Corte, *Disegni Spurgazzi*, 10-3.



Adiacenze del nuovo ponte sul Po e disposizione del cantiere. Archivio di Stato di












EAAE / ARCC

International Conference on Architectural Research

Tema 6 **Infrastructure Networks and Landscape**  Alessandra Giannini Politecnico di Milano, Italy





### **Cities in transformation Research & Design**

EAAE / ARCC International Conference on Architectural Research Milano 2012

www.eaae-arcc2012.polimi.it eaae-arcc.mlano@polimi.it

Alessandra Giannini, PHD, Politecnico di Milano

POLITECNICO DI MILANO












EAAE / ARCC

International Conference on Architectural Research


Tema 6 **Infrastructure Networks and Landscape**  Andrea Oldani Politecnico di Milano, Italy


build photographic sequences based on the use of the




















These sequences and sections allow to provide a possible interpretation of reality in which the succession of frames, properly assembled, is able to offer a "further view" of things. The reading of the constitutive elements of the landscape into the nodal sections and the construction of a narrative, through the combination and juxtaposition of the images, are in fact an anticipation of the project contents.

The sequences make possible to evaluate the relation between the landscape and the infrastructures that cross it (soil levels, materials, relational elements, views etc.). The sections allow to undestand the more relevant components and character of the crossed landscape (built, relational and open spaces).

> Andrea Oldani DiAP - Politecnico di Milano











POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research

**Tema 6 Infrastructure Networks and Landscape** 

### Henrika Pihlajaniemi University of Oulu, Finland



# CITIES

Adaptive Urban Lighting Tested in a Real World Demo

Henrika Pihlajaniemi, Researcher, M.Sc. Arch. Toni Österlund, Researcher, M.Sc. Arch.

Anna Luusua, Researcher, M.Sc. Arch.


Tuulikki Tanska, Research assistant, Student of Arch. Aulikki Herneoja, Project leader, D.Sc. (Tech), M.Sc. Arch. University of Oulu, Department of Architecture, Finland P.O. Box 4100, FI-90014 University of Oulu, Finland henrika.pihlajaniemi@oulu.fi / +358 40 708 9865

There is an ever increasing amount of digital computing being integrated into our everyday urban environment. This ubiquitous technology is influencing the character and elements of urban spaces on many levels, for example urban lighting. Lighting design for urban environments is gradually changing from static lighting towards dynamic and adaptive lighting. With the help of various sensors and transmitters, lighting can adapt to prevailing environmental conditions and react to different stimuli and signals, such as presence, movement, noise, trace data, SMS-messages and web-based data. The case study – LightStories (Valotarina) - presented on this poster explores methods to enable city dwellers to participate in the design of public urban lighting. Lighting is approached as an experiential, interactive, social and communicative element of public urban spaces. The main concept of LightStories is to introduce public street lighting as a forum for personal narratives, messages and greetings. Through this playful idea of street lighting as social media, people are invited to participate in the lighting design of a public street. By using the LightStories web-based design tool (www.valotarina.fi/en), anyone can have the opportunity to devise one-hour-long dynamic lighting designs, thus having the power to decide what kind of an atmosphere the lighting creates in the street. Each participant books a suitable time for their story and creates a lighting design

designs are accompanied by the users' stories, which are visible on the *LightStories* website and on the public *UBI* touchscreens in the city centre.

*LightStories* is a temporary lighting installation, but it uses the existing lighting infrastructure and ubiquitous technology built in the city of Oulu, Finland, the only European city shortlisted by the Intelligent Community Forum (ICF) in 2012. These consist of a lighting control device and existing RGB LED luminaires, ethernet and wireless networks and public touchscreens. Real-time video of the street is also displayed to illustrate the current story for the website users. The LightStories project was designed and constructed during the autumn and winter of 2011-2012, and it was launched in February 2012.

In the LightStories case study, the focus of interest is on the participatory design tool development, the urban inhabitants' sense of control and how the participation effects the experience of public urban place, evaluated through semi-structured interviews and a brief survey for all website users. The user-written narratives will also provide data for later analysis. LightStories is part of the Adaptive Urban Lighting – Algorithm Aided Lighting Design (University of Oulu, 2011-2013) research project. The aim of the project is to research and develop algorithm aided design methods for designing adaptive urban lighting, accomplished through the design and realisation of real-world demos. In the project, adaptive lighting is approached as an experiential element of public urban spaces in northern conditions. The evaluation of the user experiences in this real world demo is carried out in collaboration with the multidisciplinary UBI Metrics Multidisciplinary Framework for Evaluating Ubicomp Systems in Real-World Urban Settings research project (University of Oulu, 2011-2014).







POLITECNICO DI MILANO



EAAE / ARCC


International Conference on Architectural Research

63


Tema 6 Infrastructure Networks and Landscape

### **Pisana Posocco** Università di Roma "La Sapienza", Italy

Thanks to its collocation at the crossroad of two important international corridors (2 e9) Minsk is to assume a central role in the East - West commercial traffics.




Minsk urban planning still stands on soviet criteria. In the last years a strong and convulse impulse to build is about to deface the city. A unique opportunity is given to fill a cultural gap and to put their gorgeouse landscape at the basis of the urban renewal.



Megapolis Minsk Masterplan operates upon two operational criteria: a) financing of major projects through public private partnership; b) extensive and binding use of landscape as a guideline for interventions

New infrastructures stress the city grow. Landscape becomes infrastructure. Landscape is a guideline to be used at all the intervention scales







# **Iema 7** Education in Architecture



POLITECNICO DI MILANO



UNIVERSITÀ DEGLI STUDI DI GENOVA



ARCHITECTURAL RESEARCH CENTERS CONSORTIUM







POLITECNICO DI MILANO



EAAE / ARCC

International Conference on Architectural Research


Tema 7 **Education in Architecture** 

### Francesca Di Gennaro Politecnico di Milano, Italy










giustapposizione




sovrapposizione







### mediating spaces




spazio semiprivat




spazio semipubblico



inside/outside





fuori












































EAAE / ARCC

International Conference on Architectural Research

Tema 7 Education in Architecture **Ado Franchini** Politecnico di Milano, Italy



# www.architecturelab.eu info@architecturelab.eu

ARCHITECTURELAB International Design Workshops

Territories in progress


The ARCHITECTURELAB international workshops are meetings of MILANO 2003 - International Design Workshop



teachers and students from Polytechnic Schools and Architecture Faculties in which actual issues in town planning and architecture are debated in a context of intense and organized collaboration. The workshops are organized on a predefined general program, which is planned with local town Councils; the task is to stress the project ability of the international working groups and to elaborate "on-site" -even with different methodologiesnew solutions and projects fitting a variety of urbanistic and environmental contexts. In this way, new 🕵 ideas of the city and landscape together with fresh minds are fused in a multidisciplinary proactive vision. The development of an intensive program, as in a "brain storming" activity, brings each design teams to produce a shared synthesis, to achieve a final project which can be compared to the solutions of the other teams. Moreover this experience is a clear and positive way to build up a civil sense of responsibility about the architect role in young generations and even in the communities in which we are guests. These projects indisputably demonstrate that "on-site" free application of method, passion and intelligence confirm that the "interior landscapes" living in our mind can take place and identity in the reality of cities and territories.



### BELLAGIO 2005 - International Design Workshop





### DOMODOSSOLA 2008 - International Design Workshop



They reveal the values and opportunities offered by every project site, if we are able to look at it with new eyes and transparent attitude.





### CUSAGO 2009 - International Design Workshop

### CANZO 2011 - International Design Workshop















EAAE / ARCC

International Conference on Architectural Research

Tema 7 Education in Architecture **Gonçalo Canto Moniz** University of Coimbra, Portugal


### Modern Education and the Humanist Approach to the City Gonçalo Canto Moniz, Nelson Mota, Mário Krüger

### Charter of Education: Modern Architectural Education Paradigm

Walter Gropius pedagogical experiences from Bauhaus to Harvard was fixed in his manifesto "Training the Architect" (1938), spread in CIAM congress and members:

"Man is to be the focus; his spiritual and material needs in relation to the life of the community".

Modern school of architecture is characterized by modern methods (teamwork and experimentation) and a humanistic




approach (the development of the student and the problems of the society/city).

Gropius humanist approach to architectural education resonates with Alberti's *De re aedificatoria* definition of the architect:

"who by sure and wonderful reason and method, knows both how to devise through his own mind and energy, and to realize by construction, whatever can be most beautifully fitted out for the noble needs of man, by the movements of weights and the joining and massing of bodies."

Hence, Ernest Rogers claims that "Gropius was the Leon Battista Alberti of the 20th century" (Rogers, 1956).



### Porto Fine-Arts School: From Beaux-arts System to Modern Education

Carlos Ramos, professor and dean of the school between 1940-67, proposed a "collective education", based in Vitruvio and Gropius, which should:

a) Relate artistic and technical skills with a critical and social consciousness;

b) Integrate in architectural composition course contents

Fig. 1 – C. Ramos and students (Porto, UIA, 1958) Fig. 2 – CIAM Porto, CIAM 10, Dubrovnik (1956)




Fig. 3 – O. Lixa Filgueiras, UMC, EBAP, 1948 Fig. 4 – Team 4, Barredo, ESBAP, 1964-65 Fig. 5 – J. Canto Moniz, Barredo, ESBAP, 1964-65

related with construction, urban design, and theoretical issues.

c) Create a new curriculum combining artistic, technical and social education;

Carlos Ramos educates a new generation of architects, such as Fernando Távora and Octávio Lixa Filgueiras, whom would re-conceptualize modernist architectural approach.

Távora and Filgueiras, (teaching assistants of Ramos in the 1950s and 1960s), assume central roles in both national and international *fora* of architectural debate: ODAM, CIAM and the *Survey on Portuguese Regional Architecture Portuguese*. They argue in favor of a social approach to architectural education, where:


a) Analytical methods should integrate design process to understand reality;

b) The architect's social function should be enhanced (Filgueiras, 1962);

c) The space's organization should be the core of the architect's concern (Távora, 1962).

67

Porto Arts School is a conflation of Alberti's humanism and Gropius' modernism.







POLITECNICO DI MILANO




EAAE / ARCC

International Conference on Architectural Research

Tema 7 Education in Architecture **Alessia Riccobono** Università di Palermo, Italy


# THE ARCHITECTURE OF THE LIMIT.

The recovery of the southern Agrigento's historical walls.










The fourteenth-century Agrigento's walls was interested by strong interventions during last century that led to the present image. In this critical place there are no project, no order, no logic, everything is left to chance. The ambitious target of the project was to give an order to this self caused chaos, to this route that should show the lost historical memory. The project aimed to reshape the urban area through zero-volume interventions and to make manifest the peculiarities of this territory trough small gestures, creating sequences of recognizable places that are able to express sense and identity of the urban space. The most significant intervention is designed for a doubling of the road made by a viaduct built in the '80s: we decided to use the space below the viaduct transforming it into a building, in which will host the new location for the Research Centre for the Fiction and the Cinema.









POLITECNICO **DI MILANO** 




EAAE / ARCC

International Conference on Architectural Research

Tema 7 **Education in Architecture**  Maria Del C. Vera - Colleen O' Malley Southern Illinois University, U.S.A.

### **Outsourcing Education**: Re-planning the Fabric Between the American Campus, The City and The Globe

Maria Del C. Vera, Southern Illinois University Research Assistant: **Colleen O'Malley** 



### **Background:**

Since its inception, Universities are representative of man's intellectual growth. Not surprisingly, the trajectory of the American University, in particular the spatial developments occurring since the invention of the University Campus are now synonymous with intellectual and entrepreneurial growth. After all, education is said to be one of the most sought after products that America exports.<sup>1</sup>

According to Pablo Campos's article, *The Journey Toward Utopia* printed in Planning for Higher Education (Vol. 30 Issue 2, p4-12, 9p), universities are a cultural enterprise and university planning "could be considered the return of a model that began in medieval Europe, traveled in the 16th and 17th centuries as the quadrangle to the New World, changed into the campus model, and, finally, returned in 1927 to Europe as a modern idea that has been prolific throughout Europe ever since<sup>2</sup>."

### Question:


Is the value of the University Campus and its spatial relationship to learning/researching processes a quality of life in extinction as the


growing demand for e-learning expands?

In mapping a chronological display of how selected American Campuses grow, this poster unveils a particular outlook about campuses and the mass-distribution of buildings; it provides a propelled image of its spatial appropriation, one that exponentially expands between the 20<sup>th</sup> and 21<sup>st</sup> centuries in both physical and virtual realms. The American Campus of the 21<sup>st</sup> century is both territorially and virtually boundary-less. It coexists between places of origin, local cities, country and global networks. David Diamond's article, *MIT Everyware: Every lecture, every handout,* every quiz. All online. For free. Meet the global geeks getting an MIT *education, open source-style*<sup>3</sup>., published in WIRED magazine narrates it best.

The annex of three statistic charts: *Internet Users in the World by Geographic Regions 2011, World Internet Penetration Rates by* Geographic Regions-2011 and Top Ten Languages in The Internet 2010, plus The Internet Map of The World are use to depict the invisible-visible characteristics of those that inhabit the virtual world. While the data in the charts record that more Internet users exist across Asia and Europe, one can note that English is the dominant language for most of the Internet users and that the North American population is the most Internet active group in the globe. Independently, the graph Venture Capital Investment in Education- Technology Companies reveals how in less then a decade the growth and demand for educational technology is rapidly

Together the maps and graphs become tools to cross-reference data and inform hypotheses about the future of the educational campuses.





Note: Data include educational-technology companies in elementary and secondary education, higher education, life-long learning, and informal education

Source: National Venture Capital Association, Thomas Reuters

NEW YORK CITY

11

2 mi 4 km

INSTITUTE OF TECHNOLOGY

CORNELL


UNIVERSITY


.

PRATT

NEW YORK

INSTITUTE





### **Conclusions:**

The University in the 21<sup>st</sup> century is economically driven and portable. The characteristics of an entire City, its urban infrastructure, and thriving regions are becoming the intellectual and spatial campuses of this millennium.

- 1) Cities with established networking systems are optimal university campuses.
- 2) Cornell University and The Technion are both academically strong universities that seized the opportunities offered by Mayor Bloomberg and made the entire New York City area their campus site. \_*New York* City's tech sector is unique. Its information-driven economy is serving as the impetus for the development of many consumer-oriented companies focused specifically on technology to meet end users' needs, including those of NYC's core industries: media, advertising, finance, healthcare, real estate, fashion and design, to name a few. These companies are about technology that is designed in close collaboration with the users of that technology, are strongly connected through deep engagement with those customers, and are motivated to stay and grow right here because of their close ties to the city's tech ecosystem. NYC's tech ecosystem – a collection of companies at different stages of development from very early startups to larger corporations that might be customers or potential acquirers for what those smaller companies are doing - is lacking one thing: more talented people. The pace of developing new companies is getting faster and faster, and the key is getting the right people into an environment where they can focus on and solve today's most relevant technology problems. The NYC Tech Campus will be centered on flexible and dynamic interdisciplinary application hubs instead of traditional academic departments. This model will serve as a focal point for NYC's tech ecosystem, accelerating existing sectors of NYC's economy and driving the formation of new technology businesses through close ties to customers and unique domain knowledge. The first three hubs – Connective Media, Healthier Life and Built Environment – reflect NYC's information economy today and where it's going \*
- 3) As new alliances between cities and universities emerge, new expertise will re-position educational spaces and global markets. 4) Communities and resources matter thus; space and networks will be of optimal importance to further the production of knowledge. For this reason, global campuses will continue to accentuate the spatial growth of both the built and virtual spaces.
- 5) The future of education will continue to expand and rely upon the design of complex environments that are inclusive of e-learning and situated within: the comfort of personal spaces, public environments, city escapes, classrooms, scholar communities, industry outlets, cyberspaces and other socially interrelated realms.

69

Figures: 1-4: Vera/O'Mallev 5: Top Ten Internet Languages - World Internet Statistics 6-8: Vera/O'Malley 9-10: World Internet Usage Statistics News and World Population Stats 11: http://chronicle.com.proxy.lib.siu.edu/article/A-Boom-Time-for-Education/131229/ 12-13:Vera/O'Malley **References:** 1. Vo, Lam. "What America Sells To The World : Planet Money." March 2012. What America Sells To The World : Planet Money : NPR (last accessed March 15, 2012) 2. Campos, Pablo. The Journeys Toward Utopia. Planning For Higher Education, Winter 2001/2002, Vol. 30 Issue 2, p4-12, 9p 3. Diamond, David. MIT Everyware: Every lecture, every handout, every quiz. All online. For free. Meet the global geeks getting an MIT education, open source-style. http://www.wired.com/wired/archive/11.09/mit pr.html (last accessed March 15, 2012) 4. Cornell University. The Campus. Cornell in NYC . (last accessed March 15, 2012)







POLITECNICO **DI MILANO** 




EAAE / ARCC


International Conference on Architectural Research

### Tema 7 **Education in Architecture**


### Francesco Zuddas Università degli Studi di Cagliari, Italy



The Space for Learning. Conversion of former prison in learning centre (3)



Housing the Students. New student dormitory outside campus' fence (1)



Conversion of former prison in learning centre (3)


The Space for Learning. Street as extension of the library (4)

Housing the Students.




Housing the Students.

Differentiated studying opportunities on campus (2)



Urban Incubator.

Conversion of hospital in live/work environment (5)




Research, Development and Production. R&D as urban landscape (7)



Large urban institutions play a major role for the construction of a physical and mental geography of the city. Among them, the



University is in primary position. We live in a period of profound rethinking of the University as the institution is increasingly pushed to enlarge its scope of action beyond the traditional missions of teaching and research. This encompasses the need to define an acceptable degree of hybridization with elements belonging to other spheres business, industry, leisure, commerce, etc. What appears as an opening up necessary to align the University to the challenges of the Knowledge Economy could threaten the consolidated idea of the institution as a detached and inclusive community and of its space as a 'space other' from the city. In the past the translation of such detachment in the form of the outlying campus has been the most extreme and literal manifestation of a need of inclusiveness. Today we assist to a reconsideration of the urban as the proper condition for higher learning and to a related understanding of the urban fabric as its privileged space. While this represents an opportunity for reclaiming a role as beacon for the construction of civicness, the re-insertion within the urban fabric raises the question: how to cope with the simultaneous need of opening up and operative closure? The case of Cagliari (Italy) – 160,000 inhabitants, 33,000 university students – is here presented as test-bed for some design speculations on how to rethink the relation between University and City.



### University of Cagliari: an Urban Geography

(A) Engineering fenced compound - purpose built (B) Humanities fenced compound - purpose built (C) Economics/Political Sciences buildings along street - reuse of former hospices (D) Sciences/Architecture/Languages single buildings/blocks - purpose built + reuse (F) Planned diffused student accomodation in historic centre

(E) Planned new student housing on former railway site

Credits: This poster synthesises anlaysis and design speculations for the urban portion of the University of Cagliari. The relation between City and University is the subject of personal research by the author started at the Architectural Association School of Architecture - Graduate School (London) in 2007 and continued at the School of Architecture of Cagliari (Italy). The projects inside the boxes were developed during design studios co-conducted by the author at the

Via Corte d'Appello 87, Cagliari zuddas\_fr@aaschool.ac.uk

70



(F)







EAAE / ARCC

International Conference on Architectural Research

Tema 7 **Education in Architecture**  **Colleen O'Malley** Southern Illinois University, U.S.A.

