

Social inclusion and use of equipped public space for physical activity. Analysis and promotion prospects

Original

Social inclusion and use of equipped public space for physical activity. Analysis and promotion prospects / Maspoli, Rossella. - ELETTRONICO. - (2016), pp. 19-24. (Intervento presentato al convegno Input 2016 9th International Conference on Innovation in Urban and Regional Planning tenutosi a Torino nel 14-15 settembre 2016).

Availability:

This version is available at: 11583/2651548 since: 2016-10-03T00:12:06Z

Publisher:

INPUT, the International Conference on Innovation in Urban and Regional Planning

Published

DOI:

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

INPUT 2016

9th International Conference
on Innovation in Urban
and Regional Planning



e-agorà | e-ayopà

for the transition toward resilient communities

edited by G. Colombo | P. Lombardi | G. Mondini



9th International Conference on Innovation in Urban and Regional Planning

e-agorà/e-ἀγορά for the transition toward resilient communities

Conference Proceedings Book

ISBN 978-88-9052-964-1



POLITECNICO
DI TORINO



UNIVERSITÀ
DEGLI STUDI
DI TORINO



Dipartimento Interateneo di Scienze, Progetto e Politiche del Territorio

INPUT 2016 “e-agorà/e-ἀγορά for the transition toward resilient communities”

Conference Proceedings from the INPUT2016 Conference in Turin (14th–15th September 2016)

INPUT2016 CONFERENCE COMMITTEE

Arnaldo Cecchini, University of Sassari
Dino Borri, Polytechnic University of Bari
Valerio Cutini, University of Pisa
Alessandro Plaisant, University of Sassari
Giovanni Rabino, Polytechnic University of Milan
Giuseppe Las Casas, University of Basilicata
Michele Campagna, University of Cagliari
Andrea De Montis, University of Sassari
Corrado Zoppi, University of Cagliari
Romano Fistola, University of Sannio
Rocco Papa, University of Naples “Federico II”
Patrizia Lombardi, Politecnico di Torino
Giovanni Colombo, ISMB Istituto Superiore Mario Boella
Giulio Mondini, SiTI Higher Institute on Territorial Systems for Innovation

INPUT2016 ORGANISING COMMITTEE

Cristiana D'Alberto, ISMB Istituto Superiore Mario Boella
Maria Cristina Longo, SiTI Higher Institute on Territorial Systems for Innovation
Stefania Mauro, SiTI Higher Institute on Territorial Systems for Innovation
Luisa Montobbio, Politecnico di Torino
Cinzia Pagano, Politecnico di Torino

Edited by Giovanni Colombo (ISMB Istituto Superiore Mario Boella), Patrizia Lombardi (DIST - Politecnico di Torino), Giulio Mondini (SiTI Higher Institute on Territorial Systems for Innovation)

Editorial coordination by Stefania Mauro

Graphic design by Sara Oggero (ISMB)

ISBN 978-88-9052-964-1

INPUT2016 SCIENTIFIC COMMITTEE

Ivan Blečić, University of Cagliari
Dino Borri, Polytechnic University of Bari
Grazia Brunetta, Politecnico di Torino
Edoardo Calia, ISMB Istituto Superiore Mario Boella
Domenico Camarda, Polytechnic University of Bari
Michele Campagna, University of Cagliari
Alessandra Casu, University of Sassari
Arnaldo Cecchini, University of Sassari
Giovanni Colombo, ISMB Istituto Superiore Mario Boella
Grazia Concilio, Polytechnic University of Milan
Tanja Congiu, University of Sassari
Valerio Cutini, University of Pisa
Andrea De Montis, University of Sassari
Giovanna Fancello, Paris-Dauphine University
Romano Fistola, University of Sannio
Sabrina Lai, University of Cagliari
Giuseppe Las Casas, University of Basilicata
Federica Leone, University of Cagliari
Sara Levi Sacerdotti, SiTI Higher Institute on Territorial Systems for Innovation
Patrizia Lombardi, Politecnico di Torino
Giampiero Lombardini, Università degli Studi di Genova
Enrico Macii, Politecnico di Torino
Fabio Manfredini, Polytechnic University of Milan
Stefania Mauro, SiTI Higher Institute on Territorial Systems for Innovation
Giulio Mondini, SiTI Higher Institute on Territorial Systems for Innovation
Eugenio Morello, Polytechnic University of Milan
Beniamino Murgante, University of Basilicata
Silvie Occelli, IRES Piemonte
Andrea Pacifici, ISMB Istituto Superiore Mario Boella
Rocco Papa, University of Naples “Federico II”
Paola Pittaluga, University of Sassari
Alessandro Plaisant, University of Sassari
Giovanni Rabino, Polytechnic University of Milan
Bernardino Romano, Università degli Studi dell'Aquila
Marco Santangelo, Politecnico di Torino
Francesco Scorza, University of Basilicata
Matteo Tabasso, SiTI Higher Institute on Territorial Systems for Innovation
Valentina Talu, University of Sassari
Andrea Trunfio, University of Sassari
Andrea Vesco, ISMB Istituto Superiore Mario Boella
Angioletta Voghera, Politecnico di Torino
Corrado Zoppi, University of Cagliari

Table of Content

INPUT 2016 is the ninth meeting with the name INPUT 10

Arnaldo Cecchini

INPUT 2016 “e-agorà/e-áγopά for the transition toward resilient communities” 11

Giovanni Colombo

STeHeC - Smart Territories and Healthy Cities 12

The role of urban cyclability in promoting public health.....13

Stefano Capolongo, Lorenzo Boati, Maddalena Buffoli, Marco Gola, Alessandra Oppio and Andrea Rebecchi

Social inclusion and use of equipped public space for physical activity. Analysis and promotion prospects19

Rossella Maspoli

Beyond geospatial visualisation: maps for health research25

Enrico Cicalò

Urban Form from the Pedestrian Point of View: Spatial Patterns on a Street Network32

Alessandro Araldi and Giovanni Fusco

3D Modelling from Urban Environment to Internal Management of Buildings39

Maurizio Minchilli, Elena Carta, Barbora Slabeciusová and Loredana Tedeschi

Appropriate Technologies and Deprived Neighbourhoods: Making Technologies Work for Inclusive Urban Development46

Arnaldo Cecchini, Valentina Talu and Andrea Vesco

Planning, managing and empowering while pursuing change: integrating community map-making and geographic information technologies52

Barbara Dovarch

Flexible Design to Territory Smart User-Centered60

Cristiana Cellucci and Daniela Ladiana

Integrated Accessibility: a Macro-Requirement for the Healthy City65

Filippo Angelucci and Michele Di Sivo

Environment – Cities – Users: a multidisciplinary approach for the quality of urban spaces71

Angela Giovanna Leuzzi, Roberta Cocci Grifoni, Maria Federica Ottone and Enrico Prenna

Walk, See, Know: Modelling Landscape Accessibilities77

Enrico Cicalò, Arnaldo Cecchini, Nada Beretic, Roberto Busonera, Dario Canu and Andrea Causin

Recording, management and returning of data for improving accessibility of public spaces by involving users83

Ilaria Garofolo, Elisabeth Antonaglia and Barbara Chiarelli

Multilevel Infrastructures89

Claudia Di Girolamo

The built environment as a determinant of the public health. An epidemiological survey of the walking behavior in Sardinia93

Social inclusion and use of equipped public space for physical activity. Analysis and promotion prospects

Rossella Maspoli

Politecnico di Torino – Dipartimento di Architettura e Design DAD 1, Torino, Italy.

Key- words: outdoor, urban spaces, fitness equipment, social inclusion, universal design.

Introduction

Physical inactivity is an important health risk factor that may be addressed at community level. In outdoor urban spaces and parks activity physical improves general wellbeing and plays an important role for reduction of chronic diseases.

Different health impact assessment methodologies have been applied with distinctive assumptions on key parameters, in Europe and United States.

The results of different methodological approaches have shown that the active transport and physical activity - in proximity and neighborhood areas - can provide substantial net health benefits, irrespective of geographical context.

Nevertheless, there are difficult in reconciling the approach for measuring community development activities in outdoor spaces with the outcomes and impacts of health, like the World Health Organization (WHO) has underlined too (Ison 2009).

On one side, physical activity can be done in a variety of ways, such as walking or cycling for transport, performing fitness exercises, participating in sports, playing in the park, working in the community garden, taking the stairs or embedding into daily routines. Therefore, it is difficult to define indicators that take into account not only the time spent, but also type and quality of activities, depending on different needs of health and adoption of different lifestyles.

On the other side, disability, age, gender, race and ethnicity may illuminate the issues related to health disparities and they have a

significant influence on likelihood of doing physical activity in outdoor spaces.

WHO Europe has outlined that disadvantaged populations are less likely to have easy access to the places that encourage an active lifestyle. Women and young people in minority groups are often excluded from mainstream sport and physical activity programmes, accessibility and integration are key to enabling people with different disabilities to enjoy enhanced levels of participation. When they choose to be active, they often face risks related to road security and perceived risk of crime (Edwards and Tsouros 2008).

Safe public neighborhood parks and outdoor spaces can reduce inequity in access and choices for physical activity, providing facilities and equipment for active living, such as fitness areas, playgrounds and multi-purpose sports fields.

Parks and sites in the healthy city must offer a physical and built environment that supports recreation, well-being, security, social interaction, easy mobility, sense of cultural identity and accessibility to the needs of all urban users and citizens.

Therefore, innovative neighborhood planning and design must respond to the different way of using the public space of coexisting communities for health, welfare and social exchange.

Community facilities can stimulate users to increase their levels of physical activity and social inclusion, doing so they require attention to the outreach and the public

space management, complementary to the planning and design in urban regeneration. In this view, the paper analyzes different propensity of urban communities to physical activity and identifies main factors and requirements in the design of outdoor public spaces, that can affect the increase of physical activity.

The included trials have revealed the main factors of health risk prevention for diseases (Levine 2015, Woodcock et al. 2011), the social inequality in access to physical activity and environmental factors that inhibit the use of public space for walking and physical activity (Shephard et al. 2004, Van Holle et al. 2012, Christine et al. 2015, Gascon et al. 2016).

Methodology

The methodological approach is developed through the analysis of factors and indicators in the scientific literature and testing, from the local planning to the design.

Insufficient physical activity is the 4th leading risk factor for mortality (WHO 2012), current urban planning choices also impact on the public lifestyles.

In the long term, a higher percentage of the population achieving regular physical activity in outdoor spaces may lead to a lower level of chronic illness. Certain epidemiological studies have found that the lack of green space potentially causes cardiovascular mortality and poorer mental health (Gascon and others 2016).

Instead, long-term exposure to urban environments with greater resources to support physical activity is associated with a lower incidence of obesity and type 2 diabetes mellitus (T2DM) (Christine et al. 2015).

Generally, individuals who are insufficiently physically active have a 20% to 30% increased risk of all-cause mortality compared to those who engage in at least 30 min of moderate intensity physical activity most days of the week (Woodcock et al. 2011).

A transition in urban planning and design is needed to make systematic plans to improve the relation between urban activities and health.

Research concerns guidelines for developing the operational design of areas for outdoor physical activity, the scale of local planning - regarding the choice of the site to transform and equip - to the definition of key environmental and space requirements of the areas, the definition of the types of site accommodation, and equipment to be installed.

A few recent studies provide relevant methodological approach and significant information about the propensity factors on the location of the equipped areas at the neighborhood level.

The *International Physical activity and Environment Network* (IPEN) study - a cross-sectional research including 6822 adults aged 18–66 years from 14 cities in ten countries on five continents - suggests the importance of engaging urban planning, transportation, and parks sectors in efforts to reduce the health burden of the global physical inactivity, in relation to the similarity of findings across various cities (Sallis et al. 2016).

In reference to the study, indicators of walkability, public transport access, and park access are particularly interesting for identify the preferential terms of localization of sites and facilities for physical activity.

These indicators are meaningful to inform neighborhood policy, with the perspective of creating and maintaining Healthy Places (cycling, walking, doing gymnastics). The IPEN study has measured physical activity connecting to variables related to built environment and four of six environmental attributes are significantly and linearly related to increasing physical activity, in the models: net residential density (1000 dwellings/km²); intersection density (100 intersections/km²); proportion of retail combined and civic land area to total buffer area; public transport density (10 transport points/km²); number of parks contained or intersected by buffer (10 parks/km²); street network distance to nearest transport stop (1000 m).

The study has used comparable objective measures of built environments (geographic information systems) and physical activity (electronic accelerometers that recorded motion every minute).

The IPEN study results provide the first elements to perform an alternative assessment of the local planning systems.

On the level of selected project area, complex factors related to environmental, technical and perceptive quality of the site must be defined.

The WHO Europe physical activity planning guide detects some meaningful factors (Edwards and Tsouros 2008):

- wide range of accessible and attractive routes, accessible by foot or bicycle for efficient public transport;
- mixed-use, high-density communities with easy access to principal neighborhood destinations and recreation facilities;
- walkable, attractive neighborhood and trail connections between neighborhoods;
- integration of planning decisions related to the built environment concerning public health and physical activity;
- accessible facilities for physical activity;
- areas that are safe in terms of road security and crime;
- plan and services for special groups that enable active living for all ages and abilities;
- strong involvement by a variety of stakeholders and citizens;
- social norms and expectations that support and encourage active living as a way of life in the city.

Safety and road security standards can be a unifying fundamental concern which impacts the whole community and can even bring it closer together rather than polarizing different user groups.

The case studies of Amsterdam and Copenhagen as walkable cities also feature these factors as the key catalyst that triggered the shift towards human-centric cities in the 1970s.

The analysis reported and others studies (Heath et al. 2006) (van Holle et al. 2012) reveal that adults who lived in activity-friendly neighborhoods do more of physical activity per week (for example 68–89 min) than those in the least activity-friendly neighborhoods. The relation of built environments to physical activity is generally similar across advanced cities, where public parks provide places for recreational physical activity.

In short, the design principles can be apply across countries, but the performance standards are still being defined.

Results and discussion

Design quality of urban environments has the potential to contribute substantially to physical activity, user-centred design can provide solutions to modern healthcare requirements, the emerging factors are:

- Designing for and with all, viewing accessibility requirements in public space as an opportunity, rather than a constraint, for designers;
- Providing life-support and equipments which are adapted to user comfort and spatial and climatic conditions in outdoor spaces.

The main factors and requirements considered regard security, protection from climate and air pollutants, visibility and accessibility, attractiveness and image, presence of multi-functional

areas (equipment for children and adults, loisir areas), fitness equipment for different ability levels (children, adults, elderly, physically disabled).

According to WHO studies (Shephard et al. 2004) and the direct survey of parks users in the North of Turin, the main technical, environmental and social factors that influence the physically activity in outdoor spaces are outlined.

Requirement of Class: spaces and equipment security

- adequate exercises to physical capacities (not available for people with different abilities);
- equipped areas for free fitness activities, individual or group: “no space of our own to do the things we like to do” (especially young people);
- presence of integrated equipped areas for physical activity (equipment for children, seniors, adults);

Requirement of Class: social security and inclusion

- road security (especially older people and parents in relation to their children);
- visible and controllable localization of physical activity areas and fitness equipment stations;
- attention to personal safety and crime prevention (especially girls, women and parents of small children);
- attention to ageism (too old to be active), sexism (not appropriate for girls and women) and cultural and religious restrictions;

Requirement of Class: acoustic, lighting, hydrothermal comfort

- weather conditions control: mitigation extreme heat, cold and icy conditions (especially older people), shading, presence of trees, “heat island effect” mitigation, wind containment;

Requirement of Class: accessibility, usability, visitability

- accessibility to sites for all;
- protection of being injured or have been injured (especially among seniors);
- contiguity with loose, pleasure and relax spaces (especially among seniors and mothers with small children);

Requirement of Class: reliability, management

- prevention against unattractive environment (litter, graffiti, vandalism);
- cyclic and ordinary maintenance;
- site management and periodic control;
- organization of separate waste collection and transport to landfills;

Requirement of Class: environmental load

- mitigation by air pollution and noise pollution related risk;
- devices for the treatment and reuse of storm water.
- technical elements and soil characterization that avoid the water stagnation, the soaking, the formation of mold;
- presence of eco-recycled elements and materials.

Specifically, the use of a design for all and inclusive approach represents a crucial factor in the design of outdoor equipment: accessibility from multiple directions, multi-functionality of equipment (for example the use of certain equipment for both children and old people), clarity in the signaling, use of color with signal function, equipment for motor disabled (also accessible by children and adults with average abilities).

Another set of relevant factors for social inclusion concern the conditions for overcoming cultural and religious restrictions.

From direct observation emerges, for example, how fitness equipments which are in a pleasant place, with the possibility of positive social surveillance, in proximity to areas for children's games, as well as ease of use, are also used by Muslim women.

In addition, the proximity of safe fitness and children play stations – with visual and perceptive control of the zone - is essential to ensure activities carried out by parents with young children.

Conclusions

“The quality of a space will affect how well it is used” (CABE 2010).

More cities aspire to create more people-friendly places to encourage walking and physical activities by establishing new services and by designing suitable infrastructure safer and more comfortable. IPEN research and WHO guidelines have identified criteria for the location of equipped places for physical activity, into the local planning.

Quality improvement of health urban planning and design implies to experience a multidisciplinary methodological approach - epidemiological, morphological, technical performance, environmental, sensory-perceptive – and citizens participation. Experiences developed in the city of Turin (Barriera di Milano and San Salvario neighborhoods) and the comparison with multidisciplinary international research has allowed to outline first guidelines for the design of public spaces in the Health City.

Furthermore, the study aims to testing the potential of the social media and the planning from the bottom up, to check inclinations and profiles of open public space users for physical activity - examining the vigorous and moderate physical activity and the walking - in an urban suburb.

On the example of the online "community map" of public space, the research intends to develop a "community map" of the health public space.




Fig. 1. Project scenario: physical activity areas for different abilities. Workshop Urban micro-landscapes.Tasting the Landscape (Politecnico di Torino DAD, AIAPP-IFLA 2016).

References

Commission for Architecture and the Built Environment (CABE) and the Asset Transfer Unit, 2010. Community-led spaces. A guide for local authorities and community groups London: Blackmore.

Christine, Paul J., Auchincloss, Amy H., Bertoni, Alain G., Carnethon, Mercedes R., Sánchez, Brisa N., Moore, Kari, Adar, Sara D., Horwich, Tamara B., Watson, Karol E., 2015. Longitudinal Associations Between Neighborhood Physical and Social Environments and Incident Type 2 Diabetes Mellitus, *JAMA Intern Med.*; 175(8): 1311-1320.

Edwards, Peggy, Tsouros, Agis. D. 2008. A healthy city is an active city: a physical activity planning guide, Copenhagen: World Health Organization Regional Office for Europe.

Gascon, M., Triguero-Mas, M., Martínez, D., Dadvand, P., Forn, J., Plasència, A., Nieuwenhuijsen, M.J., 2016. Green space and mortality: a systematic review and meta-analysis. *Environ. Int.* 2 (86), 60–67.

Heath G., Brownson R., Kruger J., et al., 2006. The effectiveness of urban design and land use and transport policies and practices to increase physical activity: a systematic review. *J Phys Act Health*; 3: S55–71.

Ison, Erica, 2009. The introduction of health impact assessment in the WHO European Healthy Cities Network, Oxford: Oxford University Press.

Levine, James A., 2015, Sick of sitting, *Diabetologia*, Volume 58, Issue 8, pp 1751–1758.

Sallis, James F., Cerin, Ester, Conway, Terry L., Adams, Marc A., Frank, Lawrence D., Pratt, Michael, Salvo, Deborah, Schipperijn, Jasper, Smith, Graham, Cain, Kelli L., Davey, Rachel, Kerr, Jacqueline, Poh-Chin, Lai, Mitáš, Josef, Reis, Rodrigo, Sarmiento, Olga L., Schofield, Grant, Troelsen, Jens, en Van Dyck, Delfi, De Bourdeaudhuij, Ilse, Owen, Neville, 2016. Physical activity in relation to urban environments in 14 cities worldwide: a cross-sectional study, the *Lancet.com* on April 8, 2016.

Shephard R. et al.. 2004. Physical activity policy development: a synopsis of the WHO/CDC consultation, September 29 through October 2, 2002, Atlanta, Georgia. *Public Health Reports*, 119:346–351.

Van Holle V., Deforche B., van Cauwenberg J., et al.. 2012. Relationship between the physical environment and different domains of physical activity in European adults: a systematic review. *BMC Public Health*; 12: 807.

Woodcock, J., Franco, O.H., Orsini, N., Roberts, I., 2011. Non-vigorous physical activity and all-cause mortality: systematic review and meta-analysis of cohort studies. *Int. J. Epidemiol.* 40 (1), 121–138.

World Health Organization (WHO), 2012. http://www.who.int/nmh/events/2012/discussion_paper3.pdf. Accessed April 27, 2016.