POLITECNICO DI TORINO Repository ISTITUZIONALE

Control of Multilayer Networks

Original

Control of Multilayer Networks / Menichetti, Giulia; Dall'Asta, Luca; Bianconi, Ginestra. - In: SCIENTIFIC REPORTS. - ISSN 2045-2322. - 6:(2016), p. 20706. [10.1038/srep20706]

Availability: This version is available at: 11583/2657659 since: 2016-11-25T11:25:58Z

Publisher: Nature Publishing Group

Published DOI:10.1038/srep20706

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

SCIENTIFIC REPORTS

OPEN Control of Multilayer Networks

Giulia Menichetti¹, Luca Dall'Asta^{2,3} & Ginestra Bianconi⁴

Received: 21 October 2015 Accepted: 05 January 2016 Published: 12 February 2016 The controllability of a network is a theoretical problem of relevance in a variety of contexts ranging from financial markets to the brain. Until now, network controllability has been characterized only on isolated networks, while the vast majority of complex systems are formed by multilayer networks. Here we build a theoretical framework for the linear controllability of multilayer networks by mapping the problem into a combinatorial matching problem. We found that correlating the external signals in the different layers can significantly reduce the multiplex network robustness to node removal, as it can be seen in conjunction with a hybrid phase transition occurring in interacting Poisson networks. Moreover we observe that multilayer networks can stabilize the fully controllable multiplex network configuration that can be stable also when the full controllability of the single network is not stable.

Most of the real networks are not isolated but interact with each other forming multilayer structures^{1,2}. For example, banks are linked to each other by different types of contracts and relationships, gene regulation in the cell is mediated by the different types of interactions between different kinds of molecules, brain data are described by multilayer brain networks. Studying the controllability properties of these networks is important for assessing the risk of a financial crash^{3,4}, for drug discovery⁵ and for characterizing brain dynamics⁶⁻¹⁰. Therefore the controllability of multilayer networks is a problem of fundamental importance for a large variety of applications.

Recently, linear¹¹⁻¹⁹ and non-linear²⁰⁻³⁰ approaches are providing new scenarios for the characterization of the controllability of single complex networks. In particular, in the seminal paper by Liu et al.¹² the structural controllability of complex networks has been addressed by mapping this problem into a Maximum Matching Problem that can be studied using statistical mechanics techniques³¹⁻³⁶. Other works approach the related problem of network observability³⁷, or target control³⁸ which focuses on controlling just a subset of the nodes. Despite the significant interest in network controllability, all linear and non-linear approaches for the controllability of networks are still restricted to single networks while it has been recently found that the multiplexity of networks can have profound effects on the dynamical processes taking place on them³⁹⁻⁴⁴. For example, percolation processes that usually present continuous phase transitions on single networks can become discontinuous on such structures³⁹⁻⁴³ and are characterized by large avalanches of disruption events.

Here, we consider the elegant framework of structural controllability¹² and investigate how the multilayer structure of networks can affect their controllability. We focus on multiplex networks, which are multilayer networks in which the same set of nodes are connected by different types of interactions. Multiplex network controllability is studied under the assumption that input nodes are the same in all network layers, thus mimicking the situation in which input nodes can send different signals in the different layers of the multiplex but the position of the external signals in the layers is correlated.

We show that controlling the dynamics of multiplex networks is more costly than controlling single layers taken in isolation. Moreover, the controllability of multiplex networks displays unexpected new phenomena. In fact these networks can become extremely sensible to damage in conjunction with a discontinuous phase transition characterized by a jump in the number of input points (driver nodes). A careful investigation of this phase transition reveals that this is a hybrid phase transition with a square root singularity, therefore in the same universality class of the emergence of the mutually connected component in multiplex networks^{1,39,41}. The number of driver nodes in the multiplex network is in general higher than the number of driver nodes in the single layers taken in isolation. Nevertheless the degree correlations between low-degree nodes in the different layers can affect the controllability of the multiplex network and modulate the number of its driver nodes. Moreover, a fully controllable configuration can be stable in a multilayer network even if it is not stable in the isolated networks that form the multilayer structure.

¹Department of Physics and Astronomy and INFN Sez. Bologna, Bologna University, Viale B. Pichat 6/2 40127 Bologna, Italy. ²Department of Applied Science and Technology, DISAT, Politecnico di Torino, Corso Duca degli Abruzzi 24, 10129 Torino, Italy. ³Collegio Carlo Alberto, Via Real Collegio 30, 10024 Moncalieri, Italy. ⁴School of Mathematical Sciences, Queen Mary University of London, London E1 4NS, United Kingdom. Correspondence and requests for materials should be addressed to G.M. (email: giulia.menichetti2@unibo.it) or L.D. (email: luca. dallasta@polito.it) or G.B. (email: ginestra.bianconi@gmail.com)



Figure 1. Control of a multiplex network. The controllability of a duplex network (multiplex with M = 2 layers) can be mapped to a Maximum Matching Problem in which the unmatched nodes (indicated with a white circle) are the driver nodes of the duplex network. Here we have indicated with red thick links the matched links and by black thin links the unmatched links.

Results

We consider multiplex networks¹ in which every node i = 1, 2, ..., N has a replica node (i, α) in each layer α and every layer is formed by a directed network between the corresponding replica nodes. We assume that each replica node (i, α) is characterized by a different dynamical variable $x_i^{\alpha} \in \mathbb{R}$ and that each layer is characterized by a possibly different dynamical process. We consider for simplicity a duplex, i.e. a multiplex formed by two layers $\{A, B\}$ where each layer $\alpha \in \{A, B\}$ is a directed network. The state of the network at time *t* is governed by a linear dynamical system

$$\frac{d\mathbf{X}(t)}{dt} = \mathcal{G}\mathbf{X} + \mathcal{K}\mathbf{u},\tag{1}$$

in which the 2*N*-dimensional vector $\mathbf{X}(t)$ describes the dynamical state of each replica node, i.e. $X_i = x_i^A$ and $X_{N+i} = x_i^B$ for i = 1, 2, ..., N. The matrix \mathcal{G} is a $2N \times 2N$ (asymmetric) matrix and \mathcal{K} is a $2N \times P$ matrix. They have the following block structure

$$\mathcal{G} = \begin{pmatrix} g^A & 0\\ 0 & g^B \end{pmatrix}, \quad \mathcal{K} = \begin{pmatrix} K^A & 0\\ 0 & K^B \end{pmatrix}, \tag{2}$$

in which g^{α} are the $N \times N$ matrices describing the directed weighted interactions within the layers and K^{α} are the $N \times P^{\alpha}$ matrices describing the coupling between the nodes of each layer α and $P^{\alpha} \leq N$ external signals. The latter are represented by a vector $\mathbf{u}(t)$ of elements u_{γ} and $\gamma = 1, 2 \dots P = P^A + P^B$. Here we consider the concept of structural controllability^{11,12} that guarantees the controllability of a networks for any choice of the non-zeros entries of \mathcal{G} and \mathcal{K} , except for a variety of zero Lebesgue measure in the parameter space. Therefore each layer of the duplex networks can be structurally controlled by identifying a minimum number of *driver nodes*, that are controlled nodes which do not share input vertices. If different replicas of the same node can be independently controlled, then the controllability properties of the multiplex network factorize and each layer can be studied as if was taken in isolation^{11,12,16,20}. Liu et al.¹² showed that in a single layer the minimum set of driver nodes can be found by mapping the problem into a matching problem. In real multiplex networks however nodes are usually univocally defined and share common properties across different layers, therefore we make the assumption that each node of the duplex network is either a driver node in each layer or it is not a driver node in any layer. The problem of finding the driver nodes of the duplex network can be thus mapped into a maximum matching problem in which every node has at most one matched incoming link and at most one matched outgoing link, with the constraint that two replica nodes either have no matched incoming links on each layer or have one matched incoming link in each layer (see Fig. 1). This problem can be studied, using statistical mechanics techniques, such as the cavity method and the Belief Propagation (BP) algorithm. Following^{12,16}, we consider the variables $s_{ii}^{\alpha} = 1, 0$ indicating respectively if the directed link from node (i, α) to node (j, α) in layer $\alpha = A, B$ is matched or not. In order to have a matching in each layer of the duplex the following constraints have always to be satisfied

$$\sum_{i\in\partial_{+}^{\alpha}} s_{ij}^{\alpha} \le 1, \quad \sum_{i\in\partial_{-j}^{\alpha}} s_{ij}^{\alpha} \le 1.$$
(3)



Figure 2. Controllability of Poisson duplex networks with average degrees $\langle k^{A,in} \rangle = \langle k^{A,out} \rangle = \langle k^{B,in} \rangle = \langle k^{B,out} \rangle = c$. In panel (**A**) the fraction n_D of driver nodes in a Poisson duplex network with $\langle k^{A,in} \rangle = \langle k^{A,out} \rangle = \langle k^{B,in} \rangle = \langle k^{B,out} \rangle = c$, plotted as a function of the average degree *c*. The points indicate the average BP results obtained over 5 single realizations of the Poisson duplex networks with average degree *c* and $N = 10^4$, the solid line is the theoretical expectation (the error bar, indicating the interval of one standard deviation from the mean, is always smaller or comparable to marker size). The dashed line represents twice the density of driver nodes for a single Poisson network with the same average degree. In panel (**B**) the densities n_c , n_r and n_o respectively of critical redundant and ordinary nodes are shown as functions of *c* for the same type of duplex networks with $N = 10^3$, where each point is the average over 100 different instances. In both panels the dot-dashed vertical line indicates the phase transition average degree $c^* = 3.222326106 \dots$

where $\partial_{+}^{\alpha}i$ is the set of replica nodes (j, α) in layer α that are reached by directed links from (i, α) and $\partial_{-}^{\alpha}j$ is the set of replica nodes (i, α) in layer α that point to (j, α) . In addition, we impose that the driver nodes in the two layers (the unmatched nodes) are replica nodes, i.e.

$$\sum_{\substack{\in \partial_{-j}^{A} \\ j}} s_{ij}^{A} = \sum_{\substack{i \in \partial_{-j}^{B} \\ j}} s_{ij}^{B}.$$
(4)

In this formalism, computing the maximum matching corresponds to minimize an energy function $E = N_D = Nn_D$ where N_D is the number of unmatched replica nodes associated to each matching. The energy *E* for a given matching, can be expressed in terms of the variables s_{ij} as

$$E = \sum_{\alpha} \sum_{j} \left| 1 - \sum_{i \in \partial^{\alpha}_{jj}} s^{\alpha}_{ij} \right|.$$
(5)

In order to study this novel statistical mechanics problem, we derived the BP equations^{33,35,36} (see Methods and Supplementary Material) valid in the locally tree-like approximation, as described for the case of a single network problem in^{12,16,31,32,34}.

Discussion

The controllability of multiplex networks displays a rich phenomenology, coming from the interplay between the dynamical and the structural properties of multiplex networks. Here we characterize the controllability of multiplex networks with different degree distribution and with tunable level of structural correlations.

Phase transition in Poisson duplex networks. We consider duplex networks in which the two layers are realizations of uncorrelated directed random graphs characterized by Poisson distributions for in-degree and out-degree with same average value c, i.e. $\langle k_{in}^{a} \rangle = \langle k_{out}^{a} \rangle = \langle k_{out}^{b} \rangle = c$. In Fig. 2A we report the average rescaled number of driver nodes n_{D} as function of the average degree c computed from the solutions of Eq. (8) on single instances and from the graph ensemble analysis. A comparison with two independent layers with the same topological properties shows that the controllability of a duplex network is in general more demanding in terms of number of driver nodes than the controllability of independent single layers, in particular for low average degrees. In addition, a discontinuity in the number of driver nodes at $c = c^* = 3.2223$... marks a change in the controllability properties of duplex networks that is not observed in uncoupled networks. This is due to a structural change in the solution of the matching problem, in which a finite density of zero valued cavity fields emerges. A careful investigation (see Supplementary Material) reveals that this is a hybrid phase transition with a square root singularity, therefore in the same universality class of the emergence of the mutually connected component in multiplex networks^{1.39,41}.



Figure 3. Phase diagram of the controllability for a Poisson duplex networks with average degrees $\langle k^{A,in} \rangle = \langle k^{A,out} \rangle = c_A$ and $\langle k^{B,in} \rangle = \langle k^{B,out} \rangle = c_B$. The color code indicates the density of driver nodes $n_D = E/N$ in the multiplex network.

In correspondence to this phase transition the network responds non trivially to perturbations. This is observed by performing a numerical calculation of the robustness of the networks. Following¹² we classify the nodes into three categories: *critical nodes, redundant nodes* and *ordinary nodes*. When a critical node is removed from the (multiplex) network, controllability is sustained at the cost of increasing the number of driver nodes. If the number of driver nodes decreases or is unchanged, the removed nodes are classified as redundant and ordinary respectively. Figure 2B shows that the fraction of critical nodes reaches a maximum at the transition, revealing an increased fragility of the duplex network to random damage with respect to single layers. While an abrupt change in the number of driver nodes can result from a small change in the network topology, it is important to stress that the non-monotonic behavior of these quantities around the critical average degree value could be interpreted as a precursor of the discontinuity.

In a duplex network formed by directed Poisson random graphs with different average degree in the two layers (i.e. $\langle k_{in}^{\alpha} \rangle = \langle k_{out}^{\alpha} \rangle = c_{\alpha}$) a similar discontinuous phase transition is observed (see Fig. 3).

Effect of degree correlations on the controllability of duplex networks. We consider a model of duplex network in which the replica nodes of the directed random graphs in the two layers have correlated degrees. In particular, we consider a case in which only the low in-degree nodes (nodes with in-degree equal to 0, 1, 2) are correlated (replica nodes in different layers have same degree with probability p) and a case in which the in-degrees of the replica nodes are equal with probability p independently of their value (see Supplementary Material for details). The controllability of the network is affected by these correlations as shown in Fig. 4. In fact, the number of driver nodes n_D decreases as the level of correlation increases. In duplex networks with Poisson degree distribution, low-degree correlations modify both the position of the hybrid transition and the size of the discontinuity. Once the replica nodes with low in-degree are correlated, a further correlation of the remaining replica nodes does not substantially change the number of driver nodes. This result confirms that structural controllability of random tree-like networks is essentially determined by the control of low degree nodes¹⁶.

Stability of the fully controllable solution. A fully controllable solution, in which a single driver node is necessary to control the whole duplex network, exists if the minimum in-degree and the minimum out-degree are both greater than 1 in both layers. This solution of the cavity equations gives the correct solution to the maximum matching problem describing the controllability of multilayer networks only if no instabilities take place. The stability conditions are then found by imposing that the Jacobian of the systems of equations derived by the cavity method has all its eigenvalues λ_i of modulus less than one, i.e. $|\lambda_i| < 1$. In random duplex networks with the same degree distribution in the two layers, the fully controllable solution is stable (see Supplementary Material for the details of the derivation) if and only if

$$P_{\alpha}^{out}(2) < \frac{\langle k^{\alpha} \rangle_{in} \langle k^{\alpha} \rangle_{out}}{2 \langle k^{\alpha} (k^{\alpha} - 1) \rangle_{in}},\tag{6}$$

for $\alpha = A, B$. On single random networks it was instead recently found¹⁶ that the fully controllable configuration is only stable for



Figure 4. The effect of the degree correlation between replica nodes in different layers on the controllability of multiplex networks. Correlations between the low in-degrees (ld) and correlations between any in-degree node (td), parametrized by p, affect the fraction of driver nodes in the network n_D , both in the case of Poisson networks with the same in and out average degree c across the two layers (Panel A) and in the case of scale-free networks with the same in and out degree distribution across the layers, given by $P(k) \propto k^{-\gamma}$ and minimum in/out degree 1 (Panel B). When p = 0 there is no degree correlation between replica nodes in different layers. The BP data are shown for networks with $N = 10^4$, and are averaged 5 times for panel A and 20 times for panel B.



Figure 5. The fully controllable solution can be stable for the multiplex network also if it is not stable for the single layers taken in isolation. Histogram of the number of networks that out of 100 realizations have N_D driver nodes. The results obtained for the control of a duplex networks and its two layers are compared. The duplex networks are formed by two scale-free networks with $N = 10^4$ and $P^{A,im}(k) = P^{B,im} \propto k^{-\gamma}$ for k > 2 and $P^{A,out}(k) = P^{B,out}(k) \propto k^{-\gamma}$ for k > 2, with $\gamma = 2.3$, the networks have minimum in-degree equal to 2 and minimum out-degree equal to 3 and $P^{A,im}(2) = P^{B,im}(2) = 0.3$.

.....

$$P^{in}(2) < \frac{\langle k \rangle_{in}^2}{2 \langle k(k-1) \rangle_{out}}, \ P^{out}(2) < \frac{\langle k \rangle_{in}^2}{2 \langle k(k-1) \rangle_{in}}.$$
(7)

This implies that for multiplex networks with asymmetric in-degree and out-degree distributions it might occur that the fully controllable solution is stable in the multiplex network but unstable in the single networks taken in isolation (see Fig. 5 for the characterization of the controllability of a similar type of multiplex networks). Therefore a multiplex structure can help to stabilize the fully controllable solution.

In conclusion, within the framework of structural controllability, we have considered the controllability properties of multiplex networks in which the nodes are either driver nodes in all the layers or they are not driver nodes in any layer. Our results show that controlling multiplex networks is more demanding, in terms of number of driver nodes, than controlling networks composed of a single layer. In random duplex networks with Poisson degree distribution, it is possible to observe a hybrid phase transition with a discontinuity in the number of driver nodes as a function of the average degree, that is phenomenologically similar to the emergence of mutually connected components. Close to this phase transition the duplex network exhibits an increased fragility to random damage. The existence of correlations between the degrees of replica nodes in different layers, in particular between low-degree nodes, has the effect of reducing the number of driver nodes necessary to control duplex networks. Finally, multiplex structure of networks can stabilize the fully controllable solution also if this solution is not stable in the single layers that form the multiplex network.

Methods

The BP equations. The BP equations of this problem are derived using the cavity method^{33,35,36} as described for the case of a single network problem in^{12,16,31,32,34}. The same approximation methods can be applied here, as long as the structure of the interconnected layers is locally tree-like both within the layers and across them. Under the decorrelation (replica-symmetric) assumption, the cavity fields (or messages) $\{h_{i \to j}^{\alpha}\}$ and $\{\hat{h}_{i \to j}^{\alpha}\}$, defined on the directed links between neighboring nodes (i, α) and (j, α) in the same layer $\alpha = A, B$ satisfy the zero-temperature limit of the BP equations, also known as Max-Sum equations,

$$\begin{aligned} h_{i \to j}^{\alpha} &= -\max\left[-1, \max_{k \in \partial^{+} i i j} \hat{h}_{k \to i}^{\alpha}\right] \\ \hat{h}_{i \to j}^{A} &= -\max\left[\max_{k \in \partial^{A}_{-} i j} h_{k \to i}^{A}, -\max_{k \in \partial^{B}_{-} j} h_{k \to i}^{B}\right] \\ \hat{h}_{i \to j}^{B} &= -\max\left[\max_{k \in \partial^{B}_{-} i j} h_{k \to i}^{B}, -\max_{k \in \partial^{A}_{-} j} h_{k \to i}^{A}\right] \end{aligned}$$

$$\end{aligned}$$

$$\end{aligned}$$

$$\end{aligned}$$

$$\end{aligned}$$

$$\end{aligned}$$

in which the fields are defined to take values in the discrete set $\{-1, 0, 1\}$ and here and in the following we use the convention that the maximum over a null set is equal to -1 (see Supplementary Material for details). In terms of these fields, the energy E in Eq. (5) becomes

$$E = -\sum_{\alpha} \sum_{i=1}^{N} \max\left[-1, \max_{k \in \partial_{+}^{\alpha} i} \hat{h}_{k \to i}^{\alpha}\right] + \sum_{\alpha} \sum_{(i,j)} \max\left[0, h_{i \to j}^{\alpha} + \hat{h}_{j \to i}^{\alpha}\right] \\ - \sum_{i=1,N} \max\left[0, \max_{k \in \partial_{-}^{A} i} h_{k \to i}^{A} + \max_{k \in \partial_{-}^{B} i} h_{k \to i}^{B}\right].$$

$$(9)$$

BP equations over ensemble of networks. Let us consider the case of uncorrelated duplex networks in which the degree of the same node in different layers are uncorrelated and there is no overlap of the links. In each layer $\alpha = A, B$ we consider a maximally random network with in-degree distribution $P^{\alpha,in}(k)$ and out-degree distribution $P^{\alpha,out}(k)$. At the ensemble level, each link of (the infinitely large) random network forming layer α has the same statistical properties, that we describe through distributions $\mathcal{P}_{\alpha}(h^{\alpha})$ and $\widehat{\mathcal{P}}_{\alpha}(\hat{h}^{\alpha})$ of cavity fields that are defined on the support of Eq. 8, i.e.

$$\mathcal{P}_{\alpha}(\hat{h}^{\alpha}) = w_{1}^{\alpha}\delta(\hat{h}^{\alpha}-1) + w_{2}^{\alpha}\delta(\hat{h}^{\alpha}+1) + w_{3}^{\alpha}\delta(\hat{h}^{\alpha}),$$

$$\hat{\mathcal{P}}_{\alpha}(\hat{h}^{\alpha}) = \hat{w}_{1}^{\alpha}\delta(\hat{h}^{\alpha}-1) + \hat{w}_{2}^{\alpha}\delta(\hat{h}^{\alpha}+1) + \hat{w}_{3}^{\alpha}\delta(\hat{h}^{\alpha}),$$

$$(10)$$

where $\alpha = A, B$ and where the probabilities $w_1^{\alpha}, w_2^{\alpha}, w_3^{\alpha}$ are normalized $w_1^{\alpha} + w_2^{\alpha} + w_3^{\alpha} = 1$ as well as the probabilities $\widehat{w}_1^{\alpha}, \widehat{w}_2^{\alpha}, \widehat{w}_3^{\alpha}$ that satisfy the equation $\widehat{w}_1^{\alpha} + \widehat{w}_2^{\alpha} + \widehat{w}_3^{\alpha} = 1$. The cavity method at the network ensemble level is also known as density evolution method³⁶. It is useful to introduce the generating functions $G_0^{\alpha,in/out}(z)$, and $G_1^{\alpha,in/out}(z)$ of the multiplex network as $G_0^{\alpha,in/out}(z) = \sum_k P^{\alpha,in/out}(k) z^k$, $G_1^{\alpha,in/out}(z) = \sum_k \frac{k}{\langle k^{\alpha} \rangle} P^{\alpha,in/out}(k) z^{k-1}$, with $\alpha = A, B$. In this way, we can derive recursive equations for the network bilities (w_1^{α}) and $(\widehat{\omega}_1^{\alpha})$.

derive recursive equations for the probabilities $\{w_i^{\alpha}\}_{i=1,2,3}^{(n-1)}$ and $\{\widehat{w}_i^{\alpha}\}_{i=1,2,3}$, that are the analogous of the BP equations for an ensemble of uncorrelated duplex networks

$$\begin{split} w_{1}^{\alpha} &= G_{1}^{\alpha,out}(\hat{w}_{2}^{\alpha}), \\ w_{2}^{\alpha} &= [1 - G_{1}^{\alpha,out}(1 - \hat{w}_{1}^{\alpha})], \\ \hat{w}_{1}^{A} &= G_{1}^{A,in}(w_{2}^{A})[1 - G_{0}^{B,in}(1 - w_{1}^{B})], \\ \hat{w}_{2}^{A} &= [1 - G_{1}^{A,in}(1 - w_{1}^{A}) + G_{1}^{A,in}(1 - w_{1}^{A})G_{0}^{B,in}(w_{2}^{B})], \\ \hat{w}_{1}^{B} &= G_{1}^{B,in}(w_{2}^{B})[1 - G_{0}^{A,in}(1 - w_{1}^{A})], \\ \hat{w}_{2}^{B} &= [1 - G_{1}^{B,in}(1 - w_{1}^{B}) + G_{1}^{B,in}(1 - w_{1}^{B})G_{0}^{A,in}(w_{2}^{A})], \end{split}$$
(11)

with $w_3^{\alpha} = 1 - w_1^{\alpha} - w_2^{\alpha}$, and $\widehat{w}_3^{\alpha} = 1 - \widehat{w}_1^{\alpha} - \widehat{w}_2^{\alpha}$. The energy *E* and the entropy density *s* of the matching problem can be also expressed in terms of the $\{w_i^{\alpha}\}_{i=1,2,3}$ and $\{\widehat{w}_i^{\alpha}\}_{i=1,2,3}$ (see Supplementary Material for details).

Hybrid transition for Poisson duplex network. Here we consider the case of two Poisson networks with the same in/out average degree. In other words, we consider the situation in which $\langle k^{A,in} \rangle = \langle k^{A,out} \rangle = \langle k^{B,in} \rangle = \langle k^{B,out} \rangle = c$. We notice that the BP equations can be rewritten to form a closed subsystem of equations for \widehat{w}_1 and \widehat{w}_2 (see Supplementary Material for details),

$$\widehat{w}_1 = h_1(\widehat{w}_1, \ \widehat{w}_2) = e^{-ce^{-c\widehat{w}_1}} \left[1 - e^{-ce^{-c(1-\widehat{w}_2)}} \right]$$
(12)

$$\widehat{w}_{2} = h_{2}(\widehat{w}_{1}, \widehat{w}_{2}) = \left[1 - e^{-ce^{-c(1-\widehat{w}_{2})}} + e^{-ce^{-c(1-\widehat{w}_{2})}}e^{-ce^{-c\widehat{w}_{1}}}\right]$$
(13)

from the solution of which the remaining quantities can be determined.

The value c^* of the average degree c at which the discontinuity in the number of driver nodes n_D observed is found by imposing that Eqs. (12–13) are satisfied together with the condition

I

$$= 0,$$
 (14)

with *J* indicating the Jacobian of the system of equations (12–13). Imposing that Eqs. (12–13) and condition (14) are simultaneously satisfied, the solution $c^* = 3.222326106 \dots$ is found. For $c < c^*$ we observe that $w_3 = \hat{w}_3 = 0$. At c^* we observe a discontinuity in both w_3 and \hat{w}_3 , but for $c > c^*$ the functions $h_1(\hat{w}_1, \hat{w}_2)$ and $h_2(\hat{w}_1, \hat{w}_2)$ are analytic, and analyzing Eqs. (12) and (13) we obtain the behaviour of the order parameters w_3 and \hat{w}_3 for $c > c^*$

$$w_3 - w_3^* \propto (c - c^*)^{1/2} \\ \widehat{w}_3 - \widehat{w}_3^* \propto (c - c^*)^{1/2},$$
(15)

showing that the transition is hybrid.

References

- 1. Boccaletti, S. et al. The structure and dynamics of multilayer networks. Phys. Rep. 544, 1-122 (2014).
- 2. Kivela, M. et al. Multilayer networks. J. Compl. Net. 2, 203-271 (2014).
- 3. Delpini, D. et al. Evolution of controllability in interbank networks. Sci. Rep. 3, 1626 (2013).
- 4. Battiston, S., Puliga, M., Kaushik, R., Tasca, P. & Caldarelli, G. DebtRank: too central to fail? Financial networks, the FED and systemic risk. *Sci. Rep.* 2, 541 (2012).
- Csermely, P., Korcsmáros, T., Kiss, H. J. M., London, G. & Nussinov, R. Structure and dynamics of molecular networks: A novel paradigm of drug discovery: A comprehensive review. *Pharmacol. Ther.* 138, 333–408 (2013).
- 6. Bullmore, E. & Sporns, O. Complex brain networks: graph theoretical analysis of structural and functional systems. *Nat. Rev. Neurosci.* **10**, 186–198 (2009).
- 7. Bonifazi, P. et al. GABAergic hub neurons orchestrate synchrony in developing hippocampal networks. Science 326, 1419–24 (2009).
- 8. Power, J. D. *et al.* Functional network organization of the human brain. *Neuron* **72**, 665–78 (2011).
- 9. Reis, S. D. S. et al. Avoiding catastrophic failure in correlated networks of networks. Nat. Phys. 10, 762-767 (2014).
- 10. Castellani, G., Intrator, N. & Remondini, D. Systems biology and brain activity in neuronal pathways by smart device and advanced signal processing. *Front. Genet.* **5**, 253 (2014).
- 11. Lin, C. T. Structural controllability. IEEE T. Automat. Contr. 19, 201–208 (1974).
- 12. Liu, Y.-Y., Slotine, J.-J. & Barabási, A.-L. Controllability of complex networks. *Nature* **473**, 167–173 (2011).
- 13. Pósfai, M., Liu, Y.-Y., Slotine, J.-J. & Barabási, A.-L. Effect of correlations on network controllability. Sci. Rep. 3, 1067 (2013).
- 14. Ruths, J. & Ruths, D. Control profiles of complex networks. Science 343, 1373-6 (2014).
- 15. Campbell, C., Shea, K. & Albert, R. Comment on "Control profiles of complex networks". Science 346, 561 (2014).
- Menichetti, G., DallAsta, L. & Bianconi, G. Network Controllability Is Determined by the Density of Low In-Degree and Out-Degree Nodes. *Phys. Rev. Lett.* 113, 078701 (2014).
- 17. Nepusz, T. & Vicsek, T. Controlling edge dynamics in complex networks. Nat. Phys. 8, 568-573 (2012).
- 18. Yan, G. et al. Spectrum of controlling and observing complex networks. Nat. Phys. 11, 779–786 (2015).
- 19. Liu, Y. Y.-Y., Slotine, J.-J. J. & Barabasi, A. Control Centrality and Hierarchical Structure in Complex Networks. B. Am. Phys. Soc. 7, 1–14 (2012).
- 20. Slotine, J.-J. E. & Li, W. Applied Nonlinear Control (Prentice-Hall, 1991).
- 21. Wang, X. F. & Chen, G. Pinning control of scale-free dynamical networks. Physica A 310, 521–531 (2002).
- 22. Sorrentino, F., di Bernardo, M., Garofalo, F. & Chen, G. Controllability of complex networks via pinning. *Phys. Rev. E* **75**, 046103 (2007).
- 23. Gutiérrez, R., Sendiña Nadal, I., Zanin, M., Papo, D. & Boccaletti, S. Targeting the dynamics of complex networks. Sci. Rep. 2, 396 (2012).
- 24. Porfiri, M. & di Bernardo, M. Criteria for global pinning-controllability of complex networks. Automatica 44, 3100–3106 (2008).
- 25. De Lellis, P., di Bernardo, M. & Garofalo, F. Synchronization of complex networks through local adaptive coupling. *Chaos* 18, 037110 (2008).
- 26. Wang, W.-X., Ni, X., Lai, Y.-C. & Grebogi, C. Optimizing controllability of complex networks by minimum structural perturbations. *Phys. Rev. E* 85, 026115 (2012).
- 27. Yan, G., Ren, J., Lai, Y.-C., Lai, C.-H. & Li, B. Controlling Complex Networks: How Much Energy Is Needed? *Phys. Rev. Lett.* 108, 218703 (2012).
- 28. Cornelius, S. P., Kath, W. L. & Motter, A. E. Realistic control of network dynamics. Nat. Comm. 4, 1942 (2013).
- 29. Sun, J. & Motter, A. E. Controllability Transition and Nonlocality in Network Control. Phys. Rev. Lett. 110, 208701 (2013).
- 30. Yuan, Z., Zhao, C., Di, Z., Wang, W.-X. & Lai, Y.-C. Exact controllability of complex networks. Nat. Comm. 4, 2447 (2013).
- 31. Zdeborová, L. & Mézard, M. The number of matchings in random graphs. *J. Stat. Mech.* **2006**, P05003–P05003 (2006).
- 32. Altarelli, F., Braunstein, A., Ramezanpour, A. & Zecchina, R. Stochastic Matching Problem. Phys. Rev. Lett. 106, 190601 (2011).
- Mézard, M. & Parisi, G. The Bethe lattice spin glass revisited. *Eur. Phys. J. B* 20, 217–233 (2001).
 Martin, O. C., Monasson, R. & Zecchina, R. Statistical mechanics methods and phase transitions in optimization problems. *Theor. Comput. Sci.* 265, 3–67 (2001).
- 35. Hartmann, A. K. & Weigt, M. Phase Transitions in Combinatorial Optimization Problems: Basics, Algorithms and Statistical Mechanics vol. 4 (John Wiley and Sons, 2005).
- 36. Mézard, M. & Montanari, A. Information, Physics, and Computation (Oxford University Press, 2009).
- 37. Liu, Y.-Y., Slotine, J.-J. & Barabási, A.-L. Observability of complex systems. P. Natl. Acad. Sci. USA 110, 2460-5 (2013).

- 38. Gao, J., Liu, Y.-Y., D'Souza, R. M. & Barabási, A.-L. Target control of complex networks. Nat. Comm. 5, 5415 (2014).
- Buldyrev, S. V., Parshani, R., Paul, G., Stanley, H. E. & Havlin, S. Catastrophic cascade of failures in interdependent networks. *Nature* 464, 1025–8 (2010).
- 40. Gao, J., Buldyrev, S. V., Stanley, H. E. & Havlin, S. Networks formed from interdependent networks. Nat. Phys. 8, 40–48 (2011).
- 41. Baxter, G. J., Dorogovtsev, S. N., Goltsev, A. V. & Mendes, J. F. F. Avalanche Collapse of Interdependent Networks. *Phys. Rev. Lett.* **109**, 248701 (2012).
- 42. Bianconi, G. & Dorogovtsev, S. N. Multiple percolation transitions in a configuration model of a network of networks. *Phys. Rev. E* 89, 062814 (2014).
- 43. Lee, K.-M., Kim, J. Y., Cho, W.-K., Goh, K.-I. & Kim, I.-M. Correlated multiplexity and connectivity of multiplex random networks. *New J. Phys.* 14, 033027 (2012).
- 44. Gómez, S. et al. Diffusion Dynamics on Multiplex Networks. Phys. Rev. Lett. 110, 028701 (2013).

Acknowledgements

L.D. aknowledges the European Research Council for grant n. 267915. GM aknowledges the European Project MIMOmics.

Author Contributions

G.M., L.D. and G.B. designed the study, developed the methodology, performed the analysis and wrote the manuscript.

Additional Information

Supplementary information accompanies this paper at http://www.nature.com/srep

Competing financial interests: The authors declare no competing financial interests.

How to cite this article: Menichetti, G. *et al.* Control of Multilayer Networks. *Sci. Rep.* **6**, 20706; doi: 10.1038/ srep20706 (2016).

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/