

A new proposal to improve the customer competitive benchmarking in QFD

Original

A new proposal to improve the customer competitive benchmarking in QFD / Franceschini, Fiorenzo; Maisano, DOMENICO AUGUSTO FRANCESCO. - In: QUALITY ENGINEERING. - ISSN 0898-2112. - STAMPA. - 34:4(2018), pp. 730-761. [10.1080/08982112.2018.1437178]

Availability:

This version is available at: 11583/2726151 since: 2019-02-23T09:33:23Z

Publisher:

Taylor & Francis

Published

DOI:10.1080/08982112.2018.1437178

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

Taylor and Francis postprint/Author's Accepted Manuscript

This is an Accepted Manuscript of an article published by Taylor & Francis in QUALITY ENGINEERING on 2018, available at <http://www.tandfonline.com/10.1080/08982112.2018.1437178>

(Article begins on next page)

A new proposal to improve the customer competitive benchmarking in QFD

Fiorenzo Franceschini^a and Domenico Maisano^b

^a*fiorenzo.franceschini@polito.it* ^b*domenico.maisano@polito.it*
Politecnico di Torino, Department of Management and Production Engineering (DIGEP)
Corso Duca degli Abruzzi 24, 10129, Torino (Italy)

Abstract

Quality Function Deployment (QFD) is a structured tool that supports the design of new products/services, translating customer requirements into technical and process characteristics. The so-called *Customer Competitive Benchmarking* is a module of the QFD's *House of Quality*, in which a sample of (potential) customers express their perceptions on a set of competing products/services; this information is then elaborated by a cross-functional team of experts and used to define improvement and strategic goals. Despite the importance of this kind of benchmarking for the whole QFD process, the scientific literature reveals limited research.

This paper critically analyzes the traditional procedure of customer-competitive benchmarking, highlighting its major weaknesses and problematic aspects. Additionally, it proposes an alternative procedure to overcome (at least partly) those weaknesses, without undermining the simplicity in data collection and processing. The alternative procedure utilizes the Thurstone's *Law of Comparative Judgment*, which allows to transform subjective judgments by multiple respondents into a collective *cardinal* scaling. The description is supported by several pedagogical and real-life examples.

Keywords: QFD, Customer requirements, Customer competitive benchmarking, Preference ordering, Law of Comparative Judgment, Thurstone's scaling, Ratio scale, Indicator aggregation.

Introduction

About 50 years after its conception (Akao, 1990), *Quality Function Deployment* (QFD) continues to be a very popular and diffused tool to support the design and development process of products/services, helping companies make the key trade-offs between what the customer really wants and what the company can afford to build.

Typical benefits are fewer and earlier design changes, improved cross-functional communication, improved product/service quality, and reduced development time and cost (Hauser and Clausing, 1988; Griffin and Hauser, 1993; Tran and Sherif, 1995; Franceschini, 2002). One of the greatest merits of QFD is to rely on the so-called *Voice of the Customer* (VoC) and to translate the *customer requirements* (CRs) into appropriate technical characteristics, for each stage of the development process of the product/service. In addition, QFD can incorporate benchmarking information of the products/services by representative competitors, from the dual perspective of customer satisfaction

and technical characteristics. This information may help QFD users to make strategic decisions, both from the marketing and technical viewpoint (Shen et al., 2000).

QFD generally utilizes four sets of matrices, which respectively translate (1) CRs into engineering characteristics and, in turn, into (2) parts characteristics, (3) process characteristics, and (4) process/quality-control parameters, according to a sequential approach. For details, we refer the reader to the vast literature and extensive reviews (Chan and Wu, 2002; Franceschini, 2002; Sharma et al., 2008).

The first matrix, defined as *Product Planning House of Quality* or simply *House of Quality* (HoQ), is probably the most important one, since it regards the collection and analysis of the VoC. Not surprisingly, the majority of the (literally) thousands of scientific articles on QFD-related topics are focused exclusively on the HoQ, neglecting the other three matrices (Vinayak and Kodali, 2013). In addition, many proposed variants/improvements of the traditional QFD process often remain pure theory, since the real QFD users (e.g., product/service companies) hardly venture out of it. This apparent dichotomy is probably due to two reasons:

1. In spite of being a very practical tool, QFD has several “methodological weaknesses” that have been stimulating the development of a number of variants/improvements in the Quality Engineering/Management research field;
2. A fundamental attribute of the traditional QFD process is its inherent simplicity of use for the parties involved, i.e., (i) a sample of (potential) customers, with reasonable knowledge of the product/service to be designed, and (ii) a cross-functional team of experts (hereafter abbreviated as “QFD team”), consisting of members from marketing, design, quality, finance and production. Since most of the proposed variants/improvements tend to undermine this simplicity, they are actually unused.

The focus of this paper is on the HoQ, whose construction process can be summarized into ten phases, as represented in Figure 1 (Gonzales et al., 2003; Franceschini and Maisano, 2015). In particular, we will deal with the phases concerning the CR-data analysis, namely: Phase 2, “Relative Importance Ratings”, Phase 3, “Customer Competitive Benchmarking”, and Phase 4, “Final Importance Ratings”. Since this set of phases are closely related to each other and the most relevant one is Phase 3, the expression “Customer Competitive Benchmarking” will hereafter refer to the whole set.

In the traditional HoQ-construction procedure, the Customer Competitive Benchmarking includes several activities of data collection and aggregation, which involve (potential) customers and QFD experts. Most of the data are ordinal subjective/attitudinal measurements that are operationalized via *ordinal* response scales (Iqbal et al., 2017). A typical abuse is to improperly promote these scales to *cardinal* ones, i.e., *interval* or even *ratio* scales (Stevens, 1946; Roberts, 1979; Burke et

al., 2002). Another issue is that ordinal response scales tend to be used subjectively, as there is no absolute reference shared by all respondents (Franceschini et al., 2015a). Yet another issue is the conceptually questionable aggregation model of (sub)indicators (Franceschini et al., 2007).




Figure 1. Phases of the *Product-Planning House of Quality (HoQ)* construction process.

The aim of this paper is to critically analyze the Phases 2, 3 and 4 of the traditional HoQ-construction procedure, and then propose an alternative procedure to overcome its major weaknesses, without undermining simplicity in data collection and processing. The new procedure will make the customer competitive benchmarking easier to manage, as well as more correct from a conceptual point of view. A key element is the repeated application of the *Thurstone's Law of Comparative Judgment (LCJ)*, which allows to aggregate multi-respondent subjective judgments into a cardinal scaling (Thurstone, 1927; Edwards, 1957; Franceschini and Maisano, 2015). The LCJ will be integrated with a practical response mode to collect the subjective judgments, through the formulation of preference orderings (Yager, 2001; Chen et al., 2012; Zheng et al., 2016).

The rest of this paper is organized into five sections. The section “Critical Description of Customer Competitive Benchmarking” illustrates the traditional procedure for Phases 2, 3 and 4 of the HoQ, identifying the major weaknesses and problematic aspects. The section “Basics of the Thurstone’s LCJ” recalls the Thurstone’s LCJ, while the section “A new response mode” introduces a practical response mode that facilitates its integration into the HoQ. The section “New Procedure for Customer Competitive Benchmarking” illustrates the proposed procedure in detail, with the aid of several pedagogical examples. Then, the section “Real-life Application” shows a real-life application example concerned with the design of an aircraft seat for passengers. The concluding section summarizes the original contributions of the article, focusing on the benefits and limitations

of the proposed procedure and possible future research. Further information is contained in the “Appendix” section.

Critical Description of Customer Competitive Benchmarking

This section presents a description of the traditional procedure for Phases 2, 3 and 4 of the HoQ. The description emphasizes the weaknesses of this procedure, which will be overcome by the proposed procedure.

For the purpose of completeness, we recall that the HoQ’s Phase 1 (“Customer Requirements”) results into the formulation of a list of CRs that represent what the customer truly expects from the product/service of interest. This phase is carried out by selecting and interviewing a representative sample of (potential) customers, with a reasonable knowledge of the product/service to be designed (Urban and Hauser, 1993). Subsequently, the QFD experts have to review, reorganize and include the CRs into the HoQ.

Phase 2: Relative Importance Rating

Description

This phase concerns the prioritization of CRs. The expression “Relative Importance Ratings” indicates that this prioritization is aimed at discriminating a CR based on its importance over the others. A sample of respondents – generally the same (potential) customers involved in the VoC collection process – have to express their judgements, using a five-level ordinal response scale (1=Very low importance, 2=Low importance, 3=Medium importance, 4=High importance, and 5=Very high importance). The multi-respondent judgments related to each CR are then aggregated through central tendency indicators, such as the median.

Let us consider the pedagogical example in Table 1, about the construction of the HoQ for a service that is familiar to scholars: an *international scientific conference*. A sample of five respondents (R_1 to R_5) are interviewed to collect the VoC and prioritize the relevant CRs. The resulting importance judgments are then aggregated through the median ($I^{(1)}$).

List of CRs	R_1	R_2	R_3	R_4	R_5	$I^{(1)}$
CR_1 International reputation	3	3	2	3	2	3
CR_2 Suitable mix of research topics	1	3	2	1	3	2
CR_3 Public relations	4	5	5	4	5	5
CR_4 Suitable location	3	5	5	3	3	3

Table 1. Pedagogical example of Phase 2 for the HoQ related to an international scientific conference. Five respondents (R_1 to R_5) express their judgements on the relative importance of four CRs (CR_1 to CR_4).

Critical Analysis

Although being simple and intuitive for respondents, the traditional CR-prioritization procedure has (at least) three weaknesses:

1. Since the CR importance is expressed on an ordinal scale, it only allows comparisons like “ CR_1 and CR_2 have equal importance”, “ CR_1 is more important than CR_2 ”, etc.. Unfortunately, a typical abuse is “promoting” this scale to an *interval* or even *ratio* scale, in which the interval/distance between scale categories is meaningful (Stevens, 1946; Burke et al., 2002; Franceschini et al., 2007). At the risk of oversimplifying, we recall that a ratio scale has the interval property and an *absolute* (or non-arbitrary) *zero*, corresponding to the absence of the attribute of interest; e.g., for a mass scale, the zero position is unique and corresponds to the absence of mass, independently from the unit in use (grams, pounds, stones, etc.).
2. The five-level ordinal scale tends to be used subjectively, as there is no absolute reference shared by all respondents. For example, “indulgent” respondents will tend to assign higher levels of importance, whereas “severe” respondents will tend to assign lower ones. For this reason, it is questionable to aggregate judgments by different respondents through indicators of central tendency.
3. The resolution of the scale (i.e., five levels) may conflict with the real discriminatory power of respondents; e.g., it can be a limitation for respondents able to distinguish among a greater number of hierarchical levels, or it can be overdetailed for respondents unable to distinguish among more than two/three hierarchical levels.

Apart from the traditional procedure, the scientific literature encompasses several alternative techniques for the CR prioritization.

- Techniques based on the *analytic hierarchy process* (AHP) and *analytic network process* (ANP) methods, which require CR judgments expressed in the form of paired-comparison data and defined on a ratio scale; e.g. “ CR_1 is twice as important as CR_2 ” (Chuang, 2001; Franceschini, 2002; Kwong and Bai, 2002; Li et al., 2009). Techniques based on the ANP method are generally more comprehensive than those based on the AHP one, as they can also be used for Phase 8, which focuses on the prioritization of Engineering Characteristics.
- Techniques that allow to model the uncertainty in CRs, taking into account the uncertainty in the relevant customer judgments (Nahm et al., 2013).
- Techniques of scaling, such as the *generalized Yager’s algorithm* (Franceschini et al., 2015a) and the *Thurstone’s LCJ* (Franceschini and Maisano, 2015). Although being based on different response modes, these techniques can be used to aggregate multi-respondent judgments into a CR scaling.

The latter technique represents the starting point of the present research as – with some adaptations – its use will be extended from Phase 2 to Phase 3, with the aim of overcoming the three weaknesses mentioned above.

Phase 3: Customer Competitive Benchmarking

Description

The QFD team, with the predominant contribution of marketing experts, identifies a number of existing products/services to be benchmarked: usually our product/service¹ and two or three others by relevant competitors. One of the purposes of this phase is to know how competing products/services match up to the CRs, compared to our product/service.

Returning to the pedagogical example, let us suppose to compare our existing conference (P_A), with two other competing conferences (P_B and P_C respectively). Of course, the choice of the products/services to be benchmarked should be consistent with the so-called *market segment* of interest: e.g., international scientific conferences should not be confused with regional/national conferences, workshops, exhibitions, etc..

Then, each respondent expresses his/her degree of satisfaction on the CRs of the products/services benchmarked, using another five-level ordinal scale (1=Very low satisfaction, 2=Low satisfaction, 3=Medium satisfaction, 4=High satisfaction, and 5=Very high satisfaction). Judgments by different respondents are aggregated through a central tendency indicator, such as the median, and included into the HoQ. For the purpose of example, Table 2 shows the judgements of five respondents (R_1 to R_5) on the satisfaction level of each CR, for the three conferences benchmarked; these judgements are aggregated through the median (see the S_A , S_B and S_C values in Table 2).

On the basis of competitive benchmarking and strategic consideration, the QFD team then defines the *target* (T) satisfaction level of each CR, on the same afore-described five-level ordinal scale.

The *improvement rate* ($I^{(2)}$) of each CR of the product/service to be designed is then calculated as:

$$I^{(2)} = T / S_A, \quad (1)$$

S_A being the satisfaction level of that CR, for our existing product/service (P_A). For the purpose of example, see the calculation of $I^{(2)}$ in the last column of Table 2.

Next, the focus is on the CRs that are expected to impact more on sales, i.e., those that tend to give the company a competitive advantage over competitors, differentiating its products/services (Van De Poel, 2007). For example, a car manufacturer with a consolidated brand image in terms of *comfort* or *low fuel consumption* will reasonably preserve these features in the design of new car models. For each CR, the so-called *sales point* ($I^{(3)}$) usually takes the value 1.5=Real, 1.2=Potential (e.g., the company plans to invest in it in the future), or 1=Uninfluential (Franceschini, 2002). Returning to the example, it can be assumed that CR_2 is a real sales point, CR_3 is a potential one, while the remaining ones are uninfluential.

¹ The adjective “our” denotes the existing product/service of the company implementing the QFD process. Similarly, the expression “our company” will be used to denote the company itself.

	Satisfaction on P_A						Satisfaction on P_B						Satisfaction on P_C						T	$I^{(2)}$
	R_1	R_2	R_3	R_4	R_5	$\rightarrow S_A$	R_1	R_2	R_3	R_4	R_5	$\rightarrow S_B$	R_1	R_2	R_3	R_4	R_5	$\rightarrow S_C$		
CR_1	2	2	1	2	3	2	4	4	2	3	5	4	3	2	3	3	4	3	4	2.0
CR_2	1	4	3	2	3	3	1	2	2	1	3	2	4	4	3	2	4	4	3	1.0
CR_3	1	3	2	1	2	2	3	5	1	2	3	3	2	1	2	2	3	2	2	1.0
CR_4	1	2	1	1	2	1	2	3	2	1	2	2	5	3	4	4	5	4	3	3.0

Notes:

P_A , P_B and P_C are respectively our conference and two other competing ones;

S_A , S_B and S_C are the median satisfaction levels of each CR, for P_A , P_B and P_C respectively;

T is the target level of satisfaction of each CR, for the conference to be designed;

$I^{(2)}$ is the improvement rate of each CR.

Table 2. Pedagogical example of Phase 3 of the HoQ related to an international scientific conference (see also Table 1).

From the perspective of a generic CR, $I^{(2)}$ and $I^{(3)}$ represent two additional dimensions of importance, which complement the information provided by $I^{(1)}$.

Critical Analysis

The three weaknesses highlighted for the CR-importance judgments (Sect. “Relative Importance Rating”) can be extended to the CR-satisfaction judgements, i.e., (1) the five-level ordinal scale in use has no interval (or distance) property; (2) this scale tends to be used subjectively, depending on the severity/indulgence of respondents; (3) this scale imposes a certain resolution (i.e., 5 hierarchic levels) which could conflict with the real discriminatory power of respondents.

Another possible issue is that QFD experts are supposed to make a collective choice and determine one-and-only-one T value for each CR; this is not so obvious, since they may have conflicting opinions (Van De Poel, 2007). In addition, there is no clear guideline on how to define T values: several authors suggest to focus more on the CRs where our existing product/service is weaker than competitors (Carnevalli and Miguel, 2008); other authors claim that significant effort is required when there is similar performance between our product/service and the others, while, if our product/service outperforms or underperforms, significant effort may not be worth the potential gain (Iqbal et al., 2017); other authors yet suggest to set the degree of improvement, taking into account various aspects, such as *technical* or *financial difficulty*, although it is not perfectly clear how these aspects could be evaluated at this stage (Shen et al., 2000; Vinayak and Kodali, 2013).

In our opinion, the problem of defining T values is a consequence of the intrinsically elusive and ambiguous definition of this indicator. The alternative procedure, illustrated later on, will overcome this problem.

Another weakness of Phase 3 concerns the calculation of $I^{(2)}$ through a ratio (see Eq. 1): this operation is conceptually prohibited as T and S_A are defined on ordinal scales (Stevens, 1946; Roberts, 1979; van de Poel, 2007).

Focusing on *sales points*, QFD experts may, again, find it difficult to make a collective choice on the $I^{(3)}$ score for each CR. Also, the fact that this indicator is expressed on a 3-level ordinal scale (1, 1.2 and 1.5) entails that it cannot be aggregated with other indicators through additive or multiplicative models (Roberts, 1979); this point will be clarified in the next subsection.

Even though several authors recommend that QFD practitioners should always integrate customer competitive benchmarking within the QFD process (Vaziri, 1992; Jeong and Oh, 1998; Chan and Wu, 2005), literature reveals limited research undertaken. Some relevant contributions are the following ones:

- Swanson (1993) proposed the *quality benchmark deployment* method, i.e., a variation of QFD to help organizations logically select critical areas to benchmark and understand the relationship between customers' expectations and performance drivers;
- Lu et al. (1994) developed an integrative approach for strategic marketing by using QFD, AHP and benchmarking;
- Iqbal et al. (2017) proposed a statistical method allowing to perform comparisons between a company's performance and that of competitors, resulting in improved decision making.

Unfortunately, most of these (and other) procedures tend to complicate the data collection process, without overcoming the weaknesses of the traditional procedure.

Phase 4: Final Importance Ratings

Description

The objective of this phase is to determine the so-called *final importance* (I) of each CR, aggregating the three importance dimensions:

$I^{(1)}$ *relative importance*, reflecting the importance of a certain CR over the others, regardless of specific products/services benchmarked;

$I^{(2)}$ *improvement rate*, reflecting the target level of improvement of the product/service to be designed with respect to the existing one, trying to bridge the gap with competitors;

$I^{(3)}$ *sales points*, reflecting the impact of a certain CR on sales.

The traditional aggregation is carried out through the following multiplicative model:

$$I = I^{(1)} \cdot I^{(2)} \cdot I^{(3)}. \quad (2)$$

In case one wants to add extra importance dimensions, the model can be easily adapted by adding multiplicative terms. The I values associated with the CRs can also be expressed in percent form, dividing them by their sum (see the example in Table 3).

	$I^{(1)}$	$I^{(2)}$	$I^{(3)}$	I
CR_1	3	2.0	1.0	6.0 (25.0%)
CR_2	2	1.0	1.5	3.0 (12.5%)
CR_3	5	1.0	1.2	6.0 (25.0%)
CR_4	3	3.0	1.0	9.0 (37.5%)

Table 3. Pedagogical example of Phase 4 for the HoQ related to an international scientific conference (see also Table 1 and Table 2).

Critical Analysis

The aggregation of $I^{(1)}$, $I^{(2)}$ and $I^{(3)}$ through a multiplicative model is questionable for several

reasons:

1. This operation would be acceptable for sub-indicators defined on ratio scales (Roberts, 1979; Franceschini and Maisano, 2010) but, unfortunately, $I^{(1)}$ and $I^{(3)}$ are defined on ordinal scales, while $I^{(2)}$ is obtained through the (conceptually prohibited) ratio of two quantities defined on ordinal scales. One of the possible effects of this aggregation is that transformations that shift the zero-point position or distort the unit of (at least) one sub-indicator may produce uncontrolled variations into I (see the example in Table 4).

	$I^{(1)}$	$I^{(2)}$	$I^{(3)}$	I
CR_1	1 → 2	1.5	1.5	2.3 → 4.5
CR_2	2 → 3	1.3	1	2.6 → 3.9

Table 4. Rank reversal in the I values related to two CRs (CR_1 and CR_2), caused by a scale transformation of the sub-indicator $I^{(1)}$: the initial 1-to-5 scale is transformed into a 2-to-6 one. When adopting the first scale, the resulting I value of CR_2 overcomes that of CR_1 , while when adopting the second one, *vice versa*.

2. The aggregation in Eq. 2 makes it difficult to assess the influence of $I^{(1)}$, $I^{(2)}$ and $I^{(3)}$ on I (JRC-EU, 2008; Iqbal et al., 2017). An aggregation procedure that weighs the contribution of these sub-indicators depending on the QFD-team's policy/strategy would probably be more effective.
3. The multiplicative aggregation model entails that the *substitution rate*² between sub-indicators is not constant (Franceschini and Maisano, 2010). Let us consider the example in Table 5, in which the variation in $I^{(1)}$ between the states 1 and 2 ($\Delta I^{(1)} = +0.83$) is compensated by a certain variation in $I^{(3)}$ ($\Delta I^{(3)} = -0.3$, $I = 5$ being unchanged) and the substitution rate is $\Delta I^{(1)}/\Delta I^{(3)} = -2.78$. In response to the same variation in $I^{(1)}$ (i.e., $\Delta I^{(1)} = +0.83$) between the states 2 and 3, the variation in $I^{(3)}$ is significantly different ($\Delta I^{(3)} = -0.2$) and the substitution rate is almost doubled (i.e., $\Delta I^{(1)}/\Delta I^{(3)} = -4.17$). In other words, the substitution rate is not constant over the $I^{(1)}$ - $I^{(3)}$ plane, as it depends on the $I^{(1)}$ and $I^{(3)}$ values related to the CR of interest.
4. According to some authors, the aggregation through a multiplicative model can be excessively penalizing in the case (at least) one of the sub-indicators has a relatively low value (Iqbal et al., 2017).

(a) States					(b) Substitution-rate calculation			
State	$I^{(1)}$	$I^{(2)}$	$I^{(3)}$	I	State transition	$\Delta I^{(1)}$	$\Delta I^{(3)}$	$\Delta I^{(1)}/\Delta I^{(3)}$
1	3.33	1.0	1.5	5	From 1 to 2	+0.83	-0.30	-2.78
2	4.17	1.0	1.2	5	From 2 to 3	+0.83	-0.20	-4.17
3	5.00	1.0	1.0	5				

Table 5. Substitution rate between $I^{(1)}$ and $I^{(3)}$, in the transition from state 1 to 2 and in the transition from state 2 to 3.

Summary

Table 6 summarizes the main weaknesses found in Phases 2, 3 and 4 of the traditional procedure, which have been discussed in detail in the previous subsections.

² The *substitution rate* between two generic sub-indicators (e.g., $I^{(1)}$ and $I^{(3)}$) is defined as the rate at which the value of one sub-indicator (e.g., $I^{(1)}$) can be increased/decreased in exchange for a decrease/increase in the value of the other sub-indicator (e.g., $I^{(3)}$), maintaining the same value of the aggregated indicator (e.g., I).

HoQ Phase	Goal	Weaknesses
2 - Relative Importance Ratings	Prioritizing CRs in terms of relative importance ($I^{(1)}$)	<ul style="list-style-type: none"> • The traditional five-level scale for customer judgements is just ordinal. • This scale can be used subjectively, depending in the level of severity/indulgence of (potential) customers. • The resolution of the scale may conflict with the discriminatory power of (potential) customers.
3 - Customer Competitive Benchmarking	Comparing different competing products/services and defining the strategic improvements for the new product/service, in terms of customer satisfaction	<ul style="list-style-type: none"> • The traditional five-level scale for customer judgements is just ordinal. • This scale can be used subjectively, depending in the level of severity/indulgence of (potential) customers. • The resolution of the scale may conflict with the discriminatory power of (potential) customers. • The QFD team may find it difficult to converge collectively to some target values (T), which are concerned with the satisfaction of CRs, for the new product/service. • The improvement rate ($I^{(2)}$) is conceptually incorrect, being based on the ratio between two sub-indicators that are defined on ordinal scales. • The QFD team may find it difficult to converge to a collective choice of sales points ($I^{(3)}$), for the new product/service.
4 - Final Importance Ratings	Aggregation of the importance sub-indicators ($I^{(1)}$, $I^{(2)}$ and $I^{(3)}$) into a final importance indicator (I).	<ul style="list-style-type: none"> • The aggregation by means of a multiplicative model assumes that sub-indicators are defined on ratio scales (not just ordinal ones). • The QFD experts do not have any chance to weigh the contributions of the three sub-indicators. • The substitution rate between the importance sub-indicators is not constant.

Table 6. Summary of the weaknesses in the HoQ's Phases 2, 3 and 4, according to the traditional procedure.

Basics of the Thurstone's LCJ

The LCJ is a mathematical model to estimate scale values based on binary choices between specific empirical *objects*³ to be compared. Precisely, Thurstone (1927) postulated the existence of a *psychological continuum*, i.e., an abstract scale, in which objects are placed. The evaluation is based on the degree of a certain *attribute*, i.e., a specific characteristic of the objects, on the basis of which some *respondents* develop their subjective perceptions.

Unfortunately, envisaging the continuum and placing the objects in a reliable and repeatable manner is very difficult for respondents; on the other hand, they may find it easier to formulate comparative judgments by means of comparisons of pairs of objects. Following this idea, a set of (m) respondents express their preferences for each object (O_i) versus any other object (O_j), considering all possible pairs. Preferences are expressed through relations of *strict preference* (e.g., $O_1 > O_2$ or $O_1 < O_2$) or *indifference* (e.g., $O_1 \sim O_2$).

At the risk of oversimplifying, the LCJ can be seen as a “black box” that transforms a set of multi-respondent paired-comparison judgments into scale values with the *interval* property (i.e., with meaningful distance but arbitrary zero (Stevens, 1946)); see the schematic representation in Figure 2.

The LCJ is based on the following additional postulates/assumptions (Thurstone, 1927; Edwards, 1957):

- For the attribute of a generic i -th object (O_i), a preference will exist among respondents;

³ In the original formulation, Thurstone (1927) uses the term “*stimuli*”, which is commonly used in the field of cognitive science.

- For the attribute of O_i , the preference will be distributed normally: $O_i \sim N(\mu_i, \sigma_i^2)$, where μ_i and σ_i^2 are the unknown mean value and variance of that object's attribute. This distribution has been postulated to reflect the intrinsic respondent-to-respondent variability of perceptions;
- For simplicity, the attribute's variances are supposed to be all equal ($\sigma_i^2 = \sigma_j^2 = \dots = \sigma^2$);
- The intercorrelations (in the form of Pearson coefficients ρ_{ij}) between the attributes of pairs of objects (O_i, O_j) are supposed to be all equal ($\rho_{ij} = \rho, \forall i, j$).




Figure 2. Conceptual scheme of the Thurstone's LCJ.

The application of the LCJ is based on five steps:

1. Each respondent expresses a preference for one object over another one. All possible

$$\binom{n}{2} = \frac{n \cdot (n-1)}{2} \text{ pairs are assessed, where } n \text{ is the number of objects of interest. Results may}$$

then be aggregated into a frequency matrix (F), whose general element f_{ij} represents the number of times that O_i was preferred to O_j (i.e., absolute frequency of the preference $O_i > O_j$). Precisely, for each respondent who prefers O_i to O_j , the indicator $f_{ij} \in [0, m]$ is incremented by one unit (m being the total number of respondents). If two objects are considered indifferent (i.e., $O_i \sim O_j$), f_{ij} and f_{ji} are both conventionally incremented by 0.5. Of course, the complementarity relationship $f_{ij} = m - f_{ji}$ holds.

Let us consider an example in which $m = 5$ respondents (R_1 to R_5) express their paired-comparison preferences on the specific attribute of $n = 4$ objects (O_1 to O_4). The matrix F (in Figure 3) contains the f_{ij} values, which are calculated by aggregating the preferences; for example, considering the pairwise comparison between O_1 and O_2 , three respondents (i.e., R_1, R_2 and R_4) prefer O_1 to O_2 (partial score $1+1+1 = 3$), one respondent (i.e., R_5) prefers O_2 to O_1 (partial score 0), and one other respondent (i.e., R_3) considers them indifferent (partial score 0.5), therefore $f_{12}=3.5$.

2. Next, the f_{ij} values are transformed into p_{ij} values, through the relationship:

$$p_{ij} = \frac{f_{ij}}{m}, \quad (3)$$

where p_{ij} represents the observed proportion of times that O_i was chosen over O_j . The matrix P in Figure 3 shows the p_{ij} values obtained from the f_{ij} values in the matrix F . For example, regarding

the comparison between O_1 and O_2 , $p_{12} = 3.5/5 = 0.70$, denoting that the tendency of preferring O_1 to O_2 is around 70%. Of course, the relationship of complementarity $p_{ij} = 1 - p_{ji}$ holds.

3. Next, p_{ij} values are transformed into z_{ij} values, through the relationship:

$$z_{ij} = \Phi^{-1}(1 - p_{ij}), \quad (4)$$

$\Phi()$ being the cumulative distribution function of the standard normal distribution. The element z_{ij} represents a unit normal deviate, which will be positive for all values of $(1 - p_{ij})$ over 0.50 and negative for all values of $(1 - p_{ij})$ under 0.50.

In general, objects are judged differently by respondents. However, if all respondents express the same preference for each outcome, the model is no more viable (p_{ij} values of 1.00 and 0.00 would correspond to z_{ij} values of $\pm\infty$). A simplified approach for tackling this problem is associating values of $p_{ij} \leq 0.023$ with $z_{ij} = \Phi^{-1}(1 - 0.023) = 1.995$ and values of $p_{ij} \geq 0.977$ with $z_{ij} = \Phi^{-1}(1 - 0.977) = -1.995$. More sophisticated solutions to deal with this issue have been proposed (Edwards, 1957; Krus and Kennedy, 1977).

The example in Figure 3 shows the z_{ij} values related to the p_{ij} values, reported in the preceding column; the items marked with “*” are those for which the afore-described simplification is applied.

(a) Respondent judgements									
Paired comparison		R_1	R_2	R_3	R_4	R_5	f_{ij} p_{ij} z_{ij}		
(O_1, O_2)	>	>	~	>	<		3.5	0.70	-0.524
(O_1, O_3)	<	<	<	<	<		0	0.00*	1.995
(O_1, O_4)	<	<	<	~	<		0.5	0.10	1.282
(O_2, O_3)	<	<	<	<	<		0	0.00*	1.995
(O_2, O_4)	<	<	<	<	<		0	0.00*	1.995
(O_3, O_4)	~	~	<	>	>		3	0.60	-0.253

(b) matrix F					(c) matrix P					(d) matrix Z				
	O_1	O_2	O_3	O_4		O_1	O_2	O_3	O_4		O_1	O_2	O_3	O_4
O_1	2.5	3.5	0	0.5	O_1	0.50	0.70	0.00*	0.10	O_1	0.000	-0.524	1.995	1.282
O_2	1.5	2.5	0	0	O_2	0.30	0.50	0.00*	0.00*	O_2	0.524	0.000	1.995	1.995
O_3	5	5	2.5	3	O_3	1.00*	1.00*	0.50	0.60	O_3	-1.995	-1.995	0.000	-0.253
O_4	4.5	5	2	2.5	O_4	0.90	1.00*	0.40	0.50	O_4	-1.282	-1.995	0.253	0.000

Notes:

f_{ij} denotes the number of times that O_i is preferred to O_j ;

p_{ij} denotes the proportion of times that O_i is preferred to O_j ;

$z_{ij} = \Phi^{-1}(1 - p_{ij})$;

(*) for $p_{ij} \leq 0.023$, z_{ij} is conventionally set to 1.995, while for $p_{ij} \geq 0.977$, it is set to -1.995.

Figure 3. Example of construction of the f_{ij} , p_{ij} and z_{ij} values (and relevant matrices F , P and Z) related to the paired-comparison preferences by five respondents (R_1 to R_5) on four objects (O_1 to O_4).

4. Next, the z_{ij} values related to the possible paired comparisons are reported into the matrix Z (see Figure 3). Being z_{ij} and z_{ji} unit normal deviates related to complementary cumulative probabilities (i.e., $p_{ji} = (1 - p_{ij})$), the relationship $z_{ji} = -z_{ij}$ holds.

5. Finally, the so-called *Thurstone's scaling* can be performed according to the following operations (see Figure 4):

- summing the values into each column of the matrix \mathbf{Z} ;
- dividing these sums by n , i.e., the number of objects ($n = 4$ in this case).

It can be demonstrated that the result obtained for each column corresponds to a linear transformation of the unknown average value (μ_j) of the j -th object's attribute; in mathematical terms:

$$\mu_j' = \sum_i (z_{ij}) / n = k_1 \cdot \mu_j + k_2, \quad (5)$$

being $k_1 = \frac{1}{\sqrt{2 \cdot \sigma^2 (1 - \rho)}}$, $k_2 = -\frac{\left(\sum_i \mu_i\right) / n}{\sqrt{2 \cdot \sigma^2 (1 - \rho)}}$.

The Thurstone's scaling therefore allows to determine the μ_j values up to a positive (unknown) scale factor (k_1) and an additive constant (k_2). A formal proof is given in (Thurstone, 1927; Edwards, 1957; Franceschini and Maisano, 2015). Since the LCJ operates only on judgements of differences between objects, it cannot determine an absolute zero point. In other words, the resulting scale values are defined on an *interval* scale, i.e., a scale with meaningful interval/distance but arbitrary origin and unit (Stevens, 1946; Torgerson, 1958).

Since LCJ is a statistical procedure, the larger the number of respondents is, the more reasonable and robust results tend to be. Empirical studies show that this condition is generally reached with a number of respondents around (at least) ten units (Thurstone, 1927; Edwards, 1957; Torgerson, 1958).

Figure 4 exemplifies the Thurstone's scaling relating to the example in Figure 3.

	O ₁	O ₂	O ₃	O ₄
O ₁	0.000	-0.524	1.995	1.282
O ₂	0.524	0.000	1.995	1.995
O ₃	-1.995	-1.995	0.000	-0.253
O ₄	-1.282	-1.995	0.253	0.000
Σ_j	-2.753	-4.515	4.244	3.024
$\mu_j' = \Sigma_j / n$	-0.688	-1.129	1.061	0.756

Figure 4. \mathbf{Z} matrix related to the z_{ij} data reported in Figure 3 and corresponding Thurstone's scaling.

New response mode for the LCJ integration into the HoQ

Although the LCJ is a well-established, elegant and effective technique, there are three limitations to its use within the HoQ:

1. The response mode based on paired comparisons is laborious and tedious for respondents,

especially when the number of objects is large.

2. Often it is advantageous to express the positioning of the objects with reference to an *absolute* zero point rather than an *arbitrary* one⁴. The scientific literature includes several techniques to provide a rough estimate of an absolute zero, which is also denominated *rational zero point* (Lim, 2011; Thurstone and Jones, 1957; Torgerson, 1958). For example, Torgerson (1958) proposed a technique based on the correlation between the results of the LCJ and those of the so-called *Method of Single Stimuli* (Volkman, 1932); this technique will be recalled later on in the paper.

Unfortunately, these (and other) techniques tend to overcomplicate the response mode, requiring additional evaluations by respondents.

3. Even assuming that an absolute-zero point could be estimated, the LCJ results in an arbitrary unit, which does not allow to identify the absolute degree of a certain attribute, with respect to the extreme situations of (i) *absence* (i.e., absolute zero) and (ii) *maximum-imaginable*⁵ degree. In other words, the interval scale resulting from the LCJ is not “anchored” with respect to the (unknown) psychological continuum, in which objects are positioned. This limitation makes the results of different Thurstone’s scaling processes incomparable.

The two previous limitations will be addressed in the following subsections.

Preference orderings

In the standard LCJ procedure, response data are expressed in the form of paired-comparison preference judgements. A significant drawback of this approach is that it can be tedious and complex to manage, especially when the number of objects is large and much repetitious information is required from respondents. However, paired-comparison preference judgments can be obtained indirectly, by using more practical response modes (Franceschini and Maisano, 2015). For example, judgements can be expressed using the classical five-level ordinal scale, then turned into *preference orderings* and, then again, into paired-comparison data (see the example in Figure 5).

Alternatively, preference orderings may be directly formulated by respondents and then turned into paired-comparison data. A practical way to do this is asking each respondent to position some *tags* (even immaterial ones, through some software interface) in order of preference: the more preferred ones should be positioned in the top positions while the less preferred ones in the lower ones; those

⁴ This also applies to Phases 2, 3 and 4 of the HoQ, where aggregated judgments are treated as if they were defined on a (ratio) scale with an absolute-zero point (cf. Sect. “Critical Description of Customer Competitive Benchmarking”).

⁵ We have implicitly assumed that the (unknown) *psychological continuum is included* between an absolute-zero point, corresponding to the *absence* of the attribute, and a point corresponding to the *maximum-imaginable* degree of the attribute (Torgerson, 1958). This assumption, which is quite common for psychometric studies on subjective perceptions (Lim, 2011), will be discussed in more detail later on in the paper.

positioned at the same hierarchical level are considered indifferent (see the example Figure 6).

In this way, each respondent constructs a *linear* preference ordering, i.e., a chain of objects linked by *strict preference* (“>”) and *indifference* (“~”) relationships; the resulting number of hierarchical levels may change depending on the number of objects and their mutual relationships (Yager, 2001; Nederpelt and Kamareddine, 2004). We also note that this response mode forces respondents to be *transitive* (e.g., if $O_1 > O_2$ and $O_2 > O_3$, then $O_1 > O_3$).




Figure 5. Example of (indirect) determination of paired-comparison relationships from judgments expressed using a five-level ordinal scale, then turned into a preference ordering.




Figure 6. Practical technique for supporting the construction of preference orderings, using tags.

Even though the direct formulation of preference orderings may sometimes be less practical than the use of five-level ordinal scales (e.g., in the case of telephone or street interviews) (Alwin and Krosnick, 1985), the fact remains that it is less prone to subjective interpretations and does not impose any discriminatory power to respondents (cf. critical considerations on HoQ’s Phases 2 and 3).

Anchoring the Thurstone’s Scaling: the ZM-technique

Another obstacle to the integration of the LCJ within the HoQ is that the resulting (interval) scale is not “anchored”, as it has an arbitrary zero point and an arbitrary unit. One may be tempted to overcome this obstacle promoting this scale to a ratio one with a conventional unit, introducing conceptually wrong transformations (see Sect. “Example of Improper Scale Promotion”, in the appendix).

As mentioned above, the scientific literature includes several techniques to estimate the position of the absolute zero and/or anchor the LCJ's scale, even though they inevitably complicate the response mode. For example, the technique proposed by Torgerson (1958, page 196) requires that each judge directly assigns the scale values of the objects, in a range included between two anchor points: i.e., a (presumed) absolute-zero point (set to 0), corresponding to the absence of the attribute, and a point corresponding to the *maximum-imaginable* degree of the attribute, which is conventionally set to 5. While aware of the difficulty and potential unreliability of this direct-assignment process, Torgerson suggests to use it just for the purpose of anchoring the LCJ scale (Torgerson, 1958). An application example of this technique is reported in the section "Torgerson's anchoring" (in the appendix).

We have developed a new anchoring technique, denominated "ZM-technique", that is more consistent with the response mode based on preference orderings (in the section "Preference orderings"). Our proposal is to apply the LCJ including two *dummy* or *anchor* objects in addition to the regular ones:

- (Z) a dummy/anchor object corresponding to the absence of the attribute of interest ("Z" stands for "zero");
- (M) a dummy/anchor object corresponding to the maximum-imaginable degree of the attribute ("M" stands for "maximum-imaginable").

Likewise the regular objects, *Z* and *M* can be represented on the psychological continuum and follow a normal distribution, with unknown mean value and variance (see Sect. "Basics of the Thurstone's LCJ"). The procedure of collection of respondent judgments is then modified by considering the regular objects (O_1 , O_2 , etc.) and the dummy/anchor objects (*Z* and *M*). Each respondent then formulates a preference ordering of these objects, with two important requirements (see an example of questionnaire in Figure A.4, in the appendix).

1. *Z* should be positioned at the bottom of the preference ordering, i.e, there should not be any other object with preference lower than *Z*. In the case the attribute of another object is judged to be absent, that object will be considered indifferent to *Z* and positioned at the same hierarchical level.
2. *M* should be positioned at the top of the preference orderings, i.e., there should not be any other object with preference higher than *M*. In the case the attribute of another object is judged to be the maximum-imaginable, that object will be considered indifferent to *M* and positioned at the same hierarchical level.

Next, the Thurstone's scaling is performed and the resulting (interval) scale is transformed into a new one, which is defined in the conventional range [0, 10]; the following linear transformation is used:

$$\frac{y-0}{10-0} = \frac{x-x_Z}{x_M-x_Z} \Rightarrow y = 10 \cdot \frac{x-x_Z}{x_M-x_Z}, \quad (6)$$

where

x_Z and x_M are the scale values of Z and M , resulting from the LCJ;

x is the scale value of a generic object, resulting from the LCJ;

y is the relevant transformed scale value, in the conventional range $[0, 10]$.

The introduction of Z and M allows to anchor the LCJ scale into a new scale (y) with a conventional unit and an absolute zero point (since it corresponds to the absence of the attribute); it is therefore not unreasonable to consider y as a *ratio* scale. On the other hand, setting the value of M to 10 is a conventional assumption to make the scale comparable⁶ with those obtained from analogous LCJ processes.

Let us return to the example in Sect. “Basics of the Thurstone’s LCJ”, in which five respondents (R_1 to R_5) formulate their preference orderings of four objects (O_1 to O_4); consistently with what explained before, these orderings also include the two dummy/anchor objects Z and M (see Figure 7).




Figure 7. Example of preference orderings formulated by five respondents (i.e., R_1 to R_5), including four regular objects (O_1 to O_4) and two dummy/anchor objects (Z and M).

It can be noticed that R_4 has positioned Z and O_2 at the bottom of the preference ordering (absence of the attribute). On the other hand, R_2 and R_3 have positioned M and other objects at the top of their orderings (maximum-imaginable degree of the attribute).

The preference orderings are then translated into paired-comparison relationships, as shown in

⁶ The adjective “comparable” means that the resulting scales **should have** a common unit; e.g., let us assume that the LCJ is used to evaluate the courtesy of some call-center operators, according to the judgments of a sample of customers, and this evaluation is repeated annually: without proper normalization, comparing the results of two processes would not be correct.

Figure 8(a). If one excludes the paired-comparison relationships with at least one of the dummy/anchor objects, the remaining ones are identical to those in the example in Figure 3; in other words, the problem in Figure 3 is in some ways “encapsulated” into the (more general) one in Figure 8.

(a) Respondent judgements, paired comparisons, and f_{ij} , p_{ij} , z_{ij} values

Paired comparison	R_1	R_2	R_3	R_4	R_5	f_{ij}	p_{ij}	z_{ij}
(O_1, O_2)	>	>	~	>	<	3.5	0.70	-0.524
(O_1, O_3)	<	<	<	<	<	0	0.00*	1.995
(O_1, O_4)	<	<	<	~	<	0.5	0.10	1.282
(O_2, O_3)	<	<	<	<	<	0	0.00*	1.995
(O_2, O_4)	<	<	<	<	<	0	0.00*	1.995
(O_3, O_4)	~	~	<	>	>	3	0.60	-0.253
(O_1, Z)	>	>	>	>	>	5	1.00*	-1.995
(O_2, Z)	>	>	>	~	>	4.5	0.90	-1.282
(O_3, Z)	>	>	>	>	>	5	1.00*	-1.995
(O_4, Z)	>	>	>	>	>	5	1.00*	-1.995
(O_1, M)	<	<	<	<	<	0	0.00*	1.995
(O_2, M)	<	<	<	<	<	0	0.00*	1.995
(O_3, M)	<	~	<	<	<	0.5	0.10	1.282
(O_4, M)	<	~	~	<	<	1	1.00*	-1.995

(b) matrix F

	O_1	O_2	O_3	O_4	Z	M
O_1	2.5	3.5	0.0	0.5	5.0	0.0
O_2	1.5	2.5	0.0	0.0	4.5	0.0
O_3	5.0	5.0	2.5	3.0	5.0	0.5
O_4	4.5	5.0	2.0	2.5	5.0	1.0
Z	0.0	0.5	0.0	0.0	2.5	0.0
M	5	5	4.5	4	5	2.5

(c) matrix P

	O_1	O_2	O_3	O_4	Z	M
O_1	0.50	0.70	0.00*	0.10	1.00*	0.00*
O_2	0.30	0.50	0.00*	0.00*	0.90	0.00*
O_3	1.00*	1.00*	0.50	0.60	1.00*	0.10
O_4	0.90	1.00*	0.40	0.50	1.00*	0.20
Z	0.00*	0.10	0.00*	0.00*	0.50	0.00*
M	1.00*	1.00*	0.90	0.80	1.00*	0.50

(d) matrix Z

	O_1	O_2	O_3	O_4	Z	M
O_1	0.00	-0.52	2.00	1.28	-2.00	2.00
O_2	0.52	0.00	2.00	2.00	-1.28	2.00
O_3	-2.00	-2.00	0.00	-0.25	-2.00	1.28
O_4	-1.28	-2.00	0.25	0.00	-2.00	0.84
Z	2.00	1.28	2.00	2.00	0.00	2.00
M	-2.00	-2.00	-1.28	-0.84	-2.00	0.00
Σ_j	-2.75	-5.23	4.96	4.18	-9.26	8.11
$\mu_j^i = \Sigma_j / n$	-0.46	-0.87	0.83	0.70	-1.54	1.35
$\mu_j'' [0, 10]$	3.7	2.3	8.2	7.7	0	10

Notes:

Z is a dummy/anchor object denoting the zero preference level;

M is a dummy/anchor object denoting the maximum-possible preference level;

$n=6$ is the total number of objects, including Z and M ;

*values of $p_{ij} \leq 0.023$ and ≥ 0.977 have been conventionally associated with $z_{ij} = 1.995$ and -1.995 respectively;

f_{ij} denotes the number of times that O_i is preferred to O_j ;

p_{ij} denotes the proportion of times that O_i is preferred to O_j ;

$z_{ij} = \Phi^{-1}(1 - p_{ij})$.

Figure 8. Example of LCJ application to the preference orderings in Figure 7: (a) paired-comparison relationships, (b) matrix F , (c) matrix P , (d) matrix Z and resulting Thurstone’s scaling.

Comparing the resulting Thurstone’s scaling (in Figure 8(d)) with that in Figure 4 (in the absence of Z and M), we note that the rankings of the regular objects (O_1 to O_4) are coincident (i.e., $O_2 < O_1 < O_4 < O_3$), even if the distances between the scale values are slightly changed. This reveals a certain robustness of the LCJ, although it can be demonstrated that this technique may violate the Arrow’s axiom of *independence of irrelevant alternatives*⁷ (IIR) (Arrow and Raynaud, 1986; Dym et al., 2002; Van De Poel, 2007; Franceschini et al., 2015b).

Given that the introduction of Z and M increases the information content of preference orderings, it may also cause some variation in the results. For example, the information that the attribute of a specific object is absent or with the maximum-imaginable degree is richer than the information that the same attribute is just lower or higher than the remaining ones.

⁷ According to this axiom, the preference between two objects O_i and O_j should depend only on the individual preferences between O_i and O_j **exclusively**: if one object is removed, **the algorithm scaling should result into the same ordering of the remaining objects**.

The price to pay for this information enrichment is the increased effort of respondents, who should also consider the two dummy/anchor objects and envisage their “absolute” meaning. This certainly represents a new element of complexity (Paruolo et al. 2013).

We have experimentally verified that the proposed anchoring technique provides results in line with those obtained from other techniques in the literature. For example, it can be seen that the results in Figure 8 are strongly correlated with those obtained through the Torgerson’s technique (see the section “Torgerson’s anchoring”, in the appendix). Additionally, it was empirically observed that the correlation tends to increase for problems with a larger number of objects and/or respondents.

New Procedure for Customer Competitive Benchmarking

The following sub-sections describe in detail the Phases 2, 3 and 4 of the new procedure for the Customer Competitive Benchmarking.

New phase 2

Initially, the LCJ is used to determine the relative importance of CRs. Consistently with what proposed in Sect. “Critical Description of Customer Competitive Benchmarking”, a response mode based on preference orderings can be used. Specifically, each of the interviewed customers formulates a preference ordering of the CRs, based on their importance for the products/services in the market segment of interest. Preference orderings include the two dummy/anchor CRs: Z , with zero importance, and M , with the maximum-imaginable degree of importance.

For the purpose of example, Table 7 contains the preference orderings about the CRs for an international scientific conference, by five fictitious respondents (see Table 1). These orderings are similar to those exemplified in Figure 7; the only difference is that labels “ O_1 ”, “ O_2 ”, etc. are replaced with “ CR_1 ”, “ CR_2 ”, etc.. The application of the LCJ obviously originates the same scaling reported in Figure 8(d), which can be in turn rescaled in the range $[0, 10]$ (through the transformation in Eq. 6), resulting in: 3.7 (CR_1), 2.3 (CR_2), 8.2 (CR_3) and 7.7 (CR_4); the scale values of the two dummy/anchor CRs are obviously 0 (Z) and 10 (M).

Preference orderings by five respondents	
R_1	$M > CR_4 \sim CR_3 > CR_1 > CR_2 > Z$
R_2	$CR_3 \sim CR_4 \sim M > CR_1 > CR_2 > Z$
R_3	$CR_4 \sim M > CR_3 > CR_2 \sim CR_1 > Z$
R_4	$M > CR_3 > CR_4 \sim CR_1 > Z \sim CR_2$
R_5	$M > CR_3 > CR_4 > CR_2 > CR_1 > Z$

→ $I^{(1)}$: 3.7 (CR_1), 2.3 (CR_2), 8.2 (CR_3), 7.7 (CR_4), 0 (Z), 10 (M).

Z is a dummy/anchor product/service denoting the zero importance;
 M is a dummy/anchor product/service denoting the maximum-imaginable importance.

Table 7. Preference orderings, formulated by five respondents (R_1 to R_5), on the relative importance of the four CRs in Table 1, and resulting Thurstone’s scaling; see also the intermediate steps in Figure 7 and Figure 8.

Based on the considerations presented in Sect. “Anchoring the Thurstone’s scaling”, the new scale can be considered as a ratio one.

New Phase 3

Customer satisfaction. At first, the QFD team, with the predominant contribution of marketing experts identify three (or more) products/services to be benchmarked (P_A, P_B, \dots), as representative of the market segment of interest. Then, (potential) customers have to judge the level of satisfaction of each CR, formulating a preference ordering of the benchmarked products/services. The number of preference orderings by each respondent will therefore correspond to the number (n) of CRs. Preference orderings should also include two dummy/anchor products/services, Z and M , which correspond respectively to the zero and the maximum-imaginable degree of satisfaction.

Returning to the previous example, let us assume that (potential) customers formulate their preference orderings of three conferences: (P_A) our existing conference, (P_B) the conference of the first competitor, and (P_C) the conference of the second competitor (see results in Table 8).

	R_1	R_2	R_3	R_4	R_5
CR_1	$M > P_B > P_A > P_C > Z$	$P_B \sim M > P_C \sim P_A > Z$	$P_B \sim M > P_C > P_A > Z$	$M > P_B > P_C \sim P_A > Z$	$M > P_C > P_B > P_A > Z$
CR_2	$M > P_A > P_C \sim P_B > Z$	$P_A \sim M > P_C \sim P_B > Z$	$M > P_C \sim P_A > P_B > Z$	$M > P_C > P_A \sim P_B > Z$	$M > P_C > P_A > P_B > Z$
CR_3	$M > P_C \sim P_B > P_A > Z$	$P_B \sim M > P_C \sim P_A > Z$	$M > P_B > P_C \sim P_A > Z$	$M > P_B > P_C \sim P_A > Z$	$M > P_C \sim P_A > P_B > Z$
CR_4	$P_C \sim M > P_B > Z \sim P_A$	$P_C \sim M > P_A > P_B > Z$	$P_C \sim M > P_B > Z \sim P_A$	$M > P_C > P_B > Z \sim P_A$	$M > P_C > P_B > P_A > Z$

P_A is our existing international scientific conference;
 P_B is the existing conference of the first competitor;
 P_C is the existing conference of the second competitor;
 Z is a dummy/anchor product/service denoting the zero-satisfaction level;
 M is a dummy/anchor product/service denoting the maximum-imaginable satisfaction level.

Table 8. Preference orderings formulated by five respondents (R_1 to R_5), on the level of satisfaction of three international scientific conferences (i.e., P_A, P_B and P_C), with respect to the four CRs in Table 1. Z and M are two dummy/anchor conferences with zero and maximum-imaginable satisfaction level of the CRs.

For each CR, the multi-respondent preference orderings are then aggregated through the following steps: (1) translation of preference orderings into paired-comparison relationships, (2) determination of the f_{ij} , p_{ij} and z_{ij} values (and relevant matrices, F , P and Z), (3) Thurstone’s scaling, and (4) rescaling into the range $[0, 10]$ (through the transformation in Eq. 6). Figure 9 reports the aggregation of the preference orderings and the resulting indicators of collective satisfaction (S_A, S_B, S_C), for the benchmarked conferences (see also Table 9). The comparability among these indicators is ensured by the presence of the dummy/anchor products/services (Z and M), which are used to anchor the relevant scales with each other.

Consistently with the criticism in Sect. “Phase 3: Customer Competitive Benchmarking”, the traditional procedure for determining the *improvement rate* ($I^{(2)}$) has been simplified significantly, with no need to introduce the indicator T .




Figure 9. CR-by-CR results of the Thurstone's scaling for the customer-satisfaction preference orderings in Table 8.

Given that (i) the relative positioning of the benchmarked products/services is considered when determining the S_A values of our existing product/service and (ii) the dummy/anchor product/service $M = 10$ depicts the maximum-imaginable satisfaction, to which our company should asymptotically aim, we suggest that:

$$I^{(2)} = M - S_A = 10 - S_A. \quad (7)$$

$I^{(2)}$ can be interpreted as an indicator of *potential improvement*, for a certain CR of our existing product/service. This does not necessarily mean that the new product/service should achieve the maximum-imaginable satisfaction level for each CR: this will depend on the mix of technical characteristics related to the CRs and on their specific values (i.e, Phases 8 and 9 of the HoQ). The resulting scale of $I^{(2)}$ will obviously be included between 0 (no potential improvement) and 10

(maximum-imaginable potential improvement); see the example in Table 9. It is worth remarking that this new logic simplifies the traditional procedure, eliminating T and therefore any possible ambiguity in the interpretation of this indicator.

	S_A	S_B	S_C	$I^{(2)}$
CR_1	3.9	8.1	5.0	6.1
CR_2	6.5	3.8	5.8	3.5
CR_3	4.5	6.6	5.1	5.5
CR_4	1.7	4.1	9.2	8.3

Table 9. Summary of the results of the scaling process in Figure 9: S_A , S_B and S_C respectively depict the level of satisfaction of each CR for the benchmarked products/services (P_A , P_B and P_C), while $I^{(2)}$ is calculated according to Eq. 7.

Sales points. The QFD team should identify the CRs that mostly affect sales. Since this evaluation is subjective, we suggest the QFD experts express their individual judgments, which are then aggregated into a collective scaling. Again, the Thurstone's LCJ seems well suited for this purpose. In practice, each expert formulates a preference ordering of the CRs, depending on their impact on sales; this ordering also includes the two dummy/anchor CRs, Z and M , respectively corresponding to the absence and the maximum-imaginable degree of influence on sales. Subsequently, preference orderings are translated into paired-comparison relationships and the Thurstone's scaling is applied. Figure 10 exemplifies this construction for the HoQ related to the international scientific conference. It can be noticed that the number of hierarchical levels in the preference orderings by three experts (E_1 to E_3) tends to be low, since just a few CRs are likely to be strategic.

As shown, the resulting $I^{(3)}$ values of CR_1 to CR_4 are respectively 1.8, 9.5, 5.3 and 1.5, denoting great impact on sales of CR_2 , intermediate impact of CR_3 , low impact of CR_1 and CR_4 . The benefit of this procedure is to drive the QFD team to a collective choice, overcoming the conflicting opinions by individual experts. Likewise $I^{(1)}$ and $I^{(2)}$, $I^{(3)}$ can be considered as defined on a *ratio* scale.

(a) Expert (E_1 to E_3) judgements, paired-comparison relationships, and relevant values of f_{ij} , p_{ij} , and z_{ij}

Expert	Preference ordering	Paired comparison			f_{ij}	p_{ij}	z_{ij}	
E_1	$M > CR_2 > CR_3 > CR_1 > Z \sim CR_4$	(CR_1, CR_2)	<	<	<	0	0.00*	1.995
E_2	$CR_2 \sim M > CR_3 > CR_1 > Z \sim CR_4$	(CR_1, CR_3)	<	<	<	0	0.00*	1.995
E_3	$CR_2 \sim M > CR_4 \sim CR_3 > Z \sim CR_1$	(CR_1, CR_4)	>	>	<	2	0.67	-0.431
		(CR_2, CR_3)	>	>	>	3	1.00*	-1.995
		(CR_2, CR_4)	>	>	>	3	1.00*	-1.995
		(CR_3, CR_4)	>	>	~	2.5	0.83	-0.967
		(CR_1, Z)	>	>	~	2.5	0.83	-0.967
		(CR_2, Z)	>	>	>	3	1.00*	-1.995
		(CR_3, Z)	>	>	>	3	1.00*	-1.995
		(CR_4, Z)	~	~	>	2	0.67	-0.431
		(CR_1, M)	<	<	<	0	0.00*	1.995
		(CR_2, M)	<	~	~	1	0.33	0.431
		(CR_3, M)	<	<	<	0	0.00*	1.995
		(CR_4, M)	<	<	<	0	0.00*	1.995

(b) matrix F

	CR_1	CR_2	CR_3	CR_4	Z	M
CR_1	1.5	0.0	0.0	2.0	2.5	0.0
CR_2	3.0	1.5	3.0	3.0	3.0	1.0
CR_3	3.0	0.0	1.5	2.5	3.0	0.0
CR_4	1.0	0.0	0.5	1.5	2.0	0.0
Z	0.5	0.0	0.0	1.0	1.5	0.0
M	3	2	3	3	3	1.5

(c) matrix P

	CR_1	CR_2	CR_3	CR_4	Z	M
CR_1	0.50	0.00*	0.00*	0.67	0.83	0.00*
CR_2	1.00*	0.50	1.00*	1.00*	1.00*	0.33
CR_3	1.00*	0.00*	0.50	0.83	1.00*	0.00*
CR_4	0.33	0.00*	0.17	0.50	0.67	0.00*
Z	0.17	0.00*	0.00*	0.33	0.50	0.00*
M	1.00*	0.67	1.00*	1.00*	1.00*	0.50

(d) matrix Z

	CR_1	CR_2	CR_3	CR_4	Z	M
CR_1	0.00	2.00	2.00	-0.43	-0.97	2.00
CR_2	-2.00	0.00	-2.00	-2.00	-2.00	0.43
CR_3	-2.00	2.00	0.00	-0.97	-2.00	2.00
CR_4	0.43	2.00	0.97	0.00	-0.43	2.00
Z	0.97	2.00	2.00	0.43	0.00	2.00
M	-2.00	-0.43	-2.00	-2.00	-2.00	0.00
Σ_j	-4.59	7.55	0.97	-4.96	-7.38	8.41
$\mu_j' = \Sigma_j / n$	-0.76	1.26	0.16	-0.83	-1.23	1.40
$\mu_j'' [0-10] = f^{(3)}$	1.8	9.5	5.3	1.5	0.0	10.0

Notes:

Z is a dummy CR with zero importance for sales points;

M is a dummy CR with maximum-possible importance for sales points;

$n=6$ is the total number of CRs, including the dummy ones;

f_{ij} denotes the number of times that CR_i is preferred to CR_j ;

p_{ij} denotes the proportion of times that CR_i is preferred to CR_j ;

$z_{ij} = \Phi^{-1}(1 - p_{ij})$;

(*) values of $p_{ij} \leq 0.023$ and ≥ 0.977 have been conventionally associated with $z_{ij} = 1.995$ and -1.995 respectively.

Figure 10. Preference orderings of three QFD experts (E_1 to E_3), on the importance of each CR for sales, and application of the LCJ.

New phase 4

The fact that the three (new) importance sub-indicators, $I^{(1)}$, $I^{(2)}$ and $I^{(3)}$, are defined on ratio scales entails that their aggregation through a multiplicative model (like the one in Eq. 2) is no longer incorrect. Although we are aware of the possible advantages of multiplicative models with respect to the additive ones (Ebert and Welsch, 2004), we believe that a (weighted) additive model would be preferable:

$$I = w^{(1)} \cdot I^{(1)} + w^{(2)} \cdot I^{(2)} + w^{(3)} \cdot I^{(3)}. \quad (8)$$

This choice can be justified by the following reasons:

1. This model allows the QFD team to determine (strategy) weights ($w^{(1)}$, $w^{(2)}$ and $w^{(3)}$) of the three sub-indicators in a simple way. For example, considering the new product/service of an emerging company that struggles to gain market shares (e.g., improving its products/services with respect to those by competitors), it could be appropriate to rise $w^{(2)}$; on the other hand, considering the new product/service of a company with a consolidated brand image to preserve, it could be appropriate to rise $w^{(3)}$. Of course, the choice of weights is somehow “political” and should be made by the QFD team, depending on the design/strategic objectives. The scientific literature contains a variety of techniques to drive this operation (Vora et al., 2014; Wang et al.,

2014).

2. The *comparability* between $I^{(1)}$, $I^{(2)}$, and $I^{(3)}$ is ensured by the fact that these sub-indicators are defined on ratio scales with comparable zero and a conventional unit, corresponding to $(M - Z)/10$.
3. Although weights could theoretically be introduced into multiplicative models, such as,

$$I = [I^{(1)}]^{w^{(1)}} \cdot [I^{(2)}]^{w^{(2)}} \cdot [I^{(3)}]^{w^{(3)}}, \quad (9)$$

we think that it would be relatively difficult for the QFD team to control their influence on the final result (Chan and Wu, 2005; Van De Poel, 2007). For example, as discussed in Sect. “Critical Description of Customer Competitive Benchmarking”, the use of multiplicative models (weighted or not) would make the substitution rate of sub-indicators change unpredictably.

Additionally, the model in Eq. 8 allows to analyse the contributions of the importance sub-indicators; Figure 11(a) shows the resulting I values and the contributions of $I^{(1)}$, $I^{(2)}$ and $I^{(3)}$ for the HoQ related to the international scientific conference. In this case, weights are conventionally set to $w^{(1)} = 50\%$, $w^{(2)} = 30\%$, and $w^{(3)} = 20\%$. In particular, the graph in Figure 11(b) may be used to visualize these contributions.




Figure 11. Decomposition and visualization of the importance contributions to I , for the HoQ related to the international scientific conference.

Summary

The map in Table 10 summarized the new procedure, from the perspective of the relevant activities and responsibilities of the parties involved.

HoQ Phase	QFD-team's experts	(Potential) customers	(Automatable) data processing
2 - Relative Importance Ratings		(i) Each customer formulates a preference ordering of the relative importance of CRs.	(ii) Application of the LCJ and determination of the $I^{(1)}$ values related to the CRs.
3 - Customer Competitive Benchmarking	(i) Marketing experts of the QFD team identify the products/services to be benchmarked. (v) Each marketing expert of the QFD team formulates a preference ordering related to sales points, for the new product/service.	(ii) Each customer formulates a preference ordering of satisfaction for the benchmarked products/services. The procedure is repeated for each CR.	(iii) Multiple application of the LCJ and determination of the indicators of collective satisfaction (S_A, S_B, \dots) for the benchmarked products/services. (iv) New procedure to determine the $I^{(2)}$ values. (vi) Application of the LCJ to the preference orderings and determination of the $I^{(3)}$ values.
4 - Final Importance Ratings	(i) Identification of the weights related to the importance dimensions: $I^{(1)}, I^{(2)}$ and $I^{(3)}$.		(ii) Aggregation of $I^{(1)}, I^{(2)}$ and $I^{(3)}$, into I , through a weighted additive model.

Table 10. Map of the new procedure for Customer Competitive Benchmarking, with a synthetic description of the activities (in chronological order) and relevant responsibilities of the parties involved.

Real-life Application

This section shows a real-life application of the proposed procedure to design a civilian aircraft seat, from the perspective of passengers; see also (Franceschini and Maisano, 2015).

First, a QFD team of experts with cross-functional competences (e.g., marketing, design, quality, production, ...) is set up. Through market survey, a sample of $m = 30$ respondents – i.e., regular air passengers – are selected to identify the CRs by individual interview, focus groups and existing information. Finally, $n = 12$ relevant CRs (reported in Table 11) are identified to represent the major concerns of customers.

Subsequently, the QFD team, with the predominant contribution of marketing experts, identifies three existing products for the customer competitive benchmarking: (P_A) the aircraft seat of our company, (P_B) that of the first competitor, and (P_C) that of the second competitor.

Abbr.	Description
CR_1	Comfortable (does not give you back ache)
CR_2	Enough leg room
CR_3	Comfortable when you recline
CR_4	Does not hit person behind when you recline
CR_5	Comfortable seat belt
CR_6	Seat belt feels safe
CR_7	Arm rests not too narrow
CR_8	Arm rest folds right away
CR_9	Does not make you sweat
CR_{10}	Does not soak up a spilt drink
CR_{11}	Hole in tray for coffee cup
CR_{12}	Magazines can be easily removed from rack

Table 11. List of the relevant CRs related to an aircraft seat, from the perspective of passengers.

Through a questionnaire (see the model in Figure A.4, in the appendix), each respondent should then formulate a preference ordering about the importance of the CRs and $n = 12$ preference orderings on the satisfaction level of each of these CRs, for the benchmarked products: i.e., a total of $1+12 = 13$ preference orderings.

The preference orderings related to the importance of CRs are reported in Table A.4 (in the

appendix); it can be seen that they include the two dummy/anchor CRs, Z and M . Despite the possible difficulty in imaging the latter two CRs, respondents – thanks to the indications in Figure A.4 (in the appendix) – formulated their orderings correctly. These orderings are transformed into paired-comparison data and the Thurstone’s LCJ is applied for obtaining a scaling of the CRs. The corresponding matrices F , P and Z are shown respectively in Figures A.5, A.6 and A.7 (in the appendix), while the column “ $I^{(1)}$ ”, in Table 12, summarizes the resulting scaling. The unit and the origin of the resulting scale are transformed through Eq. 6, so as to be included in the interval $[0, 10]$.

Next, the focus is on the level of satisfaction of CRs for the benchmarked products. Table A.5 (in the appendix) shows the $n \cdot m = 12 \cdot 30 = 360$ preference orderings formulated by the m respondents, while Figure A.8 (in the appendix) shows the relevant matrices F , P and Z , and the resulting CR-by-CR scaling. These results are also summarized in Table 12, in the form of collective satisfaction indicators (S_A , S_B , and S_C) for each of the benchmarked products.

Consistently with what explained in Sect. “New Procedure for Customer Competitive Benchmarking”, the $I^{(2)}$ indicator is defined as the complement-to-ten of S_A (see Eq. 7) Obviously, the CRs with higher values of $I^{(2)}$ are those with lower S_A values, such as CR_{10} , CR_{12} and CR_{11} (see Table 12).

Ten marketing experts (E_1 to E_{10}) within the QFD team are then identified; these experts formulate their preference orderings on the strategic importance of CRs, from the perspective of sales. The resulting preference orderings are reported in Table A.6 (in the appendix). The LCJ is then applied: the relevant matrices F , P and Z are reported respectively in Figures A.9, A.10 and A.11 (in the appendix). The resulting scaling is summarized in Table 12 (in the form of the $I^{(3)}$ values of the CRs). It can be seen that only four CRs have a relatively high score (i.e., CR_1 , CR_3 , CR_7 , and CR_9), due to the low impact of the remaining ones for sales.

	S_A	S_B	S_C	$I^{(1)}$	$I^{(2)}$	$I^{(3)}$
CR_1	8.6	5.6	2.5	9.1	1.4	9.7
CR_2	3.8	5.5	6.7	8.4	6.2	1.5
CR_3	7.7	8.2	1.9	4.6	2.3	9.6
CR_4	5.0	3.5	9.1	3.4	5.0	2.4
CR_5	2.2	8.3	6.4	8.2	7.8	2.0
CR_6	2.7	3.8	8.0	7.1	7.3	0.8
CR_7	5.0	7.0	3.4	7.5	5.0	7.7
CR_8	6.2	6.3	4.3	3.8	3.8	1.4
CR_9	7.8	1.9	7.8	5.8	2.2	8.8
CR_{10}	3.5	5.6	7.3	1.2	6.5	1.5
CR_{11}	2.3	3.7	2.4	1.8	7.7	0.8
CR_{12}	4.0	6.1	7.3	1.3	6.0	1.4

Table 12. S_A , S_B , S_C values resulting from the competitive benchmarking of three aircraft seats (their calculation is reported in Figure A.6, in the appendix), and indicators $I^{(1)}$, $I^{(2)}$ and $I^{(3)}$.

Once the values of the three importance sub-indicators are determined for each CR, the QFD team defines the weights to be used in their aggregation; for this application: $w^{(1)} = 50\%$, $w^{(2)} = 30\%$, and $w^{(3)} = 20\%$. A relatively high value of $w^{(2)}$ was determined, in order to encourage the improvement

of the new product with respect to the competing ones.

Finally, the I values of the CRs are calculated through the formula in Eq. 8 (see results in Figure 12).




Figure 12. Decomposition and visualization of the three importance contributions to I , for the CRs related to an aircraft seat.

Conclusions

This paper has critically analysed the traditional Customer Competitive Benchmarking of the QFD's HoQ. Several weaknesses are "hidden" in the activities of collection and aggregation of multi-respondent judgments, i.e., those concerning the relative importance of CRs, the level of satisfaction of the benchmarked products/services, and the identification of sales points. Some of the most significant weaknesses concern the subjective use of various (ordinal) response scales and their undue "promotion" to ratio scales. Additionally, the aggregation of the three importance sub-indicators ($I^{(1)}$, $I^{(2)}$, and $I^{(3)}$) through a multiplicative model is conceptually debatable.

This paper has then proposed an alternative procedure to overcome these weaknesses, based on multiple applications of the Thurstone's LCJ, in order to transform preference orderings by multiple individuals into a collective scaling. The comparability between several scales is ensured by the introduction of two dummy/anchor objects (Z and M) in preference orderings; this is certainly an important improvement with respect to a previous research in which the LCJ is used only for the prioritization of the HoQ's CRs. It was also suggested to aggregate $I^{(1)}$, $I^{(2)}$, and $I^{(3)}$ through a weighted additive model, which is intuitive and easy to manage by the QFD team. This alternative procedure does not compromise simplicity in data collection and processing, it is relatively effective and can be largely automated. In fact, it can be implemented using a common spreadsheet on a PC, allowing to obtain a solution with irrelevant processing time.

Apart from the limitations of the LCJ, which relies on some relatively strong assumptions/postulates, a limitation of the proposed procedure is that preference orderings may not be appropriate in some contexts (e.g., telephone or street interviews). In addition, the introduction

of the two anchor objects (Z and M) may complicate the formulation of preference orderings for respondents.

Regarding the future, we plan to generalize the proposed procedure and/or adapt it to more complex response modes, such as those consisting of (1) *partial* preference orderings (i.e., orderings that may also include relationships of *incomparability* (Nederpelt and Kamareddine, 2004)), or (2) judgements by respondents that are not necessarily equi-important (Franceschini and Maisano, 2017).

References

- Akao, Y. (1990). *Quality Function Deployment: Integrating Customer Requirements into Product Design*, Productivity Press, Cambridge, MA.
- Alwin, D.F., Krosnick, J.A. (1985). The measurement of values in surveys: A comparison of ratings and rankings. *Public Opinion Quarterly*, 49(4): 535-552.
- Arrow, K.J., Raynaud, H. (1986). *Social choice and multicriterion decision-making*, Cambridge: MIT Press.
- Burke E., Kloeber Jr J.M., Deckro R.F. (2002) Using and Abusing QFD Scores. *Quality Engineering*, 15(1):9-21.
- Carnevali, J.A., Miguel, P.C. (2008). Review, analysis and classification of the literature on QFD—Types of research, difficulties and benefits. *International Journal of Production Economics*, 114(2): 737-754.
- Chan, L.K., Wu, M.L. (2002) Quality Function Deployment: A Comprehensive Review of Its Concepts and Methods. *Quality Engineering*, 15(1): 23-35.
- Chan, L. K., Wu, M. L. (2005). A systematic approach to quality function deployment with a full illustrative example. *Omega*, 33(2): 119-139.
- Chen, S., Liu, J., Wang, H., Augusto, J.C. (2012) Ordering Based Decision Making—A Survey. *Information Fusion*, 14(4): 521-531.
- Chuang, P.T. (2001) Combining the analytic hierarchy process and quality function deployment for a location decision from a requirement perspective. *International Journal of Advanced Manufacturing Technology*, 18(11): 842-849.
- Dym, C.L., Wood, W.H., Scott, M.J. (2002). Rank ordering engineering designs: pairwise comparison charts and Borda counts. *Research in Engineering Design*, 13(4): 236-242.
- Ebert, U., Welsch, H. (2004). Meaningful environmental indices: a social choice approach. *Journal of Environmental Economics and Management*, 47(2): 270-283.
- Edwards, A.L. (1957) *Techniques of Attitude Scale Construction*. Irvington Publishers, New York.
- Franceschini, F. (2002) *Advanced Quality Function Deployment*, St. Lucie Press/CRC Press LLC, Boca Raton, FL.
- Franceschini, F., Galetto, M., Maisano, D. (2007) *Management by Measurement: Designing Key Indicators and Performance Measurement Systems*. Springer, Berlin
- Franceschini, F., Maisano, D. (2010). Criticism on the hg-index. *Scientometrics*, 86(2): 339-346.
- Franceschini, F., Maisano, D. (2015). Prioritization of QFD customer requirements based on the law of comparative judgments. *Quality Engineering*, 27(4): 437-449.
- Franceschini, F., Maisano, D., Mastrogiacomo, L. (2015a). Customer requirement prioritization on QFD: a new proposal based on the generalized Yager's algorithm. *Research in Engineering Design*, 26(2): 171-187.
- Franceschini, F., Maisano, D., Mastrogiacomo, L. (2015b). A paired-comparison approach for fusing preference orderings from rank-ordered agents. *Information Fusion*, 26: 84-95.
- Franceschini, F., Maisano, D. (2017). Consistency analysis in quality classification problems with multiple rank-ordered agents. *Quality Engineering*, 29(4): 672-689. DOI: 10.1080/08982112.2016.1255332.
- Gonzalez, M.E., Quesada, G., Bahill, A.T. (2003) Improving product design using quality function deployment: the school furniture case in developing countries. *Quality Engineering*, 16(1):47-58.
- Griffin, A., Hauser, J.R. (1993) The voice of customer. *Marketing Science*, 12(1): 1-27.
- Hauser, J.R., Clausing, D. (1988) The house of quality. *Harvard Business Review*, 66(3): 63-73.
- Krus, D.J., Kennedy, P.H. (1977) Normal scaling of dominance matrices: The domain-referenced model. *Educational and Psychological Measurement*, 37:189 -193.

- Iqbal, Z., Grigg, N.P., Govindaraju, K. (2017). Performing competitive analysis in QFD studies using state multipole moments and bootstrap sampling. *Quality Engineering*, 29(2): 311-321.
- Jeong, M., Oh, H. (1998). Quality function deployment: An extended framework for service quality and customer satisfaction in the hospitality industry. *International Journal of Hospitality Management*, 17(4):375-390.
- Joint Research Centre - European Commission (JRC-EU). (2008). *Handbook on constructing composite indicators: Methodology and User guide*, Paris: OECD publishing.
- Kwong, C.K., Bai, H. (2002) A fuzzy AHP approach to the determination of importance weights of customer requirements in quality function deployment. *Journal of Intelligent Manufacturing*, 13(5): 367-377.
- Larose, D.T. (2014). Data Preprocessing. In *Discovering Knowledge in Data: An Introduction to Data Mining*, 27-40, New York: Wiley.
- Li, Y., Tang, J., Luo, X., Xu, J. (2009) An integrated method of rough set, Kano's model and AHP for rating customer requirements' final importance. *Expert Systems with Applications*, 36(3): 7045-7053.
- Lim, J. (2011). Hedonic scaling: A review of methods and theory. *Food quality and preference*, 22(8): 733-747.
- Lu, M.H., Madu, C.N., Kuei, C.H., Winokur, D. (1994). Integrating QFD, AHP and benchmarking in strategic marketing. *Journal of Business & Industrial Marketing*, 9(1): 41-50.
- Nahm, Y.E., Ishikawa, H., Inoue, M. (2013) New rating methods to prioritize customer requirements in QFD with incomplete customer preferences. *International Journal of Advanced Manufacturing Technology*, 65(9-12): 1587-1604.
- Nederpelt, R., Kamareddine, F. (2004). *Logical Reasoning: A First Course*. London: King's College Publications,.
- Paruolo, P., Saisana, M., Saltelli, A. (2013). Ratings and rankings: voodoo or science?. *Journal of the Royal Statistical Society: Series A (Statistics in Society)*, 176(3): 609-634.
- Roberts, F.S. (1979) Measurement theory: with applications to decisionmaking, utility, and the social sciences, *Encyclopedia of Mathematics and its Applications*, vol. 7, Reading, MA: Addison-Wesley.
- Sharma, J.R., Rawani, A.M., Barahate, M. (2008) Quality function deployment: a comprehensive literature review. *International Journal of Data Analysis Techniques and Strategies*, 1(1): 78-103.
- Shen, X.X., Tan, K.C., Xie, M. (2000). Benchmarking in QFD for quality improvement. *Benchmarking: An International Journal*, 7(4): 282-291.
- Stevens, S.S. (1946) On the Theory of Scales of Measurement. *Science*, 103(2684): 677-680.
- Swanson, R. (1993). Quality benchmark deployment. *Quality Progress*, 26(12): 81-84.
- Thurstone, L.L. (1927) A law of comparative judgments. *Psychological Review*, 34: 273-286.
- Thurstone, L.L., Jones, L.V. (1957). The Rational Origin for Measuring Subjective Values. *Journal of the American Statistical Association*, 52(280): 458-471.
- Torgerson, W.S. (1958) *Theory and methods of scaling*, Oxford, England: Wiley.
- Tran, T.L., Sherif, J.S. (1995) Quality function deployment (QFD): an effective technique for requirements acquisition and reuse. Proceedings of the 2nd IEEE Software Engineering Standards Symposium, Montreal, Canada, 191-200.
- Urban, G.L., Hauser, J.R. (1993) *Design and marketing of new products* (Vol. 2). Englewood Cliffs, NJ: Prentice Hall.
- Van De Poel, I. (2007). Methodological problems in QFD and directions for future development. *Research in Engineering Design*, 18(1): 21-36.
- Vaziri, H. K. (1992). Using competitive benchmarking to set goals. *Quality Progress*, 25(10), 81-85.
- Vinayak, K., Kodali, R. (2013). Benchmarking the quality function deployment models. *Benchmarking: An International Journal*, 20(6): 825-854.
- Volkman, J. (1932). The method of single stimuli. *The American Journal of Psychology*, 44(4): 808-809.
- Vora, A., Paunwala, C.N., Paunwala, M. (2014). Improved weight assignment approach for multimodal fusion. Proceedings of the 2014 International Conference on Circuits, Systems, Communication and Information Technology Applications (CSCITA 2014), 70-74.
- Wang, B., Liang, J., Qian, Y. (2014). Determining decision makers' weights in group ranking: a granular computing method. *International Journal of Machine Learning and Cybernetics*, 6(3): 511-521.
- Yager, R.R. (2001) Fusion of multi-agent preference orderings. *Fuzzy Sets and Systems*, 117(1): 1-12.
- Zheng, P., Xu, X., Xie, S. Q. (2016). A weighted preference graph approach to analyze incomplete customer preference information in QFD product planning. IEEE International Conference on Industrial Engineering and Engineering Management (IEEM2016), 4-7 December 2016, Bali (Indonesia), pp. 1070-1074).

Appendix

Example of Improper Scale Promotion

Let us focus the attention on the example in Figure 4. The application of the LCJ leads to a certain scaling (i.e., with arbitrary zero position) of the objects O_1 , O_2 , O_3 and O_4 . The following transformation, i.e., the so-called *min-max normalization*, is sometimes applied pretending to “promote” this *interval* scale to a *ratio* one (Larose, 2014):

$$\frac{\mu_j''-0}{10-0} = \frac{\mu_j'-\min(\mu_j')}{\max(\mu_j')-\min(\mu_j')}, \quad (\text{A.1})$$

$\min()$ and $\max()$ being the minimum and maximum operator, respectively. The min-max normalization results into the new scale values reported in Table A.1.

	Before	After
O_1	-0.688	2.0
O_2	-1.129	0.0
O_3	1.061	10.0
O_4	0.756	8.6

Table A.1. Scale values of four objects (O_1 to O_4), before and after applying the *min-max normalization* (in Eq. A.1).

Although this transformation may seem apparently reasonable, it leads to an arbitrary zero assignment for the object with the minimum scale value (O_2), which does not necessarily imply the absence of the attribute considered.

To clarify the concept, let us assume to know in advance the “true” scale values of the four objects on the psychological continuum, which has a non-arbitrary zero point and a point corresponding to the maximum-imaginable degree of the attribute (see Figure A.1(a)); this scale can therefore be considered as a *ratio* one. Based on the paired-comparison relationships of these scale values (e.g., $O_1 > O_2$, $O_1 < O_3$, etc.), we then apply the LCJ and obtain an interval scale with arbitrary zero and unit (see Figure A.1(b)). Not surprisingly, the mutual distances in the latter scale reflect those in the former one, up to a certain scale factor, while the zero position has changed arbitrarily. We also notice that the LCJ takes into account the relative preferences between pairs of objects, ignoring “anchors”, such as the absolute-zero point or the point corresponding to the maximum-imaginable degree.

Applying the *min-max normalization* in Eq. A.1, we obtain a third scale, whose zero corresponds to the object with lowest preference (O_2) and maximum value (10) to the object with highest preference (O_3) (see Figure A.1(c)). It may be noticed that the latter scale presents an arbitrary repositioning of the zero and a “contraction” of the unit, with respect to the initial one. As a conclusion, the proposed scale promotion is conceptually wrong and misleading.




Figure A.1. Example of possible distortions due to the improper promotion of the Thurstone' (interval) scale to a ratio one, through the *min-max normalization*. E.g., the ratio between O_4 and O_1 is about $8.7/3.45 = 2.52$ in the "true" scale (a), while being about $8.85/2.15 = 4.12$ in the incorrect scale (c).

Torgerson's anchoring

This section exemplifies the anchoring technique by Torgerson (1958, page 196), applying it to the LCJ scaling in Figure 3 and Figure 4. The rationale of the Torgerson's anchoring is that results of the LCJ are (at least roughly) correlated with those resulting from the so-called *Method of Single Stimuli*, in which each judge directly assigns the objects' scale values, with respect to two anchors: (1) a (presumed) absolute zero, corresponding to the absence of the attribute, and (2) the *maximum-imaginable degree* of the attribute, conventionally set to 5. While aware of the difficulty and potential roughness of these direct assignments, Torgerson (1958, page 196) suggests their use just for the purpose of anchoring the LCJ scale.

Subsequently, judge assignments are aggregated – object by object – through a central tendency indicator, such as the mean or median value (s), and plot against the scale values (x) resulting from the LCJ. Then, a straight line to the points is fitted and the intercept on the horizontal axis ($s=0$) is taken as estimate of the position of the absolute-zero point (Z) and that on the horizontal line ($s=5$) as estimate of the position of the point with maximum-imaginable degree (M) of the attribute.

Considering the example in Figure 3, we hypothesize that the five judges directly assign the objects' scale values on a rating scale from 0 to 5, with unitary resolution; the zero point corresponds to the absence of the attribute while the maximum value (i.e., 5) corresponds to the maximum-imaginable degree of the attribute. Table A.2 collects these assignments.

	O_1	O_2	O_3	O_4
J_1	2	1	4	4
J_2	4	1	5	5
J_3	2	2	3	5
J_4	2	0	4	2
J_5	1	2	4	3
Mean	2.2	1.2	4	3.8

Table A.2. Direct assignments of the scale values for four objects (O_1 to O_4), by five judges (J_1 to J_5). The rating scale in use is included between 0 (absence of the attribute) and 5 (maximum-imaginable degree) and has a unitary resolution.

Assignments are then aggregated using the *arithmetic mean*. The graph in Figure A.2 plots the resulting mean values (s) against the scale values (x) resulting from the LCJ (see Figure 4). Then, a straight tendency line is fitted (through a linear least-squares regression) and the intersection of this line with the horizontal axis ($s=0$) determines an estimates of the absolute-zero point (Z , first anchor), while that with the horizontal line $s=5$ determines an estimate of the point (M , second anchor) of the maximum-imaginable degree of the attribute on the Thurstone’s scale. Next, the LCJ scale values are normalized in the conventional range $[0, 10]$, through the linear transformation in Eq. 6. This scale can reasonably be considered as a ratio one (see Table A.3).





Figure A.2. Comparison of the scale values resulting from the Thurstone’s LCJ and those resulting from a direct scale-value assignment (*Method of Single Stimuli*) for four objects (O_1 to O_4).

	O_1	O_2	O_3	O_4	Z	M
Results of the LCJ	-0.688	-1.129	1.061	0.756		
Anchor values					-2.271	1.784
Scale values transformed into $[0, 10]$	3.90	2.82	8.22	7.46	0	10

Table A.3. Anchoring of the LCJ scale (in Figure A.1(d)), applying the technique by Torgerson.

We have verified that the new anchoring technique (presented in the section “Anchoring the Thurstone’s Scaling: the ZM-technique”) provides results in line with those obtained from the Torgerson’s technique. E.g., Figure A.3 shows that, when applied to the same scaling problem, these two anchoring techniques are strongly correlated. Also, we have empirically observed that the correlation tends to increase for problems with a larger number of objects and/or respondents.



	O_1	O_2	O_3	O_4	Z	M
Anchoring by Torgerson	3.9	2.8	8.2	7.5	0	10
ZM-technique	3.7	2.3	8.2	7.7	0	10

Figure A.3. Comparison between two anchoring techniques (i.e., that by Torgerson, exemplified in Table A.3, and the ZM-technique, exemplified in Figure 8), with reference to the same LCJ-scaling problem.

Further Material on the Real-life Application Example

See the following Figures and Tables.

Questionnaire

Instructions for Respondent

- A **preference ordering** is an ordered sequence of **objects** (O_1, O_2, \dots), depending on the degree of preference of a certain **attribute**.
- The respondent has to position the objects, depending on the degree of preference of their attributes: most preferred objects at the top and least preferred at the bottom of the sequence.
- Two are the possible **relationships** between each pair of objects:
 1. **strict preference**, e.g., “ O_1 is preferred to O_2 ”, then O_1 is positioned at a higher hierarchical level than O_2 ;
 2. **indifference**, e.g., “ O_1 has the same preference level of O_2 ”, then the two objects are positioned at the same hierarchical level.
- The number of hierarchical levels is not fixed in advance, since it may depend on the number of objects and their mutual relationships.
- Apart from the **regular** objects (O_1, O_2, \dots), the respondent has to include two **dummy** objects in his/her preference ordering:
 - Z** object with a **zero** degree of preference of the attribute;
 - M**, object with a **maximum-possible** degree of preference of the attribute.

Regular objects with zero-preference degree should be positioned at the same hierarchical level of **Z** (indifference relationship) but **never below**, while objects with maximum-possible preference degree should be positioned at the same hierarchical level of **M**, but **never above**.

Example

Two respondents (R_1, R_2) construct their preference orderings on the **aesthetics** (i.e. the **attribute** of interest) of four **car models** (i.e. the **objects** of interest, O_1, O_2, O_3 and O_4).

As regards R_1 , O_4 is preferred to O_3 and, in turn, to O_1 and to O_2 ; since O_4 reaches the maximum-possible degree of preference, it is considered indifferent to **M**.

As regards R_2 , O_3 is preferred to O_1 and O_4 (tied), which are, in turn, preferred to O_2 ; since O_2 has a zero preference degree, it is considered indifferent to **Z**.

Figure A.4. Example of questionnaire for the formulation of preference orderings.

Respondent	Preference ordering
R_1	$CR_1 \sim CR_2 \sim CR_5 \sim CR_6 \sim CR_7 \sim M > CR_3 > CR_4 > CR_{10} \sim CR_8 > CR_{11} \sim CR_9 > Z \sim CR_{12}$
R_2	$CR_1 \sim CR_5 \sim CR_7 \sim M > CR_9 \sim CR_6 > CR_2 \sim CR_{11} \sim CR_8 > CR_4 > CR_{12} \sim CR_{10} > Z \sim CR_3$
R_3	$CR_1 \sim M > CR_3 \sim CR_2 > CR_6 \sim CR_5 > CR_7 > CR_8 \sim CR_9 \sim CR_4 > CR_{11} \sim CR_{12} \sim Z \sim CR_{10}$
R_4	$CR_1 \sim CR_2 \sim CR_7 \sim M > CR_3 \sim CR_5 > CR_6 > CR_8 \sim CR_9 \sim CR_{10} \sim CR_{11} \sim CR_{12} \sim Z \sim CR_4$
R_5	$CR_1 \sim CR_2 \sim CR_5 \sim M > CR_3 \sim CR_6 \sim CR_9 \sim CR_4 > CR_7 \sim CR_8 > CR_{11} \sim CR_{12} \sim Z \sim CR_{10}$
R_6	$CR_1 \sim CR_5 \sim CR_6 \sim CR_7 \sim M > CR_2 \sim CR_9 \sim CR_3 > CR_{11} \sim CR_8 > CR_4 \sim CR_{10} > Z \sim CR_{12}$
R_7	$CR_2 \sim CR_7 \sim M > CR_1 > CR_5 \sim CR_8 \sim CR_6 > CR_9 \sim CR_{10} \sim CR_3 > CR_4 > CR_{12} \sim Z \sim CR_{11}$
R_8	$CR_1 \sim CR_5 \sim M > CR_6 \sim CR_7 \sim CR_9 \sim CR_{12} \sim CR_2 > CR_8 \sim CR_{11} > CR_3 \sim CR_4 > Z \sim CR_{10}$
R_9	$CR_1 \sim CR_4 \sim CR_5 \sim CR_7 \sim CR_9 \sim M > CR_2 > CR_6 > CR_{10} \sim CR_8 > CR_{11} \sim CR_{12} \sim CR_3 > Z$
R_{10}	$CR_2 \sim CR_5 \sim CR_6 \sim M > CR_7 > CR_1 > CR_3 > CR_{11} > CR_9 > CR_8 \sim CR_{10} > CR_{12} \sim Z \sim CR_4$
R_{11}	$CR_1 \sim M > CR_6 \sim CR_2 > CR_7 \sim CR_5 > CR_3 > CR_4 > CR_9 > CR_{11} > CR_{12} > CR_{10} \sim Z \sim CR_8$
R_{12}	$CR_2 \sim CR_7 \sim M > CR_1 > CR_9 \sim CR_3 > CR_8 \sim CR_6 \sim CR_4 > CR_5 > CR_{11} \sim CR_{12} \sim Z \sim CR_{10}$
R_{13}	$CR_1 \sim CR_2 \sim CR_5 \sim CR_8 \sim M > CR_7 \sim CR_3 \sim CR_6 > CR_9 \sim CR_{11} \sim CR_4 > CR_{12} \sim Z \sim CR_{10}$
R_{14}	$CR_2 \sim CR_5 \sim CR_6 \sim M > CR_1 > CR_3 > CR_9 > CR_7 > CR_4 > CR_{10} \sim CR_{11} \sim CR_{12} \sim Z \sim CR_8$

R_{15}	$CR_2 \sim CR_6 \sim CR_7 \sim M > CR_1 > CR_9 > CR_8 > CR_{11} \sim CR_{12} \sim CR_5 > CR_3 > CR_4 > Z \sim CR_{10}$
R_{16}	$CR_1 \sim CR_2 \sim CR_6 \sim CR_7 \sim M > CR_9 > CR_5 > CR_4 \sim CR_8 > CR_{11} > CR_3 > CR_{12} \sim Z \sim CR_{10}$
R_{17}	$CR_1 \sim CR_2 \sim M > CR_7 \sim CR_5 > CR_8 \sim CR_9 \sim CR_{10} \sim CR_4 > CR_6 \sim CR_{11} \sim CR_{12} \sim Z \sim CR_3$
R_{18}	$CR_1 \sim CR_2 \sim CR_3 \sim M > CR_9 > CR_7 \sim CR_8 \sim CR_4 \sim CR_5 > CR_{10} > CR_{11} \sim CR_6 > Z \sim CR_{12}$
R_{19}	$CR_1 \sim CR_2 \sim CR_6 \sim CR_9 \sim M > CR_3 \sim CR_7 \sim CR_4 \sim CR_5 > CR_8 > CR_{11} > CR_{12} \sim CR_{10} > Z$
R_{20}	$CR_1 \sim CR_2 \sim M > CR_5 > CR_6 \sim CR_3 > CR_7 \sim CR_4 > CR_9 > CR_{10} \sim CR_{11} \sim CR_{12} \sim Z \sim CR_8$
R_{21}	$CR_2 \sim CR_5 \sim M > CR_9 > CR_1 \sim CR_6 > CR_{12} \sim CR_8 > CR_4 \sim CR_{10} \sim CR_{11} \sim CR_7 \sim Z \sim CR_3$
R_{22}	$CR_6 \sim M > CR_5 > CR_2 > CR_9 > CR_1 > CR_3 > CR_4 > CR_7 \sim CR_8 > CR_{11} \sim CR_{12} \sim Z \sim CR_{10}$
R_{23}	$CR_1 \sim CR_2 \sim CR_5 \sim M > CR_6 \sim CR_7 \sim CR_9 \sim CR_4 > CR_3 \sim CR_{12} \sim CR_8 > CR_{10} \sim Z \sim CR_{11}$
R_{24}	$CR_1 \sim CR_6 \sim M > CR_5 > CR_3 \sim CR_7 \sim CR_8 \sim CR_2 > CR_9 \sim CR_{10} \sim CR_{11} \sim CR_{12} \sim Z \sim CR_4$
R_{25}	$CR_3 \sim CR_5 \sim CR_6 \sim M > CR_9 > CR_7 > CR_1 > CR_8 > CR_2 > CR_{11} > CR_{12} > CR_{10} \sim Z \sim CR_4$
R_{26}	$CR_1 \sim CR_2 \sim CR_5 \sim CR_7 \sim M > CR_8 \sim CR_9 \sim CR_{11} \sim CR_4 > CR_{12} \sim CR_6 > CR_3 > CR_{10} > Z$
R_{27}	$CR_5 \sim CR_7 \sim M > CR_6 > CR_1 \sim CR_9 \sim CR_2 > CR_3 > CR_4 \sim CR_8 > CR_{11} \sim CR_{12} \sim Z \sim CR_{10}$
R_{28}	$CR_1 \sim CR_6 \sim CR_7 \sim M > CR_5 \sim CR_9 \sim CR_2 > CR_3 \sim CR_{11} \sim CR_8 > CR_4 \sim CR_{12} \sim Z \sim CR_{10}$
R_{29}	$CR_7 \sim CR_9 \sim M > CR_1 > CR_5 > CR_2 > CR_{12} \sim CR_4 > CR_{11} \sim CR_3 \sim CR_6 > CR_8 > CR_{10} > Z$
R_{30}	$CR_5 \sim CR_6 \sim M > CR_7 \sim CR_1 > CR_3 \sim CR_4 \sim CR_8 \sim CR_9 \sim CR_{10} \sim CR_2 > CR_{12} \sim Z \sim CR_{11}$

Table A.4. Preference orderings formulated by 30 (potential) customers (R_1 to R_{30}), relating to the importance of twelve CRs (CR_1 to CR_{12}), in the design of a civilian aircraft seat. The description of the CRs is reported in Table 11; Z is a dummy/anchor CR with zero degree of importance, while M is a dummy/anchor CR with maximum-imaginable degree of importance.

	CR_1	CR_2	CR_3	CR_4	CR_5	CR_6	CR_7	CR_8	CR_9	CR_{10}	CR_{11}	CR_{12}	Z	M
CR_1	15.0	17.0	28.5	29.5	18.5	19.5	18.5	29.5	24.5	30.0	30.0	30.0	30.0	9.5
CR_2	13.0	15.0	26.5	28.5	15.5	18.0	17.5	27.0	23.0	29.5	29.5	29.5	30.0	8.5
CR_3	1.5	3.5	15.0	20.5	4.5	7.0	9.0	18.0	13.5	25.5	22.5	22.5	28.5	1.0
CR_4	0.5	1.5	9.5	15.0	2.5	6.5	5.0	14.5	8.0	23.5	20.5	23.0	27.0	0.5
CR_5	11.5	14.5	25.5	27.5	15.0	18.0	18.0	26.5	23.0	30.0	29.5	29.5	30.0	7.5
CR_6	10.5	12.0	23.0	23.5	12.0	15.0	16.0	25.0	20.5	28.0	27.5	27.5	29.5	6.0
CR_7	11.5	12.5	21.0	25.0	12.0	14.0	15.0	26.0	21.0	29.5	29.5	28.5	29.5	6.5
CR_8	0.5	3.0	12.0	15.5	3.5	5.0	4.0	15.0	6.5	25.5	23.0	24.5	28.0	0.5
CR_9	5.5	7.0	16.5	22.0	7.0	9.5	9.0	23.5	15.0	26.5	26.5	28.5	29.0	1.5
CR_{10}	0.0	0.5	4.5	6.5	0.0	2.0	0.5	4.5	3.5	15.0	11.5	15.0	21.0	0.0
CR_{11}	0.0	0.5	7.5	9.5	0.5	2.5	0.5	7.0	3.5	18.5	15.0	19.0	23.0	0.0
CR_{12}	0.0	0.5	7.5	7.0	0.5	2.5	1.5	5.5	1.5	15.0	11.0	15.0	20.5	0.0
Z	0.0	0.0	1.5	3.0	0.0	0.5	0.5	2.0	1.0	9.0	7.0	9.5	15.0	0.0
M	20.5	21.5	29.0	29.5	22.5	24.0	23.5	29.5	28.5	30.0	30.0	30.0	30.0	15.0

Figure A.5. Matrix F , obtained from the preference orderings in Table A.4.

	CR ₁	CR ₂	CR ₃	CR ₄	CR ₅	CR ₆	CR ₇	CR ₈	CR ₉	CR ₁₀	CR ₁₁	CR ₁₂	Z	M
CR ₁	0.500	0.567	0.950	1.000*	0.617	0.650	0.617	1.000*	0.817	1.000*	1.000*	1.000*	1.000*	0.317
CR ₂	0.433	0.500	0.883	0.950	0.517	0.600	0.583	0.900	0.767	1.000*	1.000*	1.000*	1.000*	0.283
CR ₃	0.050	0.117	0.500	0.683	0.150	0.233	0.300	0.600	0.450	0.850	0.750	0.750	0.950	0.033
CR ₄	0.000*	0.050	0.317	0.500	0.083	0.217	0.167	0.483	0.267	0.783	0.683	0.767	0.900	0.000*
CR ₅	0.383	0.483	0.850	0.917	0.500	0.600	0.600	0.883	0.767	1.000*	1.000*	1.000*	1.000*	0.250
CR ₆	0.350	0.400	0.767	0.783	0.400	0.500	0.533	0.833	0.683	0.933	0.917	0.917	1.000*	0.200
CR ₇	0.383	0.417	0.700	0.833	0.400	0.467	0.500	0.867	0.700	1.000*	1.000*	0.950	1.000*	0.217
CR ₈	0.000*	0.100	0.400	0.517	0.117	0.167	0.133	0.500	0.217	0.850	0.767	0.817	0.933	0.000*
CR ₉	0.183	0.233	0.550	0.733	0.233	0.317	0.300	0.783	0.500	0.883	0.883	0.950	0.967	0.050
CR ₁₀	0.000*	0.000*	0.150	0.217	0.000*	0.067	0.000*	0.150	0.117	0.500	0.383	0.500	0.700	0.000*
CR ₁₁	0.000*	0.000*	0.250	0.317	0.000*	0.083	0.000*	0.233	0.117	0.617	0.500	0.633	0.767	0.000*
CR ₁₂	0.000*	0.000*	0.250	0.233	0.000*	0.083	0.050	0.183	0.050	0.500	0.367	0.500	0.683	0.000*
Z	0.000*	0.000*	0.050	0.100	0.000*	0.000*	0.000*	0.067	0.033	0.300	0.233	0.317	0.500	0.000*
M	0.683	0.717	0.967	1.000*	0.750	0.800	0.783	1.000*	0.950	1.000*	1.000*	1.000*	1.000*	0.500

Figure A.6. Matrix P , obtained from the matrix F in Figure A.5.

	CR ₁	CR ₂	CR ₃	CR ₄	CR ₅	CR ₆	CR ₇	CR ₈	CR ₉	CR ₁₀	CR ₁₁	CR ₁₂	Z	M
CR ₁	0.000	-0.168	-1.645	-1.995	-0.297	-0.385	-0.297	-1.995	-0.903	-1.995	-1.995	-1.995	-1.995	0.477
CR ₂	0.168	0.000	-1.192	-1.645	-0.042	-0.253	-0.210	-1.282	-0.728	-1.995	-1.995	-1.995	-1.995	0.573
CR ₃	1.645	1.192	0.000	-0.477	1.036	0.728	0.524	-0.253	0.126	-1.036	-0.674	-0.674	-1.645	1.834
CR ₄	1.995	1.645	0.477	0.000	1.383	0.784	0.967	0.042	0.623	-0.784	-0.477	-0.728	-1.282	1.995
CR ₅	0.297	0.042	-1.036	-1.383	0.000	-0.253	-0.253	-1.192	-0.728	-1.995	-1.995	-1.995	-1.995	0.674
CR ₆	0.385	0.253	-0.728	-0.784	0.253	0.000	-0.084	-0.967	-0.477	-1.501	-1.383	-1.383	-1.995	0.842
CR ₇	0.297	0.210	-0.524	-0.967	0.253	0.084	0.000	-1.111	-0.524	-1.995	-1.995	-1.645	-1.995	0.784
CR ₈	1.995	1.282	0.253	-0.042	1.192	0.967	1.111	0.000	0.784	-1.036	-0.728	-0.903	-1.501	1.995
CR ₉	0.903	0.728	-0.126	-0.623	0.728	0.477	0.524	-0.784	0.000	-1.192	-1.192	-1.645	-1.834	1.645
CR ₁₀	1.995	1.995	1.036	0.784	1.995	1.501	1.995	1.036	1.192	0.000	0.297	0.000	-0.524	1.995
CR ₁₁	1.995	1.995	0.674	0.477	1.995	1.383	1.995	0.728	1.192	-0.297	0.000	-0.341	-0.728	1.995
CR ₁₂	1.995	1.995	0.674	0.728	1.995	1.383	1.645	0.903	1.645	0.000	0.341	0.000	-0.477	1.995
Z	1.995	1.995	1.645	1.282	1.995	1.995	1.995	1.501	1.834	0.524	0.728	0.477	0.000	1.995
M	-0.477	-0.573	-1.834	-1.995	-0.674	-0.842	-0.784	-1.995	-1.645	-1.995	-1.995	-1.995	-1.995	0.000
Σ_j	15.190	12.592	-2.324	-6.641	11.814	7.568	9.130	-5.369	2.390	-15.299	-13.066	-14.823	-19.963	18.801
$\mu_j^i = \Sigma_j / n$	1.085	0.899	-0.166	-0.474	0.844	0.541	0.652	-0.384	0.171	-1.093	-0.933	-1.059	-1.426	1.343
$f^{(j)} = \mu^j$	9.1	8.4	4.6	3.4	8.2	7.1	7.5	3.8	5.8	1.2	1.8	1.3	0.0	10.0

Figure A.7. Matrix Z , obtained from the matrix P in Figure A.6, and results of the Thurtone's scaling. Values of $p_{ij} \leq 0.023$ and ≥ 0.977 (marked with "*" in Figure A.4) have been conventionally associated with $z_{ij} = 1.995$ and -1.995 .




Figure A.8. Matrices F , P , Z and Thurstone's scaling related to the preference orderings in Table A.5. Z is a dummy/anchor product with zero satisfaction level, while M is a dummy/anchor product with maximum-imaginable degree of satisfaction.

Respondent	Preference ordering
E_1	$CR_9 \sim M > CR_1 \sim CR_3 > CR_4 \sim CR_{10} \sim CR_{12} \sim CR_7 > CR_5 \sim CR_6 \sim CR_{11} \sim CR_2 \sim Z \sim CR_8$
E_2	$CR_1 \sim CR_3 \sim CR_9 \sim M > CR_7 > CR_{10} > CR_{11} \sim CR_4 > CR_5 \sim CR_6 \sim CR_2 \sim CR_{12} \sim Z \sim CR_8$
E_3	$CR_1 \sim M > CR_7 \sim CR_3 > CR_5 > CR_9 > CR_4 \sim CR_8 \sim CR_2 \sim CR_{10} \sim CR_{11} \sim CR_{12} \sim Z \sim CR_6$
E_4	$CR_1 \sim M > CR_3 > CR_9 > CR_7 > CR_{12} \sim CR_4 > CR_8 \sim CR_5 \sim CR_{10} \sim CR_{11} \sim CR_6 \sim Z \sim CR_2$
E_5	$CR_1 \sim CR_3 \sim CR_7 \sim M > CR_9 > CR_8 \sim CR_5 \sim CR_2 > CR_4 \sim CR_{10} \sim CR_{11} \sim CR_{12} \sim Z \sim CR_6$
E_6	$CR_1 \sim CR_3 \sim CR_7 \sim CR_9 \sim M > CR_5 \sim CR_{10} \sim CR_{11} \sim CR_8 > CR_4 > CR_{12} > CR_6 \sim Z \sim CR_2$
E_7	$CR_3 \sim M > CR_9 > CR_1 > CR_2 \sim CR_7 > CR_4 > CR_8 \sim CR_6 \sim CR_{10} \sim CR_{11} \sim CR_{12} \sim Z \sim CR_5$
E_8	$CR_1 \sim CR_3 \sim M > CR_9 \sim CR_7 > CR_5 \sim CR_{12} \sim CR_2 > CR_8 > CR_{10} > CR_{11} \sim CR_4 \sim Z \sim CR_6$
E_9	$CR_1 \sim CR_3 \sim CR_9 \sim M > CR_7 > CR_6 > CR_4 > CR_5 > CR_2 > CR_{10} \sim CR_{11} \sim CR_{12} \sim Z \sim CR_8$
E_{10}	$CR_1 \sim CR_3 \sim CR_9 \sim M > CR_7 > CR_8 \sim CR_6 \sim CR_4 > CR_5 \sim CR_{10} \sim CR_{11} \sim CR_{12} \sim Z \sim CR_2$

Table A.6. Preference orderings, formulated by 10 experts (E_1 to E_{10}) of the QFD team, about the impact of CRs (CR_1 to CR_{12}) on sales, for a new civilian aircraft seat. Z is a dummy/anchor CR with zero importance for sales-points, while M is a dummy/anchor CR with maximum-imaginable importance for sales.

	CR_1	CR_2	CR_3	CR_4	CR_5	CR_6	CR_7	CR_8	CR_9	CR_{10}	CR_{11}	CR_{12}	Z	M
CR_1	5.0	10.0	5.5	10.0	10.0	10.0	9.0	10.0	6.0	10.0	10.0	10.0	10.0	4.0
CR_2	0.0	5.0	0.0	3.5	4.0	5.5	0.5	5.5	0.0	5.5	6.0	5.0	7.0	0.0
CR_3	4.5	10.0	5.0	10.0	10.0	10.0	8.5	10.0	7.0	10.0	10.0	10.0	10.0	3.5
CR_4	0.0	6.5	0.0	5.0	6.0	7.0	0.5	6.0	0.0	5.5	7.0	7.0	8.5	0.0
CR_5	0.0	6.0	0.0	4.0	5.0	6.0	0.0	6.0	1.0	6.0	6.5	6.0	7.5	0.0
CR_6	0.0	4.5	0.0	3.0	4.0	5.0	0.0	4.0	0.0	4.0	5.0	4.0	6.0	0.0
CR_7	1.0	9.5	1.5	9.5	10.0	10.0	5.0	10.0	3.0	9.5	10.0	9.5	10.0	1.0
CR_8	0.0	4.5	0.0	4.0	4.0	6.0	0.0	5.0	0.0	5.5	6.0	5.0	7.0	0.0
CR_9	4.0	10.0	3.0	10.0	9.0	10.0	7.0	10.0	5.0	10.0	10.0	10.0	10.0	2.5
CR_{10}	0.0	4.5	0.0	4.5	4.0	6.0	0.5	4.5	0.0	5.0	6.5	5.0	7.0	0.0
CR_{11}	0.0	4.0	0.0	3.0	3.5	5.0	0.0	4.0	0.0	3.5	5.0	4.5	6.0	0.0
CR_{12}	0.0	5.0	0.0	3.0	4.0	6.0	0.5	5.0	0.0	5.0	5.5	5.0	7.0	0.0
Z	0.0	3.0	0.0	1.5	2.5	4.0	0.0	3.0	0.0	3.0	4.0	3.0	5.0	0.0
M	6.0	10.0	6.5	10.0	10.0	10.0	9.0	10.0	7.5	10.0	10.0	10.0	10.0	5.0

Figure A.9. Matrix F , obtained from the paired-comparison data in Table A.6.

	CR ₁	CR ₂	CR ₃	CR ₄	CR ₅	CR ₆	CR ₇	CR ₈	CR ₉	CR ₁₀	CR ₁₁	CR ₁₂	Z	M
CR ₁	0.500	1.000*	0.550	1.000*	1.000*	1.000*	0.900	1.000*	0.600	1.000*	1.000*	1.000*	1.000*	0.400
CR ₂	0.000*	0.500	0.000*	0.350	0.400	0.550	0.050	0.550	0.000*	0.550	0.600	0.500	0.700	0.000*
CR ₃	0.450	1.000*	0.500	1.000*	1.000*	1.000*	0.850	1.000*	0.700	1.000*	1.000*	1.000*	1.000*	0.350
CR ₄	0.000*	0.650	0.000*	0.500	0.600	0.700	0.050	0.600	0.000*	0.550	0.700	0.700	0.850	0.000*
CR ₅	0.000*	0.600	0.000*	0.400	0.500	0.600	0.000*	0.600	0.100	0.600	0.650	0.600	0.750	0.000*
CR ₆	0.000*	0.450	0.000*	0.300	0.400	0.500	0.000*	0.400	0.000*	0.400	0.500	0.400	0.600	0.000*
CR ₇	0.100	0.950	0.150	0.950	1.000*	1.000*	0.500	1.000*	0.300	0.950	1.000*	0.950	1.000*	0.100
CR ₈	0.000*	0.450	0.000*	0.400	0.400	0.600	0.000*	0.500	0.000*	0.550	0.600	0.500	0.700	0.000*
CR ₉	0.400	1.000*	0.300	1.000*	0.900	1.000*	0.700	1.000*	0.500	1.000*	1.000*	1.000*	1.000*	0.250
CR ₁₀	0.000*	0.450	0.000*	0.450	0.400	0.600	0.050	0.450	0.000*	0.500	0.650	0.500	0.700	0.000*
CR ₁₁	0.000*	0.400	0.000*	0.300	0.350	0.500	0.000*	0.400	0.000*	0.350	0.500	0.450	0.600	0.000*
CR ₁₂	0.000*	0.500	0.000*	0.300	0.400	0.600	0.050	0.500	0.000*	0.500	0.550	0.500	0.700	0.000*
Z	0.000*	0.300	0.000*	0.150	0.250	0.400	0.000*	0.300	0.000*	0.300	0.400	0.300	0.500	0.000*
M	0.600	1.000*	0.650	1.000*	1.000*	1.000*	0.900	1.000*	0.750	1.000*	1.000*	1.000*	1.000*	0.500

Figure A.10. Matrix *P* obtained from the matrix *F* in Figure A.9.

	CR ₁	CR ₂	CR ₃	CR ₄	CR ₅	CR ₆	CR ₇	CR ₈	CR ₉	CR ₁₀	CR ₁₁	CR ₁₂	Z	M
CR ₁	0.000	-1.995	-0.126	-1.995	-1.995	-1.995	-1.282	-1.995	-0.253	-1.995	-1.995	-1.995	-1.995	0.253
CR ₂	1.995	0.000	1.995	0.385	0.253	-0.126	1.645	-0.126	1.995	-0.126	-0.253	0.000	-0.524	1.995
CR ₃	0.126	-1.995	0.000	-1.995	-1.995	-1.995	-1.036	-1.995	-0.524	-1.995	-1.995	-1.995	-1.995	0.385
CR ₄	1.995	-0.385	1.995	0.000	-0.253	-0.524	1.645	-0.253	1.995	-0.126	-0.524	-0.524	-1.036	1.995
CR ₅	1.995	-0.253	1.995	0.253	0.000	-0.253	1.995	-0.253	1.282	-0.253	-0.385	-0.253	-0.674	1.995
CR ₆	1.995	0.126	1.995	0.524	0.253	0.000	1.995	0.253	1.995	0.253	0.000	0.253	-0.253	1.995
CR ₇	1.282	-1.645	1.036	-1.645	-1.995	-1.995	0.000	-1.995	0.524	-1.645	-1.995	-1.645	-1.995	1.282
CR ₈	1.995	0.126	1.995	0.253	0.253	-0.253	1.995	0.000	1.995	-0.126	-0.253	0.000	-0.524	1.995
CR ₉	0.253	-1.995	0.524	-1.995	-1.282	-1.995	-0.524	-1.995	0.000	-1.995	-1.995	-1.995	-1.995	0.674
CR ₁₀	1.995	0.126	1.995	0.126	0.253	-0.253	1.645	0.126	1.995	0.000	-0.385	0.000	-0.524	1.995
CR ₁₁	1.995	0.253	1.995	0.524	0.385	0.000	1.995	0.253	1.995	0.385	0.000	0.126	-0.253	1.995
CR ₁₂	1.995	0.000	1.995	0.524	0.253	-0.253	1.645	0.000	1.995	0.000	-0.126	0.000	-0.524	1.995
Z	1.995	0.524	1.995	1.036	0.674	0.253	1.995	0.524	1.995	0.524	0.253	0.524	0.000	1.995
M	-0.253	-1.995	-0.385	-1.995	-1.995	-1.995	-1.282	-1.995	-0.674	-1.995	-1.995	-1.995	-1.995	0.000
Σ_j	19.366	-9.110	19.008	-5.999	-7.190	-11.387	12.432	-9.453	16.317	-9.094	-11.651	-9.501	-14.292	20.553
$\mu_j^i = \Sigma_j / n$	1.383	-0.651	1.358	-0.429	-0.514	-0.813	0.888	-0.675	1.165	-0.650	-0.832	-0.679	-1.021	1.468
$f^{(3)} = \mu^i$	9.7	1.5	9.6	2.4	2.0	0.8	7.7	1.4	8.8	1.5	0.8	1.4	0.0	10.0

Figure A.11. Matrix *Z*, obtained from the matrix *P* in Figure A.10, and results of the Thurtstone's scaling. Values of $p_{ij} \leq 0.023$ and ≥ 0.977 (marked with "*" in Figure A.8) have been conventionally associated with $z_{ij} = 1.995$ and -1.995 .