

Exploring New Ultrafast Operation Regimes in Quantum Dot Lasers and Amplifiers

*Original*

Exploring New Ultrafast Operation Regimes in Quantum Dot Lasers and Amplifiers / Cataluna, M. A.; Forrest, A.; Ribeiro, A. F.; White, S.; Krakowski, M.; Bardella, P.. - ELETTRONICO. - (2021). (Intervento presentato al convegno 2021 Conference on Lasers and Electro-Optics, CLEO 2021 tenutosi a San Jose, CA, USA nel 9-14 May 2021).

*Availability:*

This version is available at: 11583/2952736 since: 2022-02-02T11:06:01Z

*Publisher:*

Institute of Electrical and Electronics Engineers Inc.

*Published*

DOI:

*Terms of use:*

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

*Publisher copyright*

IEEE postprint/Author's Accepted Manuscript

©2021 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collecting works, for resale or lists, or reuse of any copyrighted component of this work in other works.

(Article begins on next page)

# Exploring New Ultrafast Operation Regimes in Quantum Dot Lasers and Amplifiers

Maria Ana Cataluna<sup>1</sup>, Adam Forrest<sup>1</sup>, Ana Filipa Ribeiro<sup>1</sup>, Stephanie White<sup>2</sup>,  
Michel Krakowski<sup>3</sup>, Paolo Bardella<sup>4</sup>

1. Institute of Photonics and Quantum Sciences, Heriot-Watt University, Edinburgh, EH14 4AS, United Kingdom

2. IOP Publishing, Temple Circus, Temple Way, Bristol, BS1 6HG, United Kingdom

3. III-V Lab, 1 Avenue Augustin Fresnel, Campus de Polytechnique, 91767 Palaiseau, France

4. Dipartimento di Elettronica e Telecomunicazioni, Politecnico di Torino, I-10129, Torino, Italy

Author e-mail address: [m.cataluna@hw.ac.uk](mailto:m.cataluna@hw.ac.uk)

**Abstract:** We will present our recent results, harnessing the flexibility of quantum dot materials towards the development of increasingly versatile regimes of ultrashort pulse generation and amplification in edge-emitting devices. © 2021 The Author(s)

This talk will cover some of our recent research in novel operation regimes in ultrafast quantum-dot amplifiers and lasers. Quantum-dot based materials have shown a wide range of advantages for ultrafast photonic components [1,2], such as broadband gain and absorption, as well as ultrafast carrier dynamics - which by consequence underpins short absorption and gain recovery times.

We will present results showing how we have harnessed these advantages to demonstrate double-pass amplification of picosecond pulses [3], resulting in up to a 4-fold enhancement of output power with minimal increase in the pulse duration of the seed pulses, when compared to the equivalent single-pass amplification scheme (both depicted in Fig. 1). At the core of this amplification process is a two-section tapered semiconductor optical amplifier based on InAs/GaSb quantum dots. This tapered device is indeed a versatile component and its performance as a stand-alone superluminescent diode was previously reported in [4]. The same device also revealed a wide and tunable spectral asymmetry between narrow and wide facets, which was enabled by the injection of different current densities in the two sections, leading to a non-uniform filling of the confined states in the quantum dots – a phenomenon with implications for amplifiers and the setup of external cavity lasers using such devices [5]. A similar tapered device was also previously used as a building block for a high-power broadly tunable external-cavity quantum-dot laser [6]. In this talk, we will also present recent results obtained on pulse generation from quantum-dot lasers [7,8].




Fig. 1. Schematic diagrams of the single-pass and double-pass amplifier schemes. Reproduced from [3].

## Acknowledgements

This project has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation program (grant agreement No 640537). The device fabrication was partly funded within the FP7 Program, via project "Fast-Dot" (grant agreement No 224338). A. F. Forrest also acknowledges prior support from an EPSRC/BBSRC PhD studentship. S.E. White also acknowledges prior support from an EPSRC/Wellcome Trust PhD studentship.

The authors would like to thank Innolume GmbH (Germany) for the growth of the QD wafers. The authors would like to thank T. Xu, M. Rossetti and I. Montrosset for stimulating discussions. From III-V Lab the authors would also like to thank M. Tran for SOA processing, Y. Robert for the SOA low-reflectivity coating, E. Vinet and M. Garcia for SOA mounting and M. Ruiz for characterization.

## References

- [1] S. E. White and M. A. Cataluna, "Unlocking spectral versatility from broadly-tunable quantum-dot lasers," *Photonics* **2**(2), 719–744 (2015).
- [2] E. U. Rafailov, M. A. Cataluna, and E. A. Avrutin, *Ultrafast Lasers Based on Quantum Dot Structure – Physics and Devices*, (WILEY-VCH Verlag & Co. KGaA, 2011), Chaps. 1, 3, 5.
- [3] A. F. Forrest, M. Krakowski, P. Bardella, and M. A. Cataluna, "Double-pass amplification of picosecond pulses with a tapered semiconductor amplifier," *Opt. Express* **27**, 30752–30762 (2019)
- [4] A. F. Forrest, M. Krakowski, P. Bardella, and M. A. Cataluna, "High-power quantum-dot superluminescent tapered diode under CW operation," *Opt. Express* **27**, 10981–10990 (2019).
- [5] A. F. Forrest, M. Krakowski, P. Bardella, and M. A. Cataluna, "Wide and tunable spectral asymmetry between narrow and wide facet outputs in a tapered quantum-dot superluminescent diode," *Opt. Express* **27**, 10981–10990 (2019).
- [6] S. Haggett, M. Krakowski, I. Montrosset, and M. A. Cataluna, "High-power quantum-dot tapered tunable external-cavity lasers based on chirped and unchirped structures," *Opt. Express* **22**, 22854–22864 (2014).
- [7] S. E. White and M. A. Cataluna, "Self-pulsations and bistability in a tunable single-section quantum-dot external-cavity laser emitting in the excited state," submitted to *Opt. Express* (2021).
- [8] A. F. Ribeiro, A. F. Forrest, and M. A. Cataluna, manuscript in preparation.