# POLITECNICO DI TORINO Repository ISTITUZIONALE

# New technologies and design: innovative co-design tools

Original

New technologies and design: innovative co-design tools / Cocina, GRAZIA GIULIA; Peretti, Gabriella; Pollo, Riccardo; Thiebat, Francesca (STUDI E PROGETTI). - In: Producing Project / Lauria M., Mussinelli E., Tucci F.. - ELETTRONICO. - [s.I]: Maggioli, 2020. - ISBN 9788891643087. - pp. 294-300

Availability: This version is available at: 11583/2996527 since: 2025-01-11T17:47:11Z

*Publisher:* Maggioli

Published DOI:

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

# **Producing Project**

edited by MASSIMO LAURIA ELENA MUSSINELLI FABRIZIO TUCCI

273D0BC7F7

1243

> 88 F1 E3 9F



#### **Massimo Lauria**

Associate Professor of Architectural Technology at dArTe Department, Mediterranea University of Reggio Calabria.

#### **Elena Mussinelli**

Full Professor of Architectural Technology at ABC Department, Politecnico di Milano.

#### **Fabrizio Tucci**

Full Professor of Architectural Technology at PDTA Department, Sapienza University of Rome.

The transformations created about the design activity by the several challenges started by the economic crisis, climate change and environmental emergencies, together with the impact of the Web and ICT on social and productive systems, highlight many critical issues, but also significant prospects for updating concerning places, forms, contents and operating methods of "making architecture", at all levels and scales.

In this context, the cultural tradition and disciplinary identity of Architectural Technology provide visions and effective operating practices characterized by new ways of managing and controlling the process with the definition of roles, skills and contents related to the production chains of the circular economy/green and to real and virtual performance simulations.

The volume collects the results of the remarks and research and experimentation work of members of SIT*d*A - Italian Society of Architectural Technology, outlining scenarios of change useful for orienting the future of research concerning the raising of the quality of the project and of the construction.

# **Producing Project**

edited by

Massimo Lauria Elena Mussinelli Fabrizio Tucci



#### **Book series STUDI E PROGETTI**

directors Fabrizio Schiaffonati, Elena Mussinelli editorial board Chiara Agosti, Giovanni Castaldo, Martino Mocchi, Raffaella Riva scientific committee Marco Biraghi, Luigi Ferrara, Francesco Karrer, Mario Losasso, Maria Teresa Lucarelli, Jan Rosvall, Gianni Verga

edited by Massimo Lauria Elena Mussinelli Fabrizio Tucci

editing, collection and supervision of texts by Maria Azzalin

proofreading by Filedelfja Musteqja Francesca Pandolfi

This e-book has been subjected to blind peer review process.

Cover: adaption of Siemens digitalization tour, Siemens, 1996-2019

ISBN 978-88-916-43087

© Copyright of the Authors. Released in the month of November 2020.

Published by Maggioli Editore in Open Access with Creative Commons License Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY-NC-ND 4.0).



Maggioli Editore is a trademark of Maggioli SpA Company with certified quality system ISO 9001:2000 47822 Santarcangelo di Romagna (RN) • Via del Carpino, 8 Tel. 0541/628111 • Fax 0541/622595 www.maggiolieditore.it e-mail: clienti.editore@maggioli.it

# INDEX

	W SCENARIOS OF TECHNOLOGICAL DESIGN resa Lucarelli	12
<b>REFLEC</b> Paolo Fe	TIONS ON RESEARCH AND DESIGN IN ARCHITECTURAL PRACTICE lli	16
PRODUC	ZING PROJECT	22
	earch for the quality of the project a Mussinelli	23
	hnical culture and disciplinary statutes	26
tech	uirements, approaches, visions in the prospects for development of nological design izio Tucci	33
Values,	DEMAND FOR SERVICES, OFFER OF COMPETENCES contents and project actors in the new organizational models of ding process	43
1.1	Architects' training and profession: current status, trends and perspectives Ernesto Antonini, Pietromaria Davoli, Massimo Lauria	44
1.2	The Italian design market from the point of view of the supply <i>Aldo Norsa</i>	52
1.3	The profession of architect in the VUCA society <i>Paolo Mezzalama</i>	60
	ovation in the demand for design services: priorities, strategies, tools and tices of the client and their effects on the market	
1.4	The demand for quality in architecture: project competitions <i>Valeria Ciulla, Alberto De Capua</i>	66

1.5	The impact of social demand on the project: the inclusive living for vulnerable people <i>Genny Cia, Marzia Morena, Ilaria Oberti, Angela Silvia Pavesi</i>	73
1.6	Circular and Collaborative: two terms of the project culture in the era of Industry 4.0	
	Mariangela Bellomo, Antonella Falotico	83
1.7	Project and crowdsourcing: phenomenon mapping and future perspectives	00
	Timothy Daniel Brownlee, Valeria Melappioni	90
prod	evolution in the organization of the offer and in the project uction: dimensions, structure, skills of the design structures, een multidisciplinarity and specialization	
1.8	The digital transformation of the AEC sector: innovation of processes and organizational models	
	Marcella Bonanomi, Cinzia Talamo, Giancarlo Paganin	97
1.9	The digital challenge for the innovation of the design processes Alessandro Claudi de Saint Mihiel	104
1.10	New management models for design and construction: the Solar Decathlon ME 2018 experience Antonio Basti, Michele Di Sivo, Adriano Remigio	111
1.11	Towards a Maintenance 4.0. Chance versus need <i>Maria Azzalin</i>	119
1.12	The environmental-oriented complexity of design process Anna Dalla Valle	126
1.13	The innovation within building design and management processes <i>Valentina Frighi</i>	134
1.14	Rating system as design tool to manage complexity Lia Marchi	141
	professional skills: definition, organization and education of knowledge, and competences	
	Green Procurement and Architecture. New horizons and skills for professionals	
	Riccardo Pollo, Corrado Carbonaro	147
1.16	Tendencies and new players for participatory design Giovanni Castaldo, Martino Mocchi	154
1.17	Training to research. Strategies to bring closer universities and firms towards joint research	161
1 10	Massimo Rossetti	101
1.18	Project production and University. Values, contradictions and opportunities Oscar Eugenio Bellini, Andrea Tartaglia	167
1 10	A new profession for the architect. The Project Manager	107
1.17	Mariateresa Mandaglio, Caterina Claudia Musarella	175

1	.20	Digital technologies, construction 4.0 and human factors <i>Erminia Attaianese</i>	182
1	.21	Automation geography. Redefine the prefabrication <i>Margherita Ferrari</i>	188
		QUALITY OF THE PROJECT, QUALITY OF CONSTRUCTION. ogical innovation and ICT for the building process	195
2	2.1	Digital innovation and design complexity Eliana Cangelli, Valeria D'Ambrosio	196
2	2.2	Project production and digital culture Mario Losasso	202
2	2.3	Is BIM an Innovation? Daniel Hurtubise	208
	0	rmation and Big Data for advanced management and decision-making esses	
2	2.4	Technical innovation and GIS to qualify renovation processes Giovanna Franco, Simonetta Acacia	212
2	2.5	Which invisible technology? Metadates for the retrofit of historic buildings Marta Calzolari	219
2	2.6	Identity cards for multi-layered districts. BIM/GIS instruments for the design of smart cities <i>Saveria Olga Murielle Boulanger, Rossella Roversi</i>	226
2	2.7	Multi-criteria analysis method for the preliminary design of a hospital structure Salvatore Viscuso, Milan Dragoljevic, Alessandra Zanelli	234
2	2.8	Trasparency in management and circularity. Blockchain and the production of the project <i>Cristina Fiore, Daniele Iori, Giuseppina Vespa</i>	234
2	2.9	Natural ventilation and CFD in the space of the historic city: the quality of urban design <i>Gaia Turchetti</i>	241
2	2.10	Decision-making in the design of circular buildings. Information on materials in BIM tools <i>Paola Altamura</i>	240
		boration, integration and coordination of skills for sharing and aging data for project production	-00
		Transdisciplinary and shared methodologies for the design: input data identification	
		Lucia Martincigh, Gabriele Bellingeri, Chiara Tonelli, Lucia Fontana, Marina Di Guida	263

2.12	GIS a tool for 20 <sup>th</sup> century architecture. From the territory to the building scale	071
2.13	Marta Casanova, Elena Macchioni, Camilla Repetti, Francesca Segantin Heritage-BIM. The integrated management of the historical centres:	271
	the case study of Artena Filippo Calcerano, Elena Gigliarelli, Raffaele Pontrandolfi	279
2.14	Light resource building approaches for eco-innovation of building processes	0.07
	Martino Milardi	287
2.15	New technologies and design: innovative co-design tools Grazia Giulia Cocina, Gabriella Peretti, Riccardo Pollo, Francesca Thiebat	294
2.16	Improving buildings quality through the reduction of the energy performance gap	
	Emanuele Piaia	301
	gration of innovative methodologies, tools and technologies for off-site a ite production, in relation to all phases of the building process	and
2.17	Industrial production, new tools and technologies for design of custom prefab housing	
	Spartaco Paris, Roberto Bianchi, Beatrice Jlenia Pesce	309
2.18	Hybridization between BIM and VPL. Software development for embodied energy calculation of buildings	21.6
• • •	Roberto Giordano, Massimiliano Lo Turco, Yoseph Bausola Pagliero	316
2.19	Concrete innovation between dematerialization and Industry 4.0 <i>Jenine Principe</i>	323
2.20	New tools for environmental design. A parametric model for the envelope	220
	Paola De Joanna, Antonio Passaro, Rossella Siani	329
2.21	Possible integration approaches of Life Cycle Assessment in BIM Elisabetta Palumbo, Stefano Politi	336
	DESIGNING THE PROJECT, INVENTING THE FUTURE. ion of knowledge forms and cognitive statutes of the project	343
3.1	Design research: from the technological culture of design for social	545
5.1	innovation to the anticipatory and creative function of design <i>Fabrizio Tucci, Laura Daglio</i>	344
3.2	For a new centrality of the figure of the architect Fabrizio Schiaffonati	353
3.3	Innovating projects in the Wisdom Economy Luigi Ferrara, Caitlin Plewes, Graeme Kondruss	359
Proi	ect culture and social innovation	
3.4	Technological design and social innovation	
3.4	Tiziana Ferrante	368

3.5	The contemporary condition of design. A report on Digital Mathema <i>Giuseppe Ridolfi</i>	374
3.6	The culture of planning and participation Alessandra Battisti	382
3.7	Social, environmental and functional re-connection of reception spaces at Castel Volturno <i>Claudia de Biase, Rossella Franchino, Caterina Frettoloso</i>	391
3.8	City and need of city Francesco Bagnato, Daniela Giusto	398
3.9	Designing knowledge for recovery: between collaborative approaches and adaptability scenarios <i>Katia Fabbricatti, Serena Viola</i>	405
3.10	An inclusive approach for recovery strategies Martina Bosone, Francesca Ciampa	413
Rese	arch and the predictive and anticipatory function of the project	
3.11	Technologies for urban liminal systems between legacies and disciplinary evolution	
	Filippo Angelucci	419
3.12	Valorisation design: from plot to vector of architecture Elisabetta Ginelli, Gianluca Pozzi	427
3.13	Disciplinary contamination. " <i>Recherche Patiente</i> " in design technological culture <i>Serena Baiani</i>	435
3.14	The technological design as cognitive process. Theories, models, inventions	
	Marilisa Cellurale, Carola Clemente	444
3.15	New cognitive models in the pre-design phase of complex envelope systems Paola Gallo, Rosa Romano	452
3.16	Building performance simulation, BIM and Parametric design:	752
	potentiality for the design processes Valeria Cecafosso	459
3.17	Shaping the city of tomorrow through "Network Urbanism"	
	Irina Rotaru	466
What	t creativity for the architectural project	
3.18	Responsibility and the three roles of technology toward the "collaborative city" design	
2.10	Rossella Maspoli	473
3.19	Digital technologies and production of inhabited space in the athropocene Marina Rigillo	481
	munu Kigulo	401

3.20	Enabling technologies for continuous and interdependent design	
	Flaviano Celaschi, Daniele Fanzini, Elena Maria Formia	487
3.21	Designing complexity: from uncertainty to knowledge exchange	
	Daniele Bucci, Ottavia Starace	494
3.22	Towards an epistemology of practice: research and design activism	
	Renata Valente	499
3.23	Technological Regenerative Design to improve future urban	
	scenarios	
	Antonella Violano	506
3.24	Principles of the Green Economy and design strategies for climate	
	adaptation	
	Marina Block	515
PERSPEC	TIVES. REFLECTIONS ABOUT DESIGN	
Elena Mu	ssinelli	522

# 2.15 NEW TECHNOLOGIES AND DESIGN: INNOVATIVE CO-DESIGN TOOLS

Grazia Giulia Cocina\*, Gabriella Peretti\*, Riccardo Pollo\*, Francesca Thiebat\*

### Abstract

Co-design has always existed, although in various forms. However, tools and methods have recently changed, including an ever-increasing number of new technologies used to encourage and simplify participation by all the users involved in the various design stages. Tangible User Interfaces (TUI) is one such technology that has not yet been sufficiently studied. These interfaces make digital data not only visible but tangible so that they can be controlled using physical objects that are easy to manipulate. This contribution will provide a more in-depth analysis of these tools, highlight their potential, and theorise their use in the design of complex projects such as hospitals.

Keywords: Co-design, Hospitals, Tangible User Interfaces, Participatory tools.

# Framework

Several factors - including multiple users, decision-makers and relationships - make architectural design and the building process extremely complex. For hospitals in particular, these factors include the technical, managerial, and functional aspects of the activities in question.

The ethical, social, and economic importance of these activities means that consideration has to be given to the special needs of the patients, health workers, technicians, or simple citizens who use these services when they work.

There is in fact ample proof that the quality of the environment can not only influence the therapeutic outcome (Ulrich et al. 2004), but also affect the costs of the services and management.

<sup>\*</sup> Grazia Giulia Cocina is a Postdoctoral Researcher at Department of Architecture and Design, Politecnico di Torino, Italy, grazia.cocina@polito.it.

<sup>\*</sup> Gabriella Peretti is Full Professor at Department of Architecture and Design, Politecnico di Torino, Italy, gabriella.peretti@polito.it.

<sup>\*</sup> Riccardo Pollo is an Associate Professor at Department of Architecture and Design, Politecnico di Torino, Italy, riccardo.pollo@polito.it.

<sup>\*</sup> Francesca Thiebat is an Assistant Professor at Department of Architecture and Design, Politecnico di Torino, Italy, francesca.thiebat@polito.it.

As a result, an extremely thorough design process must be adopted to establish the present and future needs of those who use these spaces so that users can use and perceive them as suitable environments.

Appropriate tools are the ones that provide an in-depth analysis of users as part of the demand-performance metaproject.

Depending on how they are employed, they should present specific ways to involve the users, medical workers, technicians, and patients in order to identify solutions that will satisfy the predefined objectives.

In fact, all too often, once construction of the buildings is completed, they do not fulfil the function envisaged during the design stage. Proof comes in the following form: numerous post construction interventions not only spark considerable direct costs, but also affect the efficiency of the health centre.

To avoid this risk, designers must accept the challenge of involving the final users in order to meet their needs. This dual objective can be achieved by adopting the methods developed to optimise the design of services and products and using them in the field of architecture.

These methods can be divided into two big categories: User Centred Design and Co-Design. Despite the fact that the prime focus of both methods are users and their needs, they differ in the way they interact with the users.

User Centred Design considers users as being predominantly passive, i.e., designers study their needs either through observation or interviews. Instead Co-Design focuses on how to actively involve users in the design process. The main difference between these two approaches is therefore to shift from design "for users" to design "with users" (Sanders, Stappers, 2008).

There are several ways for users to be involved in the design process, depending on whether the designers act as interpreters or play a supporting role. As an interpreter the designer involves users as much as possible, but he is still the person who will later implement all their inputs. Instead if he plays a supporting role, he will tend to put himself on a par with the users involved in the overall organisational process.

When a hospital is designed the interaction between the design of the spaces and the activities performed there must necessarily be governed by qualified designers so that users – above all health workers with their knowledge and specific expertise – can express themselves to the full and be part of the design process.

In other words, the role of the design team is crucial, as is the involvement of specialists (organisational health, architecture, technologies, and environmental and clinical psychology). However, it is always the designer who plays a leading role and takes the responsibility for the choices that are made. They use their disciplinary expertise to steer user involvement.

This contribution will use case studies and examples illustrated in literature to identify innovative co-design tools that can be applied to the design of hospitals.

# **Co-design: tradition and innovation**

Not many documented architectural projects have fully exploited codified user involvement methodologies, especially in Italy. This approach tends to be more prevalent when designing patient services or care pathways from a medical point of view. For example, Experience-based Co-design (EBCD) developed and disseminated in Great Britain in 2005 and strongly supported by the local health system. The EBCD is an approach used to improve the quality of health services through user involvement and experiences. In a co-design process staff and users work together in partnership; they discuss their experiences and then decide the priorities that need to be changed and how to implement them (Donetto et al., 2014).

The EBCD has become popular beyond the borders of the United Kingdom, so much so that from 2005 to 2013 numerous user involvement projects implemented in six different countries have produced excellent results.

Despite the fact that highlighting users' experiences is undoubtedly one advantage of this approach, it was not invented specifically to be used in architectural design.

Nevertheless, the benefits of co-design in the field of hospital design have been acknowledged in international literature, as underscored by Steen et al. (2011). They state that the key to a successful patient-staff relationship is to recognise that patients are the "experts of their experiences" and must therefore be taken into consideration during the design phase.

The Pharmacy of Whittington Hospital (London) is an interesting example of a recent co-design process. The hospital employs 4,000 staff who care for more than 500,000 people across north London. Although not a big project, the pharmacy is a strategic hub in the hospital. The project involved thirty-eight medical staff and used affinity mapping techniques<sup>1</sup> and *experience prototyping*<sup>2</sup>. The Urban Hospice designed by Nord Architects (Copenhagen) is another example of hospital co-design. The participation implemented by the studio envisaged close collaboration between the architects, patients, and users; this approach impacts enormously on the final design which is always first class. The architects organised workshops where the actors involved established their needs and then created scale models.

Although these projects are important examples of co-design, they use traditional methods which do not lead to a real, beneficial involvement of operators and users. In fact, traditional methods such as mock ups (ranging from a schematic scale to full scale) are based on personal interviews and the not always symmetrical sharing of documents and physical models.

<sup>&</sup>lt;sup>1</sup> Affinity mapping techniques involve a creative process to gather and organise a large amount of data, ideas and proposals and then highlight their relationship and stimulate a discussion.

<sup>&</sup>lt;sup>2</sup> Simulation of the service /space/activity capable of envisaging and assessing certain performances using physical interactive experiences.

These characteristics are the reason why little use is made of co-design when it comes to designing hospitals.

In recent decades efforts have been made to solve these difficulties. Codesign tools have been radically revamped thanks to new technologies which have drastically changed that way in which information is transferred and shared; they have also added interaction and simultaneity to the active participation of users in the design process.

There has been significant progress in the design of some tools that use immersive environments, including Augmented Reality (AR) and Augmented Virtuality (AV). Augmented Reality makes it possible to visualise a scenario in which the real world is virtually embellished with additional information generated by specific software programmes. Users are completely immersed so that they cannot tell what is real and what is not. Augmented Virtuality instead creates a virtual space in which real elements are integrated into the environment and users can interact with them in real time.

Tangible User Interfaces (TUI) are another kind of tool (still experimental) that could play an important role in co-design since they would allow greater sensorial and interactive user involvement. They use innovative interfaces that make digital data not only visible but tangible so that it can be controlled through physical objects and allow multiple users, even if they are not experts, to collaborate and participate fully in the simulated design process.

# Tangible User Interfaces: possible tools to enhance co-design in hospitals?

In 1993 a special edition of the magazine Communications of the ACM entitled Back to the real world presented a provocative hypothesis: computer graphics and virtual reality would distance people from their environment and as a result the real world would increase its digital functions rather than oblige users to participate in a virtual world (Shaer, Hornecker, 2010).

This inspired the Tangible User Interface concept, an alternative to the usual computer interfaces known as Graphical User Interfaces (GUI). In fact, the latter provides data in the form of pixels on a display; this means that the user interacts only with a mouse or keyboard, making the relationship null or non-existent since it is mediated only by vision and not real interaction.

Instead TUI use physical devices to interact with the digital contents; they manage to exploit our haptic sense and activate an interaction between data elaboration and manipulation that can be instantly and directly re-elaborated.

Professor Hiroshi Ishii, founder of the MIT Tangible Media Group defines Tangible User Interfaces as follows: «user interfaces that augment physical reality by combining digital data and everyday objects»<sup>3</sup>.

<sup>&</sup>lt;sup>3</sup> https://tangible.media.mit.edu/.

TUI can be used in many fields and in many ways; they can facilitate the cognitive processes of users with specific needs or be used in architectural design projects, again to facilitate the mental efforts that are required, especially the efforts needed to succeed in tangibly representing a problem.

Tangible representation can be particularly effective in urban planning and architecture because it can facilitate the designers' cognitive perception of space and provide a more creative immersion in the problem, thereby enhancing sharing and collaboration between users.

TUI can be either passive or active, first generation or second generation. The so-called "tangible workbenches" are one of the most important first generation TUI. They are interactive surfaces developed to support co-design in which tangible objects are manipulated and their movements perceived by the workbench. This kind of TUI also uses dynamic representations thanks to video projections accompanying the manipulation of the tangible objects.

The Urban Planning Workbench (Urp) (Underkoffler, Ishii, 1999) developed by the Tangible Media Group is one example of a Tangible workbench. The Group uses physical models of buildings to simulate shadows, reflected sunlight, wind flows, and other parameters that can be controlled using several interactive objects.

The Urp is a first attempt to involve users in the design process. However, it does have some rather important limitations: users have to necessarily use a predefined set of objects (in this case architectural models) and can only modify their spatial relationship but not their form.

Based on these considerations the Tangible Media Group designed a second generation of organically-shaped TUI. This generation uses other tangible materials, such as clay and sand, that are easier to shape and manipulate. Illuminating Clay and Sand-Scape (Ishii, 2008) are two excellent examples. These two materials are used to shape and facilitate comprehension of complex topographies, otherwise difficult to create using conventional 3D modelling tools. The characteristic of the TUI known as PICO (Pattern, Ishii, 2007) make it the most appropriate for use in architectural design. This interface has an interactive table surface where small objects can be positioned and moved; the objects can be used to tackle the problems associated with complex layouts. PICO combines the advantages of relatively simple mechanical systems with the power of computerised calculus. There are two ways to move the objects: either using electromagnets controlled by the software, or by the users around the table who can physically intervene in the computational optimisation process. A comparative study of several co-design tools has shown how, compared to other proposals, users have solved the spatial problems of complex layouts more efficiently when they use this tool (Shaer, Hornecker, 2010).

Other TUI use tangible interaction in other fields such as logistics. Tinkersheets is a simulated environment that exploits simulation parameters to manage a warehouse. Users establish the parameters by positioning small magnets. This not only allows office work to be planned and monitored by visualising the activities, but also permits alternative scenarios to be developed.

The key feature of TUI is that they go beyond the limits created by the boundary between physical and digital due to the strong link between tangible objects and intangible representations.

Using familiar objects facilitates the cognitive development of new ideas through psycho-sensorial perception and body movement (Turkle, 2007). In fact, gestures are not just a means to communicate but play an important role in the cognitive development of ideas and concretisation of what is verbally expressed (Goldin-Meadow, 2003).

Early experiments used TUI as support tools to experiment with participation in the design process; they exploited social interaction and dialogue between groups of users, first and foremost designers and future users. This collaboration is enhanced by some of the unique features of TUI such as familiarity, use, and intuitive interaction with everyday objects; these features boost the active involvement of users thanks to the possibility of multiple system access points; this allows simultaneous interaction and something more than just mouse and keyboard mobility. This is the reason why the platforms are very often like round tables where people can meet.

Using these mechanisms TUI allow users to exploit their thoughts and kinaesthetic memory and turn them into non-binding gestures. Actions such as pointing to objects, changing their arrangement, and transforming them can serve as epistemic actions that reduce the mental work load of a certain task by making use of non-mental resources and simplifying them vis-à-vis traditional user interfaces.

All the characteristics of TUI, and the examples presented here, lead us to believe that these tools could well be used to enhance user participation in the design of a complex building such as a hospital. More specifically, the flexibility of TUI, ease of use, and adaptability to different situations, could be exploited during the various stages of a hospital design, in particular:

- during the first concept stages to stimulate ideas from all users;
- during elaboration of the design to simplify communication between the professionals involved;
- during the modification and verification stages to receive feedback from future users;
- during the final design stages to illustrate and successfully explain the design choices;
- while the building is being used in order to help manage the workload.

Alla luce di quanto detto sino a ora, possiamo sostenere che le TUI, pur In light of all the above we feel confident that even if TUI are technologically complex they are important tools with which to experiment, study, and comprehensively apply in the field of co-design so that the final designs satisfy the needs of future users since they are based on a joint, collaborative effort.

## References

- Donetto, S., Tsianakas, V., Robert, G. (2014), Using Experience-based Co-design to improve the quality of healthcare: mapping where we are now and establishing future directions, King's College London, London.
- Goldin-Meadow, S., (2003), *Hearing Gesture: How Our Hands Help Us Think*, Harvard University Press.
- Ishii, H., (2008), "The tangible user interface and its evolution," Communications of the ACM, 51, 6, pp. 32-36.
- Patten, J., Ishii, H., (2007) "Mechanical constraints as computational constraints in tabletop tangible interfaces" *Proceedings of CHI'07*, ACM, NY, pp. 809-818.
- Sanders, E.B.N., Stappers, P.J., (2008), "Co-creation and the new landscapes of design", *CoDesign*, 4, 1, pp. 5-18.
- Shaer, O., Hornecker, E., (2010) "Tangible User Interfaces: Past, Present, and future Directions", Foundations and Trends in Human-Computer Interaction, 3, nn. 1-2, pp. 1-137.
- Steen, M., Manschot, M., De Koning, N. (2011), "Benefits of Co-design in Service Design Projects", *International Journal of Design*, 5,2, pp. 53-60.
- Turkle, S., (2007), Evocative Objects: Things We Think With, MIT Press, Cambridge.
- Ulrich R., Zimring C., Xiaobo Q., Anjali J., Choudhary R. (2004), *The role of the physical environment in the hospital of the 21th century: a once-in-a-lifetime opportunity*, Report to the Center for Health Design for the Designing the 21st Century Hospital Project.
- Underkoffler, J., Ishii, H. (1999), "Urp: A Luminous-Tangible Workbench for Urban planning and Design", Proceedings of CHI' 99, ACM, NY, pp. 386-5393.