

New method to measure the mechanical collection mechanisms of full-scale air filters

Original

New method to measure the mechanical collection mechanisms of full-scale air filters / Tronville, PAOLO MARIA; Rivers, R.. - STAMPA. - (2013), pp. 17-17. (Intervento presentato al convegno FILTECH 2013 tenutosi a Wiesbaden nel 22-24 October 2014).

Availability:

This version is available at: 11583/2589646 since:

Publisher:

Filtech Exhibitions Germany

Published

DOI:

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

default_conf_editorial [DA NON USARE]

-

(Article begins on next page)

FILTECH

October 22 – 24, 2013
Wiesbaden – Germany

The Filtration Event
www.Filtech.de

Abstract Book

**October 22 – 24, 2013
Rhein-Main-Hallen
Wiesbaden · Germany**

**International Conference & Exhibition for
Filtration and Separation Technology**

FILTECH 2013

FILTECH 2013

Abstract Book

CONTENT

Scientific Committee	4
Page Indicator & Session Chairmen	5
Plenary Lecture	8
Keynote Lectures	9
Papers G-Sessions	15
Papers L-Sessions	86
Papers M-Sessions	166
Keyword Index (Page Indicator)	201

Conference Dates:

October 22 – 24, 2013

Venue:

Rhein-Main-Hallen · Rheinstr. 20 · 65028 Wiesbaden · Germany

Organizer:

Filtech Exhibitions Germany Germany GmbH & Co KG

PO Box 1225 · 40637 Meerbusch – Germany

phone: +49 (0) 2132 93 57 60

fax: +49 (0) 2132 93 57 62

e-mail: Info@Filtech.de

web: www.Filtech.de

Abstract Book
USB-Stick

ISBN 978-3-941655-06-5
ISBN 978-3-941655-07-2

SCIENTIFIC COMMITTEE CHAIRMEN

- **Dr. Harald Anlauf**, Karlsruhe Institute of Technology (KIT) · Germany
Institute for Mechanical Process Engineering and Applied Mechanics
- **Prof. Eberhard Schmidt**, University of Wuppertal, Germany
Department Safety Technology / Environmental Protection

SCIENTIFIC COMMITTEE

- | | | |
|---------------------------------|----------------|----------------|
| ■ Prof. Mônica Lopes Aguiar | São Carlos | Brazil |
| ■ Dr. Harald Banzhaf | Ludwigsburg | Germany |
| ■ Prof. José Renato Coury | São Carlos | Brazil |
| ■ Dr. Krishna Gupta | Ithaca | USA |
| ■ Prof. Antti Häkkinen | Lappeenranta | Finland |
| ■ Prof. Wilhelm Höflinger | Vienna | Austria |
| ■ Prof. Kuo-Jen Hwang | Taipei | Taiwan |
| ■ Prof. Eiji Iritani | Nagoya | Japan |
| ■ Prof. Chikao Kanaoka | Tsubata | Japan |
| ■ Prof. Gerhard Kasper | Karlsruhe | Germany |
| ■ Dr. Karsten Keller | St. Louis | USA |
| ■ Ir. Hermanes Kleizen | Hengelo | Netherlands |
| ■ Prof. Gernot Krammer | Graz | Austria |
| ■ Dr. Martin Lehmann | Ludwigsburg | Germany |
| ■ Prof. Markus Lehner | Leoben | Austria |
| ■ Prof. Dietmar Lerche | Berlin | Germany |
| ■ Prof. Wallace Leung | Hong Kong | P.R. China |
| ■ Dr. Hisao Makino | Yokosuka | Japan |
| ■ Prof. Gerd Mauschitz | Vienna | Austria |
| ■ Prof. Arunangshu Mukhopadhyay | Jalandhar | India |
| ■ Prof. Marja Oja | Hut | Finland |
| ■ Dr. Thomas Peters | Neuss | Germany |
| ■ Dr. Christophe Peuchot | Foulayronnes | France |
| ■ Prof. Urs Peuker | Freiburg | Germany |
| ■ Dr. Jaroslav Pridal | Hradec Krawlve | Czech Republic |
| ■ Dr. Graham Rideal | Waverton | UK |
| ■ Prof. Siegfried Ripperger | Kaiserslautern | Germany |
| ■ Prof. Peter Scales | Parkville | Australia |
| ■ Prof. Hans-Joachim Schmid | Paderborn | Germany |
| ■ Dr. Anthony Stickland | Melbourne | Australia |
| ■ Dr. Stephen Tarleton | Loughborough | UK |
| ■ Prof. Hans Theliander | Gothenburg | Sweden |
| ■ Prof. Bhaskar N. Thorat | Mumbai | India |
| ■ Prof. Paolo Tronville | Torino | Italy |
| ■ Prof. Kuo-Lun Tung | Taipei | Taiwan |
| ■ Prof. Eugène Vorobiev | Compiègne | France |
| ■ Dr. Matthias Waldenmaier | Kaiserslautern | Germany |
| ■ Yan-Xi Wang | Shanghai | P.R. China |
| ■ Prof. Takeshi Yoneda | Kuwana | Japan |

The Committee list lists countries and regions

PAGE INDICATOR AND SESSION CHAIRMEN

TUESDAY, OCTOBER 22, 2013

	Time	Page
Plenary Lecture - Nature-inspired separation membranes: Geomimicry versus biomimicry Prof. Kuo-Lun Tung, National Taiwan University, Taiwan	10:30-11:30 h	8
Key-Note 1 - Industrial gas cleaning processes – Trends and perspectives · Prof. Markus Lehner, Montan University Leoben, Austria · Session Chair: Eiji Iritani	13:15-14:30 h	9
L1 - Evaluation of filter cake properties in microfiltration of microbial suspensions · Session Chair: Eberhard Schmidt	13:15-14:30 h	86
L2 - Filtration of Metal Melts Session Chair: Urs Peuker	13:15-14:30 h	89
L3 - Classification / Sorting Session Chair: Eugene Vorobiev	13:15-14:30 h	92
M1 - Ceramic Membranes Session Chair: Siegfried Ripperger	13:15-14:30 h	166
Key-Note 2 - Sedimentation and consolidation behavior of stable and flocculated suspensions. Direct in situ visualization and analysis · Prof. Dietmar Lerche, L.U.M. GmbH, Germany Session Chair: Eberhard Schmidt	15:00-16:15 h	10
L4 - Cake Filtration-Influences on Cake Properties II Session Chair: Antti Häkkinen	15:00-16:15 h	95
G1 - Filter Test systems I Session Chair: Wilhelm Höflinger	15:00-16:15 h	15
G2 - Nano Particle Separation Session Chair: Gerhard Kasper	15:00-16:15 h	18
M2 - Special Membranes Session Chair: Jaroslav Pridal	15:00-16:15 h	169
Key-Note 3 - Separation and classification in the size range below 10 µm – Challenges and new approaches Prof. Urs Peuker, TU Bergakademie Freiberg, Germany Session Chair: Siegfried Ripperger	16:45-18:00 h	11
L5 - Cake Filtration-Desaturation Session Chair: Hans Theliander	16:45-18:00 h	98
G3 - Filter Test Systems II Session Chair: tba	16:45-18:00 h	21
G4 - Airborne Molecular Contaminations Session Chair: Hermanes Kleizen	16:45-18:00 h	24
M3 - Membrane Characterization Session Chair: Jaroslav Pridal	16:45-18:00 h	172

WEDNESDAY, OCTOBER 23, 2013

	Time	Page
L6 - Electric / Thermal Separation Session Chair: Christophe Peuchot	08:30-09:45 h	101
L7 - Poster Session I Session Chair: Anthony Stickland	08:30-09:45 h	104
G5 - Poster Session I Session Chair: Markus Lehner	08:30-09:45 h	27
M4 - Poster Session I Session Chair: Thomas Peters	08:30-09:45 h	175
L8 - Hydrothermal / Encymatic Separation Enhancement Session Chair: Antti Häkkinen	11:00-12:15 h	115
L9 - Slurry Concentration / Thickening Session Chair: Anthony Stickland	11:00-12:15 h	118
G6 - Surface Filtration I Session Chair: Hans-Joachim Schmid	11:00-12:15 h	39
M5 - Layer Formation Session Chair: Thomas Peters	11:00-12:15 h	189
Key-Note 4 - Compressibility effects in solid-liquid separation Dr. Anthony Stickland, The University of Melbourne, Australia Session Chair: Harald Anlauf	13:15-14:30 h	12
L10 - Filter Media Cleaning Session Chair: Siegfried Ripperger	13:15-14:30 h	121
G7 - Surface Filtration II Session Chair: Jörg Meyer	13:15-14:30 h	41
M6 - Cross Flow Techniques Session Chair: Kuo-Jen Hwang	13:15-14:30 h	192
Key-Note 5 - Solid-liquid separation – An Indian perspective Prof. Bhaskar Narayan Thorat, Institute of Chemical Technology Mumbai, India · Session Chair: Harald Anlauf	15:00-16:15 h	13
L11 - In-Situ Analysis of Slurry Separation Properties Session Chair: Hermann Nirschl	15:00-16:15 h	124
G8 - Automotive Application I Session Chair: Arunangshu Mukhopadhyay	15:00-16:15 h	44
M7 - Ultra Filtration Session Chair: Kuo-Jen Hwang	15:00-16:15 h	195
Key-Note 6 - Separation of particles out of gases by fabric filtration · Prof. Monica Lopes Aguiar, Federal University of São Carlos · Session Chair: Eberhard Schmidt	16:45-18:00 h	14
L12 - Continous Cake Filters Session Chair: Harald Anlauf	16:45-18:00 h	127
G9 - Automotive Application II Session Chair: Markus Lehner	16:45-18:00 h	47
M8 - Membrane Bio Reactor Session Chair: Siegfried Ripperger	16:45-18:00 h	198

THURSDAY, OCTOBER 24, 2013

	Time	Page
L13 - New Filter Testing Procedures and Apparatus Session Chair: Graham Rideal	08:30-09:45 h	130
L14 - Poster Session II Session Chair: Marja Oya	08:30-09:45 h	133
G10 - Poster Session II Session Chair: Gerd Mauschitz	08:30-09:45 h	50
G11 - Monitoring and Control Session Chair: Harald Banzhaf	08:30-09:45 h	59
L15 - Components for Improved Filter Performance Session Chair: Gernot Krammer	11:00-12:15 h	142
L16 - Functionalized Filter Media I Session Chair: Arunangshu Mukhopadhyay	11:00-12:15 h	145
G12 - Particle Deposition Session Chair: Martin Lehmann	11:00-12:15 h	62
G13 - Industrial Gas Cleaning Session Chair: Gerd Mauschitz	11:00-12:15 h	65
L17 - Monitoring of Separation Processes Session Chair: Hermann Nirschl	13:15-14:30 h	148
L18 - Functionalized Filter Media II Session Chair: Siegfried Ripperger	13:15-14:30 h	151
G14 - Numerical Filter Simulation I Session Chair: Paolo Tronville	13:15-14:30 h	68
G15 - Cabin Air Filters Session Chair: Matthias Waldenmaier	13:15-14:30 h	71
L19 - Microscreens / Strainer Session Chair: Bhaskar Narayan Thorat	15:00-16:15 h	154
L20 - Depth Filtration in Granular Media Session Chair: Wilhelm Höflinger	15:00-16:15 h	157
G16 - Numerical Filter Simulation II Session Chair: Paolo Tronville	15:00-16:15 h	74
G17 - Pleated Filter Media Session Chair: Arunangshu Mukhopadhyay	15:00-16:15 h	77
L21 - Coalescer Session Chair: Harald Anlauf	16:45-18:00 h	160
L22 - Backwash Filters Session Chair: Christophe Peuchot	16:45-18:00 h	163
G18 - Numerical Filter Simulation III Session Chair: Harald Banzhaf	16:45-18:00 h	80
G19 - Special Filter Media Session Chair: Matthias Waldenmaier	16:45-18:00 h	83

NEW METHOD TO MEASURE THE MECHANICAL COLLECTION MECHANISMS OF FULL-SCALE AIR FILTERS

Paolo Tronville, Politecnico di Torino - DENERG, Corso Duca degli Abruzzi 24 –
10129 Turin - Italy

Richard D. Rivers, EQS Inc., 1262 Bassett Avenue, Louisville, KY 40204, USA

ABSTRACT

Air filters are chosen for the minimum particle-capture efficiency they can provide in a specific application. Some media can achieve high efficiencies at low resistance to air flow by adding electrostatic charges on fairly coarse fibers. However, prolonged filter exposure to fine particles reduces the electrostatic enhancement effect. The filter efficiency must then rely mainly on mechanical collection mechanisms, and can fall well below the initial value. It is useful to test filter media when the effect of electrostatic charges is eliminated.

To estimate the efficiency drop that may occur, air filter test standards include filter conditioning procedures to inhibit the effect of electrostatic charges. These treatments should leave only particle capture effects from mechanical collection mechanisms such as sieving, aerodynamics and diffusion, but not reduce or enhance these effects. EN779:2012 and ISO 21220:2009 describe such a conditioning treatment for filter media, and ASHRAE 52.2-2012 describes one for full-scale filters.

The ASHRAE 52.2-2012 optional treatment suggests that air filters be exposed to a potassium chloride aerosol having approximately 35 nm count mean diameter. Following the charge-elimination treatment, procedures measuring efficiency as a function particle size are performed. In ISO/TS 21220:2009 and EN779:2012 the discharging treatment is also mandatory, but is performed on samples of the media used to manufacture the filter. This treatment requires a 2 minute soak in essentially pure isopropyl alcohol (IPA), after which the media samples are dried for 24 hours before further tests. This method presents problems, namely, that soaking in a liquid may alter the mechanical efficiency of media, and that samples of media may not be representative of the media used in the full-scale filter.

A new approach, developed by T. Hayashi in Japan, eliminated electrostatic effects in electret-enhanced media sheets by exposure to IPA vapor for 16 hours or longer. This procedure was successfully duplicated by J. Cai in China, and at the Politecnico di Torino. ISO/TC142/WG9 in 2010 ran an inter-laboratory comparison to assess this procedure, and in 2011 organized another comparison which extended the method to full-scale filters. The full-scale tests have included three different types of air filters, comparing the results with the other approaches previously mentioned. These results will be useful for revising the current ISO 29461-1 test method and also for developing the new ISO 16890 series for general ventilation applications. Here we summarize the data obtained at the Politecnico di Torino, and describe the new test protocol that could be adopted by future international filter test standards.

KEYWORDS

Filter test, Filter Efficiency, Electrostatic Charges, Service life, ISO standards, EN 779:2012, ASHRAE