



POLITECNICO DI TORINO  
Repository ISTITUZIONALE

Comparison of photocatalytic and transport properties of TiO<sub>2</sub> and ZnO nanostructures for solar-driven water splitting

*Original*

Comparison of photocatalytic and transport properties of TiO<sub>2</sub> and ZnO nanostructures for solar-driven water splitting / Hernandez Ribullen, Simelys Pris; Hidalgo Diaz, Diana Carolina; Sacco, Adriano; Chiodoni, Angelica; Lamberti, Andrea; Cauda, Valentina Alice; Tresso, Elena Maria; Saracco, Guido. - In: PHYSICAL CHEMISTRY CHEMICAL PHYSICS. - ISSN 1463-9076. - STAMPA. - 17(2015), pp. 7775-7786.

*Availability:*

This version is available at: 11583/2590171 since: 2016-09-28T14:53:40Z

*Publisher:*

Royal Society of Chemistry

*Published*

DOI:10.1039/C4CP05857G

*Terms of use:*

openAccess

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

*Publisher copyright*

(Article begins on next page)

## Electronic Supporting Information


### Comparison of photocatalytic and transport properties of TiO<sub>2</sub> and ZnO nanostructures for solar-driven water splitting

Simelys Hernández<sup>a,b,\*</sup>, Diana Hidalgo<sup>a,b</sup>, Adriano Sacco<sup>a</sup>, Angelica Chiodoni<sup>a</sup>, Andrea Lamberti<sup>a,b</sup>, Valentina Cauda<sup>a</sup>, Elena Tresso<sup>a,b</sup>, Guido Saracco<sup>b</sup>


<sup>a</sup> Center for Space Human Robotics (IIT@POLITO), Istituto Italiano di Tecnologia, C.so Trento 21, 10129, Torino, Italy.

<sup>b</sup> Department of Applied Science and Technology (DISAT), Politecnico di Torino, C.so Duca degli Abruzzi 24, 10129, Torino, Italy.

\* Corresponding author: e-mail: [simelys.hernandez@polito.it](mailto:simelys.hernandez@polito.it), phone: (+39) 011.090.6664 / 3418.



**Figure S1.** Long-time *I-t* curves (12 h) at 0.3 V vs. Ag/AgCl under AM 1.5G simulated solar illumination (100 mW/cm<sup>2</sup>) of TiO<sub>2</sub> NTs and ZnO@TiO<sub>2</sub> photoelectrodes.



**Figure S2.** 45° tilted view FESEM images of the different nanostructures after PEC tests: a) TiO<sub>2</sub> NPs, b) TiO<sub>2</sub> NTs after additional 12h CA, c) ZnO NWs and d) ZnO@TiO<sub>2</sub> core shells after additional 12h CA. White circle put in evidence the early corrosion stage of the ZnO NWs