

POLITECNICO DI TORINO
Repository ISTITUZIONALE

Passive Macromodeling: Theory and Applications

Original

Passive Macromodeling: Theory and Applications / GRIVET TALOCIA, Stefano; Gustavsen, Bjorn. - STAMPA. - (2016), pp. 1-904.

Availability:

This version is available at: 11583/2642831 since: 2016-05-24T09:05:46Z

Publisher:

Wiley

Published

DOI:

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

INDEX

- admittance, 46
 characteristic, 109, 569, 571, 596
 interface, 524, 530
 matrix, 46
 per-unit-length, 108
 synthesis, 538
- aeroelasticity, 726
- aircraft, 726
- Algebraic Riccati Equation (ARE), 378
- aliasing, 824
- Alternating Current (AC), *see* sinusoidal
 steady-state
- analytic function, 805
 meromorphic, 807
 rational, *see* rational function
- Armijo rule, 794
- Arnoldi iteration, 143, 429
 block–, 144
 rational, 147
- Asymptotic Waveform Evaluation (AWE),
 138
- attenuation, 122
 constant, 567
- Autoregressive with Moving Average
(ARMA) model, 194, 229
- backplane, 664, 681, 687
- balanced structure, 342
- balanced truncation, 7, 158
- balancing, 156
 square root, 554
 transformation, 157
- Ball Grid Array (BGA), 668
- Banach space, 39
- Bartels–Stewart algorithm, 86
- basis, 172, 173, 761
 entire-domain, 737
 interpolating, 737
 monomial, 176
 orthogonal, 180, 762
 piecewise linear, 737
 rational, 231, 233
- behavioral model, 5
- Bessel function, 723
- bias, 701
- bifurcation, 738
- bisection, 392, 419
- boundary conditions, 6, 106, 108, 116, 125,
 587
- Bounded Real Lemma (BRL), 160, 406, 439,
 474, 556

- Bounded Real Lemma (BRL) (*Continued*)
 descriptor systems, 423
 lossless, 408
- Bounded Realness (BR), 12, 55
 rational, 402
- Brent's method, 794
- capacitance, 57
 per-unit-length, 104
- capacitor, 366
 decoupling, 679
- Cauchy
 integral formula, 65, 806
 matrix, 185
 principal value integral, 66, 816
 sequence, 39
 theorem, 805
- causality, 12, 61, 248
 violation, 20, 688
- circuit
 equivalent, 15, 597
 interface, 524, 530
 lumped, 74, 104, 148, 338, 365, 578, 693
 Norton, 524, 531, 593
 resistive, 548
 synthesis, 15, 538, 637, 682
 admittance, 538
 lossless, 557
 reactance extraction, 550
 resistance extraction, 554
 RLCT, 545
 state-space, 541
 Thévenin, 593, 525, 531
- complex
 exponential, 33
 frequency, 34
 shift, 148, 428
 sinusoid, 33
- Complex Frequency Hopping (CFH), 139
- Computer-Aided Design (CAD), 6, 169
- condition number, 782–784
- conditioning, 782
- conductance, 74
 per-unit-length, 104
- conductor losses
 frequency-dependent, 110
- connector, 664, 687
 SMA, 687
- constitutive equations, 125
- controllability, 64, 93, 318
- Gramian, 93, 156, 444, 478
 weighted, 479
- matrix, 206
 generalized, 218
- convergence, 39, 106, 245
- conversion
 discrete-time to/from continuous-time, 201, 210
- convex
 combination, 790
 function, 791
 hull, 790
 optimization, *see* optimization set, 790
- convolution, 16, 31, 523, 644, 694, 730
 recursive, 6, 16, 534, 646
- coupling, 681
- crosstalk, 665, 676, 681
- current density, 114
- curve fitting, *see* fitting
- cyclic-symmetric structure, 344
- decomposition, *see* factorization
- delay, 10, 568, 596, 641
 dominant, 629
 extraction, 597, 606, 608, 614, 625
- Delayed Vector Fitting (DVF), 604, 617, 627, 682
- delayed-rational approximation, 604
- Delayed-Rational Macromodel (DRM), 627, 746
 equivalent circuit, 637
 passivity, 631
 passivity enforcement, 633, 636
- density, 723
- description
 external, 73, 205
 internal, 7, 73, 205
- descriptor system, 77, 79, 106, 398, 422, 508
 impulsive, 511
 index, 78
 singular, 77
 Weierstrass form, 78, 510
- diagonalization, 342, 345
- dielectric losses
 frequency-dependent, 110
- Differential Algebraic Equations (DAE), 6, 75, 106
- Digital Signal Processing (DSP), 201
- Dirac's comb, *see* sampling function

- Dirac's delta, 29, 88, 811
 sifting property, 31
- direct coupling, 88, 136
- Direct Current (DC), 137, 702, 745
- Discrete Fourier Transform (DFT), 826
- discretization, 518, 693, 820
 Backward Euler (BE), 519
 Forward Euler (FE), 518
 one-step, 520
 semi-, 118, 129
 Trapezoidal Rule (TR), 519, 529, 534, 820
- dispersion, 122, 568, 692
- dispersion relations, 12, 67, 817
 generalized, 69
- displacement vector, 730
- dissipation inequality, 366, 367, 406
- distribution, 31, 37, 811
- divide and conquer, 1
- driver, 685
- eigendecomposition, 325, 357, 372, 446, 548
- eigenfunction, 33, 588
- eigenvalue, 85, 340, 371, 765
 clipping, 20
 generalized, 396, 422, 509, 770
 multiple, 470
 multiplicity, 765
 nonlinear, 632, 640
 perturbation, 450, 462, 464, 470, 509, 776
 sampling, 393
 slope, 466
 tracking, 778
- eigenvector, 765
- electric field, 114
- electrical length, *see* electrical size
- electrical size, 10, 110, 563
- EMTP, 4, 704
- energy, 12, 28, 51, 366
 dissipation rate, 85, 367
 gain, 44
 internal, 367, 376, 406
- equilibrium, 82
 asymptotically stable, 82
 stable, 82
 unstable, 82
- error
 magnification, 338, 358
 roundoff, 782
- estimator
 biased, 189
- Levy, 187
- Sanathanan–Koerner (SK), 227
- expansivity, 404
- exponential map, 823
- extraction, 129
- extrapolation, 5
- eye diagram, 677, 685
- factorization
 Cholesky, 86, 157, 443, 444, 769
 LU, 769
 QR, 144, 173, 209, 310, 769, 788
 QZ, 770
 Schur, 86, 325, 769
 SVD, *see* Singular Value Decomposition (SVD)
 Takagi, 326
- Fast Fourier Transform (FFT), 128, 522, 630, 695, 827
- feasible region, 800
- field solver, 7
- Finite Difference Frequency-Domain (FD-FD), 127, 676
- Finite Difference Time-Domain (FD-TD), 8, 128, 691
- Finite Element Method (FEM), 127, 128, 698
- Finite-Difference Frequency-Domain (FD-FD), 127, 128
- Method of Moments (MoMs), 127, 668, 698
- Partial Element Equivalent Circuit (PEEC), 129
- finite difference, 105, 118, 119, 518
- fitting, 171
 asymptotic, 191
 eigenvalue, 343
 least squares, *see* least squares
 polynomial, 176
 rational, 10, 182
 trace, 617
- fixed point, 245
 attractive, 246
 repelling, 246
- flow, 722
- fluid, 722, 730
- force, 730
 radiation, 730

- Foster, 15, 371, 558
 Fourier transform, 37, 813
 properties, 813
 frequency
 scaling, 739
 shift, 395
 transformation, 395
- Galerkin projection, 117, 142
 Gaussian random variable, 174
 generalized function, *see* distributions
 Gibbs phenomenon, 832, 833
 Gilbert realization, 319
 golden section, 794
 gradient, 792
 Gram-Schmidt procedure, *see*
 orthogonalization
 Green's function, 127
 ground plane, 665
- Hamiltonian
 eigenvalues, 383, 385, 389, 411, 426, 439,
 440, 461, 464, 775
 extended pencil, 396, 422
 generalized pencil, 398, 423, 508
 matrix, 383, 410, 460, 774
 frequency-dependent, 632, 640
 immittance, 383
 large-scale, 427
 scattering, 410, 418
 perturbation, 460, 469, 471
- Hankel
 matrix, 205, 213
 norm, 158
 operator, 158
 singular values, 158
- Hardy space, 43
 Hausdorff distance, 243
 Heaviside unit step, 88, 811
 Hessenberg matrix, 144
 high-speed channel, 681
 Hilbert space, 40
 Hilbert transform, 12, 67, 817
 holomorphic function, *see* analytic
 function
 hull, 729
 Hurwitz polynomial, 584
 hybrid
 matrix, 547, 549, 552
- ill-conditioning, 177, 189, 296
 immittance, 12, 45, 367
 impedance, 45
 characteristic, 109, 569, 572, 722
 driving-point, 77
 interface, 525, 531
 internal, 600
 matching, 47
 matrix, 46
 per-unit-length, 108
 transfer, 121
- impulse
 unit, *see* Dirac's delta
 impulse response, 29, 87, 88
 incidence matrix, 114
 inductance, 56
 external, 599
 per-unit-length, 104
- inequality
 Cauchy–Schwarz, 40
 triangle, 40
- Infinite Impulse Response (IIR) filter, 230, 534
- inner product, 39, 179, 282, 762
- instability, 17
- Interior Point Method (IPM), 802
- interpolation, 5, 216
 Lagrange polynomial, 69, 216, 737
 passivity-preserving, 738
 state-space, 741
 tangential, 218
- Jordan
 canonical form, 765
 lemma, 807
- Kalman–Yakubovich–Popov (KYP) Lemma, 377, 407
- Kirchhoff's Current Law (KCL), 44, 74, 105, 113
- Kirchhoff's Voltage Law (KVL), 74, 105, 113
- Kramers–Krönig, *see* dispersion relations
- Kronecker product, 85, 114, 331, 773
- Krylov subspace, 141
 block, 141
 rational, 147
- Lanczos process, 151, 154
 rational, 155

- Laplace transform
 bilateral, 34, 812
 domain, 34
 inversion, 35
Numerical Inversion (NILT), 5, 832
properties, 36, 813
Region of Convergence (ROC), 34, 60,
 812
unilateral, 36, 813
Laurent series, 806, 818
Least Squares (LS), 10, 171, 764
 constrained, 789
 linear, 172, 227, 787
 nonlinear, 185, 798
 weighted, 174, 486
Lebesgue space, 39
Levenberg–Marquardt method, 799
line search, 794
 backtracking, 795
linear
 dependence, 761
 independence, 761
Linear Matrix Inequality (LMI), 407, 474,
 803
linear regression, 175
linear system, 783
 overdetermined, 172, 764, 786
 underdetermined, 784
linearization, 187, 701
local minimum, 185
Loewner matrix, 217, 219
 shifted, 219
logarithmic barrier function, 800
LTI systems, 28
 asymptotically stable, 83
 causal, 32, 61
 distributed, 103, 111
 impulsive, 88
 lumped, 79
 passive, 55
 reciprocal, 48
 stable, 32, 62, 83
 static, 32, 52
Lur'e equations, *see* KYP
 (Kalman–Yakubovich–Popov)
 Lemma
Lyapunov
 equation, 84, 92, 93, 156, 635
 function, 82
 stability, 81
machine precision, 782
macromodel, 1
 behavioral, 1
 black-box, 2, 169
 gray-box, 2
 multivariate, 4, 735
 nonlinear, 685
 parameterized, 736
 rational, 9
 real-symmetric, 430
 small-signal, 701
 white-box, 2, 169, 716, 744
macromodeling
 compressed, 329
 flows, 6
magnetic field, 114
Markov parameters, 205
matrix, 762
 block, 772
 bordered block diagonal, 310
 condition number, 177, 189, 782, 784
 defective, 470
 determinant, 763
 diagonal, 763
 exponential, 80, 772
 feedforward, *see* direct coupling
 function, 772
 Hamiltonian, 775
 Hermitian, 766
 Hessian, 792
 image, 763
 Jacobian, 796
 kernel, 763
 nilpotent, 78, 510, 764, 771
 norm, 768
 orthogonal, 764
 permutation, 764
 rank, 763
 skew-Hamiltonian, 775
 skew-symmetric, 547
 spectral radius, 765
 symmetric, 765
 symmetric part, 445
 trace, 42
 triangular, 763
 unitary, 764
matrix pencil, 77, 213, 220, 770
 regular, 77, 770
 Weierstrass form, 771
maximum likelihood, 174

- Maxwell's equations, 6, 114, 124, 126
 measurement, 5, 9, 171, 687, 709, 727
 Method of Characteristics (MoC), 590
 generalized, 623
 passivity, 638
 minimum-phase function, 626
 mode, 567
 alpha, 343
 beta, 343
 common, 343
 differential, 343
 model
 interacting, 334, 524
 noninteracting, 333, 524
 Model Order Reduction (MOR), 6, 135
 topological, 7
 Modified Nodal Analysis (MNA), 6, 74, 79,
 106, 717
 moment, 136
 block, 136
 moment matching, 7, 138, 826
 implicit, 142, 151
 multipoint, 147
 Moore–Penrose, *see* pseudoinverse
 Multiconductor Transmission Line (MTL),
 564
 admittance matrix, 570, 572, 594
 chain parameter matrix, 583
 folded line equivalent, 573
 lossless, 595
 Matrix Rational Approximation (MRA),
 582
 modal domain solution, 566, 608
 modal transformation, 567
 physical domain solution, 570, 613
 traveling wave solution, 590, 608, 648
- natural frequencies, 81
 Newton's method, 795
 noise, 665
 norm, 762
 bandlimited, 481
 energy, 40
 frequency-selective, 478
 Frobenius, 768
 \mathcal{H}_∞ , 43, 99, 403, 440, 498
 induced, 40
 \mathcal{L}_2 , 98
 matrix, 768
 relative, 484
- signal, 38
 spectral, 768
 vector, 38, 767
 normal equations, 172, 787
- observability, 64, 92, 319
 Gramian, 92, 156, 443
 matrix, 206
 matrix (generalized), 218
 optimization
 constrained, 454, 456, 463, 465, 490, 635,
 637, 789, 799, 800
 convex, 454, 456, 463, 465, 792
 nonconvex, 10, 185
 nonlinear, 185
 nonsmooth, 500
 unconstrained, 792
 order, 136, 253
 Ordinary Differential Equations (ODEs), 518
 discretization, *see* discretization
 orthogonal polynomials, 179
 orthogonality, 40, 179, 762
 orthogonalization, 143, 179, 282, 762, 770,
 789
 orthonormalization, *see* orthogonalization
 oscillator, 14
 overfitting, 296
- package, 668, 681
 Padé approximation, 138, 584
 Padé Via Lanczos (PVL), 154
 parallel plates, 111
 parameter, 736
 parasitics, 4
 Parseval's theorem, 40, 65, 815
 Partial Differential Equations (PDEs), 108,
 115, 587
 passivity, 12, 28, 51, 55, 145, 159, 248
 asymptotic, 386, 412, 438, 439
 constraints, 437
 half-size test matrix, 430
 Hamiltonian test matrix, *see* Hamiltonian
 immittance, 368, 385, 399, 438
 internal, 553
 local, 387, 389, 413
 scattering, 70, 402, 407, 410, 439
 sufficient conditions, 146, 401, 424, 507
 violation, 387, 389, 413, 449, 461
 passivity enforcement
 asymptotic, 445

- descriptor systems, 508
- \mathcal{H}_∞ -norm constraints, 496, 502
- Hamiltonian perturbation, 471, 636
 - immittance, 462
 - scattering, 464
- local, 454, 489, 633
 - immittance, 450
 - multiple-frequency, 456
 - scattering, 452, 453
 - single-frequency, 455
- modal perturbation, 494
- mode-revealing transformation, 493
- pole perturbation, 505, 506
- residue perturbation, 487
- spectral residue perturbation, 492
- Pencil-of-Function (PoF), 212
- Per-Unit-Length (PUL) matrix, 566
- Perfect Magnetic Conductor (PMC), 116
- permeability, 114, 125
- permittivity, 114, 125
- Petrov–Galerkin projection, 151
- phase
 - constant, 567
 - velocity, 122, 568
- Plemelj formulas, *see* dispersion relations
- pole, 81, 807
 - common set, 308
 - dominant, 140, 238
 - flipping, 250
 - imaginary, 57, 58, 447
 - perturbation, 505, 506
 - relocation, 11, 235, 259, 285
 - starting, 11, 233, 237, 253
- pole-residue, *see* rational function
- pole-zero, *see* rational function
- polynomial
 - ratio, *see* rational function
- Popov function, 380, 409
 - generalized, 390, 417
- port, 44
 - external, 358
 - internal, 358
 - lumped, 125
 - one-, 45
 - two-, 45
 - waveguide, 125
- port splitting, *see* response splitting
- Positive Real Lemma (PRL), 160, 376, 377, 438, 474, 553, 555
- descriptor systems, 399
- lossless, 378
- Positive Realness (PR), 12, 54, 146, 349, 639
 - rational, 369
- potential, 729
- power, 28
 - active, 13
 - conservation, 366
 - flow, 50
 - instantaneous, 50, 366, 367
 - supplied, 376, 406
 - supply rate, 406
- Power Delivery Network (PDN), 673
- Power Integrity (PI), 663
- power system, 704
- pressure, 722
- PRIMA, 7, 145
- Printed Circuit Board (PCB), 112, 123, 664, 672, 681, 687
- Procrustes problem, 348
- projection, 140
 - orthogonal, 142
- Prony, 203
- propagation
 - constant, 108, 567
 - operator, 596
 - current-wave, 572
 - delayless, 600, 614
 - modal, 568, 595, 619
 - voltage-wave, 571
- Proper Orthogonal Decomposition (POD), 164
- Pseudo Random Binary Sequence (PRBS), 676
- pseudoinverse, 172, 209, 764, 785, 787
- quadratic form, 92, 445, 766
- quadrature, 16, 274
- rank, 325
- rational function, 81
 - all-pass, 810
 - minimum phase, 288, 810
 - minimum reactance, 810
 - partial fractions, 81, 88, 184, 233, 808
 - pole-residue, 10, 184, 533
 - pole-zero, 10, 88, 808
 - polynomial ratio, 10, 88, 183, 226, 807
- realness, 12, 248
- reciprocity, 12, 48, 95, 324, 430, 549
 - external, *see* reciprocity
 - internal, 97, 324, 325

- reciprocity, (*Continued*)
 - theorem, 49
- reflection coefficient, 47
- reflective function, 699
- residue, 807
 - theorem, 282, 807
- resistance
 - negative, 13
 - per-unit-length, 104
 - reference, 46
- resonance, 676
- response
 - zero-input, 80
 - zero-state, 87
- response splitting, 313
 - MIMO, 317, 322
 - multi-SIMO, 316, 322
 - multi-SISO, 314, 322
- Root Mean Square (RMS), 13
- S-parameters, *see* scattering
- sampling, 201, 633, 822
 - adaptive, 5, 698
- sampling function, 816
- Sanathanan–Koerner (SK) iteration, 226
 - generalized, 231
 - parameterized, 740
- scalar product, *see* inner product
- scattering, 12, 367
 - interface, 525, 531
 - matrix, 47
 - waves, 47
- Schur complement, 774
- segmentation, 577
- semidefinite programming, 507
- Shermann-Morrison-Woodbury Lemma, 429, 772
- signal, 24
 - cisoidal, 33
 - continuous-time, 822
 - discrete-time, 822
- Signal Integrity (SI), 663, 681
- signature matrix
 - external, 49
 - internal, 97
- singular value, 415, 766
 - perturbation, 776
 - sampling, 420
 - tracking, 779
- Singular Value Decomposition (SVD), 161, 173, 206, 220, 319, 329, 348, 403, 766, 786
 - economy-size, 767
- sinusoidal steady-state, 13
- skin
 - depth, 110
 - effect, 110, 692
- snapshot, 165
- sound, 723
- spectral
 - factorization, 380, 409
 - projector, 511
 - zero, 383, 410
- SPICE, 4, 677, 682, 747
- stability, 27, 248
 - asymptotic, 12, 83, 85
- Bounded-Input Bounded-Output (BIBO), 12, 27, 62, 89
 - global, 82
 - internal, 83
 - Lyapunov, 81
 - numerical, 782
 - uniform, 82
- state vector, 76
 - generalized, 77
 - initial conditions, 80
- state-space perturbation, 440
- state-space system, 75
 - addition, 90
 - cascade connection, 90
 - generalized, *see* descriptor system
 - Gilbert canonical form, *see* Gilbert realization
 - impulsive, 79, 369, 529
 - interface, 528
 - inverse, 91
 - minimal, 95, 319
 - reciprocal, 95, 322
 - regular, 77, 80, 370, 529
 - similarity transformation, 91
 - sparsity, 322
 - synthesis, 541
- Steiglitz–McBride (SMB) iteration, 229
 - convergence, 247
- step
 - unit, *see* Heaviside unit step
- storage function, *see* energy
- subdifferential, 501
- subgradient, 501

- alternate iteration, 502
- subnetwork equivalent, 6, 301, 705
- subspace, 140, 761
 - identification (4SID), 204
- subtraction point, 69
- superposition principle, 24
- support, 811
- Surface Acoustic Wave (SAW) filter, 299
- symmetry, 12, 324, 430
 - four-quadrant, 380, 409, 432
- system, 24
 - autonomous, 80, 82
 - causal, 26
 - large-scale, 427
 - linear, 4, 24
 - linear time-invariant, *see* LTI systems
 - lossless, 368, 370, 506, 557
 - Multi-Input Multi-Output (MIMO), 24, 308, 312
 - nonlinear, 4, 81, 367, 701
 - norm, 41, 97, 99
 - real-symmetric, 430
 - Single-Input Multi-Output (SIMO), 24
 - Single-Input Single-Output (SISO), 24
 - static, 26, 548
 - time-invariant, 26, 82
- system-level simulation, 521
- Taylor series, 136, 701, 806
- Telegrapher's equations, 107, 565, 583, 587
- Tellegen's theorem, 366
- terminal, 44
- Time-Domain Reflectometry (TDR), 9
- Toeplitz matrix, 196
- topology, 2
- trace parameterization, 477
- transfer function, 36, 87
- transfer matrix, *see* transfer function
- transformation
 - approximate modal, 619
 - bilinear, 202, 210, 279, 821
- Clarke, 343
- congruence, 56, 342, 494, 769
- modal, 346, 357, 494, 567, 608
- mode-revealing, 347, 494
- shift-and-invert, 428
- similarity, 91, 432, 610, 768
- transformer, 303, 715
 - ideal, 546
 - multiport, 546
- power, 708
- transmission coefficient, 47
- transmission line, 16, 104, 338, 599, 641
 - fluid, 722
 - multiconductor, *see* Multiconductor Transmission Line (MTL)
 - three-phase, 705
- Transverse ElectroMagnetic (TEM) mode, 125, 565, 694
- Transverse-Magnetic (TM) mode, 115
- trapezoidal rule, 274
- Truncated Balanced Reaction (TBR), *see* balanced truncation
- truncation, 155, 173, 220, 695
- Universal Line Model (ULM), 618
- Vandermonde matrix, 177, 188
- vector
 - norm, 767
 - space, 761
- Vector Fitting (VF), 10, 234, 308
 - asymptotic constraints, 267, 268
 - column scaling, 254
 - consistency, 241
 - convergence, 242
 - DC constraints, 269
- Delayed, *see* Delayed Vector Fitting (DVF)
- Fast, 310
- initialization, 253
- Magnitude, 288
- Modal (MVF), 356, 357
- order selection, 253
- Orthonormal (OVF), 281
- Relaxed (RVF), 259
- Time-Domain (TD-VF), 273
- weighting, 264
- weighting function, 237
- Z-Domain (ZD-VF), 278
- Vector Network Analyzer (VNA), 9, 687
- via, 664, 687
- viscosity, 723
- voltage regulator, 703
- wave
 - current, 571, 592
 - modal, 594
 - ocean, 728

wave (*Continued*)
voltage, 571, 591
wave equation, 115
weighting, 264, 265, 478
inverse magnitude, 335, 340, 484

Y-parameters, *see* admittance
 \mathcal{L} -transform, 818, 203
Z-parameters, *see* impedance
zero, 807