

Passive Macromodeling: Theory and Applications

Original

Passive Macromodeling: Theory and Applications / GRIVET TALOCIA, Stefano; Gustavsen, Bjorn. - STAMPA. - (2016), pp. 1-904.

Availability:

This version is available at: 11583/2642831 since: 2016-05-24T09:05:46Z

Publisher:

Wiley

Published

DOI:

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

INDEX

- admittance, 46
 - characteristic, 109, 569, 571, 596
 - interface, 524, 530
 - matrix, 46
 - per-unit-length, 108
 - synthesis, 538
- aeroelasticity, 726
- aircraft, 726
- Algebraic Riccati Equation (ARE), 378
- aliasing, 824
- Alternating Current (AC), *see* sinusoidal
 - steady-state
- analytic function, 805
 - meromorphic, 807
 - rational, *see* rational function
- Armijo rule, 794
- Arnoldi iteration, 143, 429
 - block-, 144
 - rational, 147
- Asymptotic Waveform Evaluation (AWE), 138
- attenuation, 122
 - constant, 567
- Autoregressive with Moving Average (ARMA) model, 194, 229
- backplane, 664, 681, 687
- balanced structure, 342
- balanced truncation, 7, 158
- balancing, 156
 - square root, 554
 - transformation, 157
- Ball Grid Array (BGA), 668
- Banach space, 39
- Bartels–Stewart algorithm, 86
- basis, 172, 173, 761
 - entire-domain, 737
 - interpolating, 737
 - monomial, 176
 - orthogonal, 180, 762
 - piecewise linear, 737
 - rational, 231, 233
- behavioral model, 5
- Bessel function, 723
- bias, 701
- bifurcation, 738
- bisection, 392, 419
- boundary conditions, 6, 106, 108, 116, 125, 587
- Bounded Real Lemma (BRL), 160, 406, 439, 474, 556

- Bounded Real Lemma (BRL) (*Continued*)
 - descriptor systems, 423
 - lossless, 408
- Bounded Realness (BR), 12, 55
 - rational, 402
- Brent's method, 794
- capacitance, 57
 - per-unit-length, 104
- capacitor, 366
 - decoupling, 679
- Cauchy
 - integral formula, 65, 806
 - matrix, 185
 - principal value integral, 66, 816
 - sequence, 39
 - theorem, 805
- causality, 12, 61, 248
 - violation, 20, 688
- circuit
 - equivalent, 15, 597
 - interface, 524, 530
 - lumped, 74, 104, 148, 338, 365, 578, 693
 - Norton, 524, 531, 593
 - resistive, 548
 - synthesis, 15, 538, 637, 682
 - admittance, 538
 - lossless, 557
 - reactance extraction, 550
 - resistance extraction, 554
 - RLCT, 545
 - state-space, 541
 - Thévenin, 593, 525, 531
- complex
 - exponential, 33
 - frequency, 34
 - shift, 148, 428
 - sinusoid, 33
- Complex Frequency Hopping (CFH), 139
- Computer-Aided Design (CAD), 6, 169
- condition number, 782–784
- conditioning, 782
- conductance, 74
 - per-unit-length, 104
- conductor losses
 - frequency-dependent, 110
- connector, 664, 687
 - SMA, 687
- constitutive equations, 125
- controllability, 64, 93, 318
 - Gramian, 93, 156, 444, 478
 - weighted, 479
 - matrix, 206
 - generalized, 218
- convergence, 39, 106, 245
- conversion
 - discrete-time to/from continuous-time, 201, 210
- convex
 - combination, 790
 - function, 791
 - hull, 790
 - optimization, *see* optimization set, 790
- convolution, 16, 31, 523, 644, 694, 730
 - recursive, 6, 16, 534, 646
- coupling, 681
- crosstalk, 665, 676, 681
- current density, 114
- curve fitting, *see* fitting
- cyclic-symmetric structure, 344
- decomposition, *see* factorization
- delay, 10, 568, 596, 641
 - dominant, 629
 - extraction, 597, 606, 608, 614, 625
- Delayed Vector Fitting (DVF), 604, 617, 627, 682
- delayed-rational approximation, 604
- Delayed-Rational Macromodel (DRM), 627, 746
 - equivalent circuit, 637
 - passivity, 631
 - passivity enforcement, 633, 636
- density, 723
- description
 - external, 73, 205
 - internal, 7, 73, 205
- descriptor system, 77, 79, 106, 398, 422, 508
 - impulsive, 511
 - index, 78
 - singular, 77
 - Weierstrass form, 78, 510
- diagonalization, 342, 345
- dielectric losses
 - frequency-dependent, 110
- Differential Algebraic Equations (DAE), 6, 75, 106
- Digital Signal Processing (DSP), 201
- Dirac's comb, *see* sampling function

- Dirac's delta, 29, 88, 811
 - sifting property, 31
- direct coupling, 88, 136
- Direct Current (DC), 137, 702, 745
- Discrete Fourier Transform (DFT), 826
- discretization, 518, 693, 820
 - Backward Euler (BE), 519
 - Forward Euler (FE), 518
 - one-step, 520
 - semi-, 118, 129
 - Trapezoidal Rule (TR), 519, 529, 534, 820
- dispersion, 122, 568, 692
- dispersion relations, 12, 67, 817
 - generalized, 69
- displacement vector, 730
- dissipation inequality, 366, 367, 406
- distribution, 31, 37, 811
- divide and conquer, 1
- driver, 685

- eigendecomposition, 325, 357, 372, 446, 548
- eigenfunction, 33, 588
- eigenvalue, 85, 340, 371, 765
 - clipping, 20
 - generalized, 396, 422, 509, 770
 - multiple, 470
 - multiplicity, 765
 - nonlinear, 632, 640
 - perturbation, 450, 462, 464, 470, 509, 776
 - sampling, 393
 - slope, 466
 - tracking, 778
- eigenvector, 765
- electric field, 114
- electrical length, *see* electrical size
- electrical size, 10, 110, 563
- EMTP, 4, 704
- energy, 12, 28, 51, 366
 - dissipation rate, 85, 367
 - gain, 44
 - internal, 367, 376, 406
- equilibrium, 82
 - asymptotically stable, 82
 - stable, 82
 - unstable, 82
- error
 - magnification, 338, 358
 - roundoff, 782
- estimator
 - biased, 189
 - Levy, 187
 - Sanathanan–Koerner (SK), 227
- expansivity, 404
- exponential map, 823
- extraction, 129
- extrapolation, 5
- eye diagram, 677, 685

- factorization
 - Cholesky, 86, 157, 443, 444, 769
 - LU, 769
 - QR, 144, 173, 209, 310, 769, 788
 - QZ, 770
 - Schur, 86, 325, 769
 - SVD, *see* Singular Value Decomposition (SVD)
 - Takagi, 326
- Fast Fourier Transform (FFT), 128, 522, 630, 695, 827
- feasible region, 800
- field solver, 7
 - Finite Difference Frequency-Domain (FD-FD), 127, 676
 - Finite Difference Time-Domain (FD-TD), 8, 128, 691
 - Finite Element Method (FEM), 127, 128, 698
 - Finite-Difference Frequency-Domain (FD-FD), 127, 128
 - Method of Moments (MoMs), 127, 668, 698
 - Partial Element Equivalent Circuit (PEEC), 129
- finite difference, 105, 118, 119, 518
- fitting, 171
 - asymptotic, 191
 - eigenvalue, 343
 - least squares, *see* least squares
 - polynomial, 176
 - rational, 10, 182
 - trace, 617
- fixed point, 245
 - attractive, 246
 - repelling, 246
- flow, 722
- fluid, 722, 730
- force, 730
 - radiation, 730

- Foster, 15, 371, 558
- Fourier transform, 37, 813
 - properties, 813
- frequency
 - scaling, 739
 - shift, 395
 - transformation, 395
- Galerkin projection, 117, 142
- Gaussian random variable, 174
- generalized function, *see* distributions
- Gibbs phenomenon, 832, 833
- Gilbert realization, 319
- golden section, 794
- gradient, 792
- Gram-Schmidt procedure, *see* orthogonalization
- Green's function, 127
- ground plane, 665
- Hamiltonian
 - eigenvalues, 383, 385, 389, 411, 426, 439, 440, 461, 464, 775
 - extended pencil, 396, 422
 - generalized pencil, 398, 423, 508
 - matrix, 383, 410, 460, 774
 - frequency-dependent, 632, 640
 - immittance, 383
 - large-scale, 427
 - scattering, 410, 418
 - perturbation, 460, 469, 471
- Hankel
 - matrix, 205, 213
 - norm, 158
 - operator, 158
 - singular values, 158
- Hardy space, 43
- Hausdorff distance, 243
- Heaviside unit step, 88, 811
- Hessenberg matrix, 144
- high-speed channel, 681
- Hilbert space, 40
- Hilbert transform, 12, 67, 817
- holomorphic function, *see* analytic function
- hull, 729
- Hurwitz polynomial, 584
- hybrid
 - matrix, 547, 549, 552
- ill-conditioning, 177, 189, 296
- immittance, 12, 45, 367
- impedance, 45
 - characteristic, 109, 569, 572, 722
 - driving-point, 77
 - interface, 525, 531
 - internal, 600
 - matching, 47
 - matrix, 46
 - per-unit-length, 108
 - transfer, 121
- impulse
 - unit, *see* Dirac's delta
- impulse response, 29, 87, 88
- incidence matrix, 114
- inductance, 56
 - external, 599
 - per-unit-length, 104
- inequality
 - Cauchy–Schwarz, 40
 - triangle, 40
- Infinite Impulse Response (IIR) filter, 230, 534
- inner product, 39, 179, 282, 762
- instability, 17
- Interior Point Method (IPM), 802
- interpolation, 5, 216
 - Lagrange polynomial, 69, 216, 737
 - passivity-preserving, 738
 - state-space, 741
 - tangential, 218
- Jordan
 - canonical form, 765
 - lemma, 807
- Kalman–Yakubovich–Popov (KYP) Lemma, 377, 407
- Kirchhoff's Current Law (KCL), 44, 74, 105, 113
- Kirchhoff's Voltage Law (KVL), 74, 105, 113
- Kramers–Krönig, *see* dispersion relations
- Kronecker product, 85, 114, 331, 773
- Krylov subspace, 141
 - block, 141
 - rational, 147
- Lanczos process, 151, 154
 - rational, 155

- Laplace transform
 - bilateral, 34, 812
 - domain, 34
 - inversion, 35
 - Numerical Inversion (NILT), 5, 832
 - properties, 36, 813
 - Region of Convergence (ROC), 34, 60, 812
 - unilateral, 36, 813
- Laurent series, 806, 818
- Least Squares (LS), 10, 171, 764
 - constrained, 789
 - linear, 172, 227, 787
 - nonlinear, 185, 798
 - weighted, 174, 486
- Lebesgue space, 39
- Levenberg–Marquardt method, 799
- line search, 794
 - backtracking, 795
- linear
 - dependence, 761
 - independence, 761
- Linear Matrix Inequality (LMI), 407, 474, 803
- linear regression, 175
- linear system, 783
 - overdetermined, 172, 764, 786
 - underdetermined, 784
- linearization, 187, 701
- local minimum, 185
- Loewner matrix, 217, 219
 - shifted, 219
- logarithmic barrier function, 800
- LTI systems, 28
 - asymptotically stable, 83
 - causal, 32, 61
 - distributed, 103, 111
 - impulsive, 88
 - lumped, 79
 - passive, 55
 - reciprocal, 48
 - stable, 32, 62, 83
 - static, 32, 52
- Lur'e equations, *see* KYP
 - (Kalman–Yakubovich–Popov) Lemma
- Lyapunov
 - equation, 84, 92, 93, 156, 635
 - function, 82
 - stability, 81
- machine precision, 782
- macromodel, 1
 - behavioral, 1
 - black-box, 2, 169
 - gray-box, 2
 - multivariate, 4, 735
 - nonlinear, 685
 - parameterized, 736
 - rational, 9
 - real-symmetric, 430
 - small-signal, 701
 - white-box, 2, 169, 716, 744
- macromodeling
 - compressed, 329
 - flows, 6
- magnetic field, 114
- Markov parameters, 205
- matrix, 762
 - block, 772
 - bordered block diagonal, 310
 - condition number, 177, 189, 782, 784
 - defective, 470
 - determinant, 763
 - diagonal, 763
 - exponential, 80, 772
 - feedforward, *see* direct coupling
 - function, 772
 - Hamiltonian, 775
 - Hermitian, 766
 - Hessian, 792
 - image, 763
 - Jacobian, 796
 - kernel, 763
 - nilpotent, 78, 510, 764, 771
 - norm, 768
 - orthogonal, 764
 - permutation, 764
 - rank, 763
 - skew-Hamiltonian, 775
 - skew-symmetric, 547
 - spectral radius, 765
 - symmetric, 765
 - symmetric part, 445
 - trace, 42
 - triangular, 763
 - unitary, 764
- matrix pencil, 77, 213, 220, 770
 - regular, 77, 770
 - Weierstrass form, 771
- maximum likelihood, 174

- Maxwell's equations, 6, 114, 124, 126
 measurement, 5, 9, 171, 687, 709, 727
 Method of Characteristics (MoC), 590
 generalized, 623
 passivity, 638
 minimum-phase function, 626
 mode, 567
 alpha, 343
 beta, 343
 common, 343
 differential, 343
 model
 interacting, 334, 524
 noninteracting, 333, 524
 Model Order Reduction (MOR), 6, 135
 topological, 7
 Modified Nodal Analysis (MNA), 6, 74, 79,
 106, 717
 moment, 136
 block, 136
 moment matching, 7, 138, 826
 implicit, 142, 151
 multipoint, 147
 Moore–Penrose, *see* pseudoinverse
 Multiconductor Transmission Line (MTL),
 564
 admittance matrix, 570, 572, 594
 chain parameter matrix, 583
 folded line equivalent, 573
 lossless, 595
 Matrix Rational Approximation (MRA),
 582
 modal domain solution, 566, 608
 modal transformation, 567
 physical domain solution, 570, 613
 traveling wave solution, 590, 608, 648

 natural frequencies, 81
 Newton's method, 795
 noise, 665
 norm, 762
 bandlimited, 481
 energy, 40
 frequency-selective, 478
 Frobenius, 768
 \mathcal{H}_∞ , 43, 99, 403, 440, 498
 induced, 40
 \mathcal{L}_2 , 98
 matrix, 768
 relative, 484
 signal, 38
 spectral, 768
 vector, 38, 767
 normal equations, 172, 787

 observability, 64, 92, 319
 Gramian, 92, 156, 443
 matrix, 206
 matrix (generalized), 218
 optimization
 constrained, 454, 456, 463, 465, 490, 635,
 637, 789, 799, 800
 convex, 454, 456, 463, 465, 792
 nonconvex, 10, 185
 nonlinear, 185
 nonsmooth, 500
 unconstrained, 792
 order, 136, 253
 Ordinary Differential Equations (ODEs), 518
 discretization, *see* discretization
 orthogonal polynomials, 179
 orthogonality, 40, 179, 762
 orthogonalization, 143, 179, 282, 762, 770,
 789
 orthonormalization, *see* orthogonalization
 oscillator, 14
 overfitting, 296

 package, 668, 681
 Padé approximation, 138, 584
 Padé Via Lanczos (PVL), 154
 parallel plates, 111
 parameter, 736
 parasitics, 4
 Parseval's theorem, 40, 65, 815
 Partial Differential Equations (PDEs), 108,
 115, 587
 passivity, 12, 28, 51, 55, 145, 159, 248
 asymptotic, 386, 412, 438, 439
 constraints, 437
 half-size test matrix, 430
 Hamiltonian test matrix, *see* Hamiltonian
 immittance, 368, 385, 399, 438
 internal, 553
 local, 387, 389, 413
 scattering, 70, 402, 407, 410, 439
 sufficient conditions, 146, 401, 424, 507
 violation, 387, 389, 413, 449, 461
 passivity enforcement
 asymptotic, 445

- descriptor systems, 508
- \mathcal{H}_∞ -norm constraints, 496, 502
- Hamiltonian perturbation, 471, 636
 - immittance, 462
 - scattering, 464
- local, 454, 489, 633
 - immittance, 450
 - multiple-frequency, 456
 - scattering, 452, 453
 - single-frequency, 455
- modal perturbation, 494
- mode-revealing transformation, 493
- pole perturbation, 505, 506
- residue perturbation, 487
- spectral residue perturbation, 492
- Pencil-of-Function (PoF), 212
- Per-Unit-Length (PUL) matrix, 566
- Perfect Magnetic Conductor (PMC), 116
- permeability, 114, 125
- permittivity, 114, 125
- Petrov–Galerkin projection, 151
- phase
 - constant, 567
 - velocity, 122, 568
- Plemelj formulas, *see* dispersion relations
- pole, 81, 807
 - common set, 308
 - dominant, 140, 238
 - flipping, 250
 - imaginary, 57, 58, 447
 - perturbation, 505, 506
 - relocation, 11, 235, 259, 285
 - starting, 11, 233, 237, 253
- pole-residue, *see* rational function
- pole-zero, *see* rational function
- polynomial
 - ratio, *see* rational function
- Popov function, 380, 409
 - generalized, 390, 417
- port, 44
 - external, 358
 - internal, 358
 - lumped, 125
 - one-, 45
 - two-, 45
 - waveguide, 125
- port splitting, *see* response splitting
- Positive Real Lemma (PRL), 160, 376, 377, 438, 474, 553, 555
 - descriptor systems, 399
 - lossless, 378
- Positive Realness (PR), 12, 54, 146, 349, 639
 - rational, 369
- potential, 729
- power, 28
 - active, 13
 - conservation, 366
 - flow, 50
 - instantaneous, 50, 366, 367
 - supplied, 376, 406
 - supply rate, 406
- Power Delivery Network (PDN), 673
- Power Integrity (PI), 663
- power system, 704
- pressure, 722
- PRIMA, 7, 145
- Printed Circuit Board (PCB), 112, 123, 664, 672, 681, 687
- Procrustes problem, 348
- projection, 140
 - orthogonal, 142
- Prony, 203
- propagation
 - constant, 108, 567
 - operator, 596
 - current-wave, 572
 - delayless, 600, 614
 - modal, 568, 595, 619
 - voltage-wave, 571
- Proper Orthogonal Decomposition (POD), 164
- Pseudo Random Binary Sequence (PRBS), 676
- pseudoinverse, 172, 209, 764, 785, 787
- quadratic form, 92, 445, 766
- quadrature, 16, 274
- rank, 325
- rational function, 81
 - all-pass, 810
 - minimum phase, 288, 810
 - minimum reactance, 810
 - partial fractions, 81, 88, 184, 233, 808
 - pole-residue, 10, 184, 533
 - pole-zero, 10, 88, 808
 - polynomial ratio, 10, 88, 183, 226, 807
- realness, 12, 248
- reciprocity, 12, 48, 95, 324, 430, 549
 - external, *see* reciprocity
 - internal, 97, 324, 325

- reciprocity, (*Continued*)
 - theorem, 49
- reflection coefficient, 47
- reflective function, 699
- residue, 807
 - theorem, 282, 807
- resistance
 - negative, 13
 - per-unit-length, 104
 - reference, 46
- resonance, 676
- response
 - zero-input, 80
 - zero-state, 87
- response splitting, 313
 - MIMO, 317, 322
 - multi-SIMO, 316, 322
 - multi-SISO, 314, 322
- Root Mean Square (RMS), 13

- S-parameters, *see* scattering
- sampling, 201, 633, 822
 - adaptive, 5, 698
- sampling function, 816
- Sanathanan–Koerner (SK) iteration, 226
 - generalized, 231
 - parameterized, 740
- scalar product, *see* inner product
- scattering, 12, 367
 - interface, 525, 531
 - matrix, 47
 - waves, 47
- Schur complement, 774
- segmentation, 577
- semidefinite programming, 507
- Shermann–Morrison–Woodbury Lemma, 429, 772
- signal, 24
 - cisoidal, 33
 - continuous-time, 822
 - discrete-time, 822
- Signal Integrity (SI), 663, 681
- signature matrix
 - external, 49
 - internal, 97
- singular value, 415, 766
 - perturbation, 776
 - sampling, 420
 - tracking, 779
- Singular Value Decomposition (SVD), 161, 173, 206, 220, 319, 329, 348, 403, 766, 786
 - economy-size, 767
- sinusoidal steady-state, 13
- skin
 - depth, 110
 - effect, 110, 692
- snapshot, 165
- sound, 723
- spectral
 - factorization, 380, 409
 - projector, 511
 - zero, 383, 410
- SPICE, 4, 677, 682, 747
- stability, 27, 248
 - asymptotic, 12, 83, 85
 - Bounded-Input Bounded-Output (BIBO), 12, 27, 62, 89
 - global, 82
 - internal, 83
 - Lyapunov, 81
 - numerical, 782
 - uniform, 82
- state vector, 76
 - generalized, 77
 - initial conditions, 80
- state-space perturbation, 440
- state-space system, 75
 - addition, 90
 - cascade connection, 90
 - generalized, *see* descriptor system
 - Gilbert canonical form, *see* Gilbert realization
 - impulsive, 79, 369, 529
 - interface, 528
 - inverse, 91
 - minimal, 95, 319
 - reciprocal, 95, 322
 - regular, 77, 80, 370, 529
 - similarity transformation, 91
 - sparsity, 322
 - synthesis, 541
- Steiglitz–McBride (SMB) iteration, 229
 - convergence, 247
- step
 - unit, *see* Heaviside unit step
- storage function, *see* energy
- subdifferential, 501
- subgradient, 501

- alternate iteration, 502
- subnetwork equivalent, 6, 301, 705
- subspace, 140, 761
 - identification (4SID), 204
- subtraction point, 69
- superposition principle, 24
- support, 811
- Surface Acoustic Wave (SAW) filter, 299
- symmetry, 12, 324, 430
 - four-quadrant, 380, 409, 432
- system, 24
 - autonomous, 80, 82
 - causal, 26
 - large-scale, 427
 - linear, 4, 24
 - linear time-invariant, *see* LTI systems
 - lossless, 368, 370, 506, 557
 - Multi-Input Multi-Output (MIMO), 24, 308, 312
 - nonlinear, 4, 81, 367, 701
 - norm, 41, 97, 99
 - real-symmetric, 430
 - Single-Input Multi-Output (SIMO), 24
 - Single-Input Single-Output (SISO), 24
 - static, 26, 548
 - time-invariant, 26, 82
- system-level simulation, 521

- Taylor series, 136, 701, 806
- Telegrapher's equations, 107, 565, 583, 587
- Tellegen's theorem, 366
- terminal, 44
- Time-Domain Reflectometry (TDR), 9
- Toeplitz matrix, 196
- topology, 2
- trace parameterization, 477
- transfer function, 36, 87
- transfer matrix, *see* transfer function
- transformation
 - approximate modal, 619
 - bilinear, 202, 210, 279, 821
 - Clarke, 343
 - congruence, 56, 342, 494, 769
 - modal, 346, 357, 494, 567, 608
 - mode-revealing, 347, 494
 - shift-and-invert, 428
 - similarity, 91, 432, 610, 768
- transformer, 303, 715
 - ideal, 546
 - multiport, 546
 - power, 708
- transmission coefficient, 47
- transmission line, 16, 104, 338, 599, 641
 - fluid, 722
 - multiconductor, *see* Multiconductor Transmission Line (MTL)
 - three-phase, 705
- Transverse ElectroMagnetic (TEM) mode, 125, 565, 694
- Transverse-Magnetic (TM) mode, 115
- trapezoidal rule, 274
- Truncated Balanced Reaaction (TBR), *see* balanced truncation
- truncation, 155, 173, 220, 695

- Universal Line Model (ULM), 618

- Vandermonde matrix, 177, 188
- vector
 - norm, 767
 - space, 761
- Vector Fitting (VF), 10, 234, 308
 - asymptotic constraints, 267, 268
 - column scaling, 254
 - consistency, 241
 - convergence, 242
 - DC constraints, 269
 - Delayed, *see* Delayed Vector Fitting (DVF)
 - Fast, 310
 - initialization, 253
 - Magnitude, 288
 - Modal (MVF), 356, 357
 - order selection, 253
 - Orthonormal (OVF), 281
 - Relaxed (RVF), 259
 - Time-Domain (TD-VF), 273
 - weighting, 264
 - weighting function, 237
 - Z-Domain (ZD-VF), 278
- Vector Network Analyzer (VNA), 9, 687
- via, 664, 687
- viscosity, 723
- voltage regulator, 703

- wave
 - current, 571, 592
 - modal, 594
 - ocean, 728

wave (*Continued*)

voltage, 571, 591

wave equation, 115

weighting, 264, 265, 478

inverse magnitude, 335, 340, 484

Y-parameters, *see* admittance

\mathcal{L} -transform, 818, 203

Z-parameters, *see* impedance

zero, 807