POLITECNICO DI TORINO Repository ISTITUZIONALE

Geomatics and Virtual tourism

Original

Geomatics and Virtual tourism / Minucciani, Valeria; Garnero, Gabriele. - In: JOURNAL OF AGRICULTURAL ENGINEERING. - ISSN 1974-7071. - STAMPA. - XLIV:(2013), pp. 504-509. [10.4081/jae.2013.(s1):e100]

Availability: This version is available at: 11583/2667612 since: 2017-03-23T15:58:05Z

Publisher: PagePRESS

Published DOI:10.4081/jae.2013.(s1):e100

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)



Official Journal of the Associazione Italiana di Ingegneria Agraria



Member of the International Commission of Agricultural Engineering



Proceedings of the 10th Conference of the Italian Society of Agricultural Engineering

Horizons in agricultural, forestry and biosystems engineering

Viterbo, Italy, September 8-12, 2013

Guest Editors: Danilo Monarca, Massimo Cecchini

Journal of Agricultural Engineering

open access journal - ISSN 1974-7071 - www.agroengineering.org



Journal of Agricultural Engineering

pISSN 1974-7071 | eISSN 2239-6268

Editor-in-Chief

Adriano Guarnieri, Department of Agricultural Economics and Engineering, Viale G. Fanin, 50, 40127 Bologna, Italy Tel. +39.051.2096193 - Fax. +39.051.2096178 - E-mail: adriano.guarnieri2@unibo.it

Associate Editors

Paolo Balsari, University of Torino, Italy Claudio Gandolfi, University of Milano, Italy Giacomo Scarascia-Mugnozza, University of Bari "Aldo Moro", Italy

Editorial Manager

Giovanni Molari, University of Bologna, Italy giovanni.molari@unibo.it

Editorial Board

Pedro Aguado, University of Leon, Spain Juan Ángel Mintegui Aguirre, Polytechnic University of Madrid, Spain Francisco Ayuga Téllez, Polytechnic University of Madrid, Spain Demetres Briassoulis, Agricultural University of Athens, Greece Artemi Cerdà, University of Valencia, Spain Giancarlo Colelli, University of Foggia, Italy Josse Debaerdemaeker, Catholic University of Leuven, Belgium Salvatore Di Fazio, Mediterranean University of Reggio Calabria, Italy Istvan Farkas, Gödöllo University of Agricultural Sciences, Hungary Vito Ferro, University of Palermo, Italy Emilio Gil, Polytechnic University of Catalunya, Spain Valentin Golosov, Moscow State University, Russia Dirk Jaeger, University of Freiburg, Germany Pavel Kic, University of Life Sciences Prague, Czech Republic Andrew Landers, Cornell University, USA Attila Nemes, BIOFORSK, Norwegian Institute for Agricultural and Environmental Research, Norway George Papadakis, Agricultural University of Athens, Greece Giovanni Luca Riva, Polytechnic University of Marche, Italy Nunzio Romano, University of Napoli, Italy Masoud Salyani, University of Florida, USA María Teresa Sánchez-Pineda, University of Córdoba, Spain Daniel M. Tartakovsky, University of California, San Diego, USA Patrizia Tassinari, University of Bologna, Italy Arnold van der Valk, Wageningen University, the Netherlands Henrik Vejre, University of Copenhagen - LIFE Faculty of Life Sciences, Denmark M.J. Whelan, Cranfield University, UK

Editorial Staff

Paola Granata, Managing Editor Cristiana Poggi, Production Editor Claudia Castellano, Production Editor Anne Freckleton, Copy Editor Filippo Lossani, Technical Support

Publisher

PAGEPress Publications via Giuseppe Belli 7 27100 Pavia, Italy Tel. +39.0382.1751762 – Fax. +39.0382.1750481 info@pagepress.org – www.pagepress.org



Journal of Agricultural Engineering

The Journal of Agricultural Engineering (JAE) is the official journal of the Italian Society of Agricultural Engineering - AIIA - supported by University of Bologna. The subject matter covers a complete and interdisciplinary range of research in engineering for agriculture and biosystems.

Instructions to Authors

Manuscripts must be written in English. Authors whose native language is not English are strongly recommended to have their manuscript checked by a language editing service, or by an English mother-tongue colleague prior to submission.

Manuscripts should be saved and submitted as a single WORD file containing the full text, references, tables and figures. In case of acceptance, original text and figures must be provided for publication.

Original Articles: should normally be divided into an abstract, introduction, materials and methods, results, conclusions and references. The abstract should contain a maximum of 400 words. *Review Articles:* no particular format is required for these articles. However, they should have an informative, unstructured abstract of about 250 words. *Technical Notes:* are articles with a simple layout and containing limited data (no more than two figures or tables) and a small number of citations (not more than 25). They should be limited to 2,000 words of text (figure captions, table headings and reference lists are additional to this limit).

Manuscripts should be double spaced with numbered lines and wide margins and should be arranged as follows. *Title page:* including the full title, the name(s) of the author(s), their affiliation and the name of the corresponding author to whom proofs and requests for off-prints should be sent. Abstract: should not exceed 400 words. Keywords: three to six keywords characterizing the content of the article in alphabetical order. Introduction: A brief introduction. Materials and methods: this section should provide sufficient information and references on the techniques adopted to permit their replication. Results: the content of this section should permit full comprehension of the data reported in figures and tables. Conclusions: this should underline the significance of the results and place them in the context of previous research. Acknowledgements: a brief text. *References* should be prepared strictly according to the instructions given below. Units: authors are recommended to use the International System of Units (SI). Scientific names: common names of organisms should always be accompanied, when first cited, by their complete scientific name in *italics* (genus, species, attribution and, if appropriate, cultivar). Formulae: mathematical formulae must be carefully typed, possibly using the equation editor of Microsoft Word; when a paper contains several equations they should be identified with a number in parentheses (e.g. Eq. 1). Please note that each accepted paper will undergo technical and scientific copyediting before publication. Tables: tables are numbered consecutively in Arabic numbers without "no." before the number. References should be made in the text to each table. The desired style of presentation can be found in published articles. Titles of tables should be descriptive enough to be able to stand alone. Do not present the same data in tabular and graphic form.

Figures: figures are numbered consecutively in Arabic numbers. References should be made in the text to each figure. Each figure should have a caption. The term "figure" is used also for graphs and photos. Symbols and abbreviations used in figures can be defined in the figure caption or note or within the figure itself. Please avoid the use of bold face or greater size for the characters. Symbols and abbreviations used in figures can be defined in the figure caption or note or within the figure itself. The figures must be submitted as .tif or .jpg files, with the following digital resolution: 1. Color (saved as CMYK): minimum 300 dpi; 2. Black and white/grays: minimum 600 dpi; Lettering of figures must be clearly labelled. Movies: movies can be submitted and uploaded as "Supplementary Files" during the manuscript submission procedure. Dimension should not exceed 5 MB. Citations in the text: the Journal follows the "author, year" style of citation. When a citation has one or two authors, cite the reference throughout using the name(s) and the date. When a citation has more than two authors, cite the reference throughout the text with et al. following the last name of the first author. When two or more references are included in a grouping within a sentence, they are arranged and separated by a semicolon. The first criterion is the year (former citations precede recent ones); multiple citations for a given year are further arranged alphabetically and multiple citations for the same initial letter are arranged as follows: first the citation with one author, secondly the citation with two authors, then the other (with et al.). When the same author has two references with different dates, cite them in chronological order, separating the dates with a comma; when the same author has two references with the same date, arrange the dates as a and b (also in the reference list) and separated by a comma. Journal titles mentioned in the reference list should be abbreviated according to the following websites (sequenced by relevance): 1. ISI Journal Abbreviations Index (http://library.caltech.edu/reference/ abbreviations/); 2. Biological Journals and Abbreviations (http://home.ncifcrf.gov/research/bja/) Example: (Foury, 1967, 1972; Burns et al., 1970; Allen et al., 1990; Basnizki and Zohary, 1994; White et al., 1990a, 1990b). Citation should be made in the text to each reference. Citations are listed in strict alphabetical order by first author' last names. Use capital and lower case letters for authors' names. If all authors are identical for two or more citations, chronological order of publication should dictate the order of citations. When more than one paper in a given year is listed by authors whose names are in the same order in each paper, the papers are arranged in alphabetical order of the paper title. Use the following system to arrange your references:

1. Periodicals: Hennighausen L.G., Sippel A.E. 1982. Characterization and cloning of the mRNAs specific for the lactating mouse mammary gland. Eur. J. Biochem. 125:131-41. 2. Books: National Research Council 2001. Nutrient Requirements of Dairy Cattle. 7th rev. ed. National Academy Press, Washington, DC, USA.

3. Multi-authors books: Brouwer I. 1965. Report of the subcommittee on constants and factors. In: K.L. Blaxter (ed.) Energy metabolism. EAAP Publ. N. 11, Academic Press Ltd., London, UK, pp 441-3.

4. Proceedings: Rossi A., Bianchi B. 1998. How writing the references. Proc. 4th World Congr. Appl. Livest. Prod., Armidale, Australia, 26:44-6. (Or 44, if one page) -

Blanco P., Nigro B. 1970. Not numbered volumes. Page 127 (or pp 12-18) in Proc. 3rd Int. Conf. Cattle Dis., Philadelphia, PA, USA.

5. Thesis: Rossi P. 1999. Stima di parametri genetici nella



razza Reggiana. Degree Diss., Università di Milano, Italy.

6. Material from a World Wide Web site: Food and Drug Administration, 2001. Available from: http://www.fda.gov or Food and Drug Administration, 2001. http://www.fda.gov Accessed: May 2012.

7. Regulations:

- Italian Regulation, 1992. Application of the Council Directive (EEC) No. 86/609 regarding the protection of animals used for experimental and other scientific purposes. LD 116/1992. In: Official Journal No. 294, 18/2/1992, pp 5-24.

- European Commission, 1994. Commission Decision of 27 June 1994 concerning certain protection measures with regard to bovine spongiform encephalopathy and the feeding of mammalian derived protein, 94/381/EC. In: Official Journal, L 172, 07/07/1994, pp 23-24.

8. International standards: ISO, 1991. Determination of total fat content - Meat and meat products. Norm ISO R-1443:1991. International Organization for Standardization Publ., Geneva, Switzerland.

9. In press: Manuscripts that have been accepted for publication but are not yet published can be listed in the literature cited with the designation [In press] following the journal title.

10. Other: Citations such as personal communication, unpublished data, etc. should be incorporated in the text and NOT placed into the Reference section.

Copyright

All material published by PAGEPress Publications, whether submitted to or created by PAGEPress, is published under an Open Access license that lets others remix, and build upon your work non-commercially, and although their new works must also acknowledge you and be non-commercial, they don't have to license their derivative works on the same terms.

PAGEPress strives to set the highest standards of excellence in all aspects of its activities, whether this be its journal image, its style of presentation, the quality of the editorial process at every level, the transparency of its operations and procedures, its accessibility to the scientific community and the public, and its educational value.

PAGEPress welcomes and actively seeks opportunities to work together with any group (scientific/scholarly societies, physicians, patient advocacy groups, educational organizations) and any publisher who shares our commitment to Open Access and to making scientific information available for the benefit of science and the public good.

PAGEPress charges authors a price that reflects the actual costs of publication. However, the ability of authors to pay publication charges will never be a consideration in the decision as to whether to publish.

PAGEPress aims to be a truly international organization by providing access to the scientific literature to anyone, anywhere, by publishing works from every nation, and by engaging a geographically diverse group of scientists in the editorial process.

Peer-review policy

All manuscript submitted to our journals are critically assessed by experts in accordance with the principles of Peer Review, which is fundamental to the scientific publication process and the dissemination of sound science. Each paper is assigned to the Chief Editor. The first step of manuscript selection takes place entirely inhouse and has the objective to establish the article's appropriateness for our journals' readership. The articles are then reviewed by two different external referees (second step or classical peerreview) in accordig with the associate editors.

Subscriptions

Italy: \in 65.00 per year; one number \in 25.00; back issues or double issues: \in 25.82; back year: \in 72.30

Abroad: annual Subscription \in 75.00 - air mail subscription \in 90.00.

Autorizzazione Del Tribunale Di Bologna N. 4045 Del 3 Febbraio 1970.

Journal of Agricultural Engineering

Rivista trimestrale registrata al Tribunale di Pavia n. 9/2012/Reg.

Stampa: Press Up s.r.l. via La Spezia, 118/C 00055 - Ladispoli (RM) Tel. and Fax: +39.076.15.27.351

Tutti gli articoli pubblicati su Journal of Agricultural Engineering sono redatti sotto la responsabilita degli Autori. La pubblicazione o la ristampa degli articoli della rivista deve essere autorizzata per iscritto dall'editore. Ai sensi dell'art. 13 del D.Lgs 196/03, i dati di tutti i lettori saranno trattati sia manualmente, sia con strumenti informatici e saranno utilizzati per l'invio di questa e di altre pubblicazioni e di materiale informativo e promozionale.

Le modalità di trattamento saranno conformi a quanto previsto dall'art. 11 del D.Lgs 196/03. I dati potranno essere comunicati a soggetti con i quali PAGEPress intrattiene rapporti contrattuali necessari per l'invio delle copie della rivista. Il titolare del trattamento dei dati è PAGEPress Srl, via Belli 7 - 27100 Pavia, al quale il lettore si potrà rivolgere per chiedere l'aggiornamento, l'integrazione, la cancellazione e ogni altra operazione di cui all'art. 7 del D.Lgs 196/03.

Supported by University of Bologna



Questo giornale è associato alla Unione Stampa Periodica Italiana e alla Associazione Nazionale Editoria Periodica Specializzata



Journal of Agricultural Engineering volume XLIV, supplement 1, 2013



Proceedings of the 10th Conference of the Italian Society of Agricultural Engineering

Horizons in agricultural, forestry and biosystems engineering

Viterbo, Italy, September 8-12, 2013

Guest Editors Danilo Monarca, Massimo Cecchini



Table of Contents

Chestnut: from coppice to structural timber. The case study of "Uso Fiume" beams sampled in Liguria <i>M. Togni, A. Cavalli, D. Mannozzi</i>	1	Runoff and sediment yield modeling in a medium-size mediterranean watershed	31
Harvesting techniques for non-industrial SRF biomass plantations on farmland <i>R. Spinelli, J. Schweier, F. De Francesco</i>	5	Runoff generation processes in a Mediterranean research catchment (Sardinia) M. Niedda, M. Castellini, F. Giadrossich, M. Pirastru	41
Analysis of a double steering forest trailer for long wood log transportation F. Marinello, S. Grigolato, L. Sartori, R. Cavalli	10	Application of the new morphological quality index in the Cordevole river (BL, Italy) <i>E. Rigon, J. Moretto, F. Delai, L. Picco, D. Ravazzolo,</i>	48
Decision analysis for the determination of biomass		R. Rainato, M.A. Lenzi	
in the territory Tuscia Romana by geographic information system and forest management plans A. Colantoni, F. Recanatesi, S. Baldini, M. Felicetti, M. Romagnoli		Displacement length and velocity of tagged logs in the tagliamento river	54
Colour modifications and hyperspectral imaging: non-invasive analysis of photo-degraded wood		The influence of the net rainfall mixed Curve Number – Green Ampt procedure in flood hazard mapping: a case study in Central Italy <i>A. Petroselli, E. Arcangeletti, E. Allegrini, N. Romano,</i> <i>S. Grimaldi</i>	58
Carbon balance and energy fluxes of a Mediterranean crop	26	Erosion - deposition evaluation through hybrid DTMs derived by LiDAR and colour bathymetry: the case study of the Brenta, Piave and Tagliamento rivers J. Moretto, F. Delai, E. Rigon, L. Picco, M.A. Lenzi	62



The contribution of chestnut coppice forests on slope stability in abandoned territory: a case study <i>C. Bassanelli, G.B. Bischetti, E.A. Chiaradia, L. Rossi, C. Vergani</i>	68	Analysis of poultr eYeNamic <i>A. De Montis, A. P</i>
A simple field method to measure the hydrodynamic properties of soil surface crust	74	Satellite guidance between EZ-Stee <i>P. D'Antonio, C. D</i>
Evaluation of short-term geomorphic changes along the Tagliamento river using lidar and terrestrial laser scanner surveys <i>R. Rainato, L. Picco, M. Cavalli, L. Mao, F. Delai, D. Ravazzolo, M.A. Lenzi</i>	80	New solutions for 178 <i>G. Bambi, M. Mor</i>
LiDAR derived high resolution topography: the next challenge for the analysis of terraces stability and vineyard soil erosion <i>F. Preti, P. Tarolli, A. Dani, S. Calligaro, M. Prosdocimi</i>	85	Environmental as management syst <i>G. Provolo, A. Calo</i>
Actual evaporation estimation from infrared measurement of soil surface temperature D. Pognant, D. Canone, S. Ferraris	90	<i>M. Pinnetti, G. Co</i> A partial life cycle intensity and rela
Estimating the contribution of rainfall, irrigation and upward soil water flux to crop water requirements of a maize agroecosystem in the Lombardy plain	97	L. Murgia, G. Todo Implementation of of livestock housi <i>M.E. Menconi, M.</i>
Hydrometeorological monitoring for water balance determination	102	Influence of feed cows in freestall <i>E. Riva, G. Mattac</i>
A 2D hydrodynamic-sedimentological model for gravel bed rivers. Part II, Case study: the Brenta River in Italy <i>G. Kaless, J. Moretto, F. Delai, L. Mao, M.A. Lenzi</i>	106	A survey on Italia L. Leso, M. Uberti,
A 2D hydrodynamic-sedimentological model for gravel-bed rivers.	111	Use of a proactive Italy: technical an <i>S. Leonardi, G. Ma</i>
Characterization of fluvial islands along three different gravel-bed rivers of North-Eastern Italy	117	Optimization of s farming through t <i>M.E. Menconi</i> , <i>D</i> .
<i>L. Picco, R. Rainato, L. Mao L, F. Delai, A. Tonon, D. Ravazzolo,</i> <i>M.A. Lenzi</i> Evaluation of short-term geomorphic changes in differently impacted		Influence of low y goat and buffalo. <i>M. Caria, C. Bosel</i>
	122	Biodegradable fil to petro-chemica
Comparison of different methods to predict the mean flow velocity in step-pool channels	127	G. Vox, G. Santago G. Scarascia Mugi Hydrogen and ren
Proposal of a local telemetry network for the monitoring the	132	greenhouse heati I. Blanco, A. Sotiri
	137	Variation of physi agrochemicals us <i>E. Schettini, G. Vo</i>
GNSS-based operational monitoring devices for forest logging operation chains	140	Comparison of di properties of hor <i>C. Bibbiani, C.A.</i> (
Sustainable management of waste in green nursery: the Tuscan	145	Production and re of greenhouse <i>G. Russo, G. Verdi</i>
Selective spraying of grapevine's diseases by a modular agricultural	149	Solar radiation in photovoltaic film: <i>A. Marucci, A. Gus</i>
J. Pfaff, C. Schütz, H. Ulbrich Open problems in traceability: from raw materials to finished food	154	Building green co C.A. Campiotti, E. G. Scarascia Mugi
<i>L. Comba, F. Dabbene, P. Gay, C. Tortia</i> An automatic system for the detection of dairy cows lying behaviour	104	Temperature con prototype device:
	158	<i>G. Burchi, S. Cacil</i> A new method for
Economic and environmental benefits of using a spray control system for the distribution of pesticides	163	A. Parenti, L. Guer Screening of grat C. Cevoli, A. Fabb

Analysis of poultry eating and drinking behavior by software	100
eYeNamic A. De Montis, A. Pinna, M. Barra, E. Vranken	166
Satellite guidance systems in agriculture: experimental comparison between EZ-Steer/RTK and AUTOPILOT/EGNOS <i>P. D'Antonio, C. D'Antonio, C. Evangelista, V. Doddato</i>	173
New solutions for horse shelters to connect to the equestrian paths 178	
G. Bambi, M. Monti, M. Barbari	
Environmental assessment of individual and collective manure management systems G. Provolo, A. Calcante, F. Perazzolo, A. Finzi, F. Volontè, D. Grimaldi, M. Pinnetti, G. Cocolo, E. Naldi, G. Galassi, E. Riva	181
A partial life cycle assessment approach to evaluate the energy intensity and related greenhouse gas emission in dairy farms L. Murgia, G. Todde, M. Caria, A. Pazzona	186
Implementation of a genetic algorithm for energy design optimization of livestock housing using a dynamic thermal simulator	191
Influence of feed delivery frequency on behavioural activity of dairy	
cows in freestall barns E. Riva, G. Mattachini, L. Bava, A. Sandrucci, A. Tamburini, G. Provolo	197
A survey on Italian compost dairy barns L. Leso, M. Uberti, W. Morshed, M. Barbari	203
Use of a proactive herd management system in a dairy farm of northern Italy: technical and economic results	208
Optimization of sustainable buildings envelopes for extensive sheep farming through the use of dynamic energy simulation	211
Influence of low vacuum levels on milking characteristics of sheep, goat and buffalo	217
Biodegradable films and spray coatings as eco-friendly alternative to petro-chemical derived mulching films <i>G. Vox, G. Santagata, M. Malinconico, B. Immirzi,</i> <i>G. Scarascia Mugnozza, E. Schettini</i>	221
Hydrogen and renewable energy sources integrated system for greenhouse heating	226
Variation of physical properties of ldpe greenhouse films due to agrochemicals used during cultivation	231
<i>E. Schettini, G. Vox</i> Comparison of different estimation procedures for the hydraulic properties of horticultural substrates by One-Step technique <i>C. Bibbiani, C.A. Campiotti, L. Incrocci, A. Pardossi</i>	234
Production and reuse of waste in rural area with high density of greenhouse	240
Solar radiation inside greenhouses covered with semitransparent photovoltaic film: first experimental results	247
Building green covering for a sustainable use of energy C.A. Campiotti, E. Schettini, G. Alonzo, C. Viola, C. Bibbiani, G. Scarascia Mugnozza, I. Blanco, G. Vox	253
Temperature conditioning in ornamental plant production with a prototype device: root zone cooling in protected environments G. Burchi, S. Cacini, M. Fedrizzi, M. Pagano, M. Guerrieri	257
A new method for Espresso Coffee brewing: Caffè Firenze A. Parenti, L. Guerrini, P. Masella, R. Dainelli, P. Spugnoli	261
Screening of grated cheese authenticity by nir spectroscopy C. Cevoli, A. Fabbri, A. Gori, M.F. Caboni, A. Guarnieri	264

0. 020011, A. FUDDII, A. ODII, M.F. OUDDIII, A. OU

Application of Computer Vision for quality control in frozen mixed berries production: colour calibration issues	268	Preliminary evaluation of a short rotation forestry poplar biomass supply chain in Emilia Romagna Region <i>L. Pari, M. Brambilla, V. Civitarese, C. Bisaglia</i>	373
Near-infrared spectroscopy is feasible to discriminate hazelnut cultivar 274	S	Chipping machines: disc and drum energy requirements	378
E. Stella, R. Moscetti, L. Carletti, G. Menghini, F. Fabrizi, V. Cristofori, D. Monarca, M. Cecchini, R. Massantini		Tractor accelerated test on test rig M. Mattetti, G. Molari, A. Vertua, A. Guarnieri	381
Assessment of the energy and separation efficiency of the decanter centrifuge with regulation capability of oil water ring in the industrial	970	Monitoring of the tractor working parameters from the CAN-Bus <i>G. Molari, M. Mattetti, D. Perozzi, E. Sereni</i>	384
B. Bianchi, A. Tamborrino, F. Santoro	278	Harvest of table olives by mechanical harvesting equipment <i>F. Gambella</i>	387
An integrated mechanical-enzymatic reverse osmosis treatment of dairy industry wastewater and milk protein recovery as a fat replacer: a closed loop approach <i>F. Sarghini, A. Sorrentino, P. Di Pierro</i>	283	Experimental tests on winter cereal: Sod seeding compared to minimum tillage and traditional plowing	392
	287	Water sensitive papers simulation to assess deposits on targets <i>E. Cerruto, C. Aglieco</i>	397
F. Barreca, G. Cardinali, C.R. Fichera, L. Lamberto, G. Modica UHF-RFID solutions for logistics units management in the food supply chain	292	Procedure and layout for the development of a fatigue test on an agricultural implement by a four poster test bench	402
<i>P. Barge, P. Gay, V. Merlino, C. Tortia</i> An overview of emerging techniques in virgin olive oil extraction process: strategies in the development of innovative plants	297	Application of software for the optimization of the surface shape of nets for chestnut harvesting	406
<i>M.L. Clodoveo</i> Mild separation system for olive oil: quality evaluation and pilot plant		Aerodynamic properties of six organo-mineral fertiliser particles M. Biocca, P. Gallo, P. Menesatti	411
design F. Genovese, G.C. Di Renzo, G. Altieri, A. Tauriello	306	Dynamic-energetic balance of agricultural tractors: active systems for the measurement of the power requirements in static tests	
Numerical models of mass transfer during ripening and storage of salami .	311	and under field conditions	415
A. Fabbri, C. Cevoli, G. Tabanelli, F. Gardini, A. Guarnieri Mechanical grading in <i>PGI Tropea red onion</i> post harvest		Effect of different winter pruning systems on grapes produced <i>C. Caprara, F. Pezzi</i>	421
	317	The cross-border project between France and Italy mars+. Sub-project - <i>Innovative technologies for the mechanization</i>	
1 5 5	323	of the areas hard to reach G. Tirrò, R. Lisci, M. Rimediotti, D. Sarri, M. Vieri	425
<i>F. Pezzi, C. Caprara, D. Friso, B. Ranieri</i> Control of mixing step in the bread production with weak wheat flour and sourdough	327	Static consolidation of a renaissance palace by resins, pins and connecting rods	431
A. Parenti, L. Guerrini, L. Granchi, M. Venturi, S. Benedettelli, F. Nistri Kinetic and thermodynamic properties of soybean grains during the	331	The study of rural landscape at the farm scale: changes in traditional signs and structures	436
drying process. D.E. Cabral de Oliveira, O. Resende, J. Ferreira Vieira Bessa, A. Nagila Kester	991	Historical road system and farmhouses in Apulia LP. Caliandro, R.V. Loisi, P. Dal Sasso	441
Traction performance simulation for mechanical front wheel drive tractors: towards a practical computer tool	338	Land use change in the Veneto floodplain and consequences on minor network drainage system	448
Soil management effect on soil penetration resistance in the vineyard. <i>P. Catania, M. Vallone, F. Pipitone, G.F. Argento, G. Spartà, V.A. Laudicina</i>	344	Urban-rural gradient detection using multivariate spatial analysis and landscape metrics	453
Study of a test methodology to assess potential drift generated by air-assisted sprayers P. Balsari, P. Marucco, C. Bozzer, M. Tamagnone	348	Determinants of SEA effectiveness: an empirical investigation over municipal spatial planning in Sardinia <i>A. De Montis, A. Ledda, A. Ganciu, M. Barra, S. Caschili</i>	460
Repair and maintenance costs of 4WD tractors and self propelled combine harvesters in Italy	353	Consequence of land use changes into energy crops in Campania region	467
	359	Detection of Landscape patterns in airborne LIDAR data in the	450
	363	Nature Reserve of Castelporziano (Rome). F. Recanatesi, M. Tolli, M.N. Ripa, R. Pelorosso, F. Gobattoni, A. Leone	472
Numerical and experimental analysis of vertical spray control	368	The assessment of the visual perception in viewshed analysis for the landscape settings <i>E. Fabrizio, G. Garnero</i>	478

Evolution of some Mediterranean landscapes of Central Italy from historical aerial photographs	483
Identification of rural landscape classes through a GIS clustering method	490
I. Diti, D. Torreggiani, P. Tassinari	
Application, validation and comparison in different geographical contexts of an integrated model for the design of ecological	
networks C.R. Fichera, R. Gianoglio, L. Laudari, G. Modica	492
Livestock system as a mitigation measure of a wind farm in a mountain	501
area A. Guidobono Cavalchini, G. Daglio, M. Lazzari, S. Leonardi	501
Geomatics and virtual tourism V. Minucciani, G. Garnero	504
Production of renewable energy in agriculture: current situation and future developments <i>C. Pirazzoli, A. Ragazzoni</i>	510
Determining wood chip size: image analysis and clustering	
methods P. Febbi, C. Costa, P. Menesatti, L. Pari	519
Sicilian potential biogas production A. Comparetti, P. Febo, C. Greco, S. Orlando, K. Navickas, K. Venslauskas	522
Anaerobic digestion and co-digestion of slaughterhouse wastes S. Castellucci, S. Cocchi, E. Allegrini, L. Vecchione	526
Energy and pressure requirements for compression of swine solid fraction compost	531
Biogas yield from Sicilian kitchen waste and cheese whey A. Comparetti, P. Febo, C. Greco, S. Orlando, K. Navickas, A. Nekrosius, K. Venslauskas	535
Assessment of energy return on energy investment (EROEI) of oil bearing crops for renewable fuel production A. Restuccia, S. Failla, D. Longo, L. Caruso, I. Mallia, G. Schillaci	539
Harvesting of southern Piedmont's orchards pruning residues: evaluations of biomass production and harvesting losses <i>M. Grella, M. Manzone, F. Gioelli, P. Balsari</i>	546
First tests of using an electronic nose to control biogas plant efficiency F. Borgonovo, A. Costa, M. Lazzari	550
Evaluation of herbaceous crops irrigated with treated wastewater	
for ethanol production	554
Modelling and optimization of a local smart grid for an agro-industrial	
site E. Fabrizio, V. Branciforti, M. Filippi, S. Barbero, G. Tecco	560
Development perspectives for biogas production from agricultural waste in Friuli Venezia Giulia (Nord-East of Italy) D. dell'Antonia, S.R.S. Cividino, A. Carlino, R. Gubiani, G. Pergher	569
The use of co-digested solid fraction as feedstock for biogas plants <i>E. Dinuccio, F. Gioelli, D. Cuk, L. Rollè, P. Balsari</i>	573
Life Cycle Assessment of maize cultivation for biogas production J. Bacenetti, A. Fusi, R. Guidetti, M. Fiala	579
A farm-scale pilot plant for biohydrogen and biomethane production by two-stage fermentation <i>R. Oberti, A. Tenca , F. Perazzolo, E. Riva, A. Finzi, E. Naldi, G. Provolo,</i> <i>L. Bodria</i>	583
Parametric experimental tests of steam gasification of pine wood in a fluidized bed reactor L. Vecchione, M. Moneti, S. Cocchi, M. Villarini, M. Sisinni, A. Micangeli	587

Assessment of the energetic potential by hazelnuts pruning in Viterbo's area	591
D. Monarca, M. Cecchini, A. Colantoni, S. Di Giacinto, A. Marucci, L. Longo	
Sustainability of grape-ethanol energy chain G. Riva, E. Foppa Pedretti, G. Toscano, D. Duca, A. Pizzi, M. Saltari, C. Mengarelli, M. Gardiman, R. Flamini	595
Torrefaction of residues and by-products from sunflower chain G. Riva, E. Foppa Pedretti, G. Toscano, D. Duca, G. Rossini, C. Mengarelli	601
Giant reed (<i>Arundo donax</i> L.) harvesting system, an economic and technical evaluation	607
Two prototypes for medium rotation forestry harvesting L. Pari, V. Civitarese, A. Del Giudice, A. Scarfone	611
Palms (Phoenix canariensis) infested by red PALM weevil (Rhynchophorus ferrugineus Olivier): insecticidal efficacy tests of chipping treatment	615
Industrial hemp for biomass production <i>R. Sausserde, A. Adamovics</i>	619
Mechanized recovery of olive pruning residues: ash contamination and harvesting losses	623
A. Assirelli, A. Acampora, S. Croce, R. Spinelli, E. Santangelo, L. Pari	
A GIS approach for the quantification of forest and agricultural biomass in the Basilicata region	627
Seed losses during the harvesting of oilseed rape (<i>Brassica napus</i> L.) at on-farm scale	633
Enhancement of Palm residues (<i>Phoenix canariensis</i>) for a potential use in ruminant feed <i>G. Sperandio, M. Fedrizzi, M. Iacurto, F. Vincenti, M. Guerrieri,</i> <i>D. Pochi, R. Fanigliulo, M. Pagano,</i>	637
Determination of the working time requirement for suckling sows in the pen of Wels <i>E. Quendler, P. Pötz, W. Hagmüller, R. Kogler, J. Boxberger</i>	641
Health and safety challenges associated with immigrant dairy workers J. Rosecrance, T. Tellechea, L. Menger, D. Gilkey, N. Roman-Muniz	645
The risk of musculoskeletal disorders due to repetitive movements of upper limbs for workers employed in hazelnut sorting A. Colantoni, M. Cecchini, D. Monarca, R. Bedini, S. Riccioni	649
The occupational safety on the construction sites of the farm production buildings in Finland	655
Methodological approach to assess tractor stability in normal operation in field using a commercial warning device	659
Simulated stability tests of a small articulated tractor designed for extreme-sloped vineyards <i>F. Mazzetto, M. Bietresato, A. Gasparetto, R. Vidoni</i>	663
Engineering solutions applied to pneumatic drills to reduce losses of dust from dressed seeds D. Pochi, M. Biocca, G. Brannetti, R. Fanigliulo, P. Gallo, R. Grilli, S. Montanari, P. Pulcini	669
Exposure to vibrations in wine growing D. Pessina, D. Facchinetti	675
Study on the possibility of application of a compact roll over protective structure for agricultural wheeled narrow track tractors D. Monarca, M. Cecchini, A. Colantoni, S. Di Giacinto, G. Menghini, L. Longo	681

	Accident investigation related to the use of chainsaw S.R.S. Cividino, R. Gubiani, G. Pergher, D. Dell'Antonia, E. Maroncelli	686	The assessment of the sawmill noise P. D'Antonio, C. D'Antonio, C. Evangelista, V. Doddato	768
	A Wii-controlled safety device for electric chainsaws R. Gubiani, G. Pergher, S.R.S. Cividino, R. Lombardo, F. Blanchini	690	Assessment of linear anionic polyacrylamide application to irrigation canals for seepage control	773
	Ergonomic issues in ewe cheese production: reliability of the Strain Index and OCRA Checklist risk assessments J. Rosecrance, R. Paulsen, D. Gilkey, L. Murgia, T. Gall	694	<i>H. Uribe, R. Figueroa, L. Llanos</i> Analysis of rainfed alfalfa evapotranspiration measured by an eddy covariance system	779
	Noise risk assessment in a bottling line of a modern Sicilian winery M. Vallone, F. Pipitone , S. Amoroso, P. Catania	697	A. Vinci, L. Vergni, F. Todisco, F. Mannocchi A neuro-fuzzy model to predict the inflow to the guardialfiera	
	A survey of safety issues in tree-climbing applications for forestry m a gement	n a - 702	multipurpose dam (Southern Italy) at medium-long time scales L.F. Termite, F. Todisco, L. Vergni, F. Mannocchi	785
	D. Longo, L. Caruso, A. Conti, D. Camillieri, G. Schillaci		Water balance of rice plots under three different cultivation methods: first season results	791
	Vibration risk evaluation in hand-held harvesters for olives <i>G. Manetto, E. Cerruto</i>	705	E.A. Chiaradia, A. Facchi, O. Gharsallah, M. Romani, G.B. Bischetti, C. Gandolfi	751
	Whole body vibrations during field operations in the vineyard P. Catania, M. Vallone, M. Alleri, G. Morello, G. Spartà, P. Febo	710	Effect of different plant species in pilot constructed wetlands for wastewater reuse in agriculture	796
	The heat stress for workers employed in a dairy farm A. Marucci, D. Monarca, M. Cecchini, A. Colantoni, S. Di Giacinto	715	S. Barbagallo, G.L. Cirelli, A. Marzo, M. Milani, A. Toscano	
	А. Маниссі, Б. Монагса, М. Сессніні, А. Сонаніоні, З. Бі біасініо А. Cappuccini		Monitoring water fluxes in rice plots under three different cultivation methods	803
		719	E.A. Chiaradia, D. Ferrari, G.B. Bischetti, A. Facchi, O. Gharsallah, M. Romani, C. Gandolfi	
	M. Cutini, R. Deboli, A. Calvo, C. Preti, M. Inserillo, C. Bisaglia		Effects of water distribution uniformity on waxy (<i>Zea mays</i> L.) yield: first results	808
	Vibration transmitted to operator's back by machines with back-pack power unit: a case study on blower and spraying machines <i>R. Deboli, A. Calvo, V. Rapisarda, C. Preti, M. Inserillo</i>	724	L. Bortolini, M. Martello	000
	Ergonomic analysis for the assessment of the risk of work-related	730	An analytic-geospatial approach for sustainable water resource management: a case study in the province of Perugia <i>S. Casadei, M. Bellezza, L. Casagrande, A. Pierleoni</i>	814
	R. Gallo, F. Mazzetto		Farms as a resilience factors to land degradation in peri-urban	010
	5	736	areas P. Zappavigna, A. Brugnoli	819
D. Pessina, D. Facchinetti Analysis of the building system of four mills and their suitability			Alternative method for vegetables cultivation in Benin L. Recchia, P. Boncinelli, E. Cini	823
		742	Aerated lagooning of agro-industrial wastewater: depuration performance and energy requirements	827
		750	S. Andiloro, G. Bombino, V. Tamburino, D.A. Zema, S.M. Zimbone	
	<i>A. Checchi, S. Casazza</i> Levels of vibration transmitted to the operator of the tractor equipped		Time domain reflectometry-measuring dielectric permittivity to detect soil non-acqeous phase liquids	
		752	contamination-decontamination processes	833
	G. Brannetti, C. Cervellini		A simplified method to determine the first primary drying and wetting curves of water diffusivity of unsaturated soil	839
	First investigation on the applicability of an active noise control system on a tracked tractor without cab	757	A. Sommella, A. Comegna, M. Palladino, A. Coppola	000
	D. Pochi, R. Fanigliulo, L. Del Duca, P. Nataletti, G. Vassalini, L. Fornaciari, L. Cerini, F. Sanjust, D. Annesi		Evapotranspiration models for a maize agro-ecosystem in irrigated and rainfed conditions	844
	Safety settings in equestrian facilities	761	A. Facchi, O. Gharsallah, C. Gandolfi Manually operated pile driver for use in the south Iraqi Marshlands	851
	Noise levels of a track-laying tractor during field operations in the vine		M. Monti, G. Rossi, S. Simonini, F. Sorbetti Guerri, M. Barbari	052
	P. Catania, M. Vallone 764		Experiences of improving water access in rural areas in Guatemala <i>E. Bresci, A. Giacomini, F. Preti</i>	856

SCIENTIFIC COMMITTEE

Alessandro Santini (AIIA President) Danilo Monarca (Vice President) Antonino Failla (Past President) Paolo Balsari Thomas Banhazi **Gualtiero Baraldi Remigio Berruto** Luigi Bodria Giovanni Cascone Raffaele Cavalli Artemi Cerdà Giancarlo Dalla Fontana Mario Falciai Vito Ferro Claudio Gandolfi **Emilio Gil Giuseppe Giordano** Adriano Guarnieri Joerg Hartung Dirk Jaeger **Robert Kaufmann** Mario Aristide Lenzi Sandro Liberatori Peter Lundqvist Attila Nemes Luigi Pari Antonio Pazzona **Domenico Pessina** Pietro Piccarolo **Felice Pipitone** Elisabeth Quendler Nunzio Romano Giacomo Scarascia Mugnozza **Giampaolo Schillaci Peter Schulze Lammers** Claus Aage Grøn Sørensen Paolo Spugnoli Patrizia Tassinari Alessandro Toccolini Fedro Zazueta

ORGANIZING COMMITTEE

Danilo Monarca (convener)

Massimo Cecchini, Stefano Gasbarra (coordinators)

Daniele De Wrachien (international relationships)

Paolo Biondi, Maurizio Carlini, Andrea Colantoni, Roberto Fanigliulo, Salvatore Grimaldi, Antonio Leone, Angela Lo Monaco, Alvaro Marucci, Giuseppina Menghini, Raffaele Pelorosso, Andrea Petroselli, **Rodolfo Picchio**, Fabio Recanatesi, Maria Nicolina Ripa, Manuela Romagnoli SCIENTIFIC SECRETARIAT Salvatore Grimaldi, Andrea Petroselli (AGR/08) Massimo Cecchini, Andrea Colantoni (AGR/09) Alvaro Marucci, Maria Nicolina Ripa (AGR/10)

ORGANIZING SECRETARIAT

DAFNE Department – Tuscia University Via S. Camillo De Lellis, s.n.c. 01100 Viterbo – Italy

Ce.F.A.S. Special Agency of the Chamber of Commerce Viale Trieste, 127 01100 Viterbo – Italy +39.0761.324196

PRINTED WITH THE SUPPORT AND THE PATRONAGE OF THE CARIVIT FOUNDATION OF VITERBO, ITALY











PRESENTATION

The Board of Directors of the Italian Association of Agricultural Engineering, following the well-established tradition to organize every four years a Conference, has chosen Viterbo as venue for the tenth edition which will be held on September 8-12, 2013.

The closer and closer integration of scientific know how, that is demanded in the use of the environmental resources and it is driven by the new developing models, has addressed the agricultural engineering toward the bio-systems engineering, therefore expanding its former expertise-area by incorporating living systems related to both the agriculture and to natural systems. As a consequence, the interests of the Association now spam even over the application of engineering principles to processes governing territorial phenomena with the aim to study, to model, to manage and to set off biology systems toward an optimal agricultural development, crop production, the use of the soil and the environment.

Within such a context the conference, by accomplishing the actual and future needs of the world population, represents an important chance to bring together engineers and researchers to let meeting people working in different, although similar, environments.

In particular, the 2013-conference will focus on: new horizons in agricultural, forestry and bio-systems engineering and, to better homogenize discussions, presentations will be organized according to the listed below sessions:

- 1 Forest-wood chains
- 2 Hydrology and dynamics of water and sediments in agricultural and mountain basins: monitoring, modeling and risk analysis
- 3 Hydraulics and hydro-morphological processes for stream and river restoration and management
- 4 Information technology, automation and precision farming and forestry
- 5 Structures and technologies for livestock production: technical, energy and environmental aspects
- 6 Structures and technologies for protected crop production: technical, energy and environmental aspects
- 7 Post harvest, food and process structures and technologies
- 8 Power and machinery in agriculture and forestry
- 9 Analysis, modeling and planning of rural areas
- 10 Renewable energy, biomass and biological residues
- 11 Safety, health and ergonomics SHWAnet international meeting
- 12 Sustainable planning and management of soil and water resources

Prof. Alessandro SANTINI AIIA President



Dear colleagues,

it is my pleasure to welcome you to the 10th AIIA Conference: "AIIA13 – Horizons in agricultural, forestry and biosystems engineering", and to welcome you to Viterbo.

For the first time the AIIA conference will be held in English. The purpose of this choice is to involve academics and researchers coming from other nations.

This conference will then be a unique opportunity for scientists, researchers, experts, students and people representing the business world to show, share and discuss the results of their researches. Another goal of this conference is the promotion of the cooperation and networking in the field of Biosystems Engineering, also trying to include the business world in it.

By doing that, we will be able to take on the new challenge of Horizon 2020, the new European Framework Programme. This programme attributes a capital and fundamental role to research and innovation, seen as important means to guarantee an intelligent, sustainable and comprehensive growth to Europe.

Horizon 2020 is articulated on 3 strategic objectives

- 1) Excellent science, intended to secure Europe's leadership in science worldwide.
- 2) Industrial Leadership, aimed at supporting research and innovation of European industry, with a strong focus on industrial technologies and investments for SMEs,
- 3) Societal challenges, aimed at tackling major global challenges in the following areas: health, demographic change and wellbeing, food security, sustainable agriculture, secure, clean and efficient energy, smart, green and integrated transport, climate action, resource efficiency and raw materials, inclusive, innovative and secure societies.
- In all these fields Agricultural, Forestry and Biosystems Engineering in the coming years will have a major role.
- I conclude by saying that AIIA13 is also an opportunity to know the Tuscia, a still intact territory, in which culture and respect for the land, innovation and tradition come together in a truly original model of sustainable development. I wish all the participants a pleasant stay in Viterbo and Italy.

In closing this brief greeting I want to thank:

- CEFAS, Special Agency of the Chamber of Commerce, for the logistic support to the Conference,
- the Tuscia University, which offered the beautiful and historic seat of the Conference
- the Ministry of Agriculture, the Lazio Region, the Provincial Administration and the Municipality of Viterbo, UNACOMA and CRA-Ing, for their support,
- CIGR and EURAGENG, for their sponsorship,
- FACMA and Enama, sponsors of the Conference.

A special thanks to the Carivit Foundation of Viterbo, whose contribution has enabled the printing of the Conference Proceedings.

Danilo Monarca AIIA 2013 CONVENER





Geomatics and virtual tourism

Valeria Minucciani,¹ Gabriele Garnero²

¹DAD, Dipartimento di Architettura e Design, Politecnico di Torino, Torino, Italy; ²DIST, Dipartimento Interateneo di Scienze, Progetto e Politiche del Territorio, Università e Politecnico di Torino, Torino, Italy

Abstract

The most recent technological revolution, concerning web and "ICT", not only changed individual and collective behaviors, but also allowed experiences no possible before: a real time communication, regardless of the distances; an extended access to disjointed data and sources; the shift in different realities – missing or entirely imaginary. Nowadays, we can think about a new concept of museum, much more inclusive than "objects container": now the museum involves entire countries, entire ecosystems, entire regions. We can speak of "museum outside of the museum", to extend museum "storytelling" to a regional scale, beyond the walls of the traditional museum. On a regional scale experiments entirely convincing have not yet been carried out, but from this point of view cultural lands can be visited as great open air museums, to find objects, artworks or signs: the whole land is a "collection" to be preserved, to be presented and to be interpreted. Thus the visit allows to elicit outstanding objects, to read into landscapes with different filters. Both the physical and virtual visit seem to be a "tour" (Minucciani and Garnero, 2013). To create a virtual tourism prototypal station, we need several and unconventional geometrical data (shared geographic databases, DTMs, digital orthoimages and angle shots, modeling with spherical cameras, ...), thematic data (related to cultural content) and no conventional input units to move and to observe how and where the observer prefers. Authors report here their experience to carry out a prototypal station, able to relate geomatics references to cultural content and to offer a whole

Correspondence: Gabriele Garnero, DIST, Università e Politecnico di Torino Via Leonardo da Vinci, 44, 10095 Grugliasco (TO), Italy. Tel. +39.011.670.5518 - Fax: +39.011.670.5516. E-mail: gabriele.garnero@unito.it

Contributions: the authors contributed equally.

Conflict of interest: the authors declare no potential conflict of interests.

Funding: no source of funding

Key words: museography, virtual tourism, geomatics and shared databases, human computer interaction, social inclusion.

©Copyright V. Minucciani and G. Garnero, 2013 Licensee PAGEPress, Italy Journal of Agricultural Engineering 2013; XLIV(s1):e100 doi:10.4081/jae.2013.(s1):e100

This article is distributed under the terms of the Creative Commons Attribution Noncommercial License (by-nc 3.0) which permits any noncommercial use, distribution, and reproduction in any medium, provided the origexperience, involving users also from the sensory point of view. That's nowadays a specific purpose of new technologies applied to cultural heritage.

ICT and virtual tours

The concept of virtual museum is by now established, multi-faceted and so widespread that it is now inflated: but a shared definition isn't given yet, and it indicates the possibility of access to the historical, artistic and cultural heritage through the network, sometimes replacing sometimes integrating the real experience of visit.

Then we have "virtual museums" that simply are "catalogs" on line, but we have also cases in which, with more or less interaction, we can perform via video real visits (selecting paths, objects, information). The static nature of these experiences is often the weakest point, despite considerable progress (Caraceni 2012; Minucciani, 2009a; Minucciani 2009b; Antinucci, 2007). In general, they interpret "virtual" as "simulation" (on the screen) of a real experience.

This "replacement" (which anyway provides immediate availability and accessibility everywhere - sometimes more than in the real situation) nevertheless pays a price, that's - above all - disorientation and barrier effect of the screen.

Even very recent projects (*e.g.* Google Maps service "Google Business Photos": after Spain, Denmark and Sweden it's now running available also for Italy - see the "Museo dell'Automobile" case, in Turin), providing an access to interiors thank several 360° pictures, don't completely overcome this hurdle. Fundamentally, they hat replicate indoor the Street View solution.

Likewise if we mean "virtual tourism" reductively as "access to information" related to a place, it seems to be aseptic and far, via video. We cannot define it as "tourism", but rather as "cultural or touristic information".

The loss of the viewer's corporeality creates alienation and separation, thus we need a kind of "*alter ego*" to fill this gap. So, if we attribute to the term "virtual" its scientific meaning, *i.e.* simulation of reality (and consequently simulation of experience), new scenarios open (Vince, 2004): not only the computer version of a real place, but also a place that does not exist - or that no longer exists...

Some experiments have enhanced museums by "virtual guides", *i.e.* synthetic characters that can interact with visitors in a more or less advanced way (Minucciani, 2009a). In other cases, they attempted to give back a "physical", bodily dimension to the virtual tour: in Italy one of the pilot cases goes back to 1994, and it concerned the virtual reconstruction of Nefertari tomb (Antinucci, 2007) ("Nefertari: Luce d'Egitto", temporary exhibition in Rome, Palazzo Rispoli, 1994).

But in this field there have been many other experiments, (in particular, see V-MusT.net NoE experiments during 2012-2013 period (www.v-must.net), more or less immersive, someone scientifically rigorous, someone similar to videogame *tout court*, someone very poor



from the cultural point of view (Minucciani, 2009a; Minucciani, 2009b). They're studying solutions - using geo-caching, geolocation in interior (still a bit problematic) – that offer really educative "games" involving the entire web community: in this regard it should be noted that the Web 2.0 advent has given further impetus to virtual experiences, enriching the cultural impact with socialization and sharing (See Tate Gallery case (www.tate.org.uk/britain/exhibitions/ howweare/) or Brooklyn Museum of NY (*Click! A crowed-curated exhibition*: www.brooklynmuseum.org/exhibitions/click/)), (Proctor, 2010).

Furthermore, the new concept of museum (Poulot, 2005), much more inclusive than simple "objects container", enclosed by walls and clearly divided between "inside" and "outside. Now the museum could involve entire countries, entire ecosystems, entire regions. We can speak of "museum outside of the museum" (Minucciani, 2005), that extends museum "storytelling" to a regional scale, beyond the walls of the traditional institution. On a regional scale experiments entirely convincing have not yet been carried out, but from this point of view the cultural lands can be visited as great open air museums, with transversal or theme paths, to find objects, artworks or signs: the whole land is a "collection" to be preserved, to be presented and to be interpreted. Thus the visit allows to elicit outstanding objects, to read into landscapes with different filters. Both the physical and virtual visit seem to be a "tour".

In fact, the new concept of "virtual tourism" is very similar to "virtual museum", but it's more inclusive (Wang, 2011a; Gerosa, 2011; Gärtner at al., 2010; Gretzel *et al.*, 2010; Minucciani, 2009a; Minucciani, 2009b; Hyun *et al.*, 2009; Cheong, 1995; Williams e Hobson, 1995).

Its own meaning is still not universally shared, anyway it originates from the advent of new technologies in the tourism industry: not only regarding new channels of information and purchase, but also the "virtual tours", exploring synthetic worlds (sometimes encroaching on videogame) or the real world. Nowadays the attention is focusing on the second one. Often the "virtual tourism" is defined as "stationary tourism", but they're trying to overcome this feature also because territory perception and his understanding are more complex than a remote visit to museum.

Actually, we could define "virtual tourism" two different cases: a virtual trip in a virtual site (that's a model, mirroring the real world or not) and a real trip (that's powered by another reality – the augmented one). Of course, there is a lot of intermediate options, and we have to take account of specific purposes and different goals (commercial, cultural, entertaining...). But we would like to focus on solutions that don't resort to models and virtual worlds, but instead aim to face to real environment.

About database construction, in addition to traditional, cartographic bases are now achievable different information sources (orthoimagery, digital models produced by photogrammetric correlation to LiDAR takes ...).

Current technology is mature to support specifically these applications with products as UAV shootings (made with extremely manageable and low cost aircrafts, operating with a high degree of automation to realize updated shooting at sustainable costs); reliefs by single "session" (with equipped aircrafts and high-performance vehicles, to acquire information components – photographic - and metric components - LiDAR); use of spherical cameras, able to acquire "views" to be freely visited by user (Figure 1).

Real sites, virtual tourism

Focusing on tourism in real sites, they're attempting to expand the perception and knowledge modes, also thank to open databases more

and more extensive.

We can acquire information in increasingly articulated ways, in order to rejoin virtual world and real experience.

For a long time the Authors are interested in this field (Minucciani, 2012; Vaudetti *et al.*, 2012; Minucciani, 2009a; Minucciani, 2005). They believe that communication of cultural heritage has yet to fully benefit from the new technologies chances, not only in Italy (where the matter is particularly urgent and strategic, although their country isn't an emerging model about ICT exploitation for Cultural Heritage). In addition, they trust in a cultural and social mission of virtual tourism: it shouldn't not only enhance already known and possible functions (increasing the commerce and information occasions), but it should also broaden avails to situations and categories of people who have so far been excluded, in different ways.

They are convinced that the time savings should not sacrifice the awareness of real parameters (distances, differences) and that the socalled edutainment shouldn't be a simple compromise between different needs, but rather a richer opportunity. Thus their interest is addressed to technologies able to tie virtual visit and *real site*. Furthermore, they want to pay more attention to "visitor's body", *i.e.* his physical involvement, in virtual experiences.

Many projects facing this issue are already been carried out: from simple "virtual books or tables" to particular experiments as *PointAt*, (These solutions are interactive installations, the first one to consult documents, while *PointAt* allows to learn more about a digital version of an artwork, just pointing the finger on details - that's a very instinctive gesture (Museo del Palazzo Medici Riccardi, Firenze, 2003)), *Museum Wearable*, (This small, lightweight computer, in a carrying backpack, was connected to a body motion sensor and to augmented reality glasses and headphones, in order to support and enhance the museum visit (temporary exhibition "Robots and Beyond", MIT Museum, Boston 2000)), *Cave*, (An enterely virtual, immersive environment you can visit thank stereoscopic glasses and special "mouses" (*e.g.* Kivotos system, Foundation of Hellenic World, Athens 1999)), haptic interfaces, holograms and so on. In these cases, anyway, virtual real-



Figure 1. Multiple access to information.



ity integrates real environment - through 3D models and simulations.

The Authors have just developed a project aiming to explore the opposite situation, integrating the virtual environment by *real elements*.

About this issue, an interesting project has already been carried out: the virtual "Trans Siberian Railway". Thanks to a simple video camera system, it offers the real sights from the train window along the 9000 km travel. The website also features images of small cities crossed, as well as tourist information, related to Google Maps (http://www.google. ru/intl/ru/landing/transsib/en.html. The project was originated from a collaboration between Google Maps and Russian Railways). However, they miss an element that Authors consider crucial: the real interaction with physical movement of the user. Although friendly and shared, a map is an abstraction and cuts immersive effect. All information access should be strictly related with a real sight, and originated from it: interaction interface is crucial.

Thus, as the objective is to merge physical and virtual reality, involving the body motion, the challenge is interesting because they want to present the real views, without 3D models. Another issue becomes crucial: the increase of data sharing, *e.g.* data related to systems as primarily Google Earth, Google Maps and Street View - now in common use. They already can provide, completely free, real images of the sites on global scale. Their content are by now integrated tools, namely repository of territorial data that we can integrate and share.

Recently, another opportunity has been jointed: integration of local and remote databases of images, and implementation in GIS systems (Ferrante and Garnero, 2013, Pirotti *et al.*, 2011).

Virtual Earth and Google Earth use a cartographic representation system not yet implemented – in Italy – in other applications (http://www.google.ru/intl/ru/landing/transsib/en.html. The project was originated from a collaboration between Google Maps and Russian Railways). Particularly interesting for our purpose are the geo-referenced images of Google Street View, implemented within Google Maps and Google Earth that provides panoramic views of 360° horizontally and 290° vertically along the streets (at a minimum distance of 10-20 meters apart). It was introduced in May 2007, and it runs in Italy since October 2008: Street View allows users to view portions of cities around the world at ground level, by placing on the map a little orange man.




Figure 2. Nadir sight and 4 angle shots of Turin – area of "piazza Castello".

Google Street View uses special cameras (the Dodeca 2360, with 11 goals and produced by the Canadian company Immersive Media) located on the roof of cars or equipped bikes. The service is now extended to main roads and urban streets of large and small centers, across all Italian regions (The updated coverage is available online at http://www.google.com/help/maps/streetview/learn/where-is-streetview.html).

The images quality is satisfying, although they may perceive the "junctions" among consecutive shots.

Furthermore, there are other databases of images that can integrate "real" views (*i.e.* at eye level), to offer to users a complete description of sites. First, the digital orthoimages (high definition) and angle shots (able to acquire buildings facades). The industrial solutions (*Pictometry* ®, *Midas* ® of *Track'air*, *iOne* ® *Visual Intelligence*,...) use systems of cameras, connected to each other and assembled on a single support (Pictometry and Midas systems have 5 cameras: 4 are installed with an inclination of 40-45 ° from the vertical and according to the four directions of view perpendicular to each other (forward, backward, left and right); the fifth camera takes from the zenith. Thus different frames share the same take instant).

In fact, in order to know and document the buildings appearance without performing measurements, less expensive systems are available: *e.g.* drones (UAV, Unmanned Aerial Vehicle) with photographic equipment. The APR (Aircraft Pilot in Remote) will be able to perform low altitude shots everywhere.

Finally, is now possible to create *3D City Models*, namely consultation environments where the buildings are geometrically modeled and then "dressed" with their facades. 3D City Models are one of geomatic products available for a long time, but only the recent improvements in the autocorrelation techniques may allow automatic generation processes, therefore openings to more generalized use.

All of these activities are nowadays made possible by the generalized availability of digital terrain models (DTM). They're got thank to photogrammetric autocorrelation techniques, cartographic data and - as it often happens by now - specific LiDAR shootings (Pelagatti *et al.*, year not specified; INSPIRE, 2007).

Digital Terrain Models (DTM) are a resource in environment and land related applications. They can be employed in several way in order to deepen the comprehension of an area investigated by extracting morphometric parameters or to perform complex analyzes on the DTM alone or by combining it with other data sources with modeling purposes (Godone and Garnero, 2013; Pirotti *et al.*, 2012; Chiabrando *et al.*, 2011) (Figure 2).

A further contribution comes from the increasing standardization of cartographic production, advocated by the INSPIRE Directive and recently inserted in the current Italian regulations (Garnero *et al.*, 2013; Ferrante and Garnero, 2013, INSPIRE, 2007).

State-of-the-art: the case study of Turin

Other, different databases can be related: information about history, architecture, cultural heritage. An interesting case study is *MuseoTorino*.

Launched during the celebrations for the 150th Anniversary of Italian Unification, it's the new on line museum of Turin and it aims to collect, preserve and communicate information about cultural, historical and artistic heritage of the city, and more. The website (www.museotorino.it) is conceived and structured as a museum, where you can find information on places, people, events, itineraries (thank a browsable map of the contemporary city). Each item has a brief label and a file containing notes and information. The most inter-



esting feature is the use of the latest platforms and technologies based on the Web 3.0 (semantic web) and Linked Open Data philosophy. Museum staff has been working on the website creation and data collection since 2009, and they have produced so far more than 15.300 files on places, events, themes and characters. Each file has been stored in a new generation database, a GraphDB providing excellent performances in data management.

This database is "museum catalogue", which can be consulted online, open to free searches. You can also move across the contemporary city, through a Google Maps application, and travel through time by visiting the permanent historical exhibition on the history of the city. MuseoTorino aims to involve the largest possible number of people, by sharing their knowledge and memories, suggesting ideas and projects. Icom Italia has awarded to MuseoTorino the prize Information Communication Technology (in occasion of *Premio Icom Italia - Musei dell'anno 2011*).

Thus, if the physical environment can be re-composed, instead of modeled, and if data and information can be collected and related, the visitor will be able to perform a "tour" without traveling. But his experience will be really "immersive" only if his motion and his perception of physical environment can be preserved.

So he will have several tools to move, literally, and to observe how and where he prefer (as if he were walking, for instance, but also turning his eyes or his head), namely natural ways with which he normally explores the world.

Suitable I/O peripherals will ensure the correspondence between the physical motion of visitors and views (and a crucial requirement will be the level of immersion of output).

Furthermore, transposition of user' real motion along a trajectory, identified on Google Maps, will be put in relation in real-time with street view images. Several markers on these will allow to access (even through queries in natural language) not only to tourist information but also to cultural ones, detailed and specific, that will catch from different databases. Travel will be featured by shots specially made, in order to access also to particular interiors.

A prototypal station

Starting from aforesaid notes, the Authors believe users can really appreciate und understand the land features, with distances, relations, proportions and morphologies (*i.e.* the territories as "systems"). Among the requirements of a "real" tour, there is the free motion in places and the "guides" support. The new functions and services of augmented reality, in addition to unstoppable spread of smartphones (which nevertheless don't break the barrier effect of display), still require a cultural, strategic reflection.

The project therefore intends to explore a tour simulation with three basic features:

it offers to the "tourist" a *real* and *immersive vision* of what he would see across the places he's visiting, without turning to city models or synthetic worlds;

it brings together the virtual displacement on sites with a *physical motion really made* by the "tourist";

it uses shared databases.

The final prototype (replicable for different contexts - in urban environment and in extra-urban context - and for different situations of use) will allow to visit remote sites, without turning to traditional station in front of a monitor, but recovering movement and free choice of timing and sequences.

The virtual tourist would thus have the opportunity to visit any place, stopping when and how he wants.

The experience will provide most of the functions available for real tourism, improving them: among these, virtual tourists will be able can make stops, get into some interiors and benefit of observation points that are not possible in physical reality, but easily achievable in virtual way (elevations of points of view, spherical shooting etc..).

At last, there are different uses of databases: cloud systems availability and adequate, technological infrastructure allow creation of data bases adaptable to different needs, for scholars, conservation institutions, or simple curious and tourists.

Just the "virtual tourism" is the most attractive form to consult and use such information, because the observer-visitor, according to our project, can access specialized information in intuitive way, thank to navigation tools as described, maybe with virtual assistants and so on.

Of course, such information bases could be available also to users physically visiting real places, thank to positioning instruments (GNSS, gyroscope, compass, ...) already provided on smartphones and tablets . Real tourists will able to access to same information body than virtual one, and to navigate by using the information architectures as geometric and thematic index, data retriving, metadating repertoire

Furthermore, at even larger scale, they will enter into the building / museum: dedicated systems will recreate a reference system (radio apparatus as GNSS systems emulators, objects identifications through QRcode, and so on) to enable real user to automatically synchronize, from its location, to available data bases.

Interaction should be as natural as possible, using also natural language and virtual assistants.

The project encompasses several disciplinary cores: museography (that's exhibition strategy and communication of cultural heritage, complemented by historical and technical disciplines); geomatics and image processing (connection between the visitor's motion, the geo and cartographic reference and related databases); virtuality (and web 2.0.), ontologies (and web 3.0); tourism sociology and marketing (implementation of investigation/verification techniques, and their transposition to the virtual tourism) (Figure 3).

Conclusions

The matter the Authors wish point out, in conclusion, relates to the use of technologies and databases now widely available.



Figure 3. Immersive and interactive virtual reality, at LAQ (High Quality Laboratory) "Auditorium", Politecnico di Torino.



In fact, in addition to the scientific and experimental contents in itself, from their use can arise important effects for people.

Indeed it concerns not only economic and commercial business (even if the creation of new jobs and new employment sectors is undoubtedly important). Let's rather consider the social importance of a tourism solution that does not exclude whole, weak segments of population, due to income, age or disability.

In addition to effects of social inclusion (which is a main goal of European Strategy for 2020) should also be underlined the opportunity for a greater access to culture, that's a primary factor of human development and progress.

The territorial information systems leave "technical" fields and gain application contexts related to large public. For this reason, transversal use is crucial: we don't need "new knowledge bases", but to integrate them and provide *interpretations* (ontologies; network systems; systems person-based; systems on geographic key; various access systems, mutually integrated ...).

Also "closeness" is, in the most recent project, a crucial key to access information. In this field, due to great amount of interrelated information, and to worldwide spread, the Wikipedia project "Nearby" has really an excellent chance (http://blog.wikimedia.org/2013/05/29/wikipedianearby-beta/) (Figure 4).

The information of the largest free encyclopedia in the world will be connected with their geographical reference, so tourists or professional operators will able to browse starting from their real location and then accessing related information. "Nearby" application is already active.

But a true, "intelligent access" has to provide to you information you need, or tailored for you: nowadays, thank to information available *e.g.* on social networks, particular interests of any visitor can be saved and considered. Not only "where you are" is important, but also "who and how you are", because in the information sea you should find what you are really interested to know. Of course, this goal requires a great work on ontologies that have to cross with "social" data, very heterogeneous: each user has the right to receive "his ownr" information output.

References

- Agarwal, J., Sharma, N., Kumar, P., Parshav, V., Srivastava, A., Goudar, R.H.: Intelligent search in E-Tourism services using Recommendation System: Perfect guide for tourist (2013) 7th International Conference on Intelligent Systems and Control, ISCO 2013, art. no. 6481190, pp. 410-415.
- Antinucci, F.: *Musei virtuali: come non fare innovazione tecnologica* (2007), Roma-Bari Laterza
- Barabé, A.: Evaluation of virtual learning environments : Analysis of an experimental activity related to training in sustainable tourism [Évaluation des environnements d'apprentissage virtuels : Analyse d'une expérimentation reliée à la formation en tourisme durable] (2003) Loisir et Societe, 26 (1), pp. 211-233+9.
- Caraceni, S.: Musei virtuali-Augmented heritage. Evoluzioni e classificazione delle tipologie di virtualità in alcuni case histories, (2012), Rimini Guaraldi
- Chase-Levenson, A.: Annihilating time and space: Eclecticism and virtual tourism at the Sydenham Crystal Palace (2012) Nineteenth-Century Contexts, 34 (5), pp. 461-475.
- Cheong, R.: *The virtual threat to travel and tourism* (1995) Tourism Management, 16 (6), pp. 417-422.
- Chiabrando, R.; Fabrizio, E.; Garnero, G.: On the applicability of the visual impact assessment OAISPP tool to photovoltaic plants, Renewable and Sustainable Energy Reviews (ISSN:1364-0321), pp. 845-850, Vol. 15 (2011)
- Cozzi, P.: Turismo e Web. Marketing e comunicazione tra mondo reale e virtuale, Milano, Franco Angeli (2010)
- Davenport, E.: Localisation, globalisation and SMEs in European tourism: The 'virtual enterprise' model of intervention (2000) Proceedings of the ASIS Annual Meeting, 37, pp. 309-318.
- Dong, H.: Review on the websites and virtual tourism of World Heritage sites in China (2010) 2nd International Conference on Information Science and Engineering, ICISE2010 - Proceedings, art. no. 5691830, pp. 6112-6114.
- Ferrante, F.; Garnero, G.: Tecnologie e dati spaziali per una moderna governance del territorio. Strumenti a supporto della riforma del Catasto (Technologies and spatial data for modern land governance. Tools to support the cadastral reform.), Territorio Italia -Governo del Territorio, Catasto, Mercato immobiliare, n. 01/2013, p. 9-26 (Italian and English version)




Figure 4. The Nearby feature on iPhone device.




Figure 5. Ontologic interrogation of geographic and thematic DB.





- Gale, T.: Urban beaches, virtual worlds and 'the end of tourism' (2009) Mobilities, 4 (1), pp. 119-138.
- Garnero, G.; Corrias, A.; Manigas, L.; Zedda, S.V.: VGI, Augmented Reality and Smart Web Application: Projects of Development in the Territory of the Sardinia Region, in B. Murgante et al. (Eds.): ICCSA 2013, Part IV, LNCS 7974, pp. 77—92. Springer, Heidelberg (2013)
- Gärtner, M., Seidel, I., Froschauer, J., Berger, H.: *The formation of virtual organizations by means of electronic institutions in a 3D eTourism environment* (2010) Information Sciences, 180 (17), pp. 3157-3169.
- Germann Molz J.; Gibson S.: *Mobilizing Hospitality*, Farnham, Ashgate (2007)
- Gerosa, M.; Milano, R.: Viaggi in rete. Dal nuovo marketing turistico ai viaggi nei mondi virtuali (2011), Milano FrancoAngeli
- Godone, D.; Garnero G.: The role of morphometric parameters in Digital Terrain Models interpolation accuracy: a case study, European Journal of Remote Sensing, (ISSN:2279-7254) 46: 198-214 [doi: 10.5721/EuJRS20134611] (2013)
- Granieri G.; Perri G.: *Linguaggi digitali per il turismo*, Milano, Apogeo (2009)
- Gretzel U.; Law R.; Fuchs M.: Information and Communication Technologies in Tourism 2010, Wien-New York, Springer (2010)
- Hashim, K.H.B.: Jusof, M.J.B., Spherical high dynamic range virtual reality for virtual tourism: Kellie's Castle, Malaysia (2010) 2010 16th International Conference on Virtual Systems and Multimedia, VSMM 2010, art. no. 5665945, pp. 297-300.
- Hernández, L.A., Taibo, J., Seoane, A.J.: *Immersive video for virtual tourism* (2001) Proceedings of SPIE The International Society for Optical Engineering, 4520, pp. 63-73.
- Hopeniene, R., Railiene, G., Kazlauskiene, E.: Potential of virtual organizing of tourism business system actors [Turizmo verslo sistemos dalyviu{ogonek} virtualaus organizavimosi potencialas] (2009) Engineering Economics, 3 (63), pp. 75-85.
- Hsu, C.: The feasibility of Augmented Reality on virtual tourism website (2011) Proceedings - 4th International Conference on Ubi-Media Computing, U-Media 2011, art. no. 5992081, pp. 253-256.
- Hu, Z., Cao, Z., Shi, J.: Research of interactive product design for virtual tourism (2012) Lecture Notes in Electrical Engineering, 140 LNEE, pp. 411-416
- Hyun, M.Y., Lee, S., Hu, C.: Mobile-mediated virtual experience in tourism: Concept, typology and applications (2009) Journal of Vacation Marketing, 15 (2), pp. 149-164
- INSPIRE Directive Of the European Parliament and of the Council of 14 March 2007 establishing an Infrastructure for Spatial Information in the European Community - Directive 2007/2/EC (2007)
- Kapp K. M.: The Gamification of Learning and Instruction: Game-based Methods and Strategies for Training and Education. John Wiley & Sons (2012)
- Kim, L.C., Lam, T.K., Talib, A.Z.: Acoustical heritage for virtual tourism on mobile platform (2011) Proceeding of the International Conference on e-Education Entertainment and e-Management, ICEEE 2011, art. no. 6137804, pp. 273-276.
- Kuntarto, G.P., Gunawan, D.: Dwipa search engine: When E-tourism meets the semantic web (2012) 2012 International Conference on

Advanced Computer Science and Information Systems, ICACSIS 2012 - Proceedings, art. no. 6468741, pp. 155-160.

- Maymand, M.M., Farsijani, H., Tahery Moosavi, S.S.: *Investigation of the key success factors in virtual tourism*, (2012) Indian Journal of Science and Technology, 5 (7), pp. 3073-3080.
- Minucciani, V.; Garnero, G.: Available and Implementable Technologies for Virtual Tourism: A Prototypal Station Project, in B. Murgante et al. (Eds.): ICCSA 2013, Part IV, LNCS 7974, pp. 193-204. Springer, Heidelberg (2013)
- Minucciani, V.: Pensare il museo. Dai fondamenti teorici agli strumenti tecnici. p. 1-199, Rivoli (TO):CET - Casa Editrice Torinese, ISBN: 9788896470060 (2012)
- Minucciani, V.: *Musei e tecnologie virtuali*, Tafter Journal, ISSN: 1974-563X (2009a)
- Minucciani, V.: Artifici tecnologici al servizio della narrazione archeologica. In: Celada, G.; Gentilini, C.; Martinelli, C.: Palestrina. La città e il tempio. p. 199-211, Maggioli, ISBN: 9788838743382 (2009b)
- Minucciani, V.: *Il museo fuori dal museo*, ISBN 9788882230739, Milano, Lybra Immagine (2005)
- Pelagatti et al.: *SpatialDBgroup Weblink* to a page about IDT http://spatialdbgroup.polimi.it/visione/ (year not specified)
- Pirotti, F., Grigolato, S., Lingua, E., Sitzia, T., Tarolli, P.: Laser scanner applications in forest and environmental sciences, Italian Journal of Remote Sensing / Rivista Italiana di Telerilevamento, 44 (1), pp. 109-123 (2012)
- Pirotti, F., Guarnieri, A., Vettore, A.: Collaborative Web-GIS Design: A Case Study for Road Risk Analysis and Monitoring, (2011) Transactions in GIS, 15 (2), pp. 213-226.
- Poulot, D.: Musée et muséologie (2005), Paris La Découverte
- Proctor, N.: Digital Museums as Platform, Curator as Champion, in the Age of Social Media, Curator (2010)
- Roberta, K.V., Wisudawati, L.M., Razi, M., Agushinta R., D.:Web based virtual agent for tourism guide in Indonesia (2011) Communications in Computer and Information Science, 191 CCIS (PART 2), pp. 146-153.
- Vaudetti, M.; Minucciani, V.; Canepa, S. (a cura di): The Archaeological Musealization Multidisciplinary Intervention in Archaeological Sites for the Conservation, Communication and Culture, p. 9-280, Torino, Allemandi & C., ISBN: 9788842221203 (2012)
- Vince, J.A.: Introduction to Virtual Reality (2004), London Berlin Heidelberg, Springer-Verlag
- Wang, F.-X.: Design and implementation of Hainan tourism spots virtual reality system (2011a) Key Engineering Materials, 474-476, pp. 2217-2220
- Wang, C.: Application of virtual reality technology in digital tourism (2011b) Proceedings - 3rd International Conference on Multimedia Information Networking and Security, MINES 2011, art. no. 6103831, pp. 537-541.
- Williams, P., Hobson, J.P.: Virtual reality and tourism: fact or fantasy? (1995) Tourism Management, 16 (6), pp. 423-427.
- Zhang, Y., Zhang, X.: An integrated application of tourism planning based on virtual reality technology and indicator assessment (2012) Lecture Notes in Electrical Engineering, 107 LNEE, pp. 1435-1442.