



POLITECNICO DI TORINO  
Repository ISTITUZIONALE

Intra-speaker and inter-speaker variability in speech sound pressure level across repeated readings

*Original*

Intra-speaker and inter-speaker variability in speech sound pressure level across repeated readings / Castellana, Antonella; Carullo, Alessio; Astolfi, Arianna; Puglisi, GIUSEPPINA EMMA; Fugiglando, Umberto. - In: THE JOURNAL OF THE ACOUSTICAL SOCIETY OF AMERICA. - ISSN 1520-8524. - ELETTRONICO. - 141:4(2017), pp. 2353-2363.

*Availability:*

This version is available at: 11583/2668624 since: 2017-05-24T10:19:25Z

*Publisher:*

Acoustical Society of America

*Published*

DOI:10.1121/1.4979115

*Terms of use:*

openAccess

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

*Publisher copyright*

(Article begins on next page)

1     **ABSTRACT**

2     The intra- and inter-speaker variability of speech sound pressure level (SPL) have been  
3     investigated under repeatability conditions in this work. In a semi-anechoic chamber, speech  
4     from 17 individuals was recorded with a sound level meter, a headworn microphone and a  
5     vocal monitoring device. The subjects were asked to read twice and in sequence two  
6     phonetically balanced passages. The speech variability has been investigated for mean,  
7     equivalent, and mode SPL from each reading and device. The intra-speaker variability has been  
8     evaluated by means of the average among individual standard deviations in the four readings  
9     and it reached the maximum of 2 dB for mode SPL. For the inter-speaker variability, the  
10    experimental standard deviation of individual averaged SPL parameters among the four  
11    repeated measures has been calculated, obtaining the highest value of 5.3 dB for mode SPL.  
12    Changes in SPL variability have been evaluated with different logging intervals for each  
13    device. The influence of speech material has been investigated by the Wilcoxon test on paired  
14    lists of descriptive statistics for SPL distribution and equivalent SPL in the repeated readings.  
15    The data reported in this study may be considered as a preliminary reference for the  
16    investigation of changes in speech SPL over subjects.

17    © 2016 Acoustical Society of America

18  
19  
20  
21  
22  
23  
24  
25