

POLITECNICO DI TORINO
Repository ISTITUZIONALE

Ecosystem services and urban planning. Tools, methods and experiences for an integrated and sustainable territorial government

Original

Ecosystem services and urban planning. Tools, methods and experiences for an integrated and sustainable territorial government / Giaimo, Carolina; Regis, Dafne; Salata, Stefano. - In: NEWDIST. - ISSN 2283-8791. - ELETTRONICO. - SPECIAL ISSUE J U LY 2 0 16(2016), pp. 296-308.

Availability:

This version is available at: 11583/2673525 since: 2017-05-30T01:25:01Z

Publisher:

DIST Politecnico di Torino

Published

DOI:

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)



new Dist

SPECIAL ISSUE
JULY 2016
ISSN 2283-8791

SBE16 Towards Post-Carbon Cities



DIPARTIMENTO INTERATENEEO DI SCIENZE
PROGETTO E POLITICHE DEL TERRITORIO
POLITECNICO E UNIVERSITÀ DI TORINO

Abstract

Urban planning and design for post-carbon sustainable city requires a major connection between the new scientific paradigms of environmental disciplines and useful/communicative indicators to steer local policies.

Nowadays the spatially explicit assessment of Ecosystem Services (ES) and their flows can effectively support the decision making process for sustainable development. Thus the methodology of considering environmental sustainability during planning phases should be hold in plan's construction and integrated during the decision making process at urban scale, also using Co-planning method.

The paper experienced the recent research innovations made by DIST for LIFE program SAM4CP, where preliminary output of ES mapping were used as proxy for the identification of high value areas to be planned.

Inside it is presented a methodology of integration between maps of biophysical/economical ES values using InVEST software as a tool for geographic, economic and ecological accounting. The mapping activity, related to Land Cover/Land Use information for a context based case of was used to support the preliminary approach to co-planning activity for multilevel governance, especially among consensus building approach and the Co-planning Conference.

Innovations are discussed both by processual and technical sides: (i) the urban planning activity founded upon the Co-planning method and supported by such analysis, allowed policy makers to go into the substance for reconsider their strategies for sustainable territorial government and (ii) the scientific contribution of the research on mapping ES demonstrates that approach is today fully incorporated on local tools for land management.

1_ Introduction

The integration of urban planning and ecology is recently increased and nowadays it is considered a foundation of the discipline: it sets new fields of competence of the municipal/local plan, new disciplinary partnerships and emerges as a result of the introduction of new laws, both national and regional.

Since it is necessary to overcome the "protection/defense" approach of territory, environment and landscape, the plan is able to be the instrument of a new strategy for the unified government of city, territory and environment that integrates urban planning and ecology (Campos Venuti, 1994).

Therefore it is necessary to redefine the overall strategy of the plan, and its contents, renewing and extending their knowledge that underpin its implementation, using new skills and methods of analysis.

Within this premises, the approach of mapping and modelling ES has rapidly increased (Hayha & Franzese, 2014). The ES approach can help to evaluate the effect of a project or policy on soil ecosystems, thus it can help to better communicate and visualize planning outcomes to policy makers, supporting environmental planning decisions, and designing sustainable land uses (Maes, et al., 2012). In terms of energy efficiency, a deep ES modelling should support a better balance of sustainable use of land: the monitoring of flows in terms of ES is a basilar energy related information to better achieve sustainability in planning.

ECOSYSTEM SERVICES AND URBAN PLANNING

Tools, methods and experiences for an integrated and sustainable territorial government

Authors

Carolina GIAIMO

carolina.giaimo@polito.it

Dafne REGIS

Stefano SALATA

DIST - Interuniversity
Department of Regional and
Urban Studies and Planning
Politecnico di Torino
Viale Mattioli 39
10125 Torino

Keywords

ecosystem services
land use
sustainability
co-planning

This text is the result of joint work on which the three authors agree and it's by the three authors in equal parts.

¹ *Title of the Project:
Soil Administration Model for
Community Profit.*

*Project leader:
Città Metropolitana di
Torino responsible for
the actions 3, 4 as well
as a management and
administrative management of
the project;*

*Partner (1): Politecnico
di Torino, Interuniversity
Department of Regional and
Urban Studies and Planning;*

*Partner (2): ISPRA, Istituto
Superiore per la Protezione e la
Ricerca Ambientale;*

*Partner (3): CREA, Consiglio
per la ricerca in agricoltura e
l'analisi dell'economia agraria.*

² *The DIST research group is
composed by:*

*Prof Carlo Alberto Barbieri
(Scientific Responsible),*

Prof. Giuseppe Cinà,

Prof. Angioletta Voghera;

*with an operative team of
research fellows composed by
Dr. Carolina Giaimo, Dr. Dafne
Regis and Dr. Stefano Salata.*

The LIFE project SAM4CP¹ aims to connect the scientific knowledge on ES allowing a better territorial decision mechanism. The project leads to include the ecological assessment of soil within its economic value also accounting alternative land-use scenario. This requires a high degree "mapping" ES knowledge, using accurate and precise datasets to support traditional environmental analysis for land use planning (Benini, et al., 2010). This is why a group of DIST-Politecnico di Torino expertise² is working to develop the technical actions to support planning decision. Such methodology requires also technical innovations: a new software for ES mapping has been used for construct land use scenarios and a new participatory planning process has been supported by an ES biophysical and economic assessment.

The project aims to capture the "flows of value" that a land use variation produces to the initial stock, going beyond the traditional approach of Land Use Change Analysis (Keller, et al., 2015). It is the "quality", rather than the "quantity" of consumed soil to be analysed by the lens of the project. Such information is crucial for a better integration of sustainable/resilient strategies of land use management in terms of energy systems: only if the knowledge on flows of ES is deeper than strategies of mitigation and compensation measures for land transformation can be activated (European Commission, 2012).

As introduced, the mapping process is fundamental to estimate the current (baseline scenario) and expected trends in ES values and their economic assessment. The economic evaluation of ES is going to become crucial for raising environmental policy awareness (de Groot, et al., 2002; Tol, 2005; Gomes Lopes & al., 2015; Baral & al, 2014), but still requires a better connection to the biophysical assessment of ES (Costanza & al., 1997; Tol, 2005). Measuring ES in monetary terms can help make them "visible" and ensure that the benefits of biodiversity are effectively taken into account for planning processes. The overall target of the project is to connect the assessment results with the real planning processes in defined case studies. Nonetheless, the project will guarantee a high degree of shared knowledge between stakeholders and public administration at different levels. Such approach, which is called "co-planning", allows to steer policies at different levels, modify the existent strategies for environmental sustainable land use planning and to define new ones, starting from the acquired knowledge on soil properties and its ecological and economic values.

At the stage the project is in the middle of its implementation. This limitation should not guarantee that results of interaction between different actions will be fully achieved. In particular, the integration between evaluation and planning activity is not tested yet through practical experiences. Nevertheless, the project has already defined the methodology regarding the support of planning activity by the integration with ES evaluation: it means that the way how the stakeholders and the public administrations make decision process has to be supported by the ES analytical framework. Moreover, such kind of framework needs to be constructed with a bottom-up approach where local stakeholders and citizens have an important role in the definition of ecosystem's value. Finally, according to the Project, the above mentioned activities will be supported by actions of consensus-building also aimed to inform local actors and to spread the importance of considering ES into planning disciplines.

2_The government of land use change

The territorial government is a wide concept composed both by technical and political skill and expertise that can't be addressed to a "discipline" in the traditional sense: therefore it can't be limited to the regulation of land use and building. It represents an integrated system of theories and practices made by knowledge and experiences with a proper horizontal and multiscale "functional role", which exceeds the typical skills fragmentation of urban planning disciplines. Indeed, the territorial government includes a huge amount of expertise: environment, landscape, soil conservation, ecosystems protection, enhancement of cultural and environmental heritage, socio-economic development, mobility and territorial infrastructure (Barbieri, 2015).

Therefore, it's necessary to adopt rules and procedures for innovative urban and territorial planning, to support policies for the protection, enhancement and qualification of settlement, for urban regeneration and reduction of land take as well as governing climate change. But innovations for sustainability require to assume the principle of subsidiarity and to recognize that territorial government is an integrated "horizontal" process rather than an "hierarchical system" composed by separated plans drawn up by different and separated institutions.

By the way, there is a widespread awareness that the hierarchical planning model (and related procedures) based on the approval through dirigisme and indicator-based approach, is now obsolete and inadequate (Barbieri, Giaino, 2015). Therefore, the sustainability challenge is a matter of institutional relations, rather than a matter of technology for planning: relations must become more horizontal and based at all on methods and procedures for cooperation between local authorities and consultation/participation of public and private stakeholders.

2.1_The planning process governance

It should be noted that the innovative transition from urban planning to local governance is intimately connected with a multi-level system of shared knowledge and methods. When decision making and public deliberation processes are characterized by a multiplicity of public subjects with relevant and differentiated tasks, it is essential to practice the multi-level governance. The multi-level governance is of particular significance in the field of urban and territorial transformations because it deals with the uniqueness of the physical space and the natural interdependence between the various components of the environment (air, water, topsoil, subsoil, biotic communities, etc.) which characterize any human activity and conditions for its operability. Such environmental organic unity and integration contradicts the separation and segmentation of tasks and functions that characterize the administrative action.

Practicing multi-level governance means to implement actions, behaviors and attitudes that favor a process of decision-making avoiding the deliberations of authority, which in turns, imply that decision makers, primarily public, may, as a consequence, don't adopt attitudes that determine the block of each operability.

In the Italian public administration, still persist a hierarchical top-down approach, where public subjects express their own formal “veto power” to “influence” local policy. The over simplification of the power expression over municipalities by supra-local public authority isn’t able to guarantee the effective success of the initiatives, because the complexity of the relationships among different competences and knowledges, require better capacities of co-planning between the involved subjects rather than a vertical approach. It is therefore necessary that public administrations, at all levels – and private operators too – assume attitudes to co-work together for achieving sustainability, practicing the Co-planning attitude for the territorial government, through the instrument of the Co-planning Conference.

The Co-planning Conference favors feedbacks among different stakeholders positions, offering the opportunity to share communicable targets. However, the creation of a common agreement during decision making phase forces the involved subjects to declare what they really want, and the activities they have to pursue.

The complexity of Co-planning Conferences is given both by the creation of a common decision making process based on a shared cognitive framework, and by the “formal” expression of power and competences of the subjects which are representatives of institutional bodies (Presidents of Region and Città metropolitana di Torino, Mayors, or their delegates).

In this way, the public administration defines and declares the criteria by which it elaborates the evaluations: this corresponds to the so called “scoping phase” of SEA processes.

2.2_The challenge for LIFE SAM4CP: using ES to evaluate plan options

The complexity of governing urban, territorial and environmental phenomena through the plans require a great amount of analysis, interpretation and also graphic representation. Therefore these three activities are constitutive of the planning process.

LIFE SAM4CP project aims to demonstrate that territorial sustainable development requires the application of integrated skills – at all scales – of ecological, economic and socio-political disciplines within a transdisciplinary framework. Therefore, the ES analysis is one that requires such integration between different evaluations, because the context based assessment of biophysical and economic values is based on integration between theories of environmental economy, geographic information system, mapping and representation of territorial data.

ES assessment for planning purposes is one of the challenges that both academic and administrative sectors have to deal in the next years. Indeed, in areas where good quality of ecosystems is maintained, the territory and its local community became more resilient and less vulnerable (EEA, 2010).

But the incorporation of ES assessment for planning purposes requires radical re-thinking of the local governance system and in particular the planning activity for plans construction, as an instrument of knowledge both regulatory and strategic.

The role of the ES analysis should enforce the integrated planning approach, especially joining the Strategic Environmental Assessment that produces

planning scenarios and a shared framework for evaluates, by public and private subjects operating at different levels and in different sectors, the spatial trade-offs among different land use functions. The role of ESassessment is to define the fixed and flexible elements of negotiations for land use regulation, therefore it represents the integration between plan and SEA which is essential to define broad strategies of sustainable development overcoming the pure technological enhancement of environmental issues.

Generally, the ES analysis helps institution and local stakeholders to play their choices within a background strategy for sustainable development, which fixes the rules for improve or to restore the identity characters of the territory. However, it doesn't have an adequate regulatory support in the planning process. For this reason one of the LIFE SAM4CP actions involves the realization of a structural variant for the local plan first in the municipality of Bruino and later in other three municipalities.

These variants pursues the goal of reducing land consumption and uses the co-planning procedure between Region, Città metropolitana di Torino and the involved municipality, using ES assessment.

Thus, SAM4CP provides to involved municipalities (through a consensus building process), tools to support planning decisions and accompanies them in the revision of their urban plans.

2.2.1 Ecosystem services and co-planning

Among the activities of Co-planning, the relationships between public institutions and between institutions and users, are based on collaboration and participation in the definition of planning contents. In that phase, the involved institutions are forced to share the definition of the knowledge framework (which is complex and multileveled among different scales) and the objectives, methods and projects. Co-planning allows every institution to provides their information, knowledge, skills and specificities, in particular through its plans.

In Piemonte Region, the introduction of this new approach to urban planning dates back to the Regional Law n.1 of 2007 which was a partial modification of the regional planning law in force at time. Then it was confirmed by further partial modification introduced by the Regional Law n. 3 of 2013.

Co-planning is like defined a time-dependent path but open and constantly updated: the local administration share its knowledge and compares the diagnosis with other institutions and stakeholders, seeking incrementally an agreement on the general objectives and guidelines to pursue.

The innovative aspect is that the Conference is convened and chaired by the Mayor of the Municipality that propose the structural urban planning variant. During the Conference such Municipality take part, with voting rights, with the Città metropolitana di Torino and the Region.

A crucial aspect is that, depending on the contents of the structural variant, the mayor of the Municipality may invite at the Conference – without voting rights – other entities or authorities and stakeholders, competent or simply interested in territorial planning. Obviously, behind the decision to invite other actors, there is a political assessment by the Mayor which select only those that seems useful to involve. The deliberations of the Conference are valid when shared by the majority of participants with voting rights and the

conclusion of the planning process takes place in the town council, on the base of the Conference results.

The Municipalities that have joined LIFE SAM4CP, including the case of study of Bruino, will take part to the Co-planning Conference with the analysis on ES developed during the project. Such analytical framework is developed prior to the final definition of the contents of the plan and commonly with the Strategic Environmental Assessment.

3_Ecosystem Services assessment

The above mentioned Conference, which is the pillar of Co-planning approach, is a crucial aspect for achieving the target of SAM4CP project. It is in such Conference that the scientific knowledge of ES, the agreement between stakeholders, and the participatory approach with local community, are discussed together among different administrative levels to find the decisional agreement.

Such agreement is the keystone of project aim: the uses of ES as a proxy for a sustainable development generates a better planning activity. By the way SAM4CP consider the uses of new ES mapping techniques as a central part of a common knowledge system for governing land use change effects.

The construction of ES values in the case of study has been reached using the software InVEST-Integrated Valuation of Ecosystem Services and Tradeoffs. The software may be useful for informing resource management strategies and quantitative ranking of scenarios that can aid decision making, also because is a powerful tool to explore possible results of scenario between different land use alternatives.

The software was used to estimate the 7 main ecological functions provided by natural soil (biodiversity, carbon sequestration, water purification, water yield, contrast to soil erosion, provision of habitat for pollinators; food production). Models were built to have a great deal of accuracy and precision in order to support the management of a planning project with local community: the challenge was not to use InVEST as a tool for accountability of ES, but to use it as a real support in decision making mechanism during the Co-planning phase. The research presented considers the last release available (in 2015) of the InVEST model (version 3.1.0).

3.1_The biophysical evaluation of ES

The need of reliable, precise and accessible geographic datasets is increasing, and the request of such data is only partially fitting with the provision of public geospatial datasets (Benini, et al., 2010). This is forcing technicians to create "ancillary" datasets which are site specific and reliable, but not comparable between similar methodologies.

The organization of the input was crucial for output reliability, especially for those functions that required a huge amount of data to connect with LULC map. As regard as input collection for InVEST, some limitations were determined by the common dataset offered by the standard models of the software. Normally such models are too general, because environmental data (climatic, hydrologic, agronomic) are collected and restituted at macroscale rather than at microscale. For these reasons it has been decided to:

- collect high detailed environmental data using the web GIS online dataset of the Piemonte Region;
- use InVEST as a tool to support environmental analysis which was refined, articulate, handled with adjustment, even simplified, with adding information, or with a synthesis of results made with subsequent multilayered analysis (Keller, et al., 2015).

Even tested, the experience with the program is so limited. Therefore it is quite problematic to understand at how changing parameters of each single variables can have significant effect on model's output. Anyway, further advancement of the project will fill such gaps.

3.1.1 Mapping ES using Bruino (TO) as a case of study

The Municipality of Bruino (among other three Municipalities) has been selected as a key case study in LIFE activities according to the letter of interest. The LIFE activity has to produce a variance of the Local Land Use Plan.

The phase 1 of the project has been dedicated to run the software InVEST for each ES selected. In particular, actions were dedicated to:

- the construction dataset (using standard and ancillary data);
- the research of sources for input software values;
- the interpretation of output models.

Immediately a question arises from actions development: the necessity of achieve a better integration on Land Use data (repertories as Corine Land Cover) with Land Cover ones (imperviousness of soil). Actually "artificial surfaces" are simply considered, by environmental analysis, as a unique category of "bed values" which generates noise and pollution; while, on the other hand, artificial green areas are a consistent and connective part of primary rural ecological network. A green garden, placed in the dense city, even private and inaccessible for public uses, can provide ES as a natural wide zone. Certainly, if a green zone has artificial boundaries, the habitat quality of some species is neglected; despite this, all other relevant functions are still provided by such open space.

The degree of impervious surface has been measured as the average value for each Land Use class of Bruino, exporting the attribute table of LULC shapefile and creating a pivot table using Microsoft Excel. Such value has been used only for quantify the permeability of artificial surfaces, thus the index of permeability has been used as an additional qualitative indicator to settle the software's input value for environmental quality function.

Then the software was launched for all the main ecological function below described.

Habitat Quality: the map shows the cluster where the quality of habitat (as proxy of the overall environmental quality) is high or low. The case shows that on the north east (the Sangona River) and south west (the hill) of the municipality are placed the main "corridors". In the middle of the flat floor of the valley the settlement system is distributed, but leapfrogged clusters of medium environmental quality are spread even close to dense residential and industrial zones.

Carbon Sequestration: the model uses data on wood harvest rates, harvested product degradation rates, and stocks in carbon pools to estimate the

amount of carbon currently stored in a landscape or the amount of carbon sequestered over time. The map shows where soils are capable to “hold” a high degree of carbon, and provide a “carbon pool” function which is fundamental also for climate change mitigation policy.

Water Yield: the map represent the relative contributions of each land use cell to the yield of water per each watershed. The value of evapotranspiration has been used to map those areas that better filter the stream via evapotranspiration.

Nutrient Retention: the map indicates the contribution of vegetation and soil to purifying water through the removal of nutrient pollutants from runoff. In particular the map shows at pixel level how much load from each pixel eventually reaches the stream.

Sediment Retention: the map indicates the total potential soil loss per pixel in the original land cover. High values correspond to places where loss of sediment is higher than in other parts. This vulnerability is crucial especially for territories where erosivity is high (hills or mountains).

Pollinator Abundance: The map represents an index of the likely abundance of pollinator species nesting on each cell in the landscape. It provides information on sites where suitability for nesting is high or low, this give adequate information especially for planning agricultural uses.

Crop Production: this services has been mapped using the Land Capability Classification model provided by the Regional database of Soil, and not InVEST. This inventory was sufficiently accurate to estimate which was the productive capacity of each pixel of land, according with the definition of suitability of soil for agricultural purposes.

3.2_The economic evaluation of ES

To assign an economic value to specific ES provides the possibility to develop better environmental planning practices and to increase the knowledge of the stakeholders and decision makers towards the economic values of natural, non-reproducible, resources.

A pioneer study of Costanza et al. (1997) classified the global land use into 16 primary categories and grouped ES into 17 type; using this approach it was possible to extract equivalent ES weight factor per hectare in different areas. The total ES of each land use category was obtained through multiplying the area of each land category by the value coefficient.

Related to this, when ES values is associated to a land use transition matrices, notable changes on ecosystem values can be observed and the economic loss of specific transitions can be noted and explained. New indicators (as the percent decrease of the total ES value) can enforce the evidence of economical long term effect of land use change and urbanization. Sometimes the rate of increase or decrease of a specific land use does not correspond to the rate of variation on ES. This is why it is so important to exactly quantify ES values.

Nevertheless, many economists criticized the valuation method because different approaches may produce significantly different results. Moreover, some studies have pointed out that the valuation method is less meaningful to estimate the total value of an ecosystem, and may be more appropriate for

marginal change analysis (Shuying et al. 2011). So the ES analysis is useful to analyze the rate of increments or decrement of values rather than the total-value of a land use scenario (Bateman & al., 2013).

3.2.1_The methodology in Life SAM4CP: a multi-criteria approach for the economic evaluation

One of SAM4CP output is the estimation of economic values of soils on the base of their biophysical values.

Many authors discuss the possibility of reaching economic values of ES, but few of them explains how to link the biophysical side of evaluation with its economic value. Nevertheless, the project presents a first simulator of land use scenario, which keeps together specific biophysical performance of land with a corresponding monetary value. Using the ES mapping as the base for biophysical quantification, the challenge was to adopt and found methodologies to associate parametric “prices” of ES provided by soil. A typical example is the carbon sequestration service, which is the natural storing service offered by soil acting as carbon pool.

Starting from LIFE+MGN (Making Good Natura)³ research models, the biophysical maps were used to associate economic values.

Firstly, it was assumed that all measured values are “potential” rather than “definitive”, and they derived from market price of substitution/artificial production of a similar service which normally is provided by soil. The word “potential” is referred to the condition of arbitrariness of such quantification, and the challenge is to estimate the trend between one, or more, alternative land use scenarios. This approach gives the possibility to understand which is the trade-off among different “potential” function that soil can provide.

Biophysical evaluation produces output per pixel expressed by (i) indexes or (ii) absolute quantities. The seven functions defined by project are estimated using such units:

- index from 0 to 1 for Habitat Quality and Crop Pollinator;
- tons/pixel for Carbon Sequestration and Sediment Retention; mm/pixel for Water Yield; kg/pixel for Nutrient Retention;
- values from 0 to 8 for Land Capability Classification (Crop Production).

While for ES with absolute values it is possible to define a price per unit (according with scientific study, 1 tons of sequestered carbon is equal to 120 euro), mistake arises when the economic value is associated to indexes. Such limitation is declared also by the huge bibliography which remarks the impossibility to allocate a final price to ES (e.g. biodiversity). Anyway, even though with declared limitations, a “derived” value was applied, using the classical approach to economy of quantify the “production value” of a good rather than its “willingness to pay” value.

An example is given by two important functions expressed with biophysical indexes: Habitat Quality (which measure the biodiversity value) and Crop Production (which measure the productivity capacity). The economic evaluation of biodiversity index was estimated from the price of “reproduction” of land uses that provides biodiversity in urban areas. For example the cost of planting a forest, rather than the cost of a public garden for urban green areas. This price of “substitution” (how does it cost to reproduce such goods?)

³ Project “Making Public Good Provision the Core Business of Nature 2000” (LIFE+11 ENV/IT/000168) coordinated by University Consortium (CURSA). For more information: http://www.cursa.it/ecms/uk/research/making_good_natura.

was distributed using a linear function to all the land use categories. The same approach was used for potential productivity of soil. Starting from the market values (per hectares) of specific cultivation it was possible to estimate which was the average economic value per hectare of agricultural landscape on specific sites. Thus the “potential” agriculture productivity for each land use class was calculated using a linear equation.

The relationship between the biophysical and economic models of evaluation allows, at the time of land use changes (potential or defined), to get a continuous variation between values both environmental and socio-economic, and estimates the overall impacts led by the potential transformation of land use.

4 Conclusions

SAM4CP is one of the EU project which is aimed by pragmatism in the use of new concepts as ES for sustainable territorial government. The project tries to introduce new procedures and technologies among stakeholders to achieve a better land use planning for local communities. By the way, its applications in research is dependent to the local planning needs with a detailed, abundant, system of knowledge and, moreover, to use the great theoretical amount of information related on ES for planning purposes, considering all the typical problems of planning activity (e.g. assigned building rights, constraints, incongruence between planned and existent land uses).

Procedural and technical innovations were discussed in the paper and both are characterized by uncertainties and limitations. Even if Co-planning Conference is traditionally embedded by planning culture of Piemonte because it has been introduced by Regional Laws since 2007, the way in which public authorities express their opinion often continues to be characterized by a hierarchical attitude, particularly from the Region, instead of considering local needs and knowledge. The Co-planning Conference should be used as a place to determine goals, plans and actions through shared, horizontal and collaborative activities of public authorities at all levels.

Secondly, a high degree of uncertainty arises for ES assessment when variable’s input is discussed. And such uncertainty doesn’t enforce the position on local Administration among Co-planning Conference. Thus it is soon to understand if SAM4CP project can really reach the possibility to “increase the power” of the Municipalities using a defined scientific approach to valuate different land use scenario.

The risk is to be much oriented on a pure theoretical advancement of research on ES rather than to be operative for introducing real planning innovation over the traditional framework of systems and powers.

Anyway, the consensus building approach based on a deep knowledge of ES trends and dynamics is shading lights on some planning issues related to sustainability of land uses: only a qualitative knowledge, rather than quantitative, supports practices of mitigations or compensations for urbanization. It is widely demonstrated that there is not a direct relation between the quantity of urbanized land and its quality.

If the prior strategy at EU level for 2050 is to reduce (limitation) the amount of land take, it is equally important understand how to manage next

transformations of land using mitigation and compensation measures. Far away from being the most important target of the project, if this simple concept is agreed by supra-local authorities than a better predisposition to share a common system of knowledge on sustainable land uses will be reached.

5 References

Barbieri C.A. 2015, Dall'istituzione all'azione della Città metropolitana di Torino: il ruolo di una nuova pianificazione, *Il Piemonte delle Autonomie*, no. 2, pp. 8-15.

Barbieri C.A., Giaino C. 2015, A new model of institutional governance for new planning policies in Italy, *Urbanistica*, no. 153 2015, pp. 92-96.

Baral H., Keenan R.J., Sharma S.K., Stork N., Kasel S. 2014, Economic evaluation of ecosystem goods and services under different management scenarios, *Land Use Policy*, no. 39, pp. 54-64.

Bateman I., Harwood A.R., Mace G.M., Watson R.T., Abson D.J., Andrews B., Binner A., Crowe A., Day B.H., Dugdale S., Fezzi C., Foden J., Hadley D., Haines-Young R., Hulme M., Kontoleon A., Lovett A.A., Munday P., Pascual U., Paterson J., Perino G., Sen A., Siriwardena G., Van Soest D., Termansen M. 2013, Bringing Ecosystem Service into Economic Decision-Making: Land Use in the United Kingdom, *Science*, no. 341, pp. 45-50.

Benini L., Bandini V., Marazza D., Contin A. 2010, Assessment of land use changes through an indicator-based approach: A case study from the Lamone river basin in Northern Italy, *Ecological Indicators*, no. 10, pp. 4-14.

Campos Venuti G. 1994, Le innovazioni del piano: urbanistica ed ecologia, *Urbanistica*, no. 103, pp. 66-75.

Costanza R., d'Arge R., de Groot R., Farberk S., Grasso M., Hannon B., Limburg K., Naeem S., O'Neill R., Paruelo J., Raskin R.G., Suttonk P., van den Belt M. 1997, The value of the world's ecosystem services and natural capital, *Nature*, no. 387, pp. 253-260.

de Groot R., Wilson M., Boumans R. 2002, A typology for the classification, description and valuation of ecosystem functions, goods and services, *Ecological Economics*, no. 41, pp. 393-408.

European Commission 2012, *Guidelines on best practicies to limit, mitigate or compensate soil sealing*, Brussels.

European Environmental Agency 2010, *European Environment State and Outlook Report 2010 - SOER 2010*, European Environment Agency, Copenhagen.

Lopesa L.F.G., dos Santos Bentoa J.M.R., Arede Correia Cristovão A.F., Baptista F.O. 2015, Exploring the effect of land use on ecosystem services: the distributive issues, *Land Use Policy*, no. 45, pp. 141-149.

Hayha T., Franzese P.P. 2014, Ecosystem services assessment: A review under an ecological-economic and systems perspective, *Ecological Modelling*, no. 289, pp. 124-132.

Keller A.A., Fournier E., Fox J. 2015, Minimizing impacts of land use change on ecosystem services using multi-criteria heuristics analysis, *Journal of Environmental Management*, no. 156, pp. 23-30.

Maes J., Egoh B., Willemen L., Liqueste C., Vihervaara P., Schagner J.P., Grizzetti B., Drakou E.G., La Nottem A., Zulian G., Bouraoui F., Paracchin M.L., Braat L., Bidoglio G. 2012, Mapping ecosystem services for policy support and decision making in the European Union, *Ecosystem Services*, no. 1, pp. 31-39.

Shuying Z., Changshan W., Hang L., Xiadong N. 2011, Impact of urbanization on natural ecosystem service values: a comparative study, *Environmental monitoring and assessment*, no 179, pp. 575-588.

Tol R.S. 2005, The marginal damage costs of carbon dioxide emissions: an assessment of the uncertainties, *Energy Policy*, no. 33, pp. 2064-2074.



SPECIAL ISSUE
JULY 2016
SBE16 Towards Post-Carbon Cities

www.dist.polito.it / dist@polito.it

NewDist - ISSN 2283-8791

NEWSLETTER SEMESTRALE DEL
DIPARTIMENTO INTERATENEO
DI SCIENZE, PROGETTO E POLITICHE DEL TERRITORIO
POLITECNICO E UNIVERSITA' DI TORINO

Direttore responsabile

Patrizia Lombardi

Redazione

Costanzo Mercugliano, Luisa Montobbio

E-mail: costanzo.mercugliano@polito.it

Editore

DIST, Politecnico e Università di Torino

Viale Mattioli, 39 – 10125 Torino

Tel.: (+39) 011 090 7456 – Fax: (+39) 011 090 7499



**DIPARTIMENTO INTERATENEO DI SCIENZE
PROGETTO E POLITICHE DEL TERRITORIO
POLITECNICO E UNIVERSITÀ DI TORINO**