

On the Spectral Behavior and Normalization of a Resonance-Free and High-Frequency Stable Integral Equation

Original

On the Spectral Behavior and Normalization of a Resonance-Free and High-Frequency Stable Integral Equation / Chhim, Tiffany; Adrian, Simon B.; Andriulli, Francesco P.. - ELETTRONICO. - (2018), pp. 2447-2448. (Intervento presentato al convegno IEEE Antennas and Propagation Society International Symposium) [10.1109/APUSNCURSINRSM.2018.8608769].

Availability:

This version is available at: 11583/2733432 since: 2019-05-29T12:03:32Z

Publisher:

IEEE

Published

DOI:10.1109/APUSNCURSINRSM.2018.8608769

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

IEEE postprint/Author's Accepted Manuscript

©2018 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collecting works, for resale or lists, or reuse of any copyrighted component of this work in other works.

(Article begins on next page)

On the Spectral Behavior and Normalization of a Resonance-Free and High-Frequency Stable Integral Equation

Tiffany L. Chhim^{†*}, Simon B. Adrian[‡], and Francesco P. Andriulli^{†1}

[†]Department of Electronics and Telecommunications, Politecnico di Torino, Turin, Italy

[‡]Department of Electrical and Computer Engineering, Technical University of Munich, Munich, Germany

Abstract—The combined field integral equation (CFIE) used for solving scattering and radiation problems, although a resonance-free formulation, suffers from an ill-conditioning that strongly depends on the frequency and discretization density, both in the low- and high-frequency regime, resulting in slow convergence rates for iterative solvers. This work presents a new preconditioning scheme for the CFIE that cures the low- and the high-frequency as well as the dense discretization breakdown. The new preconditioner for the CFIE is based on a spherical harmonics analysis and the proper regularization with Helmholtz-type operators. Numerical results have been obtained to prove the effectiveness of this new formulation in real scenarios.

I. INTRODUCTION

The combined field integral equation (CFIE), which is commonly used to solve scattering and radiation problems, suffers from the low-frequency, the dense-discretization, and the high-frequency breakdowns: the condition number of the system matrix, when the frequency is decreased (low-frequency breakdown, mesh is unchanged), when the mesh is refined (dense-discretization breakdown, frequency is unchanged), or when the frequency is increased (high-frequency breakdown) while keeping the average edge length h of the mesh a fixed fraction of the wavelength (typically $h \approx \lambda/10$).

In fact, the CFIE inherits these defects from the electric field integral equation (EFIE) and magnetic field integral equation (MFIE) operators, which are combined to the CFIE, a combination which is necessary since each of these two operators alone suffers from interior resonances leading to nonphysical solutions. The low-frequency breakdown of the EFIE has been solved first many decades ago [1], and the dense-discretization breakdown was solved first with the advent of Calderón preconditioning [2]. While the high-frequency breakdown was typically tackled with algebraic preconditioners, only recently schemes have been presented which strive to obtain a bounded condition number for the asymptotic limit $k \rightarrow \infty$, with kh constant, where k is the wave number.

The high-frequency breakdown has been typically tackled with algebraic preconditioners, for example, based on incomplete LU decompositions or sparse approximate inverses.

While these methods can reduce the condition number and thus the number of iterations required by an iterative solver to converge, they cannot prevent that the condition number grows unboundedly for the asymptotic limit. After the first seminal contributions in [3], more recent contributions have been presented which obtain a bounded condition number in the asymptotic limit for specific geometries (see [4], [5] and references therein). Previous approaches have been leveraging on either square roots of differential operators or on variations of Calderon identities results. This however, resulted in either the need to use operator square root approximations or in the need for new dense operator discretizations. At the same time, the importance, for the harmonic subspace treatment, of symmetrizing both the electric and the magnetic part has been shown [5].

This work presents a novel strategy to the high-frequency preconditioning of already resonance-free equations. We leverage on the full Helmholtz operator properly combined with layer potential and with a symmetrizing factor on the magnetic part. The result is an effective approach resulting in minimal overhead with respect to a non-preconditioned scenario and which will be compatible with an harmonic regularization. Our equation will be resonant-free and will exhibit a low condition number that stays constant at all frequencies and any mesh discretization. In this paper we apply the strategy to a 2D case where we show its effectiveness via an exact eigenvalue analysis.

II. BACKGROUND AND NOTATION

In the following we consider equations for TM polarization; results for TE polarization can be obtained analogously. Consider a closed surface Γ , the EFIE operator

$$\mathcal{T}_k(\mathbf{J}) := \frac{k\eta}{4} \int_{\Gamma} \mathbf{J}(\mathbf{r}') H_0^{(2)}(k|\mathbf{r} - \mathbf{r}'|) dS(\mathbf{r}') \quad (1)$$

and the MFIE operator

$$\begin{aligned} (\mathcal{I}/2 + \mathcal{K}_k)(\mathbf{J}) := & \mathbf{J}(\mathbf{r})/2 \\ & - j/4 \hat{\mathbf{n}}(\mathbf{r}) \times \int_{\Gamma} \mathbf{J}(\mathbf{r}') \nabla H_0^{(2)}(k|\mathbf{r} - \mathbf{r}'|) dS(\mathbf{r}'), \end{aligned} \quad (2)$$

where $\eta = \sqrt{\mu/\epsilon}$ is the wave impedance, $H_0^{(2)}$ is the Hankel function of second kind, \mathcal{I} is the identity operator and $\hat{\mathbf{n}}(\mathbf{r})$ is the outward unit normal to Γ at point \mathbf{r} .

¹Email addresses: tiffany.chhim@polito.it (T. L. Chhim), simon.adrian@tum.de (S. B. Adrian), francesco.andriulli@polito.it (F. P. Andriulli)

Combining the EFIE and MFIE operator yields the CFIE operator

$$\alpha \mathcal{T}_k + (1 - \alpha) \eta (\mathcal{I}/2 + \mathcal{K}_k), \quad (3)$$

where the combination parameter $\alpha \in (0, 1)$ (typically chosen to be 0.5). The choice made in this conference paper of dealing with 2D TM equations allows us to deliver a CFIE which in addition of being resonance-free is also low-frequency and refinement stable. In this way we can focus on the remaining high-frequency ill-conditioning.

III. THE NEW FORMULATION

A. Treatment of the EFIE and of the MFIE

The integrative property of the TM-EFIE, which causes bad conditioning, is usually cancelled by multiplying with a derivative factor such as the TE-EFIE, which corresponds to the Calderón identities. Here instead, we will first multiply the integrative operator by a modified Helmholtz operator

$$\mathcal{H}_{k_{\text{mod}}}(\mathcal{J}) = \left(k_{\text{mod}}^2 + \Delta_\Gamma \right) (\mathcal{J}), \quad (4)$$

where Δ_Γ is the surface Laplacian and where we chose $k_{\text{mod}} = -k - j0.4k^{1/3}R^{-2/3}$ following [3] with R the radius of the smallest circle encompassing the geometry Γ . This step will change the nature of the overall product into a derivative one. We then finalize the preconditioning by a final multiplication by the initial TM-EFIE operator obtaining

$$\mathcal{T}_{k_{\text{mod}}} \mathcal{H}_{k_{\text{mod}}} \mathcal{T}_k. \quad (5)$$

Dually, the MFIE is left-multiplied as follows

$$(\mathcal{I}/2 - \mathcal{K}_{k_{\text{mod}}}) (\mathcal{I}/2 + \mathcal{K}_k). \quad (6)$$

B. Novel CFIE formulation

The complete equation we propose is obtained by combining the left-multiplied EFIE and the MFIE to get

$$c_M \eta^2 (\mathcal{I}/2 - \mathcal{K}_{k_{\text{mod}}}) (\mathcal{I}/2 + \mathcal{K}_k) + c_E \mathcal{T}_{k_{\text{mod}}} \mathcal{H}_{k_{\text{mod}}} \mathcal{T}_k, \quad (7)$$

where c_M and c_E are normalization factors. A spectral asymptotic study has been made in order to normalize the equation and achieve an asymptotic value of 1 for the spectrum. In order to balance both terms, we seek to obtain a limit of 0.5 for each term in the elliptic regime. This leads to the following normalizing factors for the MFIE and EFIE terms respectively

$$c_M = \frac{4}{\eta^2}, \quad c_E = \frac{4}{k k_{\text{mod}} \eta^2 R^2}. \quad (8)$$

IV. NUMERICAL RESULTS

As a benchmark case we have used a 2D circle of radius $R = 1$. Fig. 1 corresponds to the spectrum of the standard CFIE at varying frequencies and clearly shows that, although the equation is resonance-free, the overall conditioning still increases as a function of the frequency. The spectrum of our new equation is displayed in Fig. 2. On top of being resonance-free and low-frequency and refinement stable, it is also stable in the high-frequency regime.




Fig. 1. Circle: spectrum of the unpreconditioned CFIE.




Fig. 2. Circle: spectrum of the new CFIE formulation.

REFERENCES

- [1] D. R. Wilton and A. W. Glisson, "On improving the stability of the electric field integral equation at low frequencies," in *USNC/URSI Spring Meeting Digest*, 1981, p. 24.
- [2] A. Buffa and S. H. Christiansen, "A dual finite element complex on the barycentric refinement," *Mathematics of Computation*, vol. 76, no. 260, pp. 1743–1770, Oct. 2007.
- [3] M. Darbas, "Préconditionneurs analytiques de type calderón pour les formulations intégrales des problèmes de diffraction d'ondes," Ph.D. dissertation, Toulouse, INSA, 2004.
- [4] Y. Boubendir and C. Turc, "Well-conditioned boundary integral equation formulations for the solution of high-frequency electromagnetic scattering problems," *Computers & Mathematics with Applications*, vol. 67, no. 10, pp. 1772–1805, Jun. 2014.
- [5] F. P. Andriulli, I. Bogaert, and K. Cools, "On the high frequency behavior and stabilization of a preconditioned and resonance-free formulation," in *2015 International Conference on Electromagnetics in Advanced Applications (ICEAA)*. IEEE, 2015, pp. 1321–1324.