



POLITECNICO DI TORINO  
Repository ISTITUZIONALE

Advances in the recovery of binary sparse signals

*Original*

Advances in the recovery of binary sparse signals / Fosson, Sophie. - (2019). ((Intervento presentato al convegno Signal Processing with Adaptive Sparse Structured Representations (SPARS) Workshop 2019 tenutosi a Toulouse (France) nel 1-4 luglio 2019.

*Availability:*

This version is available at: 11583/2739572 since: 2019-07-04T15:21:14Z

*Publisher:*

Signal Processing with Adaptive Sparse Structured Representations (SPARS) Workshop 2019

*Published*

DOI:

*Terms of use:*

openAccess

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

*Publisher copyright*

(Article begins on next page)

# Advances in the recovery of binary sparse signals

Sophie M. Fosson

Department of Control and Computer Engineering, Politecnico di Torino  
 Corso Duca degli Abruzzi 24, 10129, Torino, Italy  
 Email: sophie.fosson@polito.it

**Abstract**—Recently, the recovery of binary sparse signals from compressed linear systems has received attention due to its several applications. In this contribution, we review the latest results in this framework, that are based on a suitable non-convex polynomial formulation of the problem. Moreover, we propose novel theoretical results. Then, we show numerical results that highlight the enhancement obtained through the non-convex approach with respect to the state-of-the-art methods.

## I. PROBLEM STATEMENT AND THEORETICAL RESULTS

The recovery of finite-valued sparse signals from linear measurements has received an increasing attention in the last years. By finite-valued signal we mean a vector  $x \in \mathcal{A}^n$ , where  $\mathcal{A}$  is a known alphabet, i.e., a finite set of symbols. This problem is relevant in a number of applications, e.g., digital image recovery [1], security [2], digital communications [3], [4], discrete control design [5], localization [6], [7], and spectrum sensing in cognitive radio networks [8], [9], [10], [11].

Classical recovery methods, which assume  $x \in \mathbb{R}^n$ , can be used to recover finite-valued signals as well. However, if  $\mathcal{A}$  is known, this information can be exploited to enhance the recovery accuracy. At first glance, the knowledge of  $\mathcal{A}$  seems to recast the problem into a combinatorial problem. However, it has been shown that by considering the convex hull of  $\mathcal{A}$ , the problem is still convex and provides a more precise estimation. The seminal work [12] analyses this approach in the compressed sensing (CS) framework, with a Basis Pursuit formulation of the problem. Previously, this approach was exploited in [13], [4].

In the literature on the recovery of finite-valued sparse signals, many contributions are devoted to the binary case  $\mathcal{A} = \{0, 1\}$ , which is intrinsically the simplest case, but has several applications, ranging from digital communications to image processing and localization. We refer to [13], [14], [15], [16], [17], [18], [19], [20] for analyses and applications of the binary alphabet.

The aim of this contribution is to illustrate recent and novel results on the recovery of binary sparse signals from compressed linear measurements. Specifically, we retrieve the key result in [20], and we extend it to further considerations and formulations.

Let  $\tilde{x} \in \{0, 1\}^n$  be the desired signal. Given measurements  $y = A\tilde{x}$ , with  $A \in \mathbb{R}^{m,n}$ ,  $m < n$ , in [20], the following non-convex, polynomial optimization problem is proposed to recover  $\tilde{x}$ :

$$\min_{x \in \{0,1\}^n} \frac{1}{2} \|y - Ax\|_2^2 + \lambda \sum_{i=1}^n \left( x_i - \frac{1}{2} x_i^2 \right), \quad \lambda > 0. \quad (1)$$

This problem is a kind of Lasso [21], [22] with concave, polynomial penalty  $\sum_{i=1}^n (x_i - \frac{1}{2} x_i^2)$ . When measurements are noise-free,  $\tilde{x}$  is the unique binary solution of (1) under mild assumptions, as proven in [20].

### Assumption 1.

- (a)  $A_{[m]}^T A_{[m]} - \lambda I \succ 0$ ;
- (b)  $\tilde{x}$  is  $k$ -sparse and  $k \leq m$ ;
- (c) the columns of  $A$  are in general position.

Conditions (a) and (c) are fulfilled by random matrices with entries generated according to a continuous distribution, as discussed in [23].

**Theorem 1.** *Let  $\tilde{x} \in \{0, 1\}^n$  be  $k$ -sparse, and let  $y = A\tilde{x}$ . Under assumptions 1.(a)-(b)-(c), if  $\lambda$  is sufficiently small, then  $\tilde{x}$  is the unique global solution of (1) over  $\{0, 1\}^n$ .*

The proof of this theorem can be found in [20].

The formulation (1) has then no bias in case of noise-free measurements, and is also robust to noise [24]. If the measurements are noise-free, the problem can be also formulated as constrained optimization problem:

$$\min_{x \in \{0,1\}^n} \sum_{i=1}^n \left( x_i - \frac{1}{2} x_i^2 \right) \quad \text{s. t. } Ax = y. \quad (2)$$

As a difference to (1), this formulation is uniquely addressed to the noise-free case, while has the advantage of not requiring the tuning of  $\lambda$ . In CS, it is known that the every  $k$ -sparse vector is the unique solution of Basis Pursuit if and only if the null space property holds, that is, if for any  $v \in \ker A \setminus \{0\}$ ,  $\|v_S\|_1 \leq \|v_{S^c}\|_1$ ,  $S$  being any support with cardinality smaller or equal to  $k$ , and  $S^c$  being the complementary set (see, e.g., [22]).

Interestingly, we can prove that (2) is well posed under a weaker null space condition.

**Theorem 2.** *Every  $k$ -sparse vector in  $[0, 1]^n$  is the unique solution of (2) if and only if for any  $v \in [-1, 1]^n \cap \ker A \setminus \{0\}$ ,  $\|v_S\|_2^2 \leq \|v_{S^c}\|_1$ .*

The condition  $\|v_S\|_2^2 \leq \|v_{S^c}\|_1$  is weaker than  $\|v_S\|_1 \leq \|v_{S^c}\|_1$  since  $\|v_S\|_2^2 \leq \|v_S\|_1$  for any  $v \in [-1, 1]^n$ . Given the uniqueness, it results that the true  $\tilde{x}$  is the unique solution of (2). The proof is omitted for brevity.

## II. ALGORITHMS

Problems (1) and (2) are well posed to deal with the recovery of binary sparse signals. However, they are non-convex, therefore finding their solutions might be complex. Three efficient approaches can be considered: (a)  $\ell_1$  reweighting algorithms [20]; (b) ADMM-based algorithms [24]; (c) hierarchy of semi-definite relaxations, based on the polynomial optimization theory in [25], [26]. The methods (a) and (b) achieve only local minima. However, since they are very fast, they can be run with different initial conditions, which often provides the right binary solution. The approach (c), instead, is more complex, due to possible large dimensions of the involved semi-definite problems, while has rigorous recovery guarantees.

In Figure 1, we present some preliminary numerical results by applying the approach (a), denoted by RW.

## III. CONCLUSION

In this work, we illustrate the efficiency of a non-convex polynomial approach to recover binary sparse signals from compressed linear measurements. Theoretical guarantees are provided, as well as numerical simulations. Extensions will envisage the presence of measurement noise and the case of larger (non-binary) alphabets.

REFERENCES

- [1] V. Bioglio, G. Coluccia, and E. Magli, "Sparse image recovery using compressed sensing over finite alphabets," in *IEEE Int. Conf. Image Process. (ICIP)*, 2014, pp. 1287–1291.
- [2] V. Bioglio, T. Bianchi, and E. Magli, "Secure compressed sensing over finite fields," in *IEEE Int. Work. Inf. Forensics Secur. (WIFS)*, 2014, pp. 191–196.
- [3] S. Sparrar and R. F. H. Fischer, "Soft-feedback OMP for the recovery of discrete-valued sparse signals," in *European Signal Process. Conf. (EUSIPCO)*, 2015, pp. 1461–1465.
- [4] J. Ilic and T. Strohmer, "Sparsity enhanced decision feedback equalization," *IEEE Trans. Signal Process.*, vol. 60, no. 5, pp. 2422–2432, 2012.
- [5] A. Bemporad and M. Morari, "Control of systems integrating logic, dynamics, and constraints," *Automatica*, vol. 35, no. 3, pp. 407–427, 1999.
- [6] C. Feng, S. Valaee, and Z. Tan, "Multiple target localization using compressive sensing," in *IEEE Global Telec. Conf. (GLOBECOM)*, 2009, pp. 1–6.
- [7] A. Bay, D. Carrera, S. M. Fosson, P. Fragneto, M. Grella, C. Ravazzi, and E. Magli, "Block-sparsity-based localization in wireless sensor networks," *EURASIP J. Wirel. Commun. Netw.*, vol. 2015, no. 182, pp. 1–15, 2015.
- [8] J. A. Bazerque and G. B. Giannakis, "Distributed spectrum sensing for cognitive radio networks by exploiting sparsity," *IEEE Trans. Signal Process.*, vol. 58, no. 3, pp. 1847–1862, 2010.
- [9] F. Zeng, C. Li, and Z. Tian, "Distributed compressive spectrum sensing in cooperative multihop cognitive networks," *IEEE J. Sel. Top. Sign. Process.*, vol. 5, no. 1, pp. 37–48, 2011.
- [10] E. Axell, G. Leus, E. G. Larsson, and H. V. Poor, "Spectrum sensing for cognitive radio : State-of-the-art and recent advances," *IEEE Signal Process. Mag.*, vol. 29, no. 3, pp. 101–116, 2012.
- [11] D. Romero and G. Leus, "Wideband spectrum sensing from compressed measurements using spectral prior information," *IEEE Trans. Signal Process.*, vol. 61, no. 24, pp. 6232–6246, 2013.
- [12] S. Keiper, G. Kutyniok, D. G. Lee, and G. E. Pfander, "Compressed sensing for finite-valued signals," *Linear Algebra and its Applications*, vol. 532, no. Supplement C, pp. 570–613, 2017.
- [13] M. Stojnic, "Recovery thresholds for  $\ell_1$  optimization in binary compressed sensing," in *Proc. IEEE Int. Symp. Inf. Theory (ISIT)*, 2010, pp. 1593–1597.
- [14] U. Nakarmi and N. Rahnavard, "Bcs: Compressive sensing for binary sparse signals," in *IEEE Military Communications Conference (MILCOM)*, 2012, pp. 1–5.
- [15] Z. Tian, G. Leus, and V. Lottici, "Detection of sparse signals under finite-alphabet constraints," in *IEEE Int. Conf. Acoust. Speech Signal Process. (ICASSP)*, 2009, pp. 2349–2352.
- [16] M. Shirvanimoghaddam, Y. Li, B. Vucetic, J. Yuan, and P. Zhang, "Binary compressive sensing via analog fountain coding," *IEEE Trans. Signal Process.*, vol. 63, no. 24, pp. 6540–6552, 2015.
- [17] J. H. Ahn, "Compressive sensing and recovery for binary images," *IEEE Trans. Image Process.*, vol. 25, no. 10, pp. 4796–4802, 2016.
- [18] N. Lee, "MAP support detection for greedy sparse signal recovery algorithms in compressive sensing," *IEEE Trans. Signal Process.*, vol. 64, no. 19, pp. 4987–4999, 2016.
- [19] T. Liu and D. G. Lee, "Fast binary compressive sensing via  $\ell_0$  gradient descent," 2018, <https://arxiv.org/pdf/1801.09937.pdf>. [Online]. Available: <https://arxiv.org/pdf/1801.09937.pdf>
- [20] S. M. Fosson, "Non-convex approach to binary compressed sensing," in *Asilomar Conf. Signals Syst. Comput.*, 2018.
- [21] R. Tibshirani, "Regression shrinkage and selection via the lasso," *Journal of the Royal Statistical Society, Series B*, vol. 58, pp. 267–288, 1996.
- [22] S. Foucart and H. Rauhut, *A Mathematical Introduction to Compressive Sensing*. New York: Springer, 2013.
- [23] R. J. Tibshirani, "The Lasso problem and uniqueness," *Electronic Journal of Statistics*, vol. 7, pp. 1456–1490, 2013.
- [24] S. M. Fosson, "Non-convex Lasso-kind approach to compressed sensing for finite-valued signals," *IEEE Trans. Signal Process. (under review)*, preprint [arxiv.org/abs/1811.03864v2](https://arxiv.org/abs/1811.03864v2), 2018.
- [25] J. Lasserre, "Global optimization with polynomials and the problem of moments," *SIAM J. Optim.*, vol. 11, no. 3, pp. 796–817, 2001.
- [26] J.-B. Lasserre, *An introduction to polynomial and semi-algebraic optimization*. Cambridge University Press, 2015.




Figure 1:  $n = 100$ ,  $k = 5$ ,  $m \in [10, 40]$ . RW is the approach (a) [20], while RWR is its variant which considers 20 random initial conditions. The RW and RWR methods are shown to usually outperform the accuracy of classical methods Lasso and Basis Pursuit (in particular, in terms of exact recovery and false negative rate), at the price of a slower convergence rate. For Lasso, RW, RWR:  $\lambda = 10^{-2}$ . BP is for Basis Pursuit; Lasso Q and BP Q refer to the solutions obtained by quantizing the Lasso and BP solutions over  $\{0, 1\}^n$  (this is particularly useful for Lasso, which produces biased solutions in the absence of noise). BP and Lasso are solved via ADMM.