

Tuning of physical-chemical properties of TiO₂ nanotubes for multifunctional applications

Original

Tuning of physical-chemical properties of TiO₂ nanotubes for multifunctional applications / Baudino, Luisa; Serrapede, Mara; Pedico, Alessandro; Lamberti, Andrea; Pirri, Candido. - ELETTRONICO. - (2019), pp. 173-173. ((Intervento presentato al convegno Merck Young Chemists' Symposium 2019 tenutosi a Rimini (IT) nel November 25th-27th, 2019.

Availability:

This version is available at: 11583/2770481 since: 2019-11-28T17:04:13Z

Publisher:

Società Chimica Italiana

Published

DOI:

Terms of use:

openAccess

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)



Tuning of physical-chemical properties of TiO₂ nanotubes for multifunctional applications

Luisa Baudino,^a Mara Serrapede,^b Alessandro Pedico,^a Andrea Lamberti,^{a,b} and C. Fabrizio Pirri^{a,b}

^a DISAT Dipartimento di Scienza Applicata e Tecnologia, Politecnico di Torino, corso Duca degli Abruzzi 24, 10129-Torino, Italy

^b Istituto Italiano di Tecnologia, Center for Sustainable Future Technologies, Via Livorno 60, 10144-Torino, Italy

E-mail: luisa.baudino@polito.it

Titanium dioxide nanotubes (TiO₂ NTs) have been widely investigated in the past twenty years due to the variety of possible applications of this material. Important characteristics of TiO₂ NTs are their high surface area and tuneable morphology. These can be combined with key features of TiO₂, such as biocompatibility and photo and electrocatalytic properties. This combination makes TiO₂ NTs perfect candidates for multifunctional applications ranging from biomedical application to sensing and energy devices [1].

Herein, we present TiO₂ NTs grown by anodic oxidation on top of a titanium foil in an EG-based electrolyte with NH₄F [2]. The as-grown amorphous nanotubes were morphologically characterized, as shown in Figure 1a-b. Additionally, the tuneable electronic properties (such as the band gap, Figure 1c) were investigated varying the post-processing temperatures, while maintaining their amorphous nature.




Figure 3: FESEM (a) top view and (b) cross view, (c) UV-VIS curves of the amorphous TiO₂ NTs.

[1] P. Roy, S. Berger, and P. Schmuki, *Angew. Chem. Int. Ed.* **50** (2011) 2904-2939.

[2] A. Lamberti, N. Garino, A. Sacco, S. Bianco, A. Chiodoni, and C. Gerbaldi, *Electrochim. Acta* **151** (2015) 222-229.