

On stability of users equilibria in heterogeneous routing games

Original

On stability of users equilibria in heterogeneous routing games / Cianfanelli, Leonardo; Como, Giacomo. - ELETTRONICO. - (2019), pp. 355-360. (Intervento presentato al convegno 58th IEEE Conference on Decision and Control (CDC 2019) tenutosi a Nice (France) nel December 11-13, 2019) [10.1109/CDC40024.2019.9030230].

Availability:

This version is available at: 11583/2786491 since: 2020-06-01T22:55:46Z

Publisher:

IEEE

Published

DOI:10.1109/CDC40024.2019.9030230

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

IEEE postprint/Author's Accepted Manuscript

©2019 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collecting works, for resale or lists, or reuse of any copyrighted component of this work in other works.

(Article begins on next page)

On stability of users equilibria in heterogeneous routing games

Leonardo Cianfanelli and Giacomo Como

Abstract—The asymptotic behaviour of deterministic logit dynamics in heterogeneous routing games is analyzed. It is proved that in directed multigraphs with parallel routes, and in series composition of such multigraphs, the dynamics admits a globally asymptotically stable fixed point. Moreover, the unique fixed point of the dynamics approaches the set of Wardrop equilibria, as the noise vanishes. This result relies on the fact that the dynamics of aggregate flows is monotone, and its Jacobian is strictly diagonally dominant by columns.

Index Terms—Transportation networks, Logit dynamics, Wardrop equilibrium, Heterogeneous routing games.

I. INTRODUCTION

Congestion population games provide a powerful tool to model real situations where users compete for resources. An application of such games is traffic, where resources are roads, and players using roads create negative externalities because of congestion effects. The simplest traffic models always assume homogeneity of players, meaning that each player perceives the same delay over the set of the roads.

A Wardrop equilibrium is a flow distribution such that any player cannot unilaterally decrease his perceived delay by changing route [1]. Beckmann *et al.* showed that finding a Wardrop equilibrium in the homogeneous setting is equivalent to minimizing a convex potential with linear constraints [2]. The existence of such potential has several strong implications: firstly, the game always admits at least a Wardrop equilibrium; secondly, with the additional hypothesis that delays are strictly increasing, the Wardrop equilibrium is unique; moreover, the deterministic logit dynamics converges to a perturbation of the Wardrop equilibrium, where the magnitude of perturbations grows with noise level [3].

The homogeneity assumption simplifies the problem, but it is very restrictive. Heterogeneity, on the one hand, allows the description of many real situations, e.g., when payoffs are a combination of time delays and monetary tolls and users trade off money and time in different ways [4], [5], or when users have different information on the state of the roads [6], [7], [8]. On the other hand, heterogeneous games generally do not admit a potential [9]. Then, existence and uniqueness of the equilibrium in such games are nontrivial, and so is convergence of deterministic logit dynamics.

Department of Mathematical Sciences G.L. Lagrange, Politecnico di Torino, Corso Duca degli Abruzzi 24, 10129, Torino, Italy. Email: leonardo.cianfanelli@polito.it, giacomo.como@polito.it.

This research was carried on within the framework of the MIUR-funded Progetto di Eccellenza of the Dipartimento di Scienze Matematiche G.L. Lagrange, CUP: E11G18000350001, and was supported by the Compagnia di San Paolo through a Starting Grant and a Joint Research Grant. The second author also acknowledges support from the Swedish Research Council (VR).

Existence and uniqueness of Wardrop equilibrium in heterogeneous games have been already investigated in literature. In particular, existence has been proved to hold, even in a more general setting [10]. Conversely, unlike the homogeneous case, uniqueness does not hold in general. Uniqueness of aggregate flows (i.e., *essential uniqueness*) has been proved to hold just on a small subset of graphs [11].

The asymptotic behaviour of some nontrivial learning dynamics has been studied too, for instance in stochastic setting, where users, playing a repeated routing game, perceive at each stage a stochastic realization of delays on the edges [12], [13]. To the best of our knowledge, no papers in literature investigate the asymptotic behaviour of deterministic logit dynamics in heterogeneous routing games, which are not potential games. In most of the applications the authors analyze the efficiency of the equilibria, but do not investigate the convergence to such equilibria [6], [7], [8]. Given these motivations, in this work we focus on this problem, highlighting the role of the graph topology. In particular, using monotonicity arguments, we show that the dynamics converges to a unique globally asymptotically stable fixed point when the graph is simple, i.e. it has parallel routes between the origin and the destination, or is a series composition of such simple graphs. Moreover, we show that the unique fixed point of the dynamics approaches the set of Wardrop equilibria, as the noise vanishes.

The rest of the paper is organized as follows. In Section II we define the model and summarize the state of the art on existence and uniqueness of Wardrop equilibrium. In Section III we present the main result of the paper, which is that the deterministic logit dynamics on simple graphs and series composition of simple graphs converges to a unique globally asymptotically stable fixed point. Then, in Section IV, we present examples and numerical simulations. Finally, in Section V, we summarize the results and discuss future research lines.

A. Notation

Let \mathbb{R} , \mathbb{R}_+ and \mathbb{R}^n denote the set of real numbers, non-negative reals, and real-valued vectors of dimension n , respectively. Let $|\mathcal{X}|$ denote the cardinality of a set \mathcal{X} , $\|x\|_{l_1}$ denote the l_1 -norm of the vector $x \in \mathbb{R}^n$. Along the paper, $\mathcal{G} = (\mathcal{V}, \mathcal{E})$ will always denote a directed *multigraph*, i.e., a graph admitting parallel edges, even where not explicitly specified. \mathcal{V} and \mathcal{E} denote the node set and the edge set, respectively. Sometimes, along the paper, we will use the word *graph* instead of *multigraph*. However, all of the graphs in this paper are to be read as multigraphs.

II. MODEL DESCRIPTION

Let $\mathcal{G} = (\mathcal{V}, \mathcal{E})$ be a directed multigraph with origin $o \in \mathcal{V}$ and destination $d \in \mathcal{V}$. We consider several populations of users and denote by \mathcal{P} the set of populations. We assume that every population has the same origin-destination pair $o-d$. For each population p , let $\tau^p \geq 0$ be the throughput which has to go from o to d , and let $\tau = \sum_{p \in \mathcal{P}} \tau^p$ be the aggregate throughput. The populations differ each other for the assignment of delay functions over the edge set. Let $d_e^p(x) : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ be the *delay function* of population $p \in \mathcal{P}$ on the edge $e \in \mathcal{E}$. In population games, it is assumed that the number of player is large, the strategy of a single player has negligible effects on payoff functions, and players interact anonymously. This means that delay functions depend only on the distribution of agents strategies, which in case of traffic are flows on the edges. Moreover, we assume *separability*, i.e., each delay function depends on the flow on the edge itself only. The delay functions are assumed to be *continuous* and *non-decreasing*, since edges suffer from congestion. Along the paper we will remark when additional assumption of strictly increasing delays is needed. The set of strategies correspond to the set of routes going from o to d , and does not depend on populations. Let \mathcal{R} denote the route set, and let V, E, P and R denote the cardinalities of $\mathcal{V}, \mathcal{E}, \mathcal{P}$ and \mathcal{R} , respectively.

An *admissible route flow distribution* for a population $p \in \mathcal{P}$ is a vector $z^p \in \mathbb{R}_+^R$ satisfying the throughput constraint, i.e., $\sum_{r \in \mathcal{R}} z_r^p = \tau^p$. For a given route flow vector z^p , the (unique) edge flow vector is obtained via

$$f^p = Az^p, \quad (1)$$

where $A \in \mathbb{R}^{E \times R}$ is the edge-route incidence matrix, with entries $A_{er} = 1$, if the edge e belongs to the route r , or 0 otherwise. Let the *aggregate edge flow distribution* and *aggregate route flow distribution* be

$$f = \sum_{p \in \mathcal{P}} f^p, \quad z = \sum_{p \in \mathcal{P}} z^p, \quad (2)$$

respectively. The cost of each route is defined as the sum of delay of edges belonging to the path, i.e.:

$$c_r^p(z) = \sum_{e \in \mathcal{E}} A_{er} d_e^p(f_e), \quad (3)$$

where, given z^p for all the populations, the aggregate edge flow vector f is computed by (1) and (2). We remark that, although delay functions on the edges are specific for each population, congestion is not specific, in the sense that delay functions depend on aggregate flows only.

Definition 1 (Heterogeneous routing game): An heterogeneous routing game is a triple $(\mathcal{G}, \mathcal{P}, d)$, where \mathcal{P} includes the throughput τ^p of each population, and d denotes the vector containing the delay functions for each edge and population.

In heterogeneous routing games each player aims at minimizing his cost (3) according to delay functions that are specific for the population he belongs to, given the strategies

of all of the other players, i.e., flows. Indeed, since the game is a population game, the strategy of the player itself does not affect the flows, and consequently the costs.

Definition 2 (Wardrop equilibrium): A Wardrop equilibrium for the heterogeneous routing game is an admissible route flow distribution such that for every population $p \in \mathcal{P}$, and route $r \in \mathcal{R}$

$$z_r^p > 0 \Rightarrow c_r^p(z) \leq c_q^p(z) \quad \forall q \in \mathcal{R}. \quad (4)$$

Thus, at Wardrop equilibrium, no one can unilaterally decrease his cost by changing route, since every route used by a population p has the minimal cost (measured by the population p itself) among all the routes.

A. Existence and uniqueness of equilibrium

The main difference between homogeneous and heterogeneous games is that the latter ones do not admit a potential. Consequently, existence and uniqueness of equilibrium are not trivial. However, as already said, the existence of equilibrium in heterogeneous games still holds [10]. Before looking into uniqueness, we introduce the following definition:

Definition 3 (Essential uniqueness of equilibrium): The Wardrop equilibrium in an heterogeneous routing game is said to be *essentially unique* if the aggregate edge flows are the same for every Wardrop equilibria.

Milchtaich shows in [11] that the largest class of graphs where essentially uniqueness is guaranteed to hold is *series of nearly parallel* graphs, in the sense that in every routing game on such class of graphs, under the assumption of strictly increasing delay functions, the equilibrium is essentially unique. Conversely, for each graph not belonging to such class, at least a game $(\mathcal{G}, \mathcal{P}, d)$ such that the equilibrium is not essentially unique exists.

The following example illustrates a game where equilibrium is essentially unique, but not unique.

Example 1: Consider a multigraph $\mathcal{G} = (\mathcal{V}, \mathcal{E})$, with $\mathcal{V} = \{o, d\}$ and $\mathcal{E} = \{e_1, e_2\}$, where both edges go from origin o to destination d . Let $P = 2$ and let the delay functions be strictly increasing. If the assignment of delay functions and throughput admits \tilde{f} such that

$$d_1^1(\tilde{f}) = d_2^1(\tau - \tilde{f}), \quad d_1^2(\tilde{f}) = d_2^2(\tau - \tilde{f}), \quad (5)$$

all the edge flows satisfying

$$\begin{aligned} f_1^1 + f_1^2 &= \tilde{f}, & f_2^1 + f_2^2 &= \tau - \tilde{f}, \\ f_1^1 + f_2^1 &= \tau^1, & f_1^2 + f_2^2 &= \tau^2, \end{aligned} \quad (6)$$

are Wardrop equilibria. Thus, even though the equilibrium is unique in terms of aggregate edge flows (essentially unique), this game admits a continuum of equilibria in terms of population edge flows.

As previously said, any graph not belonging to the series of nearly parallel class admits at least a game where the equilibrium is not essentially unique. The following example, which is a slight modification of Example 1 in [14], illustrates a game with two essentially different equilibria.




Fig. 1. This graph is not series of nearly parallel graphs. Then, at least a game defined on this graph admitting multiple essentially different equilibria exists. Example 2 provides a game with two essentially different equilibria.

Example 2: Consider the multigraph \mathcal{G} in Fig. 1, and let $P = 3$. Let us assign throughputs

$$\tau^1 = 1.2, \quad \tau^2 = 1, \quad \tau^3 = 1,$$

and the following delay functions:

$$\begin{aligned} d_1^1(x) &= d_2^1(x) = d_4^1(x) = d_6^1(x) = 19 + x, \\ d_1^2(x) &= d_4^2(x) = d_1^3(x) = d_4^3(x) = 19 + x, \\ d_3^1(x) &= d_5^1(x) = d_3^2(x) = 100 + x, \\ d_6^2(x) &= d_2^2(x) = d_5^2(x) = 100 + x, \\ d_2^2(x) &= d_6^3(x) = 20x, \\ d_2^2(x) &= d_3^3(x) = 21 + x. \end{aligned}$$

Such assignment prevents population 1 from using e_3 and e_5 , population 2 from using e_3 and e_6 , and population 3 from using e_2 and e_5 . This assignment models a problem with more classes of users who ignore the existence of some roads. Let us denote the routes of \mathcal{G} by $r_1 = (e_1, e_2)$, $r_2 = (e_1, e_3)$, $r_3 = (e_4, e_5)$, and $r_4 = (e_4, e_6)$. This game admits two essentially different equilibria. In both of them, all the users of a population use the same route. In equilibrium (A), populations 1, 2, and 3 use routes r_1 , r_3 , and r_4 , respectively. In equilibrium (B), the used routes are r_4 , r_1 , and r_2 , respectively. The aggregate edge flows at the equilibrium (A) are

$$\begin{aligned} f_1 &= f_2 = 1.2 \\ f_3 &= 0 \\ f_4 &= 2 \\ f_5 &= f_6 = 1, \end{aligned} \tag{7}$$

while at the equilibrium (B) are

$$\begin{aligned} f_1 &= 2 \\ f_2 &= f_3 = 1 \\ f_4 &= f_6 = 1.2 \\ f_5 &= 0. \end{aligned} \tag{8}$$

We omit the proof that (A) and (B) are truly users equilibria, because it is trivial: given the edge flows (7) and (8), it suffices to observe that the routes used by each population carry the minimum delay among all of the routes. Since the aggregated flows are different, the equilibrium is not essentially unique.




Fig. 2. A simple graph and a series composition of simple graphs.

III. LOGIT DYNAMICS AND ITS STABILITY

Our main contribution in heterogeneous congestion games is on convergence of *deterministic logit dynamics* on a certain class of graphs. This dynamics is standard in the literature of population games (see *logit dynamics* in [3], or *perturbed best response dynamics* in [15]), and can be derived from Kurtz's theorem [16, Ch. 11], as the mean-field approximation of the intrinsically stochastic noisy best response dynamics, as the number of player grows larger.

Logit dynamics for the heterogeneous routing game reads, for every population $p \in \mathcal{P}$, and every route $r \in \mathcal{R}$:

$$\dot{z}_r^p = \tau^p \cdot \frac{\exp(-\eta \cdot c_r^p(\sum_{q=1}^P z^q))}{\sum_{s \in \mathcal{R}} \exp(-\eta \cdot c_s^p(\sum_{q=1}^P z^q))} - z_r^p, \tag{9}$$

where η is the inverse of noise level, and the route costs c_r^p depend in general on all the components of the route flow distribution, since each edge belongs in general to several routes.

In this section we show that the logit dynamics on simple graphs and series composition of simple graphs converges to one globally asymptotically stable fixed point. Moreover, we show that such fixed point approaches the set of the Wardrop equilibria, as the noise vanishes. Let us start by defining those class of graphs.

Definition 4 (Simple multigraph): A multigraph with single origin and destination is said to be *simple* if each edge belongs to one route at most, or, alternatively, routes are parallel.

Definition 5 (Series composition of multigraphs): Two multigraphs \mathcal{G}_1 and \mathcal{G}_2 are said to be connected in series if they have a single common vertex, which is the destination in \mathcal{G}_1 and the origin in \mathcal{G}_2 . The multigraph $\mathcal{G} = S(\mathcal{G}_1, \mathcal{G}_2)$, where \mathcal{G}_1 and \mathcal{G}_2 are connected in series, is said to be the *series composition* of \mathcal{G}_1 and \mathcal{G}_2 .

Simple graphs are a subset of nearly parallel graphs. Then, essentially uniqueness on series of simple graphs is guaranteed if the delays are strictly increasing. In Fig. 2 two examples of those class of graphs are provided.

The main result of the paper will be now shown.

Theorem 1 (Convergence on series of simple graphs):

Let $\mathcal{G} = (\mathcal{V}, \mathcal{E})$ be a simple directed multigraph, or a series composition of simple directed multigraphs. Let \mathcal{P} be the set of populations, and d be the vector of non-decreasing delay functions for every edge and population. The continuous logit dynamics (9) for the game $(\mathcal{G}, \mathcal{P}, d)$ converges to a unique globally asymptotically stable fixed point. Let $\tilde{f}_e^p(\eta)$ denote such unique fixed point, as function of noise level. As the noise vanishes, $\lim_{\eta \rightarrow +\infty} \tilde{f}_e^p(\eta)$ approaches the set of Wardrop equilibria.

Remark 1: Theorem 1 states the uniqueness of the fixed point under the assumption of non-decreasing delay functions, although on series of simple graphs such assumption does not guarantee either the uniqueness or the essentially uniqueness of the equilibrium. In fact, it can be shown that, if the equilibrium is not unique, the dynamics selects the equilibrium where every population randomizes uniformly among its optimal routes. An example will be provided in the next section.

We are going to prove Theorem 1 through the following intermediate results. First, we establish Lemma 1 on l_1 -contraction in monotone dynamical systems. Next, we show in Proposition 1 that the logit dynamics on simple graphs converges to a unique globally stable fixed point. Finally, we will show that, if the dynamics converges in two graphs, the convergence holds for the series composition of them, also.

Let us start with the plan.

Lemma 1 (l_1 contraction): Let $z \in \mathbb{R}^n$ and $\dot{z} = f(z)$ be an autonomous dynamical system. Let J be the Jacobian matrix of f . Let J satisfy the following properties:

- 1) J is Metzler (i.e. $\frac{\partial f_i}{\partial z_j} \geq 0, \forall i \neq j$);
- 2) J is diagonally dominant, and in particular $\sum_i \frac{\partial f_i}{\partial z_j} = -a, \forall j$, with $a \geq 0$.

Then $\|\tilde{z}(t) - z(t)\|_{l_1} \leq \|\tilde{z}(0) - z(0)\|_{l_1} e^{-at}$, where \tilde{z} and z are solutions of $\dot{z} = f(z)$.

Proof: The proof follows the steps of Lemma 5 in [17]. See also, [18]. ■

Instead of studying the dynamics over all the possible simple graphs, we are going to investigate just the case of simple graphs composed of 2 nodes and E parallel edges, going from the origin to the destination. In such graphs, edge flows and route flows are equivalent, and the cost of each route only depends on the flow on the route itself.

Remark 2: Investigating this case only, instead of all the simple multigraphs, does not determine any loss of generality. Indeed, all of the removed nodes do not impose any decision to the players. Hence, they can be removed with the prescription that the cost of each route, which is by (3) the sum of delays of all the edges along the route, is assigned to a single edge.

Thus, logit dynamics on simple graphs reads:

$$\dot{f}_e^p = \tau^p \cdot \frac{\exp(-\eta \cdot d_e^p(\sum_{q=1}^P f_e^q))}{\sum_{j=1}^E \exp(-\eta \cdot d_j^p(\sum_{q=1}^P f_j^q))} - f_e^p. \quad (10)$$

This system is composed of $E \times P$ coupled equations describing the evolution in time of flows. The main difference between the simple and the general case is that in simple dynamics (10) the evolution of each edge is affected by the other edge flows only through the normalization, because routes are parallel. This is the key point to prove the next proposition.

Proposition 1 (Convergence on simple graphs): Let $\mathcal{G} = (\mathcal{V}, \mathcal{E})$ be a simple directed multigraph. Let \mathcal{P} be the set of populations, and d be the vector of non-decreasing delay functions for every edge and population. The continuous logit dynamics (9) for the game $(\mathcal{G}, \mathcal{P}, d)$ converges to a unique globally asymptotically stable fixed point. Moreover, as the noise vanishes, $\lim_{\eta \rightarrow +\infty} \tilde{f}_e^p(\eta)$ approaches the set of Wardrop equilibria. Furthermore, the aggregate flow distribution $f = \sum_{p=1}^P f^p$ converges exponentially in time.

The proof relies on that the dynamics of the aggregated flows satisfies the hypotheses of Lemma 1. The assumption of simple graph is crucial, since it guarantees that the Jacobian J is Metzler.

The next proposition states that, if the dynamics converges on two graphs, it converges on series composition of them also.

Proposition 2 (Convergence in series of graphs): Let \mathcal{G}_1 and \mathcal{G}_2 be two directed multigraphs, and let $\mathcal{G} = S(\mathcal{G}_1, \mathcal{G}_2)$ be their series composition. If the logit dynamics on \mathcal{G}_1 and \mathcal{G}_2 converges to a globally asymptotically stable fixed point, the logit dynamics on \mathcal{G} converge to a globally asymptotically stable fixed point as well. Moreover, as the noise vanishes, if both the fixed point of logit dynamics on \mathcal{G}_1 and logit dynamics on \mathcal{G}_2 approach their respective sets of Wardrop equilibria, the fixed point of logit dynamics on \mathcal{G} approaches the set of Wardrop equilibria on \mathcal{G} as well.

The proof relies on that the dynamics on the series composition of two graphs can be decoupled. Thus, if the dynamics converges on two graphs, it converges on their series composition also.

We can now conclude the proof of Theorem 1.

Proof: [of Theorem 1] By Proposition 1, the logit dynamics on simple graphs converges to a unique globally asymptotically stable fixed point. Then, by applying Proposition 2 recursively, logit dynamics on series compositions of an arbitrary number of simple graphs converges to a unique globally asymptotically stable fixed point. Moreover, by Propositions 1, as the noise vanishes, the fixed point of dynamics approaches the set of the Wardrop equilibria. Then, by Proposition 2, the same holds for series compositions of simple graphs. ■

IV. EXAMPLES AND NUMERICAL SIMULATIONS

In this section three examples are shown. The first example shows that, on simple graphs, even if the equilibrium is not unique, the logit dynamics selects the equilibrium where each population randomizes uniformly among his optimal routes. The second example illustrates the role played by the noise. Finally, the last example shows that when the equilibrium

is not essentially unique, and the noise is sufficiently small, the dynamics selects one equilibrium based on the initial conditions.

Example 1 (Continued): Consider a multigraph \mathcal{G} , with 2 nodes and 2 parallel edges from origin to destination, and the following assignment:

$$\begin{aligned} d_1^1(f_1) &= f_1 + 1, & d_1^2(f_1) &= 2f_1, & \tau^1 &= 1; \\ d_2^1(f_2) &= 2f_2, & d_2^2(f_2) &= f_2 + 1; & \tau^2 &= 1. \end{aligned}$$

It is easy to check that this assignment satisfies conditions (5) and (6). Then, the game admits a continuum of Wardrop equilibria. In particular, any edge flow distribution satisfying

$$f_1^1 = f_1^1, f_2^1 = 1 - f_1^1, f_1^2 = 1 - f_1^1, f_2^2 = f_1^1,$$

is a Wardrop equilibrium. Nevertheless, numerical simulations in Fig. 3 show that the dynamics selects the equilibrium where both the populations split their throughput among both routes, as claimed in Remark 1.

Example 3: Consider the simple multigraph in Fig. 2. Let

$$\begin{aligned} d_1^1(f_1) &= f_1 + 1, & d_1^2(f_1) &= (f_1)^2 + 1; \\ d_2^1(f_2) &= \frac{f_2}{2} + 2, & d_2^2(f_2) &= f_2 + 2; \\ d_3^1(f_3) &= (f_3)^2 + 1, & d_3^2(f_3) &= f_3 + 2; \\ d_4^1(f_4) &= \frac{f_4}{2}, & d_4^2(f_4) &= f_4; \\ \tau^1 &= 5, & \tau^2 &= 5. \end{aligned}$$

In Fig. 4, numerical simulations of logit dynamics, as the noise decreases, are shown. When $\eta = 0$, the dynamics randomizes among all the routes, since the noise diverges. As η grows larger, the trajectories converge closer to the Wardrop equilibrium. We also show that, starting with two different initial conditions, the aggregate flows converge each other at least exponentially, as stated in Proposition 1.

Example 2 (Continued): Consider again the multigraph \mathcal{G} in Fig. 1. In the first part of the example a game with two essentially different equilibria has been provided. Let us now focus on the logit dynamics for. Of course, when $\eta = 0$, at the equilibrium, every population randomizes among all the routes. However, Fig. 5 shows that, if η is sufficiently large, the trajectories converge close to one of the equilibria, depending on initial conditions. Thus, the logit dynamics on this graph has a bifurcation point: if the noise is sufficiently large, the dynamics admits a globally asymptotically stable fixed point, while, as the noise decreases, the dynamics admits two asymptotically stable fixed points.

V. CONCLUSIONS AND FUTURE WORKS

In this work the asymptotic behaviour of deterministic logit dynamics in heterogeneous routing games is analyzed, where by heterogeneous we mean that several populations of users, which differ for delay functions, are admitted. We prove that on simple graphs, and series composition of simple graphs, the dynamics converges to a globally asymptotically




Fig. 3. A logit dynamics trajectory for Example 1, with $\eta = 5$. Different curves correspond to different elements f_e^p .




Fig. 4. Trajectories of logit dynamics for Example 3. *Top left:* $\eta = 0$. *Top right:* $\eta = 0.2$. *Bottom left:* $\eta = 2$. *Bottom right:* Let g and h be two trajectories for the evolution of the aggregate flows with different initial conditions, and let $\eta = 2$; the blue curve is $\|g(t) - h(t)\|_{l_1}$, while the red one is $\|g(0) - h(0)\|_{l_1} e^{-t}$; as proved in Proposition 1, the blue one is below the red one.




Fig. 5. Trajectories of logit dynamics on the graph in Fig. 1, with $\eta = 10$. The two graphs show two trajectories starting from different initial conditions. Different colors correspond to different components of the aggregate edge flows. We observe that the asymptotic behaviour of dynamics depends on initial condition.

stable fixed point. The proof follows from monotonicity properties of the dynamics.

We are aware that series composition of simple graphs is not the largest class of graphs where uniqueness of equilibrium holds. Milchtaich proved in [11] that the largest class where essential uniqueness holds, regardless of the assignment of delay functions, is series of nearly parallel graphs. Investigating the behaviour of the dynamics on nearly parallel graphs other than simple is one of the future research lines. However, the arguments used along this paper cannot be applied for graphs where routes are not parallel.

Furthermore, Example 1 suggests that, if the equilibrium is not essentially unique and the noise is sufficiently small, the dynamics converges to one among the equilibria. Since the graphs where essential uniqueness holds are a negligible fraction of real graphs, a further interesting question is whether the dynamics always converge to one among the equilibria in case of multiple essentially different equilibria. Finally, in order to extend these results to more realistic applications, another future research line will be the characterization of the dynamics in case of multiple origin-destination pairs. Unfortunately, even for simple graphs, the dynamics is not monotone. Thus, different techniques should be used.

REFERENCES

- [1] J. G. Wardrop, "Road paper. some theoretical aspects of road traffic research." *Proceedings of the institution of civil engineers*, vol. 1, no. 3, pp. 325–362, 1952.
- [2] M. Beckmann, C. B. McGuire, and C. B. Winsten, "Studies in the economics of transportation," Tech. Rep., 1956.
- [3] W. H. Sandholm, *Population games and evolutionary dynamics*. MIT press, 2010.
- [4] R. Cole, Y. Dodis, and T. Roughgarden, "Pricing network edges for heterogeneous selfish users," in *Proceedings of the thirty-fifth annual ACM symposium on Theory of computing*. ACM, 2003, pp. 521–530.
- [5] L. Fleischer, K. Jain, and M. Mahdian, "Tolls for heterogeneous selfish users in multicommodity networks and generalized congestion games," in *45th Annual IEEE Symposium on Foundations of Computer Science*. IEEE, 2004, pp. 277–285.
- [6] M. Wu, J. Liu, and S. Amin, "Informational aspects in a class of bayesian congestion games," in *2017 American Control Conference (ACC)*. IEEE, 2017, pp. 3650–3657.
- [7] J. Thai, N. Laurent-Brouty, and A. M. Bayen, "Negative externalities of gps-enabled routing applications: A game theoretical approach," in *2016 IEEE 19th International Conference on Intelligent Transportation Systems (ITSC)*. IEEE, 2016, pp. 595–601.
- [8] D. Acemoglu, A. Makhdoumi, A. Malekian, and A. Ozdaglar, "Informational braess' paradox: The effect of information on traffic congestion," *Operations Research*, vol. 66, no. 4, pp. 893–917, 2018.
- [9] F. Farokhi, W. Krichene, A. M. Bayen, and K. H. Johansson, "A heterogeneous routing game," in *2013 51st Annual Allerton Conference on Communication, Control, and Computing (Allerton)*. IEEE, 2013, pp. 448–455.
- [10] D. Schmeidler, "Equilibrium points of nonatomic games," *Journal of statistical Physics*, vol. 7, no. 4, pp. 295–300, 1973.
- [11] I. Milchtaich, "Topological conditions for uniqueness of equilibrium in networks," *Mathematics of Operations Research*, vol. 30, no. 1, pp. 225–244, 2005.
- [12] E. Meigs, F. Parise, and A. Ozdaglar, "Learning dynamics in stochastic routing games," in *2017 55th Annual Allerton Conference on Communication, Control, and Computing (Allerton)*. IEEE, 2017, pp. 259–266.
- [13] S. Krichene, W. Krichene, R. Dong, and A. Bayen, "Convergence of heterogeneous distributed learning in stochastic routing games," in *2015 53rd Annual Allerton Conference on Communication, Control, and Computing (Allerton)*. IEEE, 2015, pp. 480–487.
- [14] H. Konishi, "Uniqueness of user equilibrium in transportation networks with heterogeneous commuters," *Transportation science*, vol. 38, no. 3, pp. 315–330, 2004.
- [15] G. Como, K. Savla, D. Acemoglu, M. A. Dahleh, and E. Frazzoli, "Stability analysis of transportation networks with multiscale driver decisions," *SIAM Journal on Control and Optimization*, vol. 51, no. 1, pp. 230–252, 2013.
- [16] S. N. Ethier and T. G. Kurtz, *Markov processes: characterization and convergence*. John Wiley & Sons, 2009, vol. 282.
- [17] E. Lovisari, G. Como, and K. Savla, "Stability of monotone dynamical flow networks," in *53rd IEEE Conference on Decision and Control*. IEEE, 2014, pp. 2384–2389.
- [18] G. Como, "On resilient control of dynamical flow networks," *Annual Reviews in Control*, vol. 43, pp. 80 – 90, 2017.