



POLITECNICO DI TORINO
Repository ISTITUZIONALE

Preparation and characterization of UVcurable acrylic membranes embedding natural antioxidants

Original

Preparation and characterization of UVcurable acrylic membranes embedding natural antioxidants / Rajczak, Ewa; Tylkowski, Bartosz; Constantí, Magda; Haponska, Monika; Trusheva, Boryana; Malucelli, Giulio; Giamberini, Marta. - In: POLYMERS. - ISSN 2073-4360. - ELETTRONICO. - 12:358(2020), pp. 1-16.

Availability:

This version is available at: 11583/2789914 since: 2020-02-06T15:18:04Z

Publisher:

MDPI

Published

DOI:10.3390/polym12020358

Terms of use:

openAccess

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

Supplementary Material




Figure S1 FTIR spectra of neat Ebecryl 150: black line, uncured; red line, after UV curing. The arrows highlight the characteristic bands of acrylic groups.




Figure S2 Thermogravimetric analysis performed in nitrogen atmosphere. TG and dTG curves of E0, ET (A) and EP (B) films.




Figure S3 Thermogravimetric analysis performed in air atmosphere. (A) TG and (B) dTG curves of E0 and ET films. (C) TG and (D) dTG curves of E0 and EP films




Figure S4. DSC curves (1st and 2nd heating runs) for E0, tea and ET samples at a heating rate of 10°C/min.




Figure S5. DSC curves (1st and 2nd run) for E0, TGP and EP samples at a heating rate of 10°C/min.