



POLITECNICO DI TORINO  
Repository ISTITUZIONALE

Impact of turbulence on cloud microphysics of water droplets population

*Original*

Impact of turbulence on cloud microphysics of water droplets population / Golshan, Mina; Tomatis, Mattia; Abdunabiev, Shahbozbek; Fraternali, Federico; Vanni, Marco; Tordella, Daniela. - ELETTRONICO. - (2020). ((Intervento presentato al convegno EGU General Assembly 2020 tenutosi a Vienna, Austria nel 4 - 8 May 2020 [10.5194/egusphere-egu2020-22539]).

*Availability:*

This version is available at: 11583/2808312 since: 2020-04-02T15:41:23Z

*Publisher:*

EGU European Geosciences Union

*Published*

DOI:10.5194/egusphere-egu2020-22539

*Terms of use:*

openAccess

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

*Publisher copyright*

(Article begins on next page)

EGU2020-22539

<https://doi.org/10.5194/egusphere-egu2020-22539>

EGU General Assembly 2020

© Author(s) 2020. This work is distributed under the Creative Commons Attribution 4.0 License.



## Impact of turbulence on cloud microphysics of water droplets population

**Mina Golshan**<sup>1</sup>, Mattia Tomatis<sup>1</sup>, Shahbozbek Abdunabiev<sup>1</sup>, Federico Fraternali<sup>2</sup>, Marco Vanni<sup>1</sup>, and Daniela Tordella<sup>1</sup>

<sup>1</sup>Dipartimento di Scienza Applicata e Tecnologia, Politecnico di Torino, 10129 Torino, Italy

<sup>2</sup>Center for Space Plasma and Aeronomic Research, University of Alabama in Huntsville, Huntsville 35899 (AL), USA

This work focuses on the turbulent shearless mixing structure of a cloud/clear air interface with physical parameters typical of cumulus warm clouds. We investigate the effect of turbulence on the droplet size distribution, in particular, we focus on the distribution's broadening and on the collision kernel. We performed numerical experiments via Direct Numerical Simulations (DNS) of turbulent interfaces subject to density stratification and vapor density fluctuation. Specifically, an initial supersaturation around 2 % and a dissipation rate of turbulent kinetic energy of  $100 \text{ cm}^2/\text{s}^3$  are set in the DNSs. Taylor's Reynolds number is between 150 and 300. The total number of particles is around 5-10 millions, matching an initial liquid water content of  $0.8 \text{ g/m}^3$ . Through these experiments, we provide a measure of the collision kernel and compare it with literature models [Saffman & Turner, 1955], which is then included in a drops Population Balance Equation model (PBE). The PBE includes both processes of drops growth by condensation/evaporation and aggregation.