

Il tè: convivialità e meditazione

Original

Il tè: convivialità e meditazione / Remondino, CHIARA LORENZA. - In: GRAPHICUS. - ISSN 2282-4545. - 1073/0005:(2015), pp. 14-15.

Availability:

This version is available at: 11583/2642692 since: 2016-05-20T10:38:15Z

Publisher:

Politecnico di Torino e Associazione Culturale Progresso Grafico

Published

DOI:

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

- 92 **Novel biomimetic anti-adhesive implant coatings based on tetraether lipids** (#218)
A. Scholte¹, M. Frant¹, R. Schade¹, G. Hildebrand¹, K. Liefeth¹
- 93 **Electrophoretic deposition of a metal-ceramic coating containing MCrAlY (M:Ni,Fe) bond coat for cardiovascular implants.** (#250)
N. Grigorev¹, S. Neuss-Stein^{2,1}, N. Labude², R. Telle¹, K. Schickle^{1,2}
- 94 **Intracellular calcium-ion mobilization on charged titanium surface modifications** (#291)
M. Grüning¹, J. Lehnfeld², T. Distler³, K. Fricke⁴, M. Dubs⁵, C. Völkner⁶, R. Müller², M. Schnabelrauch⁵, A. R. Boccaccini³, S. Speller^{6,7}, B. Nebe^{1,7}
- 95 **Surface modification of zein-based composite coatings** (#338)
L. Ramos Rivera¹, A. R. Boccaccini¹
- 96 **Cellular and Bacterial response to Bioactive and Antibacterial Chemically-modified Titanium and Bioactive glass surfaces** (#341)
A. Cochis^{1,2}, R. Iwatsuki³, S. Yamaguchi³, S. Ferraris⁴, M. Miola⁴, A. Scalia^{1,2}, S. Spriano⁴, E. Verné⁴, L. Rimondini^{1,2}, H. Takadama³

¹ University of Piemonte Orientale UPO, Department of Health Sciences, Novara, Italy

² University of Piemonte Orientale UPO, Center for Translational Research on Autoimmune & Allergic Diseases CAAD, Novara, Italy

³ Chubu University, Department of Biomedical Sciences, Kasugai, Japan

⁴ Politecnico di Torino, Department of Applied Science and Technology, Torino, Italy

Introduction

Bone repair is a complex process whose success is based on a continuous and definite ions exchange at the interface between the tissue itself and the implantable substitute. Accordingly, there is nowadays a large research aimed to improve the bioactivity of the most employed bone substitutes such as bioactive glass and titanium (Ti) alloys [1,2]. However, an external factor that can hinder the healing process is represented by bacterial infection. In fact, infections are currently the most problematic reason of prosthetic failure due to the high bacteria antibiotic resistance [3]. So, it is evident that the design of bone repair dedicated biomaterials must include both bioactive and antibacterial properties. Based on these premises, here different surface chemical treatments were applied onto Ti alloys and bioactive glasses in order to improve and faster apatite formation by stimulating the microenvironment chemistry or to enhancing ions exchange. Moreover, silver (Ag) was introduced in the above-mentioned treatment in order to provide a strong and broad-range antibacterial activity [4].

Experimental Methods

Ti6Al4V alloys and a SiO₂-Na₂O-CaO-P₂O₅-B₂O₃-Al₂O₃ bioactive glass were applied as bare materials for further modifications. Ti alloys (named Ti64(Sr-Ag)) were first soaked in a 5M NaOH solution and then in a 50 mM CaCl₂ and 50 mM SrCl₂ mix solving. Afterwards, specimens were heated at 600°C (1 hour) and soaked once more in a 1M Sr(NO₃)₂ solution doped with 1 mM AgNO₃ aimed to introduce silver. The bioactive glass samples (named SBA2-Ag) were soaked in a 30 mM AgNO₃ solution to incorporate silver ions too. Specimens' physical-chemical characterization was performed by means of FESEM and XPS, while apatite formation was evaluated by soaking in body simulated fluid (SBF) [5]. Specimens' cytocompatibility was evaluated by means of metabolic activity in direct contact with human osteoblasts progenitors (hFOB 1.19) that were selected as representative for cells deputed for bone self-healing. Then, antibacterial activity was tested against a multi-drug resistant *Staphylococcus aureus* strain biofilm by applying both a well-established protocol from

literature [6] and the ISO 22196 standard to compare results. Finally, specimens' ability to protect cells from infection was evaluated by 3 co-culture systems: (i) cells were pre-seed onto specimens' surface and then infected, (ii) bacteria were pre-applied to infect specimens' surface and then cells were plated, and (iii) bacteria and cells were applied together onto specimens' surface to simulate a "road to the surface" competition.

Results and Discussion

Surface morphological analysis done by FESEM showed a nano-textured surface for Ti64(Sr+AG) specimens and a smoother one for SBA2-Ag. XPS analysis confirmed that Ag was successfully introduced onto both Ti64(Sr+AG) and SBA2-Ag surfaces as ions. Apatite formation was correctly observed for both Ti alloys and bioactive glass; in particular, the latter resulted as faster showing apatite after 1 day. Biological evaluations are summarized in Figure 1; ISO 22196 standard and methods 1 and 2 were used as representative examples for antibacterial and co-cultures results. Ag-doping did not cause any toxic effect as cells metabolism was comparable between treated and control (cnt) specimens (Fig. 1a, $p > 0.05$). On the opposite, Ti64(Sr-Ag) and SBA2-Ag showed a marked antibacterial activity as the *S. aureus* biofilm viability was significantly decreased by comparing Ag-doped Ti alloys and SBA2-Ag with their bare counterparts (Fig. 1b, $p < 0.05$ indicated by §). Moreover, this strong antibacterial effect was effective in cells viability preservation in co-culture models. In fact, both that infection was applied after (method 1) or prior cells seeding (method 2), the number of viable cells onto Ag-doped surfaces was significantly higher than what observed in the controls (Fig. 1c, $p < 0.05$, indicated by § and #, respectively).

Conclusion


Both Ag-doped Ti alloys and bioactive glass obtained by the here described surface chemical treatments can be considered as very promising for bone tissue engineering due to their strong bioactivity and antibacterial properties.

References

- [1] Nair M, et al, *J Nanosci Nanotechnol*, 2015, 15, 939-55.
- [2] Fernandes JS, et al, *Acta Biomater*, 2017, 59, 2-11.
- [3] van Duin D, et al, *Infect Dis Clin North Am*, 2016, 30, 377-390.
- [4] Franci G, et al, *Molecules*, 2015, 20, 8856-74.
- [5] Kokubo T, et al, *Biomaterials*, 2006, 27, 2907-2915.
- [6] Cochis A, et al, *Biomaterials*, 2016, 80, 80-95.

Acknowledgement

This research was supported by MAECI-Italy (GLOBAL project).



(https://www.eventclass.org/contxt_esb2019/download/media?hash=%242y%2413%24v7dU6ZvcqEw6b429KFWgf.ZjgH0larYQ5orgYBQObhQGb0XHU668W)

Figure 1.

1.

Ag-doping did not turned specimens to toxicity as no differences were noticed between bare (cnt) and treated specimens in terms of cells metabolism (a). On the opposite, both Ag-doped Ti alloys and SBA2-Ag determined a significant reduction of bacteria viability (b, $p < 0.05$, indicated by §). The antibacterial activity was confirmed by co-culture systems where the number of viable cells in presence of bacteria was significantly higher for Ag-doped materials (c, $p < 0.05$, indicated by § and #, respectively).