



POLITECNICO DI TORINO
Repository ISTITUZIONALE

A SERS affinity bioassay based on ion-exchanged glass microrods

Original

A SERS affinity bioassay based on ion-exchanged glass microrods / Berneschi, Simone; D'Andrea, Cristiano; Giannetti, Ambra; De Angelis, Marella; Banchelli, Martina; Barucci, Andrea; Boetti, Nadia Giovanna; Pelli, Stefano; Baldini, Francesco; Pini, Roberto; Janner, Davide; Pugliese, Diego; Milanese, Daniel; Matteini, Paolo. - ELETTRONICO. - 11361:(2020), p. 32. ((Intervento presentato al convegno SPIE Photonics Europe 2020 tenutosi a Strasburgo nel 29 Marzo - 2 Aprile 2020 [10.1117/12.2555817]).

Availability:

This version is available at: 11583/2845026 since: 2020-09-11T10:58:13Z

Publisher:

SPIE

Published

DOI:10.1117/12.2555817

Terms of use:

openAccess

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

SPIE postprint/Author's Accepted Manuscript e/o postprint versione editoriale/Version of Record con

Copyright 2020 Society of PhotoOptical Instrumentation Engineers (SPIE). One print or electronic copy may be made for personal use only. Systematic reproduction and distribution, duplication of any material in this publication for a fee or for commercial purposes, and modification of the contents of the publication are prohibited.

(Article begins on next page)

A SERS affinity bioassay based on ion-exchanged glass microrods

S. Berneschi^{1*}, C. D'Andrea¹, A. Giannetti¹, M. de Angelis^{1*}, M. Banchelli¹, A. Barucci¹,
N. G. Boetti², S. Pelli^{1,3}, F. Baldini¹, R. Pini¹, D. Janner⁴, D. Pugliese⁴,
D. Milanese^{4,5}, P. Matteini¹

¹CNR-IFAC, Istituto di Fisica Applicata "N. Carrara", Via Madonna del Piano 10, 50019 Sesto Fiorentino (FI), Italy

²Istituto Superiore Mario Boella, Via P. C. Boggio 61, 10138 Torino, Italy

³Centro "Enrico Fermi", Piazza del Viminale 1, 00184 Roma, Italy

⁴DISAT & RU INSTM, Politecnico di Torino, Corso Duca degli Abruzzi 24, 10129 Torino, Italy

⁵CNR-IFN, Istituto di Fotonica e Nanotecnologie, Via alla Cascata 56/C, 38123 Povo (TN), Italy

[*s.berneschi@ifac.cnr.it](mailto:s.berneschi@ifac.cnr.it); [*m.deangelis@ifac.cnr.it](mailto:m.deangelis@ifac.cnr.it);

Surface-enhanced Raman spectroscopy (SERS) is a well-established optical technique able to detect unique vibrational information from a wide variety of chemical and biochemical species in different environments including aqueous media and biological fluids. The well-known enhancement effect of SERS is associated with the presence of metallic nanostructures at the substrate surface. Different bottom-up and top-down processes have been proposed to impart the substrate with such a nanostructured layer. The former approaches are low cost but may suffer from reusability and stability. The latter strategies are expensive, time consuming and require special equipment that complicate the fabrication process.

Here, we present the possibility to obtain stable and reusable SERS substrates by a low-cost silver-sodium ion-exchange process in soda-lime glass microrods. The microrods were obtained by cutting the tip of the ion-exchanged soda-lime fiber, resulting in disks of about few millimeters in length and one hundred microns in diameter. A thermal annealing post-process was applied to trigger the reduction of Ag⁺ ions into Ag nanoparticles (NPs) within the ion-exchanged glass microrods. Afterwards, ion-exchange and thermal treatments were carefully tuned to assure the presence of embedded silver NPs exposed on the surface of the microrods, without using any chemical etching. An Atomic Force Microscopy (AFM) analysis confirmed the presence of silver NPs with size of tens of nm on the surface of the fiber probe.

Initial SERS measurements on the glass fiber tip after incubation with 4-methylbenzene thiol (MBT) were carried out to test the efficacy of the ion-exchanged and annealed fiber in generating effective SERS responses. Then, a SERS affinity bioassay was developed on the probe with the final aim of detecting microRNA fragments acting as biomarkers of different diseases. Specifically a DNA hybridization assay was built up by anchoring a molecular beacon containing a Raman tag on the Ag surface *via* thiol chemistry. Initial SERS experiments confirmed the presence of the beacon on the NPs embedded on the microrods surface, as monitored by detecting main spectral bands ascribed to the oligonucleotide chain. Finally, the ability of the platform to interact with the target microRNA sequence was assessed. The analysis was repeated on a number of miRNA sequences differing from the target to evaluate the specificity of the proposed assay.

Acknowledgements

The authors acknowledge the Fondazione Cassa di Risparmio di Firenze for its funding through the DECODE project. M.B., C.D'A, M.de A., R.P. and P.M. acknowledge support from the European Community and the Ministry of Education, University and Research of Italy (MIUR) through the EuroNanoMed3 ERANET cofund (H2020) project "Surface-enhanced Raman scattering with nanophotonic and biomedical amplifying systems for an early diagnosis of Alzheimer's disease pathology SPEEDY" (ID 221).

The well-known enhancement effect of surface-enhanced Raman spectroscopy (SERS) is associated with the presence of metallic nanostructures at the substrate surface. Different bottom-up and top-down processes have been proposed to impart the substrate with such a nanostructured layer. The former approaches are low cost but may suffer from reusability and stability. The latter strategies are expensive, time consuming and require special equipment that complicate the fabrication process.

Here, we present the possibility to obtain stable and reusable SERS substrates by a low-cost silver-sodium ion-exchange process in soda-lime glass microrods. The microrods were obtained by cutting the tip of the ion-exchanged soda-lime fiber, resulting in disks of about few millimeters in length and one hundred microns in diameter. A thermal annealing post-process was applied to trigger the reduction of Ag⁺ ions into nanoparticles (AgNPs) within the ion-exchanged glass microrods. Afterwards, ion-exchange and thermal treatments were carefully tuned to assure the presence of silver NPs exposed on the surface of the microrods, without using any chemical etching. An AFM analysis confirmed the presence of AgNPs with size of tens of nm on the surface of the fiber probe.

A SERS affinity bioassay was developed on the probe with the final aim of detecting microRNA fragments acting as biomarkers of different diseases. Specifically a DNA hybridization assay was built up by anchoring a molecular beacon containing a Raman tag on the Ag surface *via* thiol chemistry. Initial SERS experiments confirmed the presence of the beacon on the NPs embedded on the microrods surface, as monitored by detecting main spectral bands ascribed to the oligonucleotide chain. Finally, the ability of the platform to interact with the target microRNA sequence was assessed. The analysis was repeated on a number of miRNA sequences differing from the target to evaluate the specificity of the proposed assay.