POLITECNICO DI TORINO Repository ISTITUZIONALE

Digital-based analog processing in nanoscale CMOS ICs for IoT applications

Original

Digital-based analog processing in nanoscale CMOS ICs for IoT applications / Pedro, Toledo; Klimach, Hamilton; Crovetti, PAOLO STEFANO. - ELETTRONICO. - (2020). (Intervento presentato al convegno 10th IEEE CASS Rio Grande do Sul Workshop tenutosi a Porto Alegre nel November 10-13, 2020).

Availability: This version is available at: 11583/2852719 since: 2020-11-13T22:40:37Z

Publisher: IEEE

Published DOI:

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright IEEE postprint/Author's Accepted Manuscript

©2020 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collecting works, for resale or lists, or reuse of any copyrighted component of this work in other works.

(Article begins on next page)



Digital-based Analog Processing in Nanoscale CMOS ICs for IoT Applications

Pedro Filipe Leite Correia de Toledo


Supervisors: Prof. Hamilton Klimach, Prof. Paolo Stefano Crovetti

Abstract

Over the past two decades, it is evident that there have been significant improvements (and it is expected to) in CMOS digital circuits when compared against analog building block performance. Digital circuits have been taking advantage of CMOS technology scaling in terms of speed, power consumption, and cost, while the techniques running behind the analog signal processing are still lagging. There has been an increasing trend in finding alternative IC design strategies to implement analog functions exploiting digital-in-concept design methodologies to decrease this historical gap. This idea of re-thinking analog functions in digital terms has shown that Analog ICs blocks can also avail of the feature-size shrinking and energy efficiency of new technologies. This poster shows the advanced of this field in the above scenario, proposing new digital-based analog blocks and proving their performance through silicon measurements.

Novel contributions

 Novel Ultra Low Voltage (ULV) Digital-Based (DB) analog blocks, such as Operational Transconductance Amplifier, are proposed.



(Source: McKinsey Global Institute.)

- Ultra Low Power (ULP) systems disruptive IoT applications: logistics, navigation, health and fitness. Expected market share of \$2.5 trillion at 2025.
- CMOS is the IoT technology.
- ULP CMOS analog interfaces always are needed.
 - Submitted/published works and Awards

Labor intensive

· Time-to-market

Automatic

Portability

· Highest performance

· Reasonable performance

Digital Design Flow:


Logic-Based

P&R Standard-Cell

sign

Packaging/Testing


Full-Custom




- 4] P. Toledo, Crovetti, P.; Klimach, H.; Bampi, S. 'Dynamic and Static Calibration of Ultra-Low-Voltage, Digital-Based Operational Transconductance Amplifiers'. Electronics 2020 72 P. Toledo, Crovetti P. Ajelo, O. Alicto, M. "Fully-Digital Rail-to-Rail OTA with Sub-1 000 um² Area, 250-mV Minimum Supply and nW Power at 150-nF Load in 180nm" Solid State Circuit Letters, 2020
- B Alelo, O. Crovetti, P. P. Toledo, Alloto, M. "Rail-to-Rail Dynamic Voltage Comparator Scalable down to pW-Range Power and 0.15V Supply" Transactions on Circuits and Systems II, 2020 (subt obox.com/s/ir1kairhparuwm6/s264711 PosterVideo.mp4?dl=0 and https://www.voutube.c [11] Demo video link: ht

 There has been an increasing trend in finding alternative IC design strategies to implement analog functions using digital-in-concept design. · Can we design OTAs and Comparator using only digital logic gates targeting Ultra Low Voltage applications ?

Addressed research questions/problems






Adopted methodologies


DB-OTA

100000


an 180nm ULV DB-OTA has been proposed following digital design criteria In [2].




Based on [2], several others ULV Digital-based analog blocks have been fabricated in TSMC 180nm



In [7], a new DIGOTA is directly powered by a small energy harvester (7-mm2 solar cell) at dim light <100 lux (dark overcast day).





Conclusion

- Several ULV digital-based analog building blocks have been proposed. Development of a semi-automatic testbench is herein reported.
- A compact and energy-efficient digital OTA has been in 180 nm and its ability to operate at ultra-low voltage and power has been demonstrated in the context of energy-autonomous sensor nodes, as directly powered by a small energy harvester.