



POLITECNICO DI TORINO
Repository ISTITUZIONALE

Structural Testing of Composite Crash Structures

Original

Structural Testing of Composite Crash Structures / Babaei, Iman. - (2021 Jun 21), pp. 1-110.

Availability:

This version is available at: 11583/2910072 since: 2021-06-29T17:00:51Z

Publisher:

Politecnico di Torino

Published

DOI:

Terms of use:

Altro tipo di accesso

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)



ScuDo

Scuola di Dottorato ~ Doctoral School

WHAT YOU ARE, TAKES YOU FAR

Doctoral Dissertation

Doctoral Program in Mechanical Engineering (33th cycle)

Structural Testing of Composite Crash Structures

By

Iman Babaei

Supervisor(s):

Prof. Giovanni Belingardi

Prof. Davide Salvatore Paolino

Doctoral Examination Committee:

Prof. Valentina Lopresto, Referee, Università degli Studi di Napoli Federico II

Dr. Pietro Russo, Referee, CNR Istituto per i Polimeri Compositi e Biomateriali

Politecnico di Torino

2021

Declaration

I hereby declare that, the contents and organization of this dissertation constitute my own original work and does not compromise in any way the rights of third parties, including those relating to the security of personal data.

Iman Babaei

2021

* This dissertation is presented in partial fulfillment of the requirements for **Ph.D. degree** in the Graduate School of Politecnico di Torino (ScuDo).

Structural Testing of Composite Crash Structures

Iman Babaei

Since 1980s scientists have demonstrated that fiber reinforced polymer composites exhibit high specific energy absorption capabilities. However, lack of understanding of their energy absorbing mechanisms under different conditions has hindered full potential applications of composite structural components. Testing the final structures under various scenarios is complex, expensive, and time consuming. Therefore, it is necessary to have a methodology for assessing energy absorption capacities in element levels. With the help of the building block approach, a testing methodology has been developed to solve this problem.

For the element level experiments, saw-tooth triggered flat rectangular specimens with dimensions of $150 \times 100 \text{ mm}$ have been used. A new fixture has been designed and manufactured to support this flat specimens under impact and initiate stable failure by preventing global buckling. Four cylindrical anti-buckling columns with adjustable heights have been adopted to support the specimens from two opposite sides. Cylindrical columns to avoid tearing of the elements, gap in the bottom to avoid jamming, up to 50 mm of crushable lengths, and the possibility of capturing the fracture mechanisms with high speed camera from the lateral side are some of the advantages of this fixture compared to the previously developed ones.

Using this fixture, effects of unsupported height, impact velocity, and impact mass on the crashworthiness evaluations have been studied. The promising reproducible results have proven the reliability of the fixture. These results have been used for the optimization of the numerical simulations performed in a companion PhD work. Moving upward in the building block, quasi-static and dynamic crush tests have been performed on Formula SAE crash boxes made of carbon fiber/epoxy composite. These results have proven the validity of the proposed approach.