

A Behavioral Model of High-Voltage Traction Inverters for EMC Analysis

Original

A Behavioral Model of High-Voltage Traction Inverters for EMC Analysis / Fiori, Franco; Perotti, Michele; Jianmei, Lei; Tian, Tian; Yangchun, Gao; Xiaojiao, Li. - STAMPA. - (2022), pp. 444-447. (Intervento presentato al convegno Asia Pacific International Symposium on Electromagnetic Compatibility and Technical Exhibition tenutosi a Beijing (China) nel 01-04 September 2022) [10.1109/APEMC53576.2022.9888392].

Availability:

This version is available at: 11583/2971089 since: 2022-09-08T09:58:33Z

Publisher:

IEEE

Published

DOI:10.1109/APEMC53576.2022.9888392

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

IEEE postprint/Author's Accepted Manuscript

©2022 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collecting works, for resale or lists, or reuse of any copyrighted component of this work in other works.

(Article begins on next page)

A Behavioral Model of High-Voltage Traction Inverters for EMC Analysis

Original

A Behavioral Model of High-Voltage Traction Inverters for EMC Analysis / Fiori, Franco; Perotti, Michele; Jianmei, Lei; Tian, Tian; Yangchun, Gao; Xiaojiao, Li. - STAMPA. - (2022), pp. 444-447. (Intervento presentato al convegno Asia Pacific International Symposium on Electromagnetic Compatibility and Technical Exhibition tenutosi a Beijing (China) nel 01-04 September 2022) [10.1109/APEMC53576.2022.9888392].

Availability

This version is available at [11583/2971089](#) since [2022-09-08T09:58:33Z](#)

Publisher

IEEE

Published

DOI: [10.1109/APEMC53576.2022.9888392](#)

Terms of use

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

IEEE postprint/Author's Accepted Manuscript

2022 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collecting works, for resale or lists, or reuse of any copyrighted component of this work in other works.

(Article begins on next page)




Fig. 2. Test setup used to obtain the model unknowns of a two-terminal power module.

powered by the dc source V_{DC} through a Line Impedance Stabilization Network (LISN) like that prescribed in [1]. It allows for changing the source impedance in the frequency band of interest. Therefore, the noise current flowing in the power supply line can be measured with the LISN output port loaded by R_{01} first, and by R_{02} afterwards, obtaining i_{S1} and i_{S2} , respectively. Then, the model unknowns can be derived from the circuit inspection obtaining

$$v_S = (R_{01}i_{S1} - R_{02}i_{S2}) \frac{i_{S1}}{i_{S2} - i_{S1}} + R_{01}i_{S1},$$

$$Z_S = \left(R_{01} \frac{i_{S1}}{i_{S2}} - R_{02} \right) \frac{i_{S2}}{i_{S2} - i_{S1}}.$$

Such an approach, which belongs to the Series and Shunt Impedance Insertion (SSII) modeling methods, is valid regardless of the number of terminals but it is worth noticing that the number of measurements needed to derive the model unknowns increases significantly with the number of terminals [3]. Besides that, the methods based on SSII are not sufficiently accurate because the source of switching noise is not cyclical and the currents (i_{S1} , i_{S2}) are acquired in subsequent not triggered time frames.

This paper proposes a method to extract a behavioral model of switching power circuits that separates the measurement of the model impedances from that of the equivalent sources. The model is suitable to be used in EMC analysis carried out with circuit or electromagnetic simulators.

The paper is organized as follows. Section II shows the behavioral model developed in this work along with the method to obtain the model unknowns. Section III provides a description of the test benches used to measure the power supply noise currents generated by a three phase inverter driving a motor. In the same section the validation of the proposed approach is presented and some concluding remarks are drawn in Section IV.

II. PROPOSED MODELING APPROACH

This section provides a method to derive a behavioral model of a switching circuit like a power inverter driving an electric motor. The circuit topology is that resulting from the Thevenin's Theorem for a multi port network, whereas the model unknowns are derived in two steps. The impedances, which parameters are time invariant, are obtained from a set of measurements carried out with the power module not switching, thus the current flowing




Fig. 3. Equivalent circuit comprising the that of the power inverter at the input port and that of the dc power supply \bar{Z}_L .

through the power supply cables are measured in the time domain.

A. Topology of the proposed EMI model

The switching currents delivered by a power inverter at the dc input lines can be modeled referring to the three-terminal Thevenin equivalent circuit shown in Fig. 3. It comprises of a passive two-port modeled by its 2x2 impedance matrix \bar{Z}_{INV} connected to the P and N equivalent voltage sources, V_{SP} , V_{SN} . The correctness of using linear time-invariant models for representing time varying power converters was proved in [7]. Furthermore, the circuit in Fig. 3 shows the two port network describing of the dc power supply network, which is modeled by the 2x2 impedance matrix \bar{Z}_L .

B. Extraction of the model unknowns

The unknowns of the proposed models, i.e., the elements of \bar{Z}_{INV} and $\bar{V}_S = [V_{SP}, V_{SN}]$ can be derived from two distinct set of measurements. About \bar{Z}_{INV} it is obtained from the impedance matrices measured at the ports PG and NG of the circuit shown in Fig. 3, with the inverter connected and disconnected from the dc power supply network, obtaining \bar{Z}_T and \bar{Z}_L , respectively. Based on that, it results

$$\bar{Y}_{INV} = \bar{Y}_T - \bar{Y}_L \quad (1)$$

where $\bar{Y}_T = \bar{Z}_T^{-1}$, $\bar{Y}_L = \bar{Z}_L^{-1}$, $\bar{Y}_{INV} = \bar{Z}_{INV}^{-1}$.

Regarding $\bar{V}_S = [V_{SP}, V_{SN}]$, its elements are obtained from the simultaneous measurement of the noise currents flowing through the power supply cables, i.e., i_{SP} , i_{SN} reported in Fig. 3, during the normal operation of the power inverter.




Fig. 4. T equivalent circuit of the power inverter at the dc input port.





Fig. 6. Photograph of the test bench shown in Fig. 5.

Fig. 5. Test bench assembled to perform the measure scattering parameter matrix needed to obtain \bar{Z}_L , \bar{Z}_{INV} as well as the equivalent voltage sources V_{SP}, V_{SN} .

Based on that, the voltage source vector can be evaluated as

$$\bar{V}_S = (\bar{Z}_{INV} + \bar{Z}_L) \cdot \bar{I}_S \quad (2)$$

where $\bar{I}_S = [I_{SP}, I_{SN}]$ is the Fast Fourier Transform (FFT) of the current vector $\bar{i}_S = [i_{SP}, i_{SN}]$.

A T equivalent circuit of the proposed model is given Fig. 4 where Z_{Ti-fit} are obtained by approximating

$$\begin{aligned} Z_{T1} &= Z_{INV-11} - Z_{INV-12} \\ Z_{T2} &= Z_{INV-22} - Z_{INV-21} \\ Z_{T3} &= Z_{INV-12} \end{aligned}$$

with the vector fitting approach [8], which is available in Matlab. About the equivalent voltage sources, they can be expressed in terms of common mode (V_{CM}) and differential mode (V_D) voltages as

$$V_{CM} = \frac{V_{SP} + V_{SN}}{2}$$

and

$$V_D = V_{SP} - V_{SN},$$

and the time domain voltage sources v_{CM} and v_D are derived applying the inverse FFT algorithm.

III. TEST BENCH, MEASUREMENTS AND VALIDATION

The above presented model was extracted for a high voltage power inverter driving a three-phase Permanent Magnet Synchronous Motor, with the test setup sketched in Fig. 5. A picture of it is show in Fig. 6. Besides the power inverter and the electric motor, it comprised of two high voltage LISNs enclosed




Fig. 7. Magnitude of the impedance composing \bar{Z}_L with the HV LISN loaded by $R_{LP} = R_{LN} = 50\Omega$.




Fig. 8. Magnitude of the impedance composing \bar{Z}_{INV} resulted from (1).

in a Faraday cage, that prescribed by [1] for test setups with shielded cables, and an ad-hoc coupling decoupling network (CDN) specifically designed within this project to perform the impedance measurements. The inverter was connected to a 340V dc power supply (not shown in Fig. 5) by means of shielded power cables through the two HV LISNs and the CDN. The impedances belonging to \bar{Z}_L were obtained from the measurement of the scattering parameters at the port RF-P and




Fig. 9. Spectrum of the current flowing in the positive power cable P resulted from the model prediction (red) and from the measurement (blu) carried out with the HV LISN outputs loaded by $R_{LP} = R_{LN} = 8\Omega$.




Fig. 10. Spectrum of the current flowing in the negative power cable N resulted from the model prediction (red) and from the measurement (blu) carried out with the HV LISN outputs loaded by $R_{LP} = R_{LN} = 8\Omega$.

RF-N of the CDN, with the inverter disconnected from the CDN (power connectors P and N) and the LISN output ports loaded by $R_{LP} = R_{LN} = 50\Omega$. The impedance magnitudes resulted from that measurement is show in Fig. 7. The measurement of the scattering parameters was repeated with the inverter connected to the CDN. It was supplied at the HV and LV ports and controlled to be in idle mode, i.e., with output phase UVW not switching. The magnitude of the impedance belonging to \bar{Z}_{INV} , which resulted from (1), are show in Fig. 8. About these plots, it is worth mentioning that $|Z_{INV-11}|$ and $|Z_{INV-11}|$ are overlapped. Finally, the inverter was controlled to run the motor unloaded at $\omega_m = 1000$ rpm, and the switching currents

flowing through the power supply cables were sensed with two equal current probes (see CP-P, CP-N in Fig. 5) and acquired by a digital oscilloscope simultaneously. Then, the equivalent voltage sources v_{CM} and v_D were evaluated using the approach presented in Section II.

The behavioral model of the power inverter was validated comparing the current spectra obtained from the simulation of a circuit comprising the inverter model and the high frequency model of the HV LISNs loaded by $R_{LP} = R_{LN} = 8\Omega$ with those resulted from the measurements. Figs. 9 and 10 show the magnitude of the simulated current spectra (red) and the measured one (blue), which differ by less than $\pm 3\text{dB}$ in the frequency range 150kHz – 108MHz.

IV. CONCLUSIONS

A new method to derive the behavioral model of dc supplied power switching circuits has been proposed. It is based on the Thevenin equivalent circuit and on the evaluation of its unknowns from two sets of separate measurements; that needed to evaluate the impedance matrix and that needed to obtain the equivalent voltage sources. The proposed solution was used to model a high voltage three phase inverter driving an electric motor. The model was validated comparing the power supply current spectra resulted from the simulations with those resulted from the measurements under different loading conditions.

REFERENCES

- [1] CISPR 25 - "Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers" - 2016 - IEC.
- [2] Y. Xiang, X. Pei and W. Zhou, "A fast and precise method for modeling EMI source in two-level three-phase converter", IEEE Trans. Power Electron., vol. 34, no. 11, pp. 10650-10664, Jan. 2019.
- [3] A. C. Baisden, D. Boroyevich and W. Fei, "Generalized terminal modeling of electromagnetic interference," IEEE Trans. Ind. Appl., vol. 46, no. 5, pp. 2068-2079, Sep./Oct. 2010.
- [4] H. Bishnoi, A. C. Baisden, P. Mattavelli and D. Boroyevich, "Analysis of EMI terminal modeling of switched power converters," IEEE Trans. Power Electron., vol. 27, no. 9, pp. 3924-3933, Sep. 2012.
- [5] A. Gahfif, P. É. Levy, M. Ali, M. Berkani and F. Costa, "EMC "Black Box" model for unbalanced power electronic converters," in Proc. Eur. Int. Symp. Electromagn. Compat., 2019, pp. 957-962.
- [6] W. Zhou, X. Pei, Y. Xiang and Y. Kang, "A new EMI modeling method for mixed-mode noise analysis in three-phase inverter system," IEEE Access, vol. 8, pp. 71535-71547, 2020.
- [7] H. Bishnoi, A. C. Baisden, P. Mattavelli and D. Boroyevich, "EMI modeling of half-bridge inverter using a generalized terminal model," Proc. IEEE Appl. Power Electron. Conf. Expo., pp. 468-474, Mar. 2011.
- [8] B. Gustavsen and A. Semlyen, "Rational approximation of frequency domain responses by vector fitting", IEEE Trans. Power Delivery, vol. 14, no. 3, pp. 1052-1061, July 1999.