POLITECNICO DI TORINO Repository ISTITUZIONALE

A Consensus-Based Generalized Multi-Population Aggregative Game with Application to Charging Coordination of Electric Vehicles

Original

A Consensus-Based Generalized Multi-Population Aggregative Game with Application to Charging Coordination of Electric Vehicles / Ghavami, Mahsa; Ghaffarzadeh Bakhshayesh, Babak; Haeri, Mohammad; Como, Giacomo; Kebriaei, Hamed. - In: IEEE CONTROL SYSTEMS LETTERS. - ISSN 2475-1456. - 7:(2023), pp. 3435-3440. [10.1109/LCSYS.2023.3326993]

Availability: This version is available at: 11583/2983681 since: 2023-11-09T10:21:24Z

Publisher: IEEE

Published DOI:10.1109/LCSYS.2023.3326993

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright IEEE postprint/Author's Accepted Manuscript

©2023 IEEE. Personal use of this material is permitted. Permission from IEEE must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collecting works, for resale or lists, or reuse of any copyrighted component of this work in other works.

(Article begins on next page)

A Consensus-Based Generalized Multi-Population Aggregative Game with Application to Charging Coordination of Electric Vehicles

Mahsa Ghavami, Babak Ghaffarzadeh Bakhshayesh, Graduate Student Member, IEEE, Mohammad Haeri, Senior Member, IEEE, Giacomo Como, Member, IEEE, and Hamed Kebriaei, Senior Member, IEEE

Abstract—This paper introduces a consensus-based generalized multi-population aggregative game coordination approach with application to electric vehicles charging under transmission line constraints. The algorithm enables agents to seek an equilibrium solution while considering the limited infrastructure capacities that impose coupling constraints among the users. The Nash-seeking algorithm consists of two interrelated iterations. In the upper layer, population coordinators collaborate for a distributed estimation of the coupling aggregate term in the agents' cost function and the associated Lagrange multiplier of the coupling constraint, transmitting the latest updated values to their population's agents. In the lower layer, each agent updates its best response based on the most recent information received and communicates it back to its population coordinator. For the case when the agents' best response mappings are non-expansive, we prove the algorithm's convergence to the generalized Nash equilibrium point of the game. Simulation results demonstrate the algorithm's effectiveness in achieving equilibrium in the presence of a coupling constraint.

Index Terms— Multi-population aggregative game, coupling constraints, consensus protocol, Electric vehicles.

I. INTRODUCTION

I N today's digital era, data availability is crucial for efficient decision-making and resource allocation in societal-scale systems, such as transportation electrification [1]. However, integrating various data sources and coordinating their use presents challenges regarding accuracy and reliability. For instance, multiple online platforms like ChargeHub collect and distribute data on users' Electric Vehicle (EV) charging. The involvement of multiple platforms, each collecting data from a

Manuscript received July 13, 2023; revised September 14, 2023; accepted October 7, 2023. Accepted by Editor in Cheif M.E. Valcher. This research is financially supported by the Iran National Science Foundation (INSF) under grant number 4021352.

M. Ghavami and M. Haeri are with the Advanced Control Systems Lab, Department of Electrical Engineering, Sharif University of Technology, Tehran, Iran (e-mails: mahsa.ghavami@ee.sharif.edu and haeri@sharif.ir).

B. Ghaffarzadeh Bakhshayesh and H. Kebriaei are with School of Electrical and Computer Engineering, College of Engineering, University of Tehran, Tehran, Iran (e-mails: b.ghaffarzadeh@ut.ac.ir and kebriaei@ut.ac.ir).

G. Como is with the Department of Mathematical Sciences, Politecnico di Torino, Torino, Italy (e-mail: giacomo.como@polito.it). subset of users, can lead to suboptimal decisions and inefficient resource allocation in systems with limited capacity [2].

To address these challenges, the study of multi-agent systems and game theory has gained significant interest, particularly in large-scale systems [3]. Aggregative games with coupling constraints have emerged as a notable research area within this discipline. These games model competitive situations where actors experience aggregate effects from the entire population rather than direct interactions with individual agents while satisfying critical infrastructure constraints [4]. Applications of generalized aggregative games include peerto-peer energy markets [5] and coordination of EVs [6], [7].

Interestingly, the aggregative structure has been employed to address computational complexity in scenarios involving large populations. Proposed solution algorithms primarily operate in a non-centralized manner, utilizing decentralized and distributed algorithms [4] and [8]–[10]. In decentralized algorithms, agents do not communicate directly with each other but rely on a central coordinator that aggregates local decisions and broadcasts signals, such as dual variables, to all agents. Distributed algorithms, on the other hand, involve agents obtaining information through communication with their neighbors via a communication graph [11]–[13]. These approaches show promise in addressing the challenges of large-scale multi-agent systems and coupling constraints.

In decentralized generalized Nash equilibrium-seeking algorithms, the authors in [8] and [9] propose a forward-backward algorithm designed to identify a generalized Nash equilibrium within a strongly monotone game setting where the coordinator sends dual variables to all participants. Alternatively, in [4], a gradient-type algorithm is used to exhibit global convergence with fixed step sizes, assuming strong monotonicity in the pseudo-gradient of the game. The coordinator sends both the aggregate and updated dual variables in this scenario. Similarly, [10] presents a continuous-time variant of the algorithm, contingent upon strict monotonicity in the pseudo-gradient.

In the domain of distributed computation for the Nash equilibrium in aggregative games, the authors in [11] have proposed a dynamic average tracking scheme to estimate the unknown average aggregate in a distributed manner. Another study tackled coupling constraints using a monotone operator splitting method and the Krasnosel'skii-Mann fixed-point iterations [12]. Furthermore, aggregative games with coupling constraints have been explored using the forward-backward operator splitting technique [13]. The survey [14] examines recent equilibrium-seeking algorithms and their characteristics.

Existing research [4] and [8]–[15] has primarily focused on decentralized and distributed algorithms for large-scale multiagent systems with a single population of users. However, these studies have often assumed that users receive information through a single coordinator or exchange it with neighboring agents. In today's real-world applications, we frequently encounter multiple coordinators, each responsible for a subset of users. While systems with a single coordinator allow for centralized control and straightforward data aggregation, multiple coordinators introduce challenges such as potential conflicting directives and the need for synchronization. This paper addresses the decentralized multi-population scenario where coordinators have only local data. Specifically, we develop a novel algorithm based on Krasnosel'skii-Mann iteration and consensus protocols. Rigorous analysis shows the equilibrium point of each local population mapping converges to the centralized generalized Nash equilibrium despite limited information. This significantly advances decentralized equilibrium computation for interconnected multi-agent systems.

The authors of [16] have investigated equilibrium seeking in multi-population aggregative games with decoupled strategy sets, where each agent's feasible strategy set is not impacted by other agents. Nevertheless, motivated by the importance of shared constraints in energy management applications, the current paper takes a step further by examining coupling constraints among users in a multi-population game.

This paper aims to develop a mechanism that coordinates information from multiple platforms, considering the coupling constraints imposed by user data, to improve decisionmaking and resource allocation in infrastructure systems with limited capacities. Specifically, we focus on decentralized equilibrium-seeking methods in multi-population aggregative games with coupling constraints. By tackling this research gap, our consensus-based algorithm enables Population Coordinators (PCs) to estimate global aggregates through local estimates, thereby extending the existing literature and offering new insights into this domain. The algorithm allows players to optimize their cost functions based on local estimates and operates through a two-level framework. At the top level, PCs exchange information with neighboring coordinators, while at the bottom level, individual players make decisions independently. The algorithm aims to compute the Nash equilibrium, considering the interdependencies among players and the shared constraints. The contributions of this paper can be summarized as: extension of the results on multi-population aggregative game [16] to incorporate coupling constraints arising from limited energy or infrastructure resources, development of a semi-decentralized equilibriumseeking algorithm in which the coupling aggregate term of the cost functions and Lagrange multiplier of the coupling constraint are distributively estimated by local coordinators of each population, and providing the proof of convergence of the proposed Nash-seeking algorithm that consists of two

interrelated iterations of PCs and agents.

Notation: $\mathbb{N}, \mathbb{R}, \mathbb{R}_{>0}$, and $\mathbb{R}_{\geq 0}$ are sets of natural, real, positive, and non-negative numbers. \mathbb{S}^n denotes the set of symmetric $n \times n$ matrices. $x^T, ||x||$, and $||x||_P := \sqrt{x^T P x}$ denote transpose, infinity norm, and induced norm of vector x. ||B|| is the induced matrix infinity norm, simply the maximum absolute column sum of matrix B. Given vectors $x_1, ..., x_L$, the column augmented vector x_l is defined as $\operatorname{col}(x_1, ..., x_L) = [x_1^T, ..., x_L^T]^T$. I_n denotes the identity matrix and $\mathbf{1}_n$ is a vector with all elements one. The notation $K \succ 0$ ($K \succeq 0$) denotes that K is symmetric and has positive (non-negative) eigenvalues.

II. MULTI-POPULATION AGGREGATIVE GAME WITH COUPLING CONSTRAINTS

A. Game Setup

We consider a set of L populations of agents, each of which has a PC $l \in \mathcal{L} = \{1, ..., L\}$ and N_l agents whose set is denoted by \mathcal{N}_l . Thus, the total number of agents is $N = \sum_{l \in \mathcal{L}} N_l$. We assume that PCs can exchange information through a time-varying directed graph $G(\mathcal{L}, \mathcal{E}^k)$, where \mathcal{E}^k is the set of directed edges at time k. Here, $(l, l') \in \mathcal{E}^k$ means that PC l can receive information from PC l' and $W^k \in \mathbb{R}^{L \times L}$ represents a weight matrix of the communication graph G at time k so that $w_{l,l'}^k$ is a weight that PC l assigns to the information coming from PC l' at time k. If $(l, l') \in \mathcal{E}^k$, $w_{l,l'}^k > 0$, otherwise $w_{l,l'}^k = 0$. The set of neighbors of PC l at time k consists of all PCs from which it receives information and is denoted by $\mathcal{L}_l^k = \{l' \in \mathcal{L} | (l, l') \in \mathcal{E}^k\}$. Each agent i in population l chooses strategy $x_{l,i}$ according to its individual constraint set $\mathcal{X}_{l,i} \subset \mathbb{R}^n$ and a linear coupling constraint as

$$\sigma \in \mathcal{C},\tag{1}$$

where $\sigma := \frac{1}{L} \sum_{l \in \mathcal{L}} \sum_{i \in \mathcal{N}_l} \delta_{l,i} x_{l,i}$ is an aggregate term. $\delta_{l,i}$ are non-negative coefficients such that $\sum_{i \in \mathcal{N}_l} \delta_{l,i} = 1$ and are determined by PC *l*. We further assume $\mathcal{C} \subseteq \frac{1}{L} \sum_{l \in \mathcal{L}} \sum_{i \in \mathcal{N}_l} \delta_{l,i} \mathcal{X}_{l,i} \subset \mathbb{R}^n$ and $\mathcal{X}_{l,i}$ and \mathcal{C} are compact and convex subsets of \mathbb{R}^n and satisfy Slater's constraint qualification. For convenience, We define $x_l := \operatorname{col}(x_{l,1}, ..., x_{l,N_l})$ and $x := \operatorname{col}(x_1, ..., x_L)$.

The cost function of each agent i is defined as

$$J_{l,i}(x_{l,i},\sigma,\lambda) := f_{l,i}(x_{l,i}) + (C\sigma + K\lambda)^T x_{l,i}, \qquad (2)$$

where $\lambda \in \mathbb{R}^n$ is a control vector to penalize the violation of the coupling constraint. $f_{l,i} : \mathbb{R}^n \to \mathbb{R}$ is a continuous strongly convex function and $C \in \mathbb{S}^n$ is a given weight matrix while the invertible matrix $K \in \mathbb{S}^n$ is a design choice that could be used to guarantee the convergence of the decentralized learning algorithm. Let σ_l and λ_l be the local estimates of σ and λ in (2), which are determined by PC l (2) depending on his own strategy $x_{l,i} \in \mathcal{X}_{l,i}$ and on the strategy of other agents through the aggregate term σ , thus we have an aggregative game. The cost function of each agent is also influenced by the unique control vector λ .

Remark 1: The proposed aggregative game with coupling constraint (1) is applicable to the management of self-interested agents in energy systems that are coupled in the

aggregated form like the coordination of EV charging with transmission line constraints [17], traffic and charging stations with infrastructure limitations such as road capacity and electric power resources [6], and peak shaving for residential energy storage systems [18].

Generalized multi-population Nash equilibrium is a set of strategies in which no agent could benefit from unilaterally deviating from its own strategy and the coupling constraints are satisfied. According to [8, Remark 2], the ϵ -Nash equilibrium point of the proposed generalized multi-population aggregative game is defined as follows.

Definition 1: A pair $(\hat{x}, \hat{\lambda})$ is a generalized multi-population ϵ -Nash equilibrium with $\epsilon > 0$ for agents with cost (2) and coupling constraint (1) if $\hat{\sigma} := \frac{1}{L} \sum_{l \in \mathcal{L}} \sum_{i \in \mathcal{N}_l} \delta_{l,i} \hat{x}_{l,i} \in C$ and for all $l \in \mathcal{L}$, $i \in \mathcal{N}_l$, and $r \in \mathcal{X}_{l,i}$, we have

$$J_{l,i}(\hat{x}_{l,i},\hat{\sigma},\hat{\lambda}) \leq \epsilon + \min_{r \in \mathcal{X}_{l,i}} J_{l,i} \left(r, \frac{1}{L} \delta_{l,i} r + \frac{1}{L} \sum_{i' \in \mathcal{N}_l \setminus i} \delta_{l,i'} \hat{x}_{l,i'} + \frac{1}{L} \sum_{l' \in \mathcal{L} \setminus l} \sum_{i' \in \mathcal{N}_{l'}} \delta_{l',i'} \hat{x}_{l',i'}, \hat{\lambda} \right).$$

$$(3)$$

 $(\hat{x}, \hat{\lambda})$ is a generalized multi-population Nash equilibrium if (3) holds with $\epsilon = 0$. At the end of this paper, we have shown that our proposed algorithm converges to the multi-population ϵ -Nash equilibrium where ϵ converges to zero in the limit of infinite total population size.

We define the agent's best response mapping $x_{l,i}^* : \mathbb{R}^n \to \mathcal{X}_{l,i}$ to the incentive signal $v = C\sigma + K\lambda$ as

$$x_{l,i}^*(v) := \arg\min_{u \in \mathcal{X}_{l,i}} f_{l,i}(u) + v^T u.$$
(4)

By defining $y := \operatorname{col}(\sigma, \lambda)$, we group together the optimal response mappings into the local and global aggregation mapping \mathcal{A}_l and \mathcal{A} as

$$\mathcal{A}_{l}(y) := \sum_{i \in \mathcal{N}_{l}} \delta_{l,i} x_{l,i}^{*}(v), \quad \mathcal{A}(y) := \frac{1}{L} \sum_{l \in \mathcal{L}} \mathcal{A}_{l}(y).$$
(5)

Now, results in [8] can be used to establish an equivalence between generalized Nash equilibrium and a fixed point of a particular mapping. Specifically, for a symmetric matrix K, define

$$x^{**}(y) := \arg\min_{z \in \mathcal{C}} \frac{1}{2} z^T z + (K(\sigma - \lambda))^T z$$
(6)

and let $\mathcal{T}: \mathbb{R}^{2n} \to \mathbb{R}^{2n}$

$$\mathcal{T}(y) := B(y - \eta \Gamma(y)), \Gamma(y) := - \begin{bmatrix} \mathcal{A}(y) \\ 2\mathcal{A}(y) - x^{**}(y) \end{bmatrix}, \quad (7)$$

where $B = (I + \eta M)^{-1}$ and $M = \begin{bmatrix} I_n & 0 \\ I_n & 0 \end{bmatrix}$. Then, we have the following result.

Lemma 1: If $K \succ 0$ and $C + K \succ 0$, then for sufficiently small constant $\eta > 0$, $\mathcal{T}(.)$ in (7) is a non-expansive mapping with a unique fixed point $\hat{y} = \mathcal{T}(\hat{y})$ which is the generalized Nash equilibrium of the game for large number of agents.

Lemma 1 follows from [8, Proof of Theorem 1 and 4]. Although the fixed point of mapping \mathcal{T} in (7) is also equivalent to the generalized Nash equilibrium for our multi-population case, the equilibrium-seeking algorithm proposed in [8] can

no longer be used since the aggregate term σ and λ is controlled by multi-coordinators connected through $G(\mathcal{L}, \mathcal{E}^k)$. To determine the fixed point of mapping \mathcal{T} in our multipopulation case, we define mapping $\mathcal{T}_l : \mathbb{R}^{2n} \to \mathbb{R}^{2n}$ and $\Gamma_l : \mathbb{R}^{2n} \to \mathbb{R}^{2n}$ as follows.

$$\mathcal{T}_{l}(y) := B(y - \eta \Gamma_{l}(y)), \Gamma_{l}(y) := - \begin{bmatrix} \mathcal{A}_{l}(y) \\ 2\mathcal{A}_{l}(y) - x^{**}(y) \end{bmatrix}$$
(8)

According to (5), since $\mathcal{A}(y) = \frac{1}{L} \sum_{l \in \mathcal{L}} \mathcal{A}_l(y)$, it is easy to show that $\Gamma(y) = \frac{1}{L} \sum_{l \in \mathcal{L}} \Gamma_l(y)$. Then, $\mathcal{T}(y) = \frac{1}{L} \sum_{l \in \mathcal{L}} \mathcal{T}_l(y)$. We aim to design a consensus-based decentralized algorithm such that the local signals $y_l := \operatorname{col}(\sigma_l, \lambda_l)$ converge to the fixed point of mapping \mathcal{T} in (7) as the generalized ϵ -Nash equilibrium. The schematic of the information flow is illustrated in Fig. 1. Each PC broadcasts an incentive signal to its population. Then, each agent updates its strategy and sends it back to its PC. Based on local agents' strategies and communication with neighbors, each PC updates the incentive signal to be broadcast at the next iteration.



Fig. 1. Schematic of information flow of a three-population network.

 $\begin{array}{l} \textbf{Algorithm 1 Consensus-based decentralized equilibrium seeking} \\ \hline \textbf{Initialization: } k \leftarrow 1, y_l^1 \leftarrow y_l^0, \forall l \in \mathcal{L} \\ (y_l^0 = \operatorname{col}(\sigma_l^0, \lambda_l^0) \in \mathcal{C} \times \mathbb{R}^n) \\ \hline \textbf{Iteration k:} \\ \bullet \text{ Each PC } l \in \mathcal{L} \text{ broadcasts } v_l^k = C\sigma_l^k + K\lambda_l^k \text{ to} \\ \text{ its population and computes } x^{**}(y_l^k) \text{ from (6).} \\ \bullet \text{ For each } l \in \mathcal{L} \text{ and } i \in \mathcal{N}_l, \text{ the agents compute in parallel} \\ x_{l,i}^*(v_l) \text{ as (4).} \\ \bullet \text{ Each PC } l \in \mathcal{L} \text{ computes } \mathcal{T}_l \text{ from (8) and updates } y_l^k \\ \text{ by using } \mathcal{T}_l \text{ and communicating with its neighbors:} \\ y_l^{k+1} = (1 - \alpha_k)(\sum_{l' \in \mathcal{L}} w_{l,l'}^k y_l^k) + \alpha_k \mathcal{T}_l(y_l^k) \\ k \leftarrow k+1 \end{array}$

B. Consensus-Based Decentralized Equilibrium Seeking

To develop an equilibrium-seeking algorithm with lightweight information exchange, we assume that the agents have no information about the parameters of their cost functions, including C and K in (2), the structure of aggregate term σ and parameters $\delta_{l,i}$, control vector λ , and strategies of other agents. Instead, we assume that each agent responds optimally to the local incentive signals $v_l := C\sigma_l + K\lambda_l$, which are broadcasted by PC l. The proposed algorithm is summarized in Algorithm 1. At iteration k, each PC sends v_l^k , which is a function of the local estimation y_l^k , to its population. Afterwards, each agent reacts optimally to v_l^k by $x_{l,i}^*(v_l^k)$ in (4). Then, having the local aggregate strategies and $x^{**}(y_l^k)$, PC l updates the output of \mathcal{T}_l as $\mathcal{T}_l^k := \mathcal{T}_l(y_l^k)$. Additionally, PC l receives the local incentive signal of its

neighbors through the communication network and updates y_l^k based on a combination of Krasnoselskij-Mann (KM) iteration [19] and consensus update as follows

$$y_{l}^{k+1} = (1 - \alpha_{k}) \sum_{l' \in \mathcal{L}} w_{l,l'}^{k} y_{l'}^{k} + \alpha_{k} \mathcal{T}_{l}^{k},$$
(9)

where $\alpha_k \in (0, 1), k \in \mathbb{N}$ is an step size. The convergence analysis of Algorithm 1 is challenging since the consensus update and aggregate term update are performed consecutively by each coordinator, which introduces a coupling between these two iterations.

III. CONVERGENCE ANALYSIS

In this section, we investigate the convergence of Algorithm 1. First, we prove the convergence of the local incentive signals, denoted as y_l^k to the average signal \overline{y}^k , defined as the mean of all y_l^k values

$$\overline{y}^k := \frac{1}{L} \sum_{l \in \mathcal{L}} y_l^k.$$
(10)

Next, we establish the convergence of \overline{y}^k to the fixed point of the mapping \mathcal{T} defined in (7), which represents the generalized Nash equilibrium of problem (2).

Assumption 1: The sequence of $\alpha_k > 0$, $k \in \mathbb{N}$ is non-increasing, non-summable, and square-summable.

Assumption 2: $\forall l, l' \in \mathcal{L}$ and $k \in \mathbb{N}$, (1): There exists a scalar $0 < \mu < 1$ such that, $w_{l,l}^k > \mu$ and $w_{l,l'}^k > \mu$ if $w_{l,l'}^k > 0$. (2): W^k is doubly stochastic which means, $\sum_{l'=1}^{L} w_{l,l'}^k = 1$ and $\sum_{l=1}^{L} w_{l,l'}^k = 1$. (3): There is an integer $\overline{k} \ge 1$ such that $G(\mathcal{L}, \bigcup_{k'=1,\dots,\overline{k}} \mathcal{E}^{k+k'})$ is strongly connected.

By averaging y_l^k in (9) over the entire population, utilizing (10), and considering Assumption 2, we obtain the following update equation for \overline{y}^{k+1}

$$\overline{y}^{k+1} = (1 - \alpha_k)\overline{y}^k + \frac{1}{L}\alpha_k \sum_{l \in \mathcal{L}} \mathcal{T}_l^k.$$
 (11)

Our objective is to prove the consensus of the local variables y_l^k towards \overline{y}^k .

Theorem 1: Let Assumptions 1 and 2 hold, then $\lim_{k\to\infty} \max_{l\in\mathcal{L}} \|y_l^k - \overline{y}^k\| = 0.$

Proof: We define the transition matrix $\phi^{k-1,0} := W^{k-1}W^{k-2}...W^0$ and $\phi^{k,k} := W^k, \forall k \in \mathbb{N}$, where $[\phi^{k_2,k_1}]_{l,l'}$ denotes the (l,l') element of the matrix ϕ^{k_2,k_1} . By relating the local estimations in (9) from 0 to k, y_l^k is derived as

$$y_{l}^{k} = \alpha_{k-1} \mathcal{T}_{l}^{k-1} + \sum_{k_{1}=0}^{k-2} \sum_{l' \in \mathcal{L}} \left[\hat{\phi}^{k-1,k_{1}+1} \right]_{l,l'} \alpha_{k_{1}} \mathcal{T}_{l'}^{k_{1}} + \sum_{l' \in \mathcal{L}} \left[\hat{\phi}^{k-1,0} \right]_{l,l'} y_{l'}^{0},$$
(12)

where $\hat{\phi}^{k_2,k_1} = \phi^{k_2,k_1} F^{k_2,k_1}$ and $F^{k_2,k_1} = (1 - \alpha_{k_2})...(1 - \alpha_{k_1})$. Similarly, by relating the average signal in (11) from 0 to k, \overline{y}^k can be computed as

$$\overline{y}^{k} = \frac{1}{L} \alpha_{k-1} \sum_{l \in \mathcal{L}} \mathcal{T}_{l}^{k-1} + \frac{1}{L} \sum_{k_{1}=0}^{k-2} \sum_{l \in \mathcal{L}} F^{k-1,k_{1}+1} \alpha_{k_{1}} \mathcal{T}_{l}^{k_{1}} + F^{k-1,0} \overline{y}^{0}.$$
(13)

Based on (12) - (13), the distance between y_l^k to \overline{y}^k bounds as follows

$$\|y_{l}^{k} - \overline{y}^{k}\| \leq \alpha_{k-1} \|\mathcal{T}_{l}^{k-1}\| + \frac{1}{L} \alpha_{k-1} \sum_{l \in \mathcal{L}} \|\mathcal{T}_{l}^{k-1}\| + \sum_{k_{1}=0}^{k-2} \sum_{l' \in \mathcal{L}} \left| \left[\phi^{k-1,k_{1}+1} \right]_{l,l'} - \frac{1}{L} \right| F^{k-1,k_{1}+1} \alpha_{k_{1}} \|\mathcal{T}_{l'}^{k_{1}}\| + (14) \sum_{l' \in \mathcal{L}} \left| \left[\phi^{k-1,0} \right]_{l,l'} - \frac{1}{L} \right| F^{k-1,0} \|y_{l'}^{0}\|.$$

Thanks to Assumption 2 and [20, Prop. 1, b], we have

$$\left| [\phi^{k_2,k_1}]_{l,l'} - \frac{1}{L} \right| \le c\gamma^{k_2-k_1}, \gamma \in (0,1), c > 0.$$

Therefore, (14) can be written as

$$\|y_{l}^{k} - \overline{y}^{k}\| \leq 2\alpha_{k-1} \max_{l \in \mathcal{L}} \|\mathcal{T}_{l}^{k-1}\| + Lc\gamma^{k-1} \max_{l \in \mathcal{L}} \|y_{l}^{0}\| + Lc\sum_{k_{1}=0}^{k-2} \gamma^{k-k_{1}-2} \alpha_{k_{1}} \max_{l \in \mathcal{L}} \|\mathcal{T}_{l}^{k_{1}}\|.$$
(15)

We aim to determine the upper bound of $||\mathcal{T}_l^k||$ to obtain an upper bound for (15). Since the feasible constraint set $\mathcal{X}_{l,i}$ and the coupling constraint set C is compact, $\Gamma_l(y_l^k)$ in (8) is bounded, i.e., there exists a constant $e \in \mathbb{R}_{>0}$ such that $||\Gamma_l(y_l^k)|| \le e$. Additionally, it is easy to show that $||B|| = \frac{1}{1+\eta}$. Then, the upper bound for \mathcal{T}_l in (8) is derived as follows.

$$\|\mathcal{T}_{l}^{k}\| \le \frac{1}{1+\eta} (\|y_{l}^{k}\| + \eta e)$$
(16)

According to (16), to prove boundedness of $||\mathcal{T}_l^k||$, it suffices to show that the sequence $||y_l^k||$ is bounded. Using proof by induction, we aim to prove that if there exists constant $\rho \in \mathbb{R}$ such that $||y_l^k||$ is bounded $(||y_l^k|| \le \rho)$, then $||y_l^{k+1}||$ is bounded $(||y_l^{k+1}|| \le \rho)$. Using (9) and (16), we have

$$\|y_l^{k+1}\| \le \rho + \frac{\alpha_k \eta}{1+\eta} (e-\rho).$$
 (17)

If $\rho > e$, then $\|y_l^{k+1}\| \le \rho$ and there exist a constant $\theta \in \mathbb{R}_{>0}$ such that $\|\mathcal{T}_l^k\| \le \theta$. Therefore, (15) can be written as

$$\|y_{l}^{k} - \overline{y}^{k}\| \le 2\alpha_{k-1}\theta + Lc\gamma^{k-1}\rho + Lc\theta \sum_{k_{1}=0}^{k-2} \gamma^{k-k_{1}-2}\alpha_{k_{1}}.$$
 (18)

Since α_k is square-summable, then $\lim_{k\to\infty} \alpha_k = 0$ and the first term on the right side of (18) converge to zero. Also, owing to $\gamma \in (0, 1)$, the second term converges to zero. It is easy to show that $\lim_{k\to\infty} \sum_{k_1=0}^k \gamma^{k-k_1} \alpha_{k_1} = 0$, thus $\lim_{k\to\infty} \|y_l^k - \overline{y}^k\| = 0$.

Now, we aim to prove the local incentive signals converge to the fixed point of a mapping which is the generalized ϵ -Nash equilibrium of (2).

Assumption 3: The best response mapping $x_{l,i}^*(v_l), l \in \mathcal{L}, i \in \mathcal{N}_l$ in (4) is non-expansive.

Remark 2: Non-expansiveness of $x_{l,i}^*(v_l)$ depends on the choice of the function $f_{l,i}(.)$. For some classes of the functions, these sufficient conditions can be made explicitly, e.g. if $f_{l,i}(u) = u^T Q u + p^T u$ with $Q \succ 0$ and $p \in \mathbb{R}^n$, then according to [21], $x_{l,i}^*(v_l)$ is non-expansive whenever $Q - \frac{1}{4}Q^{-1} \succeq 0$.

In this case, $\mathcal{A}(.)$ in (5) is a convex combination of the best response mappings and thus is non-expansive.

Theorem 2: Under Assumptions 1-3, $\forall l \in \mathcal{L}$ and $k \in \mathbb{N}$, the sequence y_l^k converges to the fixed point of mapping \mathcal{T} .

Proof: Due to linearity of coupling constraint (1) and quadratic nature of objective function (6), $\frac{1}{L} \sum_{l \in \mathcal{L}} x^{**}(y_l^k) = x^{**}(\overline{y}^k)$ (see [22]) and

$$\frac{1}{L}\sum_{l\in\mathcal{L}}\mathcal{T}_{l}(y_{l}^{k}) = \mathcal{T}(\overline{y}^{k}) + E^{k}, E^{k} = B\eta \begin{bmatrix} -\mathcal{A}(\overline{y}^{k}) + \mathcal{A}(y_{l}^{k}) \\ 2(-\mathcal{A}(\overline{y}^{k}) + \mathcal{A}(y_{l}^{k})) \end{bmatrix}$$
(19)

Therefore, \overline{y}^{k+1} in (11) can be written as

$$\overline{y}^{k+1} = (1 - \alpha_k)\overline{y}^k + \alpha_k(\mathcal{T}(\overline{y}^k) + E^k).$$
(20)

According to [23], the sequence $\overline{y}^k, k \in \mathbb{N}$ converges to the fixed point of the mapping \mathcal{T} if $\sum_{k=1}^{\infty} \alpha_k (1 - \alpha_k) = \infty$ and $\sum_{k=1}^{\infty} \alpha_k \|E^k\|_P < \infty$.

Remark 3: The non-expansiveness of the mapping \mathcal{T} is a prerequisite to proving the robustness of \overline{y}^k in (20). The method to design K and $x^{**}(.)$ to satisfy the non-expansiveness of mapping \mathcal{T} in (7) is given in [8].

Owing to Assumption 1, the first condition is satisfied. We only need to prove $\sum_{k=1}^{\infty} \alpha_k \|E^k\|_P < \infty$. We can write

$$\sum_{k=1}^{\infty} \alpha_k \|E^k\|_P \le \hat{c} \sum_{k=1}^{\infty} \alpha_k \|\mathcal{A}(y_l^k) - \mathcal{A}(\overline{y}^k)\|$$
$$\le \hat{c} \sum_{k=1}^{\infty} \alpha_k \|y_l^k - \overline{y}^k\|, \qquad (21)$$

where $\hat{c} = \eta \sqrt{5\lambda_{\max}(B^T P B)}$. The second inequality in (21) has resulted from Assumption 3. Therefore, it suffices to prove that $\sum_{k=1}^{\infty} \alpha_k ||y_k^k - \overline{y}^k|| < \infty$. According to (18),

$$\sum_{k=1}^{\infty} \alpha_k \|y_l^k - \overline{y}^k\| \le 2\theta \sum_{k=1}^{\infty} \alpha_k \alpha_{k-1} + Lc\rho \sum_{k=1}^{\infty} \alpha_k \gamma^{k-1} + Lc\theta \sum_{k=1}^{\infty} \alpha_k \sum_{k_1=0}^{k-2} \gamma^{k-k_1-2} \alpha_{k_1}.$$
(22)

Based on Assumption 1 and $\gamma \in (0, 1)$, the first two terms on the right-hand side of (22) are bounded. As for the last term, since α_k is non-increasing and $\gamma \in (0, 1)$

$$\sum_{k=1}^{\infty} \alpha_k \sum_{k_1=0}^{k-2} \gamma^{k-k_1-2} \alpha_{k_1} \le \sum_{k=1}^{\infty} \sum_{k_1=0}^{k-2} (\alpha_{k_1})^2 \gamma^{k-k_1-2} = \sum_{k_1=0}^{\infty} (\alpha_{k_1})^2 \sum_{k=k_1+2}^{\infty} \gamma^{k-k_1-2} < \infty.$$

Therefore $\sum_{k=1}^{\infty} \alpha_k \|E^k\| < \infty$.

Remark 4: Theorems 1 and 2 conclude that Algorithm 1 converges, meaning that the local incentive signals $y_l, l \in \mathcal{L}$ converge to a fixed point of mapping \mathcal{T} . While this analysis differs from single population case [8], due to coupled consensus and aggregate terms update iterations, nevertheless, as for verifying the correspondence of the fixed point of mapping \mathcal{T} and ϵ -Nash equilibrium point, according to [8, Theorem 1], it is straightforward to show that a set of strategies which are best responses to the fixed point of mapping \mathcal{T} is ϵ -Nash equilibrium. More details are given in [24].

IV. CHARGING CONTROL OF EVS

We consider the problem of the charging schedule of EVs when there are transmission line constraints. We assume that there are L populations of EVs, each with a charging station coordinator. The charging station coordinators exchange information through a communication graph $G(\mathcal{L}, \mathcal{E}^k)$ to estimate the aggregative charging demand of the whole population of EVs. Each EV $i \in \mathcal{N}_l$ aims to control its charging demand $x_{l,i} := [x_{l,i}^t]_{t=1}^n$ over a charging interval $\mathcal{I} = \{1, ..., n\}$ and to minimize its cost subject to the individual and coupling constraints which are described as follows.

The cost function of EV $i \in \mathcal{N}_l$ includes the battery degradation and charging costs and is given as

$$J_{l,i}(x_{l,i},\sigma) = q_{l,i}x_{l,i}^T x_{l,i} + p_{l,i}^T x_{l,i} + (a(\sigma+d)+b1_n)^T x_{l,i},$$
(23)

where $q_{l,i} > 0$ and $p_{l,i} \in \mathbb{R}^n_{\geq 0}$ are parameters of the battery degradation cost and a > 0 and b > 0 are parameters of the unit price function. Vector $d \in \mathbb{R}^n$ represents the normalized non-EV demand. The charging demand of EV $i \in \mathcal{N}_l$ at $t \in \mathcal{I}$ must satisfy

$$x_{l,i} \in \mathcal{X}_{l,i} = \{ x_{l,i}^t | x_{l,i}^t \in [\underline{x}_{l,i}, \overline{x}_{l,i}], 1^T x_{l,i} = \beta_{l,i} \}.$$
 (24)

Also, we consider transmission line constraints as

$$0 \le \frac{1}{L} \sum_{l \in \mathcal{L}} \sum_{i \in \mathcal{N}_l} \delta_{l,i} x_{l,i}^t \le \overline{s}^t, \overline{s}^t \in \mathbb{R}_{\ge 0}.$$
 (25)



Fig. 2. Consensus of the local incentive signals.

We simulate the problem of controlling the charging schedule of EVs with n = 14 and L = 10 populations of EVs. We assume the number of EVs in each population equals 10^3 $(N_l = 10^3, l \in \mathcal{L})$. The parameters of (23-25) are borrowed from [25]. As for battery degradation cost, we set $q_{l,i} = 0.004$ and $p_{l,i} = 0.075 \mathbf{1}_{14}$. Regarding the unit charging price, we set a = 0.038, b = 0.06, and d is assumed as in [25]. For the individual constraint set (24), we consider $\underline{x}_{l,i} = 0$ and $\overline{x}_{l,i} = 0.25$ and $\beta_{l,i}$ is randomly selected from the range [0.6, 1]. For the coupling constraints, we consider $\overline{s}^t = 0.04$ if $t = \{1, 2, 3, 11, 12, 13, 14\}$ and 0.1, otherwise. By this choice of \overline{s}^t , we restrict the total amount of charging demand when the non-EV demand is high. We tune the gains in (9) as $\alpha_k = \frac{1}{k+1}$, design parameter K as K = 0.08I, and choose η based on design choice 3 in [8]. Figure 2 shows the minimum and maximum distance between the local incentive signals y_l^k and the average quantity $\overline{y}^k = \frac{1}{L} \sum_{l \in \mathcal{L}} y_l^k$. As shown, the signals y_l^k reach consensus on \overline{y}^k . To show that the sequence \overline{y}^k in (20) is robust in the sense that it converges to the

fixed point of mapping \mathcal{T} in (7), we compare our algorithm with single population algorithm in [8]. To have a reasonable comparison, we set parameters of EVs in Algorithm 1 of [8] similar to our case. Figure 3 indicates that local aggregates average \overline{y}^k in our framework converges to the global fixed point $y^* := \operatorname{col}(\sigma^*, \lambda^*)$ obtained from Algorithm 1 in [8]. From Figs. 2 and 3, we can conclude that all the local incentive signals converge to a global fixed point of the game's mapping. Figure 4 compares charging demand in our method with [16] which neglects the coupling constraints in the decision-making procedure. As it is seen, the charging demand in [16] violates transmission line constraint (25) at t = 1, 2, 13, 14, which shows inefficiencies of neglecting the coupling constraints.



Fig. 3. Convergence of \overline{y}^k to the global incentive signal $y^{*,k}$.



Fig. 4. Charging demand with and without coupling constraints.

REFERENCES

- [1] A. Alleyne, F. Allgöwer, A. Ames, S. Amin, J. Anderson, A. Annaswamy, P. Antsaklis, N. Bagheri, H. Balakrishnan, B. Bamieh *et al.*, "Control for societal-scale challenges: Road map 2030," in 2022 IEEE CSS Workshop on Control for Societal-Scale Challenges. IEEE Control Systems Society, 2023.
- [2] D. G. Broo and J. Schooling, "Towards data-centric decision making for smart infrastructure: Data and its challenges," *IFAC-PapersOnLine*, vol. 53, no. 3, pp. 90–94, 2020.
- [3] J. R. Marden and J. S. Shamma, "Game theory and control," Annual Review of Control, Robotics, and Autonomous Systems, vol. 1, pp. 105– 134, 2018.
- [4] D. Paccagnan, B. Gentile, F. Parise, M. Kamgarpour, and J. Lygeros, "Nash and wardrop equilibria in aggregative games with coupling constraints," *IEEE Transactions on Automatic Control*, vol. 64, no. 4, pp. 1373–1388, 2018.
- [5] G. Belgioioso, W. Ananduta, S. Grammatico, and C. Ocampo-Martinez, "Operationally-safe peer-to-peer energy trading in distribution grids: A game-theoretic market-clearing mechanism," *IEEE Transactions on Smart Grid*, vol. 13, no. 4, pp. 2897–2907, 2022.
- [6] B. G. Bakhshayesh and H. Kebriaei, "Decentralized equilibrium seeking of joint routing and destination planning of electric vehicles: A constrained aggregative game approach," *IEEE Transactions on Intelligent Transportation Systems*, vol. 23, no. 8, pp. 13265–13274, 2021.

- [7] —, "Generalized wardrop equilibrium for charging station selection and route choice of electric vehicles in joint power distribution and transportation networks," *IEEE Transactions on Control of Network Systems*, vol. 10, no. 3, pp. 1245–1254, 2023.
- [8] S. Grammatico, "Dynamic control of agents playing aggregative games with coupling constraints," *IEEE Transactions on Automatic Control*, vol. 62, no. 9, pp. 4537–4548, 2017.
- [9] G. Belgioioso and S. Grammatico, "Semi-decentralized nash equilibrium seeking in aggregative games with separable coupling constraints and non-differentiable cost functions," *IEEE control systems letters*, vol. 1, no. 2, pp. 400–405, 2017.
- [10] C. De Persis and S. Grammatico, "Continuous-time integral dynamics for monotone aggregative games with coupling constraints," arXiv preprint arXiv:1805.03270, 2018.
- [11] J. Koshal, A. Nedić, and U. V. Shanbhag, "Distributed algorithms for aggregative games on graphs," *Operations Research*, vol. 64, no. 3, pp. 680–704, 2016.
- [12] G. Belgioioso, A. Nedić, and S. Grammatico, "Distributed generalized nash equilibrium seeking in aggregative games on time-varying networks," *IEEE Transactions on Automatic Control*, vol. 66, no. 5, pp. 2061–2075, 2020.
- [13] D. Gadjov and L. Pavel, "Single-timescale distributed gne seeking for aggregative games over networks via forward–backward operator splitting," *IEEE Transactions on Automatic Control*, vol. 66, no. 7, pp. 3259–3266, 2020.
- [14] M. Ye, Q.-L. Han, L. Ding, and S. Xu, "Distributed nash equilibrium seeking in games with partial decision information: a survey," *Proceedings of the IEEE*, vol. 111, no. 2, pp. 140–157, 2023.
- [15] E. Benenati, W. Ananduta, and S. Grammatico, "A semi-decentralized tikhonov-based algorithm for optimal generalized nash equilibrium selection," arXiv preprint arXiv:2304.12793, 2023.
- [16] H. Kebriaei, S. J. Sadati-Savadkoohi, M. Shokri, and S. Grammatico, "Multipopulation aggregative games: Equilibrium seeking via meanfield control and consensus," *IEEE Transactions on Automatic Control*, vol. 66, no. 12, pp. 6011–6016, 2021.
- [17] A. Ghavami, K. Kar, S. Bhattacharya, and A. Gupta, "Price-driven charging of plug-in electric vehicles: Nash equilibrium, social optimality and best-response convergence," in 2013 47th Annual Conference on Information Sciences and Systems (CISS), 2013, pp. 1–6.
- [18] A. Joshi, H. Kebriaei, V. Mariani, and L. Glielmo, "Decentralized control of residential energy storage system for community peak shaving: A constrained aggregative game," in 2021 IEEE Madrid PowerTech, 2021, pp. 1–6.
- [19] J. J. Borwein, S. Reich, and I. Shafrir, "Krasnoselski-mann iterations in normed spaces," *Canadian Mathematical Bulletin*, vol. 35, 03 1992.
- [20] A. Nedić and A. Ozdaglar, "Distributed subgradient methods for multiagent optimization," *IEEE Transactions on Automatic Control*, vol. 54, no. 1, pp. 48–61, 2009.
- [21] S. Grammatico, F. Parise, M. Colombino, and J. Lygeros, "Decentralized convergence to nash equilibria in constrained deterministic mean field control," *IEEE Transactions on Automatic Control*, vol. 61, no. 11, pp. 3315–3329, 2016.
- [22] S. Boyd, L. Xiao, and A. Mutapcic, "Subgradient methods," Notes for EE3920, 2003.
- [23] T.-H. Kim and H.-K. Xu, "Robustness of mann's algorithm for nonexpansive mappings," *Journal of Mathematical Analysis and Applications*, vol. 327, no. 2, pp. 1105–1115, 2007.
- [24] M. Ghavami, B. G. Bakhshayesh, M. Haeri, G. Como, and H. Kebriaei, "A consensus-based generalized multi-population aggregative game with application to charging coordination of electric vehicles," arXiv:2310.11983, 2023.
- [25] Z. Ma, S. Zou, and X. Liu, "A distributed charging coordination for large-scale plug-in electric vehicles considering battery degradation cost," *IEEE Transactions on Control Systems Technology*, vol. 23, no. 5, pp. 2044–2052, 2015.