

Implementing Nature-Based Solutions for a Circular Urban Built Environment

*Original*

Implementing Nature-Based Solutions for a Circular Urban Built Environment / Pineda-Martos, Rocío; Atanasova, Nataša; Calheiros, Cristina S. C.; Junge, Ranka; Nickayin, Samaneh S.; Paço, Teresa A.; Dominici, Laura; Comino, Elena; Andreucci, Maria-Beatrice; Theochari, Dimitra; Pucher, Bernhard; Galán González, Aránzazu; Carvalho &, Pedro N.; Langergraber, Guenter - In: Creating a Roadmap Towards Circularity in the Built EnvironmentELETTRONICO. - [s.l.] : Springer, 2023. - ISBN 978-3-031-45979-5. - pp. 345-355 [10.1007/978-3-031-45980-1]

*Availability:*

This version is available at: 11583/2986044 since: 2024-02-16T16:38:09Z

*Publisher:*

Springer

*Published*

DOI:10.1007/978-3-031-45980-1

*Terms of use:*

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

*Publisher copyright*

(Article begins on next page)

Springer Tracts in Civil Engineering

Luís Bragança · Meri Cvetkovska ·  
Rand Askar · Viorel Ungureanu *Editors*

# Creating a Roadmap Towards Circularity in the Built Environment



OPEN ACCESS

 Springer

# **Springer Tracts in Civil Engineering**

## **Series Editors**

Sheng-Hong Chen, School of Water Resources and Hydropower Engineering,  
Wuhan University, Wuhan, China

Marco di Prisco, Politecnico di Milano, Milano, Italy

Ioannis Vayas, Institute of Steel Structures, National Technical University of  
Athens, Athens, Greece

**Springer Tracts in Civil Engineering** (STCE) publishes the latest developments in Civil Engineering - quickly, informally and in top quality. The series scope includes monographs, professional books, graduate textbooks and edited volumes, as well as outstanding PhD theses. Its goal is to cover all the main branches of civil engineering, both theoretical and applied, including:

- Construction and Structural Mechanics
- Building Materials
- Concrete, Steel and Timber Structures
- Geotechnical Engineering
- Earthquake Engineering
- Coastal Engineering; Ocean and Offshore Engineering
- Hydraulics, Hydrology and Water Resources Engineering
- Environmental Engineering and Sustainability
- Structural Health and Monitoring
- Surveying and Geographical Information Systems
- Heating, Ventilation and Air Conditioning (HVAC)
- Transportation and Traffic
- Risk Analysis
- Safety and Security

### **Indexed by Scopus**

To submit a proposal or request further information, please contact:

Pierpaolo Riva at [Pierpaolo.Riva@springer.com](mailto:Pierpaolo.Riva@springer.com) (Europe and Americas)

Wayne Hu at [wayne.hu@springer.com](mailto:wayne.hu@springer.com) (China)

Luís Bragança · Meri Cvetkovska · Rand Askar ·  
Viorel Ungureanu  
Editors

# Creating a Roadmap Towards Circularity in the Built Environment



### *Editors*

Luís Bragança  
Department of Civil Engineering  
Institute for Sustainability and Innovation  
in Structural Engineering  
University of Minho  
Guimaraes, Portugal

Rand Askar  
Department of Civil Engineering  
Institute for Sustainability and Innovation  
in Structural Engineering  
University of Minho  
Guimares, Portugal

Meri Cvetkovska  
Faculty of Civil Engineering  
Ss. Cyril and Methodius University  
in Skopje  
Skopje, North Macedonia

Viorel Ungureanu  
Department of Steel Structures  
and Structural Mechanics  
Civil Engineering Faculty  
Politehnica University of Timisoara  
Timișoara, Romania



ISSN 2366-259X

ISSN 2366-2603 (electronic)

Springer Tracts in Civil Engineering

ISBN 978-3-031-45979-5

ISBN 978-3-031-45980-1 (eBook)

<https://doi.org/10.1007/978-3-031-45980-1>

© The Editor(s) (if applicable) and The Author(s) 2024. This book is an open access publication.

**Open Access** This book is licensed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license and indicate if changes were made.

The images or other third party material in this book are included in the book's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the book's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors, and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, expressed or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This Springer imprint is published by the registered company Springer Nature Switzerland AG  
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

Paper in this product is recyclable.

# Contents

<b>Part I Circular Economy Best Practices in the Built Environment</b>		
<b>1</b>	<b>Circular Construction Principles: From Theoretical Perspective to Practical Application in Public Procurement</b> .....	<b>3</b>
	Ana Andabaka	
<b>2</b>	<b>Procedure for Waste Prevention and Management to Implement Best Practices in the Design and Construction of a Building</b> .....	<b>15</b>
	Paola Villoria Sáez and Mercedes del Río Merino	
<b>3</b>	<b>Reuse of Steel Sheet Piles—Best Practice</b> .....	<b>25</b>
	François Fohl and Oliver Hechler	
<b>Part II Design Strategies and Tools for Circular Buildings</b>		
<b>4</b>	<b>Design Strategies and Technical Practices for Reusable Steel–Concrete Composite Structural Systems</b> .....	<b>39</b>
	Florentia Kavoura and Milan Veljkovic	
<b>5</b>	<b>How Circular Economy Strategies Can Be Implemented in the Dwelling Renovation Design Phase</b> .....	<b>47</b>
	Ísis Figueirôa, Maria do Carmo Duarte Freitas, Sergio Fernando Tavares, and Luís Bragança	
<b>6</b>	<b>Design for Disassembly and Reuse of Timber in Construction: Identification of Trends and Knowledge Gaps</b> .....	<b>57</b>
	Rafael Novais Passarelli	
<b>Part III Circular Materials and Building Products</b>		
<b>7</b>	<b>A Dynamic-Based Methodology for Optimising Insulation Retrofit to Reduce Total Carbon</b> .....	<b>71</b>
	D. M. Rakshit, Anthony Robinson, and Aimee Byrne	

<b>8</b>	<b>Circular Strategies in Lightweight Steel-Framed (LSF) Buildings and the Research Project Tyre4BuildIns</b> .....	<b>83</b>
	Paulo Santos, Viorel Ungureanu, and Luisa Durães	
<b>9</b>	<b>The Recycling of Construction Foams: An Overview</b> .....	<b>95</b>
	Nuno Gama, Ana Barros-Timmons, and Artur Ferreira	
<b>10</b>	<b>By-product Phosphogypsum Valorisation Possibilities in the Context of Circular Economy of Building Materials</b> .....	<b>107</b>
	Ignacio Villalón Fornés, Danute Vaiciukyniene, Dalia Nizeviciene, Diana Bajare, Ruben Paul Borg, and Reda Bistrickaite	
<b>Part IV Adaptive Reuse of Existing Buildings</b>		
<b>11</b>	<b>Identifying Abandoned Industrial Zones in Skopje and Evaluating the Potential of Extending Their Useful Lifespan by Adaptive Reuse</b> .....	<b>121</b>
	Teodora Mihajlovska, Ana Trombeva - Gavriloska, Meri Cvetkovska, and Liljana Dimevska Sofronievska	
<b>Part V Recovery and Reuse of Salvaged Building Materials and Products from Existing Structures</b>		
<b>12</b>	<b>The Materials Bank of the City of Porto: Flow of Processes to Recover Tiles in Urban Operations of Historic Buildings</b> .....	<b>135</b>
	Mayara Regina Munaro, Maria do Carmo Duarte Freitas, Sergio Fernando Tavares, and Luís Bragança	
<b>Part VI Current Applications and Trends—Case Studies</b>		
<b>13</b>	<b>Focus on Skills for a Circular Built Environment in a New Curriculum Development</b> .....	<b>149</b>
	Matthias Haase, Isabelle Wrase, and Zifei Wang-Speiser	
<b>14</b>	<b>Efficient Recovery of Valuable Resources from Construction and Demolition Waste Towards Circular Economy in Construction Industry—Sustainability Assessment and a Case Study</b> .....	<b>161</b>
	Emircan Ozcelikci, Alper Aldemir, and Mustafa Sahmaran	
<b>15</b>	<b>Albanian Green Economy Trends</b> .....	<b>173</b>
	Llambi Prendi and Jonida Gashi	
<b>Part VII Barriers Against CE Implementation in Buildings</b>		
<b>16</b>	<b>PV and Thermal Solar Systems Application in Buildings. A State of Art in the Context of Circular Economy</b> .....	<b>187</b>
	Marilena De Simone	



**17 Barriers and Opportunities in the Transition to a Circular Construction Sector in Portugal** ..... 199  
 Vanessa Tavares and Marco Frazão Pedroso

**Part VIII Efficient Waste and Circular Resource Management**

**18 Wood-Based Waste Management—Important Resources for Construction of the Built Environment** ..... 213  
 Jan Parobek and Hubert Paluš

**19 Agricultural Biomass Ash as a Circular Building Material: Connecting Agriculture and Construction Industry** ..... 225  
 Suzana Draganić, Slobodan Šupić, Mirjana Laban, Mirjana Malešev, Vlastimir Radonjanin, Vesna Bulatović, Ivan Lukić, and Olivera Bukvić

**Part IX Circular Buildings Lifecycle Management and Decision-Making**

**20 Potential Synergy Between Agile Management and the Mindset of Circular Economy in Construction Projects** ..... 239  
 Flávia Luisa Pires Enembreck, Maria do Carmo Duarte Freitas, Luís Bragança, and Sergio Fernando Tavares

**Part X Stakeholders Relationships and New Potential Actors in Circular Management Models**

**21 How Does ‘Locality’ Matter in Enabling a Circular Built Environment?: A Focus on Space, Knowledge, and Cities** ..... 251  
 Mustafa Selçuk Çıdık, Georg Schiller, Ning Zhang, Agatino Rizzo, Tatjana Tambovceva, Diana Bajare, and Mennatullah Hendawy

**22 The Rehabilitation of Buildings from the Perspective of Circular Economy Principles** ..... 263  
 M. C. D. Freitas, S. F. Tavares, L. Bragança, and S. Barbosa

**Part XI CE Supporting Policies and Legal Barriers for Implementation in Buildings**

**23 Circular Economy Supporting Policies and Regulations: The Portuguese Case** ..... 277  
 Marco Frazão Pedroso and Vanessa Tavares

**24 Measuring Circularity in Brazilian Social Housing** ..... 291  
 Mayara Regina Munaro and Vanderley Moacyr John

## **Part XII Circular Business Models**

- 25 Circular Economy Business Model Framework Considering Product Sustainability** ..... 305  
Bengü Güngör

## **Part XIII Criteria and KPIs for Circular Buildings and Materials**

- 26 Key Indicators for Evaluating the Energy Efficiency Improvement of the Renovated Building Facades** ..... 319  
Liljana Dimevska Sofronievska, Milos Knezevic,  
Meri Cvetkovska, Ana Trombeva Gavriloska,  
and Teodora Mihajlovska

## **Part XIV Circular Building Assessment Models, Tools and Frameworks**

- 27 SDGs and the SBTool<sup>PT</sup> Urban Assessment Method: A Conceptual Analysis of Urban Sustainability Indicators to Assess the Circular Economy in the Built Environment** ..... 333  
Genesis Camila Cervantes Puma and Luis Bragança

- 28 Implementing Nature-Based Solutions for a Circular Urban Built Environment** ..... 345  
Rocío Pineda-Martos, Nataša Atanasova, Cristina S. C. Calheiros,  
Ranka Junge, Samaneh S. Nickayin, Teresa A. Paço,  
Laura Dominici, Elena Comino, Maria-Beatrice Andreucci,  
Dimitra Theochari, Bernhard Pucher, Aránzazu Galán González,  
Pedro N. Carvalho, and Guenter Langergraber

## **Part XV CE Criteria in Sustainability Frameworks for Buildings**

- 29 Developing of Comprehensive Circular Rating System for Office Buildings: A Review of Existing Tools and Case Study** ... 359  
Nika Trubina, Jan Pešta, and Antonín Lupíšek
- 30 Analysis of Adaptability Requirements Against Their Implementation in Level(s) Framework** ..... 371  
Rand Askar, Luís Bragança, and Helena Gervásio

## **Part XVI Digitalization and BIM for Enhanced Circularity of Buildings and Building Materials and Products**

- 31 Using City Information Modelling to Evaluate Urban Circularity Through Sustainability Indicators** ..... 385  
Adriana Salles, Maryam Salati, and Luís Bragança

**32 BIM-Based Sustainability Assessment: Insights for Building Circularity** ..... 395  
José Pedro Carvalho, Luís Bragança, and Ricardo Mateus

**33 Enhancing Life Cycle Costing (LCC) in Circular Construction of Buildings by Applying BIM: A Literature Review** ..... 407  
Esam Alasmari, Abdulaziz AlJaber, Pedro Martinez-Vazquez, and Charalampos Baniotopoulos

**34 BIM for Enhancing the Energy Efficiency and Sustainability of Existing Buildings** ..... 419  
Liljana Dimevska Sofronievska, Meri Cvetkovska, Ana Trombeva Gavriloska, and Teodora Mihajlovska














**Part XVII Standardization of CE Definitions in Buildings**

**35 Standards for Recycling Oriented Deconstruction and Classification of Waste** ..... 433  
Ruben Paul Borg

# Chapter 28

## Implementing Nature-Based Solutions for a Circular Urban Built Environment



Rocío Pineda-Martos , Nataša Atanasova , Cristina S. C. Calheiros , Ranka Junge , Samaneh S. Nickayin , Teresa A. Paço , Laura Dominici , Elena Comino , Maria-Beatrice Andreucci , Dimitra Theochari, Bernhard Pucher , Aránzazu Galán González , Pedro N. Carvalho , and Guenter Langergraber 

**Abstract** This short review outlines the implementation of nature-based solutions in the urban built environment which can contribute to a circular economy as well as the multiple benefits related to the ecosystem services they can provide. The novel Circular City framework on the mainstreaming of nature-based solutions for

---

R. Pineda-Martos (✉)

University of Seville, School of Agricultural Engineering, Urban Greening and Biosystems Engineering Research Group (ETSIA-US), Ctra. de Utrera, Km.1, 41013 Seville, Spain  
e-mail: [rpineda@us.es](mailto:rpineda@us.es)

N. Atanasova

University of Ljubljana, Faculty of Civil and Geodetic Engineering, Jamova Cesta 2, 1000 Ljubljana, Slovenia

C. S. C. Calheiros

Interdisciplinary Centre of Marine and Environmental Research (CIIMAR/CIMAR), University of Porto, Novo Edifício Do Terminal de Cruzeiros Do Porto de Leixões. Avenida General Norton de Matos S/N, 4450-208 Matosinhos, Portugal

R. Junge

Zurich University of Applied Sciences, Institute of Natural Resource Sciences, Grüental 14, 8820 Wädenswil, Switzerland

S. S. Nickayin

Agricultural University of Iceland, Faculty of Planning and Design, 311 Borgarbyggð, Hvanneyri, Iceland

T. A. Paço

Universidade de Lisboa, Instituto Superior de Agronomia, LEAF—Linking Landscape, Environment, Agriculture and Food Research Center, Associated Laboratory TERRA, Tapada da Ajuda, 1349-017 Lisboa, Portugal

L. Dominici · E. Comino

Politecnico Di Torino, Department of Environment, Land and Infrastructure Engineering, Corso Duca Degli Abruzzi 24, 10129 Turin, Italy

M.-B. Andreucci

Sapienza University of Rome, Faculty of Architecture, Via Flaminia 72, 00196 Rome, Italy

© The Author(s) 2024

L. Bragança et al. (eds.), *Creating a Roadmap Towards Circularity in the Built Environment*, Springer Tracts in Civil Engineering, [https://doi.org/10.1007/978-3-031-45980-1\\_28](https://doi.org/10.1007/978-3-031-45980-1_28)

the enhancement of urban resource management, which was developed within the COST Action CA17133, is presented. Urban circularity challenges addressed by nature-based solutions are assessed in the built environment following three different levels of implementation—i.e., green building materials, systems for the greening of buildings envelope, and green building sites as vegetated open spaces and water-sensitively designed. Considering the possibilities of implementing nature-based solutions in the built environment, we also highlight the circularity processes that can take place through the integration of nature-based solutions at some or all of the proposed scales towards the achievement of at least one of the seven urban circularity challenges. A collection of representative actual case studies exemplifying the development and implementation of nature-based solutions towards circular cities is also included.

**Keywords** Nature-based solutions · Circular economy · Built environment

## 28.1 Introduction

As defined by Langergraber et al. [1, 2], nature-based solutions (NBS) are approaches that not only bring nature into cities but also contribute towards solving or mitigating environmental and societal problems. In many cases, this includes ideas for urban design that are inspired or derived from nature [3]. The specific focus of this short review is to present the advances on the implementation of NBS within urban ecosystems—i.e., the built environment, towards Circular Economy (CE), which were proposed within the COST Action CA17133 Circular City: Implementing nature-based solutions for creating a resourceful circular city (2018–2023) [4].

Beside performing their specific and nominal intended design and use—such as water management (e.g., urban drainage), air quality, greening of the city, ... —introducing or enhancing NBS within existing urban infrastructure provides multiple benefits, such as climate change mitigation and adaptation, reduction of the urban heat island effect (e.g., via evaporative cooling), wastewater treatment, while enhancing

---

D. Theochari

MERA Landschaftsarchitekten mbB, Griegstraße 75, Haus 24B, 22763 Hamburg, Germany

B. Pucher · G. Langergraber

University of Natural Resources and Life Sciences Vienna (BOKU), Department of Water, Atmosphere and Environment, Institute of Sanitary Engineering, Muthgasse 18, 1190 Vienna, Austria

A. G. González

Université Libre de Bruxelles, Department of Building, Architecture and Town Planning, Avenue Franklin Roosevelt 50, 1050 Brussels, Belgium

P. N. Carvalho

Aarhus University, Department of Environmental Science, Frederiksborgvej 399, 4000 Roskilde, Denmark

human wellbeing and liveability of cities [5], as well as biodiversity, and resource recovery [6]. All these aspects find expression in the design of urban spaces and buildings—what is concerned to as the built environment [3].

Over the last fifteen years, the concept of NBS appears to encompass contemporary landscapes and architecture design solutions, where natural and living materials—as well as policies strategies, measures and actions on participatory planning and governance promoting their applications—are leveraged to come across societal challenges posed by the urban built environment [3, 6, 7]. The urban green infrastructure and the related NBS are connected to the reduction of these issues, interconnected with physical phenomena occurring in cities [3, 6].

Another significant aspect when managing contemporary urban systems is the concept of circularity. Adopting the Circular Economy (CE) model constitutes an evolving umbrella representing multiple definitions and internal complexities, such as the one introduced by Langergraber et al. [1] as an economic system that aims at minimizing waste and making the most of resources (water, nutrients, materials, food, energy) by keeping these in circulation and reprocessing within the city [7]. In a circular system, resource inputs and outputs (as waste or emissions), as well as energy loss are minimized by closing and optimizing material cycles and energy cascades, including their economic and environmental efficiency [2, 7, 8].

This paper describes the urban challenges related to circularity that can be addressed through NBS, and the pathways and case studies on how NBS can be included in the built environment [2, 7, 8].

### ***28.1.1 Urban Circularity Challenges***

To comply with the principles of CE, substantial amendments in the infrastructures' management and design along with promoting new or hybrid systems are needed by applying a multisectoral and multidisciplinary approach [7, 8]. NBS encompass an extraordinary potential to address several urban challenges and generate multiple co-benefits while delivering several ecosystem services.

A set of seven urban circularity challenges (UCCs) that can be addressed with NBS was postulated by Atanasova et al. [7].

1. Restoring and maintaining the water cycle;
2. Water and waste treatment, recovery, and reuse;
3. Nutrient recovery and reuse;
4. Material recovery and reuse;
5. Food and biomass production;
6. Energy efficiency and recovery; and
7. Building system recovery.

### 28.1.2 *The Circular City Framework*

The Circular City Framework, as defined by Langergraber et al. [2], aims at mainstreaming the use of NBS in urban environment. It is a framework for addressing UCCs with implementation of NBS, and includes:

- The updated definitions of all NBS that clear up hitherto confusing and overlapping terminology in this area;
- The catalogue of technologies for providing/recovering resources with NBS that comprises a set of 39 NBS units (NBS\_u), 12 NBS interventions (NBS\_i), and 10 Supporting units (S\_u);
- The analysis of input and output (I/O) resource streams required for NBS units and interventions (NBS\_u/i); and,
- A guidance tool—as a decision support system for the NBS implementation in cities.


## 28.2 Levels of Implementation

Pearlmutter et al. [3] proposed a series of different scales for NBS implementation in the built environment:

- **Green building materials:** They result from organic materials extracted from low environmental impacts biological cycle—e.g., water, carbon, and energy; in constructing the built environment [3]. It is considered a beneficial reuse of other resource streams to prevent harmful residues and guarantee a user-friendly living environment concerning indoor air quality and climate [3, 8]. Ideally, the material processing cycle should be designed to circle back the nutrients safely to the ecosystem at the end of its usage cycle [3, 8].
- **Green building systems:** These include green building-integrated systems such as extensive and intensive green roofs (GRs), vertical greening systems (VGSs), house trees, building integrated treatment wetlands, and building integrated agriculture (BIA) [2, 3, 8–11]; to optimize, among others, the energy efficiency of the buildings:
  - *Green roofs:* systems that are implemented on a constructed structure comprising several layers, playing different functions, with vegetation on top.
  - *Vertical greening systems:* consist of vegetation planted in soil or in artificial or organic substrates as part of suspended panels on the wall surface where plants are grown.
  - *House trees:* are planted next to or within the building infrastructure – for instance, Bosco Verticale in Milan and Hundertwasser Haus in Vienna. Such traditional European features of buildings notably influence the buildings' energy efficiency, thanks to the cast shadow in summer and light pass during wintertime.


- *Building integrated treatment wetlands*: are systems designed to collect and hold rain runoff or to treat wastewater from the building with high pollutant removal efficiency. If designed properly, GRs and VGSs can also function as treatment wetlands and treat rainwater or greywater [9, 10, 12, 13].
- *Building integrated agriculture*: is a practice to synergize the built environment and agriculture [11, 14]. The result are mixed-use buildings with a farming system, using the local source of water and energy to produce food. It is possible to integrate a rooftop greenhouse with the building below, and thus optimize the metabolism of the building (cooling/heating and gas exchange (CO<sub>2</sub>/O<sub>2</sub>)) [15].
- **Green building sites**: these may be open land spaces or parcels next to the buildings that offer spaces for establishing nature in cities and provide multiple ecosystem services. Such spaces could be essential in the management of urban blue-green infrastructure and water resources [2, 3, 8, 9].

Following their approach [3], we consider these three scales of implementation—i.e., from the building materials, systems for the greening of buildings, and green urban sites (Fig. 28.1) in subsequent analyses [9, 16].



**Fig. 28.1** Nature-based solutions’ scales of implementation in the built environment: green building materials, systems, and sites; and associated urban circularity challenges





**Fig. 28.2** Green roofs and cork as green building material: **a** cork oak tree; **b** cork green roof; **c** granulated cork; and **d** insulation cork board. Original images from Calheiros, C. S. C

## 28.3 Case Studies

### 28.3.1 *Cork as Green Building Material for Green Roof Systems*

The interest in materials considered to optimize GRs' structural layers performance at the building level, as delivering different services and promoting circularity of the built environment is rising [17].

Cork is the bark of the cork oak tree (*Quercus suber* L.) which is periodically harvested from the trees (Fig. 28.2a); and it has been long used in the built environment—mainly due to its capacity of thermal and acoustic insulation. More recently, it has been tried as a component of NBS [17, 18]. Its application has been considered in GRs' systems (Fig. 28.2b) as a component of the substrate (Fig. 28.2c) as well as drainage and protection layer (Fig. 28.2d).

Granulated cork was selected as main substrate component by Monteiro et al. [19] because of its low weight and good capacity for water adsorption, being also adequate for plant establishment. Moreover, as water drainage and protection layer, the insulation cork board has the potential to replace conventional synthetic materials—e.g., extruded polystyrene [20]; and thus, contribute towards negative carbon footprint.

The sustainability of materials deployed in GRs still needs to improve. Life cycle and carbon footprint assessments can support and highlight the best direction [20, 21].

### 28.3.2 *Vertical Greening Systems for Indoor Air Quality Using Recycled Substrates*

VGSs are increasingly adopted as a nature-based strategy to improve air quality in interiors. Many investigations demonstrated potential of air phytoremediation in

ornamental plant species on main indoor air pollutants [22, 23]. Other studies focused on the importance of growing media composition specially to increase the efficiency of active botanical biofiltration of volatile organic compounds (VOCs) [24]. Despite the importance of cultivation substrate for functional VGSs, scant research is carried out to assess the influence of alternative growing media produced with recycled components on the indoor phytoremediation efficiency.

Organic-rich substrate along with coconut fiber, perlite and vermicompost, obtained from by valorization of organic waste, showed promising results as growing medium for VGSs and contributed to improved indoor air quality [25]. De Lucia et al. [26] obtained good prospects when testing the influence of recycled rice husk-based substrate in modular VGSs on plant health status and thermal comfort.

Focusing on innovation and production of alternative growing media, recycled organic and inorganic by-products and waste derived from local supply chains, can be a promising way to increase circularity and improve the sustainability of VGSs.

### ***28.3.3 Vertical Greening Systems for Greywater Treatment***

The use of treated greywater can contribute to restoring and recreating the hydrological cycle in a circular and sustainable way; as well as the reuse and recovery of nutrients in urban environments [7, 9]. Sustainable water management in cities can be addressed through the implementation of potential NBS, such as the case of VGSs; providing, in addition to circularity strategies, additional benefits for the inhabitants and their environment [2, 7, 9].

Proper selection of plants and filter media used in a VGS play an essential role in maximizing the performance of greywater treatment. In addition, in these complex integrated treatment systems, both components influence water requirements, aesthetics, hygienic-sanitary conditions, and system maintenance; fundamental factors for the success of its large-scale implementation [12, 13].

The experimental system installed at BOKU University (Fig. 28.3) demonstrated its multifunctionality on a large scale by identifying its water demand, maximizing local thermal reduction by evapotranspiration [13]. Plants were evaluated for their adequacy to different irrigation conditions and types of water [13].

### ***28.3.4 Building Integrated Agriculture, the Case of Rooftop Project***

In climates with dry, hot summers, GRs microclimate can be very harsh for plants; and use of locally adapted wild plants present a solution of increasing agricultural production in urban environments.



**Fig. 28.3** Vertical greening system at the University of Natural Resources and Life Sciences Vienna (BOKU), Vienna, Austria. The system has a total size of 6m x 4m and consists of four individual systems with their own irrigation system. Monitoring included air and substrate temperature, substrate water content, precipitation, solar radiation, irrigation water volume and system output [13]

The Rooffood project [27, 28] evaluated the suitability of wild edible plants to find enhanced sustainable production solutions for urban farming in GRs. A collection of plant species was sown in a GR at Instituto Superior de Agronomia (Universidade de Lisboa, Portugal) campus (Fig. 28.4), with the selected following three criteria: (i) used in traditional gastronomy; (ii) from areas with environmental conditions of equal or greater demand than the Lisbon area; and (iii) species with resilience traits. Such traits minimize the need for external resource inputs such as water and energy, fertilizers and pesticides.

Fifteen species from the genera *Amaranthus*, *Beta*, *Cakile*, *Chenopodium*, *Chrysanthemum*, *Nigella*, *Papaver*, *Petroselinum*, *Rumex*, *Scolymus*, *Tragopogon*, and *Viola* were selected. Most of these germinated and developed successfully. Two species reseeded naturally and another group of four was still present in the next spring. From those, a selection of five species with potentially interesting features, combining plant physiology traits and gastronomic aptitude, for further work, was made [27].



**Fig. 28.4** **a** Green roof built at the Instituto Superior de Agronomia campus—as part of the green roof lab, Universidade de Lisboa, Portugal; **b** detail of *Nigella damascena* plant. Original images from Paço, T. A

## 28.4 Conclusions

The search for less energy intensive and resource-demanding, and thus more CO<sub>2</sub>-neutral solutions for societal challenges has been intensified recently—having in consideration the alignment of the European policies and strategies and the global policies related to the United Nations Agenda 2030 and The Paris Agreement. The present short paper aims to highlight potential contributions of nature-based solutions to the development of COST Action CA21103 CircularB framework of a circularity rating tool build from the state-of-the-art and best practices of circular economy in the construction of the built environment, coupled with the European Union Circular Economy Action Plan. Several case-studies are presented, at the level of green building-integrated systems, illustrating the potential of nature-based solutions to cope with circularity processes, either via structures or materials, towards a circular urban built environment.

**Acknowledgements** The authors are grateful for the support from the COST Action CA17133 Circular City, <https://circular-city.eu/>. C.C.S.C. is thankful to Fundação para a Ciência e Tecnologia (FCT) regarding UIDB/04423/2020 and UIDP/04423/2020 projects.

## References

1. Langergraber G, Pucher B, Simperler L, Kisser J, Katsou E, Buehler D, Garcia Mateo MC, Atanasova N (2020) Implementing nature-based solutions for creating a resourceful circular city. *Blue-Green Systems* 2(1):173–185
2. Langergraber G, Castellar JAC, Pucher B, Baganz GFM, Milosevic D, Andreucci M-B, Kearney K, Pineda-Martos R, Atanasova N (2021) A framework for addressing circularity challenges in cities with nature-based solutions. *Water* 13(17):2355
3. Pearlmuter D, Theochari D, Nehls T, Pinho P, Piro P, Korolova A, Papaefthimiou S, Garcia Mateo MC, Calheiros C, Zluwa I, Pitha U, Schosseler P, Florentin Y, Ouannou S, Gal E,

- Aicher A, Arnold K, Igondová E, Pucher B (2020) Enhancing the circular economy with nature-based solutions in the built urban environment: green building materials, systems and sites. *Blue-Green Systems* 2(1):46–72
4. COST Action CA17133 Circular City - Implementing nature-based solutions for creating a resourceful circular city, <https://circular-city.eu/>, Last Accessed 2023/02/20
  5. de Haan FJ, Ferguson BC, Adamowicz RC, Johnstone P, Brown RR, Wong THF (2014) The needs of society: A new understanding of transitions, sustainability and liveability. *Technol Forecast Soc Chang* 85:121–132
  6. Pineda-Martos R, Calheiros CSC (2021) Nature-based solutions in cities—Contribution of the Portuguese National Association of Green Roofs to urban circularity. *Circ Econ Sustain* 1:1019–1035
  7. Atanasova N, Castellar JAC, Pineda-Martos R, Nika CE, Katsou E, Istenič D, Pucher B, Andreucci MB, Langergraber G (2021) Nature-based solutions and circularity in cities. *Circ Econ Sustain* 1:319–332
  8. Langergraber G, Castellar JAC, Andersen TR, Andreucci M-B, Baganz GFM, Buttiglieri G, Canet-Martí A, Carvalho PN, Finger DC, Griessler Bulc T, Junge R, Megyesi B, Milošević D, Oral HV, Pearlmutter D, Pineda-Martos R, Pucher B, van Hullebusch ED, Atanasova N (2021) Towards a cross-sectoral view of nature-based solutions for enabling circular cities. *Water* 13(17):2352
  9. Pearlmutter D, Pucher B, Calheiros CSC, Hoffmann KA, Aicher A, Pinho P, Stracqualursi A, Korolova A, Pobric A, Galvão A, Tokuç A, Bas B, Theochari D, Milosevic D, Giancola E, Bertino G, Castellar JAC, Flaszynska J, Onur M, Garcia Mateo MC, Andreucci MB, Milousi M, Fonseca M, Di Lonardo S, Gezik V, Pitha U, Nehls T (2021) Closing water cycles in the built environment through nature-based solutions: The contribution of vertical greening systems and green roofs. *Water* 13(16):2165
  10. Cross K, Tondera K, Rizzo A, Andrews L, Pucher B, Istenič D, Karres N, McDonald R (eds) (2021) Nature-based solutions for wastewater treatment: A series of factsheets and case studies. IWA Publishing, London, United Kingdom
  11. Caplow T (2009) Building integrated agriculture: Philosophy and practice. In: *Urban futures 2030: Urban development and urban lifestyles of the future*, pp 48–51. Herausgegeben von der Heinrich-Böll-Stiftung, Berlin, Germany
  12. Pradhan S, Al-Ghamdi SG, Mackey HR (2019) Greywater recycling in buildings using living walls and green roofs: A review of the applicability and challenges. *Sci Total Environ* 652:330–344
  13. Pucher B, Zluwa I, Spörl P, Pitha U, Langergraber G (2022) Evaluation of the multifunctionality of a vertical greening system using different irrigation strategies on cooling, plant development and greywater use. *Sci Total Environ* 849:157842
  14. Gould D, Caplow T (2012) Building-integrated agriculture: A new approach to food production. In: *Metropolitan sustainability*, pp 147–170. Woodhead Publishing
  15. Pons O, Nadal A, Sanyé-Mengual E, Llorach-Massana P, Cuerva E, Sanjuan Delmàs D, Muñoz P, Oliver-Solà J, Planas C, Rovira MR (2015) Roofs of the future: rooftop greenhouses to improve buildings metabolism. *Procedia Eng* 123:441–448
  16. Canet-Martí A, Pineda-Martos R, Junge R, Bohn K, Paço TA, Delgado C, Alenčičienė G, Skar SLG, Baganz GFM (2021) Nature-based solutions for agriculture in circular cities: Challenges, gaps, and opportunities. *Water* 13(18):2565
  17. Calheiros CSC, Stefanakis AI (2021) Green roofs towards circular and resilient cities. *Circ Econ Sustain* 1:395–411
  18. Talhinhas P, Ferreira JC, Ferreira V, Soares AL, Espírito-Santo D, do Paço TA (2023) In the search for sustainable Vertical Green Systems: An innovative low-cost indirect green façade structure using Portuguese native ivies and cork. *Sustain* 15, 5446
  19. Monteiro CM, Calheiros CSC, Martins JP, Costa FM, Palha P, de Freitas S, Ramos NMM, Castro PML (2017) Substrate influence on aromatic plant growth in extensive green roofs in a Mediterranean climate. *Urban Ecosyst* 20:1347–1357

20. Carbon footprint of the insulation cork board (2017) Tártaro A. S., Mata, T. M., Martins A. A., Esteves da Silva, J. C. G. *J Clean Prod* 143:925–932
21. Tams L, Nehls T, Calheiros CSC (2022) Rethinking green roofs- natural and recycled materials improve their carbon footprint. *Build Environ* 219:109122
22. Kim KJ, Shagol CC, Torpy FR, Pettit T, Irga PJ (2020) Plant physiological mechanisms of air treatment. In: Soreanu, G., Dumont, E. (eds.) *From biofiltration to promising options in gaseous fluxes biotreatment—Recent developments, new trends, advances, and opportunities*, pp 219–244. Elsevier
23. Mata TM, Martins AA, Calheiros CSC, Villanueva F, Alonso-Cuevilla NP, Fonseca Gabriel M, Ventura Silva G (2022) Indoor air quality: A review of cleaning technologies. *Environ* 9:118
24. Pettit T, Irga PJ, Surawski NC, Torpy FR (2019) An assessment of the suitability of active green walls for NO<sub>2</sub> reduction in green buildings using a closed-loop flow reactor. *Atmos* 10(12):801
25. Kazemi F, Rabbani M, Jozay M (2020) Investigating the plant and air-quality performances of an internal green wall system under hydroponic conditions. *J Environ Manage* 275:111230
26. De Lucia M, Treves A, Comino E (2021) Rice husk and thermal comfort: Design and evaluation of indoor modular green walls. *Dev Built Environ* 6:100043
27. do Paço TA, Arsénio P, Pinto da Costa F, Raymundo A, Prista C, Magalhães A, Espírito-Santo D (2022) The wild food rooftop—Traditional edible plants in a green roof of Lisbon area. In: *International Web Conference on Food Choice and Eating Motivation*, 19–20 May. Online event
28. The Roofood project, <https://tapaco4.wixsite.com/rroofood>, Last Accessed 2023/02/20

**Open Access** This chapter is licensed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license and indicate if changes were made.

The images or other third party material in this chapter are included in the chapter's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the chapter's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder.

