

On the refurbishment of the public building stock toward the nearly zero-energy target: two Italian case studies

Original

On the refurbishment of the public building stock toward the nearly zero-energy target: two Italian case studies / Corrado, Vincenzo; Murano, Giovanni; Paduos, SIMONA ANGELA ALINA; Riva, Giovanni. - In: ENERGY PROCEDIA. - ISSN 1876-6102. - ELETTRONICO. - 101:71st Conference of the Italian Thermal Machines Engineering Association, ATI2016, 14-16 September 2016, Turin, Italy(2016), pp. 105-112. [10.1016/j.egypro.2016.11.014]

Availability:

This version is available at: 11583/2675657 since: 2017-07-04T22:55:56Z

Publisher:

Elsevier

Published

DOI:10.1016/j.egypro.2016.11.014

Terms of use:


This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository


Publisher copyright

(Article begins on next page)

The ZERO Regrets Algorithm: Optimizing over Pure Nash Equilibria via Integer Programming

Gabriele Dragotto and Rosario Scatamacchia

 gdragotto@princeton.edu

 rosario.scatamacchia@polito.it

Abstract. Designing efficient algorithms to compute Nash equilibria poses considerable challenges in Algorithmic Game Theory and Optimization. In this work, we employ integer programming techniques to compute Nash equilibria in Integer Programming Games, a class of simultaneous and non-cooperative games where each player solves a parametrized integer program. We introduce *ZERO Regrets*, a general and efficient cutting plane algorithm to compute, enumerate, and select Nash equilibria. Our framework leverages the concept of *equilibrium inequality*, an inequality valid for any Nash equilibrium, and the associated *equilibrium separation oracle*. We evaluate our algorithmic framework on a wide range of practical and methodological problems from the literature, providing a solid benchmark against the existing approaches.

1 Introduction

Several real-world problems often involve a series of selfish agents optimizing their benefits while mutually affecting their decisions. The concept of Nash equilibrium [38, 39] revolutionized the understanding of the agents' strategic behavior by proposing a flexible and interpretable solution, with consequences and applications in many different contexts. The Nash equilibrium constitutes a *stable* solution, meaning that no single agent has an incentive to defect from it profitably. Nash equilibria, however, may intrinsically differ in their features, for instance, in terms of a given welfare function measuring the common good for the collectivity of the agents. Above all, the quality of equilibria often does not match the quality of the *social optimum*, i.e., the best possible solution for the collectivity. In general, the social optimum is not a stable solution and, therefore, does not emerge naturally from the agents' interactions. Nevertheless, in numerous contexts, a central authority may suggest solutions to the agents, preferably ensuring that such solutions satisfy two foremost properties. First, the authority should ensure that little to no incentives exist for the agents to refuse the proposed solution. Second, the solution should be sufficiently close – in terms of quality – to the social optimum. The best trade-off between these two properties is the *best* Nash equilibrium, i.e., a solution that optimizes a welfare function among the equilibria. Often, the main focus is on selecting a Pure Nash Equilibrium (*PNE*), a stable solution where each agent selects one alternative with probability one (in contrast to a Mixed-Strategy equilibrium, where agents randomize over the set of their alternatives). In this context, the Algorithmic Game Theory (*AGT*) community pioneered the study of the interplay between Game Theory and algorithms with a focus on equilibria's efficiency [40]. The discipline attracted significant attention from the computer science and optimization communities, especially to study games where agents solve optimization problems (e.g., Facchinei and Pang [25]). Several recent works [14, 18, 24, 29, 31, 35, 45, 48] considered Integer Programming Games (*IPGs*), namely games where the agents solve parametrized integer programs. In this work, we focus on a class of *simultaneous* and *non-cooperative IPGs* among n players (agents), as described in Definition 1, where each player controls m integer variables.

Definition 1 (IPG). Each player $i = 1, 2, \dots, n$ solves (1), where $u^i(x^i, x^{-i})$ – given x^{-i} – is a function in x^i with integer coefficients, $A^i \in \mathbb{Z}^{r \times m}$, $b^i \in \mathbb{Z}^r$.

$$\max_{x^i} \{u^i(x^i, x^{-i}) : x^i \in \mathcal{X}^i\}, \quad \mathcal{X}^i := \{A^i x^i \leq b^i, x^i \in \mathbb{Z}^m\}. \quad (1)$$

As standard game-theory notation, let x^i denote the vector of variables of player i , and let the operator $(\cdot)^{-i}$ be (\cdot) except i . The vector $x^{-i} = (x^1, \dots, x^{i-1}, x^{i+1}, \dots, x^n)$ represents the variables of i 's *opponents* (all players but i), and the set of linear constraints $A^i x^i \leq b^i$ defines the feasible region \mathcal{X}^i of player i . We assume all integer variables are lower and upper bounded, and thus that \mathcal{X}^i is finite. In *IPGs*, the strategic interaction occurs in the players' objective functions, and not within their feasible regions. Specifically, players choose their strategy simultaneously, and each player i 's utility (or payoff) $u^i(x^i, x^{-i})$ is a function in x^i parametrized in i 's opponents variables x^{-i} . Without loss of generality, we assume the entries of A^i and b^i and the coefficients of $u^i(x^i, x^{-i})$ are integers. Further, considering the space of all players' variables (x^1, \dots, x^n) , we assume one can always linearize the non-linear terms in each u^i with a finite number of inequalities and auxiliary variables (e.g., Sherali and Adams [49], Vielma [52]). We remark that this assumption is not restrictive; on the contrary, it enables us to tackle several games where the players' utilities are not linear (see Section 5). Besides, we assume (i.) players have *complete information* about the structure of the game, i.e., each player knows the other players' optimization problems via their feasible regions and objectives, (ii.) each player is *rational*, namely it always selects the best possible strategy given the information available on its opponents, and (iii.) *common knowledge of rationality*, namely each player knows its opponents are rational, and there is complete information. *IPGs* extend traditional resource-allocation tasks and combinatorial optimization problems to a multi-agent setting, and their modeling power lies precisely in the discrete variables and game dynamics they can model. Indeed, in several real-world applications, requirements such as indivisible quantities and fixed production costs often require the use of discrete variables (see, for instance, Bikhchandani and Mamer [8]). Several recent works explored the application of *IPGs* in various contexts. To name a few, Gabriel et al. [27] modeled energy production games, David Fuller and Çelebi [20] proposed discrete unit commitment problem with fixed production costs, Anderson et al. [2] modeled a game where firms reserve discrete blocks of capacities from their suppliers, Federgruen and Hu [26] proposed a price competition framework with n competitors offering a discrete number of substitutable products, and Carvalho et al. [11] exploited *IPGs* in the context of kidney exchange programs. Despite the high potential impact of *IPGs* in many domains, practitioners and researchers often make restrictive assumptions about the game's structure to guarantee that solutions are unique or computationally tractable. This is mainly due to the lack of a general, scalable and reliable methodology to select efficient solutions in *IPGs*, which could potentially open new opportunities in terms of applications. This lack is the core motivation behind our work: providing a general-purpose algorithmic framework to optimize over the solutions of *IPGs*. Specifically, we focus on optimizing over the set of *PNEs* for the *IPGs* defined above and on characterizing the polyhedral structure of the set containing the *PNEs*. The algorithmic framework possesses a solid theoretical foundation, and it integrates with the existing tools from the theory and practice of integer programming and combinatorial optimization. From a computational perspective, it is highly flexible, and it generally outperforms the algorithms available in the present literature. Our framework is problem-agnostic and general, yet, it can be customized to address problem-specific needs.

Literature. Köppe et al. [35] pioneered *IPGs* by laying down their first formal definition. The authors also provided an algorithmic framework to enumerate *PNEs* when the players' utilities are differences of piecewise linear convex payoff functions. Although their approach is theoretically well-grounded, there is no computational evidence of its effectiveness. Indeed, even in some 2-player games (e.g., normal-form [6, 43] and bimatrix [5] games) there are considerable computational challenges involved in the design of efficient algorithms for computing and selecting equilibria. Sagratella [45] proposed a branching method to enumerate the *PNEs* in *IPGs* where each $u^i(x^i, x^{-i})$ is convex in x^i . More recently, Schwarze and Stein [48] extended the work of Sagratella [45] by proposing an improved branch-and-prune scheme that also drops the convexity assumption on the players' utilities. Del Pia et al. [21] focused on totally-unimodular congestion games, namely *IPGs* where players have totally-unimodular constraint sets \mathcal{X}^i . They propose a strongly-polynomial time algorithm to find a *PNE* and derive some computational complexity results. Their results have been extended by Kleer and

Schäfer [34]. More recently, Carvalho et al. [13] proposed a general-purpose cutting plane algorithm to compute a *PNE* in *IPGs* where each player utility is linear in their variables and bilinear with respect to the other players' variables. However, their approach does not handle equilibria selection, and requires a specific structure on the players' objectives to derive the Karush–Kuhn–Tucker conditions associated with the linear relaxation of their optimization problems. An important family of techniques for computing Mixed-Strategy equilibria is the one of support enumeration algorithms. The core idea is to determine if an equilibrium with a given support for each player – e.g., a subset of its strategies – exists in a normal-form game by solving a linear system of inequalities. Porter et al. [42] and Sandholm et al. [46] exploited this idea in the context of n -players normal-form games. Since equilibria in such games tend to have small supports, as proved theoretically by McLennan [37], support enumeration algorithms tend to be practically efficient in normal-form games. Inspired by the approach of Porter et al. [42], Carvalho et al. [14] introduced the sample generation method (*SGM*) to compute an equilibrium in separable *IPGs* (i.e., where each player's payoff takes the form of a sum-of-products) where players have bounded strategy sets. Their algorithm iteratively refines a sample of players' supports to compute an equilibrium or a correlated equilibrium (i.e., a generalization of the Nash equilibrium). However, the *SGM* does not handle the enumeration or selection of equilibria, nor can it prove that no equilibrium exists. Cronert and Minner [18] modified the *SGM* – extending the work of Carvalho et al. [14] – by proposing an enumerative algorithm to compute all the equilibria with the additional assumptions that all the players' variables are integer. They further complemented their approach with some considerations stemming from the theory of equilibria selection of Harsanyi [30]. Nevertheless, identifying the correct samples leading to equilibria in *IPGs* could be computationally cumbersome. While our approach shares a few elements with Cronert and Minner [18], it does not require any sampling in order to compute and select equilibria. This fundamental aspect leads to significant differences in terms of practical effectiveness and performance of the algorithms (see Section 5).

Although the previous methodological works provide an insightful perspective on the computability and the selection of equilibria in *IPGs*, there are other significant intrinsic questions concerning the general nature of equilibria. Indeed, from the *AGT* standpoint, not all equilibria are created equal. Three paradigmatic questions in *AGT* and Game Theory are often: (i.) Does at least one *PNE* exist? (ii.) How good (or bad) is a *PNE* compared to the social optimum? (iii.) If more than one equilibrium exists, can one select the best *PNE* according to a given measure of quality? Establishing that a *PNE* does not exist may turn out to be a difficult task [19]. Nash proved that there always exists a Mixed-Strategy equilibrium in finite games, i.e., games with a finite number of strategies and players. In *IPGs*, where the set of players' strategies is large, deciding if a *PNE* exists is generally a Σ_2^P -hard decision problem in the polynomial hierarchy [12]. To measure the efficiency of equilibria, Koutsoupias and Papadimitriou [36] introduced the concept of *Price of Anarchy (PoA)*, the ratio between the welfare value of the worst-possible equilibrium and the welfare value of a social optimum. Similarly, Anshelevich et al. [3], Schulz and Stier-Moses [47] introduced the *Price of Stability (PoS)*, the ratio between the welfare value of the best-possible equilibrium and a social optimum's one. In the *AGT* literature, many works focus on providing theoretical bounds for the *PoS* and the *PoA*, often by exploiting the game's structural properties [3, 4, 15, 40, 44]. However, in practice, one may be interested in establishing the exact values of such prices in order to characterize the efficiency of equilibria in specific applications. This further highlights the need for general and effective algorithmic frameworks to select equilibria.

Contributions. In this work, we shed new light on the intersection between *AGT* and integer programming. We propose a new theoretical and algorithmic framework to efficiently and reliably compute, enumerate, and select *PNEs* for the *IPGs* in Definition 1. We summarize our contributions as follows:

- (i.) From a theoretical perspective, we provide a polyhedral characterization of the convex hull of the *PNEs*. We adapt the concepts of valid inequality, closure, and separation oracle to the domain of Nash equilibria. Specifically, we introduce the concept of *equilibrium inequality* to guide the

exploration of the set of *PNEs*. With this respect, we provide a general class of equilibrium inequalities and prove – through the concept of *equilibrium closure* – they are sufficient to define the convex hull of the *PNEs*. From a game-theory standpoint, we explore the interplay between the concept of rationality and cutting planes through the *equilibrium inequalities*. Since in any game, a player i may never play some of its strategies due to their induced payoffs, it is reasonable to think that player i would only pick its strategies from a *rational* subset of \mathcal{X}^i . In other words, we provide an interpretable criterion – in the form of a cutting plane – for a player to play or not some strategies. In this sense, what we propose constitutes an analytical and geometrical characterization of the sets of equilibria providing a novel perspective on equilibria selection.

- (ii.) From a practical perspective, we design a cutting plane algorithm – *ZERO Regrets* – that computes the most efficient *PNE* for a given welfare function. This algorithm is flexible and scalable, it can potentially enumerate *all* the *PNEs* and compute approximate *PNEs*. The algorithm exploits an *equilibrium separation oracle*, a procedure separating non-equilibrium strategies from *PNEs* through general and problem-specific equilibrium inequalities. Furthermore, our framework smoothly integrates with existing mathematical programming solvers, allowing practitioners to exploit the capabilities of the available optimization technologies.
- (iii.) We evaluate our algorithmic framework on a range of applications and problems from the relevant works in the literature. We provide a solid benchmark against the existing approaches and show the flexibility and effectiveness of *ZERO Regrets*. The classes of games we select derive from practical applications (e.g., competitive facility locations, network design) and methodological studies and the associated benchmark instances (e.g., games among quadratic programs). First, we consider the Knapsack Game, an *IPG* where each player solves a binary knapsack problem. For this problem, we also provide theoretical results on the computational complexity of establishing the existence of *PNEs* and two problem-specific equilibrium inequalities. Second, we focus on a Network Formation Game, a well-known and intensely investigated problem in *AGT*, where players build a network over a graph via a cost-sharing mechanism. Third, we consider a Competitive Facility Location and Design game, where several sellers strategically decide the location and design of their facilities in order to maximize their revenues. Finally, we test our algorithm on a game where players solve integer problems with convex and non-convex quadratic objectives. *ZERO Regrets* outperforms any baseline, proving to be highly efficient in both enumerating and selecting *PNEs*.

We remark that our framework can be extended to the non-linear case, i.e., when u^i is non-linearizable. However, we focus on the linear case (i.) to provide geometrical, polyhedral, and combinatorial insights on the structure of Nash equilibria in *IPGs*, and (ii.) to foster the interaction with existing streams of research in Combinatorial Optimization.

We structure the paper as follows. In [Section 2](#), we introduce the fundamental definitions and terminology. In [Section 3](#) we introduce the theoretical elements of our algorithmic framework. In [Section 4](#), we describe our cutting plane algorithm and its separation oracle and their extensions to compute approximate equilibria. In [Section 5](#) we present an extensive computational campaign on the applications mentioned above, and, in [Section 6](#), we provide some concluding remarks.

2 Definitions

We assume the reader is familiar with basic concepts of polyhedral theory and integer programming [17]. We introduce the notation and definitions related to an *IPG* instance G , where we omit explicit references to G when unnecessary. Let \mathcal{X}^i be the *set of feasible strategies* (or the feasible set) of player i , and let any strategy $\bar{x}^i \in \mathcal{X}^i$ be a (*pure*) *strategy* for i . Any $\bar{x} = (\bar{x}^1, \dots, \bar{x}^n)$ – with $\bar{x}^i \in \mathcal{X}^i$ for any i – is a *strategy profile*. Let the vector $x^{-i} = (x^1, \dots, x^{i-1}, x^{i+1}, \dots, x^n)$ denote the vector of the i 's *opponents* (*pure*) *strategies*. The *payoff* for i under the profile \bar{x} is $u^i(\bar{x}^i, \bar{x}^{-i})$. We define $S(\bar{x}) = \sum_{i=1}^n u^i(\bar{x}^i, \bar{x}^{-i})$ as the *social welfare* corresponding to a given strategy profile \bar{x} .

Equilibria and Prices. A strategy \bar{x}^i is a best-response strategy for player i given its opponents' strategies \bar{x}^{-i} if $u^i(\bar{x}^i, \bar{x}^{-i}) \geq u^i(\hat{x}^i, \bar{x}^{-i})$ for any $\hat{x}^i \in \mathcal{X}^i$; equivalently, we say i cannot profitably deviate to any \hat{x}^i from \bar{x}^i . The difference $u^i(\bar{x}^i, \bar{x}^{-i}) - u^i(\hat{x}^i, \bar{x}^{-i})$ is called the *regret* of strategy \hat{x}^i under \bar{x}^{-i} . Let $\mathcal{BR}(i, \bar{x}^{-i}) = \{x^i \in \mathcal{X}^i : u^i(x^i, \bar{x}^{-i}) \geq u^i(\hat{x}^i, \bar{x}^{-i}) \forall \hat{x}^i \in \mathcal{X}^i\}$ be the set of best-responses for i under \bar{x}^{-i} . A strategy profile \bar{x} is a *PNE* if, for any player i and any strategy $\hat{x}^i \in \mathcal{X}^i$, $u^i(\bar{x}^i, \bar{x}^{-i}) \geq u^i(\hat{x}^i, \bar{x}^{-i})$, i.e. any \bar{x}^i is a best-response to \bar{x}^{-i} (all regrets are 0). Equivalently, in a *PNE*, no player i can unilaterally improve its payoff by deviating from its strategy \bar{x}^i . We define the *optimal social welfare* as $OSW = \max_{x^1, \dots, x^n} \{S(x) : x^i \in \mathcal{X}^i \forall i = 1, 2, \dots, n\}$. Given G , we denote as $\mathcal{N} = \{x = (x^1, \dots, x^n) : x \text{ is a PNE for } G\}$ the set of its *PNEs*. Also, let $\mathcal{N}^i := \{x^i : (x^i, x^{-i}) \in \mathcal{N}\}$, with $\mathcal{N}^i \subseteq \mathcal{X}^i$ be the set of *equilibrium strategies* for i , namely the strategies of i appearing in at least a *PNE*. If \mathcal{N} is not empty, let: (i.) $\hat{x} \in \mathcal{N}$ be so that $S(\hat{x}) \leq S(\bar{x})$ for any $\bar{x} \in \mathcal{N}$ (i.e., the *PNE* with the *worst* welfare), and (ii.) $\check{x} \in \mathcal{N}$ be so that $S(\check{x}) \geq S(\bar{x})$ for any $\bar{x} \in \mathcal{N}$ (i.e., the *PNE* with the *best* welfare). Assuming w.l.o.g. $OSW > 0$ and $S(\check{x}) > 0$, the *PoA* of G is $\frac{OSW}{S(\check{x})}$, and the *PoS* is $\frac{OSW}{S(\hat{x})}$. The definitions of *PoA* and *PoS* hold when agents maximize a welfare function. Otherwise, when agents minimize their costs (e.g., the costs of routing packets in a network), we exchange numerator and denominator in both the *PoA* and the *PoS*.

Polyhedral Theory. For a set S , $\hat{\text{conv}}(S)$ be its convex hull. Let P be a polyhedron: $\text{bd}(P)$, $\text{ext}(P)$, $\text{int}(P)$, are the boundary, the set of vertices (extreme points), and the interior of P , respectively. Let $P \subseteq \mathbb{R}^p$ and $\hat{x} \notin P$ a point in \mathbb{R}^p . A *cut* is a valid inequality $\pi^\top x \leq \pi_0$ for P violated by \hat{x} , i.e., $\pi^\top \hat{x} > \pi_0$ and $\pi^\top x \leq \pi_0$ for any $x \in P$. Given a point $\hat{x} \in \mathbb{R}^p$ and P , we define the *separation problem* as the task of determining that either (i.) $\hat{x} \in P$, or (ii.) $\hat{x} \notin P$ and returning a cut $\pi^\top x \leq \pi_0$ for P and \hat{x} . For each player i , the set $\text{conv}(\mathcal{X}^i)$ is the *perfect formulation* of \mathcal{X}^i , namely an integral polyhedron whose vertices are in \mathcal{X}^i .

3 Lifted Space and Equilibrium Inequalities

Cutting plane methods are attractive tools for integer programs, both from a theoretical and an applied perspective. The essential idea is to iteratively refine a relaxation of the original problem by cutting off fractional solutions via valid inequalities for the integer program's perfect formulation. Nevertheless, in an *IPG* where the solution paradigm is the Nash equilibrium, we argue there exist stronger families of cuts, yet, not necessarily *valid* for each player's perfect formulation $\text{conv}(\mathcal{X}^i)$. In fact, for any player i , some of its best-responses in $\text{bd}(\text{conv}(\mathcal{X}^i))$ may never appear in a *PNE*, since no equilibrium strategies \mathcal{N}^{-i} of i 's opponents induce i to play such best-responses. In this work, we introduce a general class of inequalities to characterize the nature of $\text{conv}(\mathcal{N})$. Such inequalities play a pivotal role in the cutting plane algorithm of Section 4.

Dominance and Rationality. We ground our reasoning in the concepts of *rationality* and *dominance* [7, 41]. Given two strategies $\bar{x}^i \in \mathcal{X}^i$ and $\hat{x}^i \in \mathcal{X}^i$ for player i , \bar{x}^i is strictly *dominated* by \hat{x}^i if, for any choice of opponents strategies x^{-i} , then $u^i(\hat{x}^i, x^{-i}) > u^i(\bar{x}^i, x^{-i})$. Then, a *rational* player will never play dominated strategies. This also implies no player i would play any strategy in $\text{int}(\text{conv}(\mathcal{X}^i))$. Since dominated strategies – by definition – are never best-responses, they will never be part of any *PNE*. In [Example 1](#), the set \mathcal{X}^2 is made of 3 strategies $(x_1^2, x_2^2) = (0, 0), (1, 0), (0, 1)$. Yet, $(x_1^2, x_2^2) = (0, 0)$ is dominated by $(x_1^2, x_2^2) = (0, 1)$, and the latter is dominated by $(x_1^2, x_2^2) = (1, 0)$. However, when considering player 1, we need the assumption of *common knowledge of rationality* to conclude which strategy the player will play. Player 1 needs to know that player 2 would never play $x_2^2 = 1$ to declare $(x_1^1, x_2^1) = (0, 1)$ being dominated by $(x_1^1, x_2^1) = (1, 0)$. When searching for a *PNE* in this example, it follows that $\mathcal{N}^1 = \{(x_1^1, x_2^1) = (1, 0)\}$ and $\mathcal{N}^2 = \{(x_1^2, x_2^2) = (1, 0)\}$. This inductive (and iterative) process of removal of strictly dominated strategies is known as the *iterated elimination of dominated strategies (IEDS)*. This process produces tighter sets of strategies and never excludes any *PNE* from the game [50, Ch.4].

Example 1. Consider the *IPG* where player 1 solves $\max_{x^1} \{6x_1^1 + x_2^1 - 4x_1^1x_2^1 + 6x_2^1x_2^2 : 3x_1^1 + 2x_2^1 \leq 4, x^1 \in \{0, 1\}^2\}$, and player 2 solves $\max_{x^2} \{4x_1^2 + 2x_2^2 - x_2^2x_1^1 - x_2^2x_2^1 : 3x_1^2 + 2x_2^2 \leq 4, x^2 \in \{0, 1\}^2\}$. The only *PNE* is $(\bar{x}_1^1, \bar{x}_2^1) = (1, 0)$, $(\bar{x}_1^2, \bar{x}_2^2) = (1, 0)$ with a welfare of $S(\bar{x}) = 5$, $u^1(\bar{x}^1, \bar{x}^2) = 2$, and $u^2(\bar{x}^2, \bar{x}^1) = 3$.

In the same fashion of *IEDS*, we propose a family of inequalities that cuts off – from each player’s feasible set – the strategies that never appear in a *PNE*. Thus, from an *IPG* instance G , we aim to derive an instance G' where \mathcal{N}^i replaces each player’s feasible set \mathcal{X}^i . Note that, since all \mathcal{X}^i are finite sets, all \mathcal{N}^i are finite as well as the number of *PNEs*.

3.1 A Lifted Space

Given the social welfare $S(x)$, we aim to find the *PNE* maximizing it, namely, we aim to perform equilibria selection. In this context, the first urgent question is what space should we work in. Since mutually optimal strategies define *PNEs*, a natural choice is to consider a space of all players’ variables x . As mentioned in the introduction, we assume the existence of a higher-dimensional (lifted) space where we linearize the non-linear terms in any $u^i(\cdot)$ via auxiliary variables z and corresponding constraints (e.g., Sherali and Adams [49], Vielma [52]). Although our scheme holds for an arbitrary $f(x) : \prod_{i=1}^n \mathcal{X}^i \rightarrow \mathbb{R}$ we can linearize to $f(x, z)$, we focus on $S(x)$ and the corresponding higher-dimensional $S(x, z)$ defined in the lifted space. Let \mathcal{L} be the set of (i.) linear constraints necessary to linearize the non-linear terms, and (ii.) the integrality requirements and bounds on the z variables. The lifted space is then

$$\mathcal{K} = \{(x^1, \dots, x^n, z) \in \mathcal{L}, x^i \in \mathcal{X}^i \text{ for any } i = 1, \dots, n\}. \quad (2)$$

Any vector x^1, \dots, x^n, z in (2) corresponds to a unique strategy profile $x = (x^1, \dots, x^n)$, since x induces z . \mathcal{K} is then a set defined by linear constraints and integer requirements, and thus it is reasonable to deal with $\text{conv}(\mathcal{K})$ and some of its projections. For brevity, let $\text{proj}_x \text{conv}(\mathcal{K}) = \{x = (x^1, \dots, x^n) : \exists z \text{ s.t. } (x^1, \dots, x^n, z) \in \text{conv}(\mathcal{K})\}$, and let $u^i(x^i, x^{-i})$ include the z variables when working in the space of $\text{conv}(\mathcal{K})$.

3.2 Equilibrium Inequalities

The integer points in $\text{proj}_x(\text{conv}(\mathcal{K}))$ encompass all the game’s strategy profiles. However, we need to focus on $\mathcal{E} = \{(x^1, \dots, x^n, z) \in \text{conv}(\mathcal{K}) : (x^1, \dots, x^n) \in \text{conv}(\mathcal{N})\}$, since projecting out z yields the convex hull of *PNE* profiles $\text{conv}(\mathcal{N})$. By definition \mathcal{E} is a polyhedron, and $\text{proj}_{x^i}(\mathcal{E}) = \text{conv}(\mathcal{N}^i)$. The role of \mathcal{E} is similar to the one of a perfect formulation for an integer program. As optimizing a linear function over a perfect formulation results in an integer optimum, optimizing a linear function $S(x, z)$ over \mathcal{E} results in a *PNE*. For this reason, we call \mathcal{E} the *perfect equilibrium formulation* for G . Also, the equivalent of the integrality gap in integer programming is the *PoS*, namely the ratio between the optimal value of $f(x, z)$ over $\text{conv}(\mathcal{K})$ and \mathcal{E} , respectively. All considered, we establish the concept of *equilibrium inequality*, a valid inequality for \mathcal{E} .

Definition 2 (Equilibrium Inequality). Consider an *IPG* instance G . An inequality is an equilibrium inequality for G if it is a valid inequality for \mathcal{E} .

A Class of Equilibrium Inequalities. We introduce a generic class of equilibrium inequalities that are linear in the space of $\text{conv}(\mathcal{K})$. Consider any strategy $\tilde{x}^i \in \mathcal{X}^i$ for i : for any i ’s opponents’ strategy x^{-i} , $u^i(\tilde{x}^i, x^{-i})$ provides a lower bound on i ’s payoff since $\tilde{x}^i \in \mathcal{X}^i$ (i.e., \tilde{x}^i is a feasible point). Then, $u^i(\tilde{x}^i, x^{-i}) \leq u^i(x^i, x^{-i})$ holds for every player i . We introduce such inequalities in [Proposition 1](#).

Proposition 1. Consider an *IPG* instance G . For any player i and $\tilde{x}^i \in \mathcal{X}^i$, the inequality $u^i(\tilde{x}^i, x^{-i}) \leq u^i(x^i, x^{-i})$ is an equilibrium inequality.

Proof. If a point $(\bar{x}, \bar{z}) \in \mathcal{E}$, then $\bar{x} \in \text{conv}(\mathcal{N})$. First, consider the case where $\bar{x} \in \text{ext}(\text{conv}(\mathcal{N}))$, namely $\bar{x} \in \mathcal{N}$ by definition. Assume (\bar{x}, \bar{z}) violates the inequality associated with at least a player i , then, $u^i(\bar{x}^i, \bar{x}^{-i}) > u^i(\bar{x}^i, \bar{x}^{-i})$. Therefore, i can profitably deviate from \bar{x}^i to \tilde{x}^i under \bar{x}^{-i} , which contradicts $\bar{x} \in \mathcal{N}$ and $(\bar{x}, \bar{z}) \in \mathcal{E}$. Thus, no point $(\bar{x}, \bar{z}) \in \mathcal{E}$ with $\bar{x} \in \text{ext}(\text{conv}(\mathcal{N}))$ violates the inequality. Since we can represent any point $(\bar{x}, \bar{z}) \in \mathcal{E}$ as a convex combination of the extreme points of $\text{conv}(\mathcal{N})$, the proposition holds by iterating the previous reasoning for each extreme point in the support of (\bar{x}, \bar{z}) .

A fundamental issue is whether the inequalities of [Proposition 1](#) are sufficient to define the set \mathcal{E} . By modulating the concept of closure introduced by Chvátal [16], we prove this is indeed the case. We define the *equilibrium closure* as the convex hull of the points in \mathcal{K} satisfying the equilibrium inequalities of [Proposition 1](#).

Theorem 1. *Consider an IPG instance G where $|\mathcal{N}| \neq 0$. Let the equilibrium closure given by the equilibrium inequalities of [Proposition 1](#) be*

$$P^e := \text{conv} \left(\left\{ (x, z) \in \mathcal{K} : \begin{array}{l} u^i(\tilde{x}^i, x^{-i}) \leq u^i(x^i, x^{-i}) \\ \forall \tilde{x} : \tilde{x}^i \in \mathcal{BR}(i, \tilde{x}^{-i}), i = 1, \dots, n \end{array} \right\} \right),$$

where the equilibrium inequalities consider only the best-responses \tilde{x}^i for any player i . Then, (i.) P^e is a rational polyhedron, (ii.) there exists no point $(x, z) \in \text{int}(P^e)$ such that $x \in \mathbb{Z}^{nm}$, (iii.) $P^e = \mathcal{E}$.

Proof. *Proof of (i.)* The set \mathcal{K} is finite since any \mathcal{X}^i is finite, the number of best-responses and, correspondingly, of equilibrium inequalities, is finite. Both equilibrium inequalities and the inequalities defining \mathcal{X}^i have integer coefficients. Therefore, P^e is a rational polyhedron. *Proof of (ii.)* Assume there exists a point $(\bar{x}, \bar{z}) \in \text{int}(P^e)$ such that $\bar{x} \in \mathbb{Z}^{nm}$. By definition of Nash equilibrium, $\bar{x} \in \mathcal{N}$ since (\bar{x}, \bar{z}) satisfies all the equilibrium inequalities in P^e . However, since $(\bar{x}, \bar{z}) \in \text{int}(P^e)$, then no equilibrium inequality can be tight, contradicting the fact \bar{x} is a PNE. Therefore, there cannot exist any $(\bar{x}, \bar{z}) \in \text{int}(P^e)$ such that $\bar{x} \in \mathbb{Z}^{nm}$. This also implies that all PNEs lie on the boundary of P^e . *Proof of (iii.)* Since P^e contains all the equilibrium inequalities generated by the players' best-responses, then any $(\bar{x}, \bar{z}) \in \mathcal{E}$ belongs to P^e as of [Proposition 1](#), and $\mathcal{E} \subseteq P^e$. Let (\hat{x}, \hat{z}) be a point in $\text{ext}(P^e)$. By definition, (\hat{x}, \hat{z}) is an integer point, and it corresponds to a PNE. Indeed, non-equilibria integer points cannot belong to P^e since they would violate at least one equilibrium inequality associated with the players' best-responses. Equivalently, for any $(\hat{x}, \hat{z}) \in \text{ext}(P^e)$, its projection $\text{proj}_x = \hat{x}$ is in \mathcal{N} . Since all PNEs are on the boundary of P^e , $P^e = \mathcal{E}$ necessarily.

Throughout the proof of [Theorem 1](#), we show that P^e yields indeed the perfect equilibrium formulation \mathcal{E} . Although the description of P^e may contain an exponential number of possibly redundant equilibrium inequalities, it precisely describes the set of PNEs in the lifted space. In [Example 2](#), we showcase the construction P^e via [Theorem 1](#) for a small IPG.

Example 2. Consider an IPG where player 1 solves $\max_{x^1} \{x_1^1 + 3x_2^1 + 7x_3^1 - 6x_1^1x_1^2 + 3x_2^1x_2^2 + 2x_3^1x_3^2 : 6x_1^1 + 4x_2^1 + 5x_3^1 \leq 7, x^1 \in \{0, 1\}^3\}$, and player 2 solves $\max_{x^2} \{9x_1^2 + 9x_2^2 + 2x_3^2 - 6x_1^2x_1^1 + 5x_2^2x_2^1 + 7x_3^2x_3^1 : 4x_1^2 + 2x_2^2 + 5x_3^2 \leq 5, x^2 \in \{0, 1\}^3\}$. There are 4 feasible strategies for each player i , namely, $(x_1^i, x_2^i, x_3^i) = (0, 0, 0) \vee (0, 0, 1) \vee (0, 1, 0) \vee (1, 0, 0)$. The 3 PNEs of this game are: (i.) $\bar{x}^1 = (0, 0, 1)$ and $\bar{x}^2 = (0, 0, 1)$ with $u^1(\bar{x}^1, \bar{x}^2) = 9$ and $u^2(\bar{x}^2, \bar{x}^1) = 9$, (ii.) $\bar{x}^1 = (0, 0, 1)$ and $\bar{x}^2 = (0, 1, 0)$ with $u^1(\bar{x}^1, \bar{x}^2) = 7$ and $u^2(\bar{x}^2, \bar{x}^1) = 9$, (iii.) $\bar{x}^1 = (0, 0, 1)$ and $\bar{x}^2 = (1, 0, 0)$ with $u^1(\bar{x}^1, \bar{x}^2) = 7$ and $u^2(\bar{x}^2, \bar{x}^1) = 9$.

We linearize the game by introducing 3 variables $z_j \in \{0, 1\}$ for any player's variable $j \in \{1, 2, 3\}$ such that $z_j = 1$ if and only if $x_j^1 = x_j^2 = 1$. We model these implications through the constraints $z_j \leq x_j^i$ and $z_j \geq x_j^1 + x_j^2 - 1$ for any player i and variable j . Hence,

$$\mathcal{K} = \left\{ x^1 \in \{0, 1\}^3, x^2 \in \{0, 1\}^3, z \in \{0, 1\}^3 : \begin{array}{l} 6x_1^1 + 4x_2^1 + 5x_3^1 \leq 7, 4x_1^2 + 2x_2^2 + 5x_3^2 \leq 5 \\ z_j \leq x_j^1, z_j \leq x_j^2, z_j \geq x_j^1 + x_j^2 - 1 \quad \forall j \in \{1, 2, 3\} \end{array} \right\}.$$

Correspondingly, the two players' utility functions in the linearized space are given by the two linear expressions $u^1(x^1, x^2) = x_1^1 + 3x_2^1 + 7x_3^1 - 6z_1 + 3z_2 + 2z_3$ and $u^2(x^2, x^1) = 9x_1^2 + 9x_2^2 + 2x_3^2 - 6z_1 + 5z_2 + 7z_3$, respectively.

On the one hand, the best-response of player 1 to any of player 2's feasible strategies is $\tilde{x}^1 = (0, 0, 1)$, i.e., $\mathcal{BR}(1, \tilde{x}^2) = \{(0, 0, 1)\}$ for any feasible strategy \tilde{x}^2 . The equilibrium inequality associated with $\tilde{x}^1 = (0, 0, 1)$ is $7 + 2x_3^2 \leq x_1^1 + 3x_2^1 + 7x_3^1 - 6z_1 + 3z_2 + 2z_3$. The left-hand side of the inequality represents $u^1(\tilde{x}^1, x^2)$, namely player 1's utility function evaluated on \tilde{x}^1 . On the other hand, player 2's best-responses and the associated equilibrium inequalities are: (i.) $\tilde{x}^2 = (1, 0, 0)$ with the inequality $9 - 6x_1^1 \leq 9x_1^2 + 9x_2^2 + 2x_3^2 - 6z_1 + 5z_2 + 7z_3$, (ii.) $\tilde{x}^2 = (0, 1, 0)$ with the inequality $9 + 5x_2^1 \leq 9x_1^2 + 9x_2^2 + 2x_3^2 - 6z_1 + 5z_2 + 7z_3$, (iii.) $\tilde{x}^2 = (0, 0, 1)$ with the inequality $2 + 7x_3^1 \leq 9x_1^2 + 9x_2^2 + 2x_3^2 - 6z_1 + 5z_2 + 7z_3$. Therefore,

$$P^e = \text{conv} \left(\left\{ (x, z) \in \mathcal{K} : \begin{array}{l} 7 + 2x_3^2 \leq x_1^1 + 3x_2^1 + 7x_3^1 - 6z_1 + 3z_2 + 2z_3 \\ 9 - 6x_1^1 \leq 9x_1^2 + 9x_2^2 + 2x_3^2 - 6z_1 + 5z_2 + 7z_3 \\ 9 + 5x_2^1 \leq 9x_1^2 + 9x_2^2 + 2x_3^2 - 6z_1 + 5z_2 + 7z_3 \\ 2 + 7x_3^1 \leq 9x_1^2 + 9x_2^2 + 2x_3^2 - 6z_1 + 5z_2 + 7z_3 \end{array} \right\} \right).$$

By explicitly computing the above convex hull, we obtain

$$P^e = \left\{ (x, z) : \begin{array}{l} x_1^2 \geq 0, x_2^2 \geq 0, x_3^2 \geq 0, x_1^1 = 0, x_2^1 = 0, x_3^1 = 1, \\ x_1^2 + x_2^2 + x_3^2 = 1, z_1 = 0, z_2 = 0, x_1^1 + x_2^1 + z_3 = 1 \end{array} \right\}.$$

The projections onto the x space of the extreme points of P^e correspond to the 3 *PNEs*, and thus $P^e = \mathcal{E}$.

4 The Cutting Plane Algorithm and its Oracle

If an oracle gives us \mathcal{E} in the form of a set of linear inequalities, then an optimal solution to $\max_{x^1, \dots, x^n, z} \{f(x, z) : (x, z) \in \mathcal{E}\}$ (i.e., a linear program) that is also an extreme point of \mathcal{E} is a *PNE* for G for any function $f(x, z)$. However, there are two major issues. First, $\mathcal{E} \subseteq \text{conv}(\mathcal{K})$, and $\text{conv}(\mathcal{K})$ is a perfect formulation described by a possibly large number of inequalities. Second, retrieving \mathcal{E} through [Theorem 1](#) may still require a large number of inequalities. In practice, we actually do not need \mathcal{E} nor $\text{conv}(\mathcal{K})$: a more reasonable goal is to get a polyhedron containing $\text{conv}(\mathcal{K})$ over which we can optimize $f(x, z)$ efficiently and obtain an integer solution (i.e., $x \in \mathcal{K}$) that is also a *PNE*. The first step is to obtain an integer solution. We could deploy branching schemes and known families of integer programming cutting planes, which are also equilibrium inequalities since they are valid for \mathcal{E} . Equivalently, we can exploit a Mixed-Integer Programming (*MIP*) solver to solve $\max_{x^1, \dots, x^n, z} \{f(x, z) : (x, z) \in \mathcal{K}\}$. If the maximizer is a *PNE*, the algorithm terminates. Otherwise, the second step is to cut off such maximizer, since it is not a *PNE*, by separating at least an equilibrium inequality of [Proposition 1](#).

Equilibrium Separation Oracle. Given a point (\tilde{x}, \tilde{z}) , for instance, the point returned by a *MIP* solver, the central question is to decide if $\tilde{x} \in \mathcal{N}$, and, if not, to derive an equilibrium inequality to cut off (\tilde{x}, \tilde{z}) . If we use the equilibrium inequalities of [Proposition 1](#), the process terminates in a finite number of iterations, since [Theorem 1](#). In the spirit of Grötschel et al. [28], Karp and Papadimitriou [32], we define a separation oracle for the equilibrium inequalities and \mathcal{E} . The *equilibrium separation oracle* solves the *equilibrium separation problem* of [Definition 3](#).

Definition 3 (Equilibrium Separation Problem). *Consider an IPG instance G . Given a point (\bar{x}, \bar{z}) , the equilibrium separation problem is the task of determining that either: (i.) $(\bar{x}, \bar{z}) \in \mathcal{E}$, or (ii.) $(\bar{x}, \bar{z}) \notin \mathcal{E}$ and return an equilibrium inequality violated by (\bar{x}, \bar{z}) .*

Algorithm 1 presents our separation oracle for the inequalities of **Proposition 1**. Given (\bar{x}, \bar{z}) and an empty set of linear inequalities ϕ , the algorithm outputs either (i.) **yes** if $(\bar{x}, \bar{z}) \in \mathcal{E}$, or (ii.) **no** and a set of violated equilibrium inequalities ϕ if $(\bar{x}, \bar{z}) \notin \mathcal{E}$. The algorithm separates at most one inequality for any player i . By definition, \bar{x}^i should be a best-response to be in a *PNE*. Therefore, for any player i , the algorithm solves $\max_{x^i} \{u^i(x^i, \bar{x}^{-i}) : A^i x^i \leq b^i, x^i \in \mathbb{Z}^m\}$, where \hat{x}^i is one of its maximizers. If $u^i(\bar{x}^i, \bar{x}^{-i}) = u^i(\hat{x}^i, \bar{x}^{-i})$, \bar{x}^i is also a best-response. However, if $u^i(\hat{x}^i, \bar{x}^{-i}) > u^i(\bar{x}^i, \bar{x}^{-i})$, the algorithm adds to ϕ an equilibrium inequality $u^i(\hat{x}^i, x^{-i}) \leq u^i(x^i, x^{-i})$ violated by (\bar{x}, \bar{z}) . After considering all players, if $|\phi| = 0$, then \bar{x} is a *PNE* and the answer is **yes**. Otherwise, the algorithm returns **no** and $\phi \neq \emptyset$, i.e., at least an equilibrium inequality cutting off (\bar{x}, \bar{z}) .

Algorithm 1: Equilibrium Separation Oracle

Data: An *IPG* instance G , a point (\bar{x}, \bar{z}) , and a set of cuts $\phi = \emptyset$.
Result: Either: (i.) **yes** if $(\bar{x}, \bar{z}) \in \mathcal{E}$, or (ii.) **no** and ϕ .
1 for $i \leftarrow 1$ **to** n **do**
2 $\hat{x}^i \leftarrow \max_{x^i} \{u^i(x^i, \bar{x}^{-i}) : A^i x^i \leq b^i, x^i \in \mathbb{Z}^m\}$;
3 **if** $u^i(\hat{x}^i, \bar{x}^{-i}) > u^i(\bar{x}^i, \bar{x}^{-i})$ **then**
4 Add $u^i(\hat{x}^i, x^{-i}) \leq u^i(x^i, x^{-i})$ to ϕ ;
5 if $|\phi| = 0$ **then return yes** ;
6 else return no and ϕ ;

ZERO Regrets. We present our cutting plane algorithm *ZERO Regrets* in **Algorithm 2**. The inputs are an instance G , and a function $f(x)$, while the output is either the *PNE* \bar{x} maximizing $f(x)$, or a certificate that no *PNE* exists. Let Φ be a set of equilibrium inequalities, and $\mathcal{Q} = \max_{x^1, \dots, x^n, z} \{f(x, z) : (x, z) \in \mathcal{K}, (x, z) \text{ s.t. } \Phi\}$. We assume \mathcal{Q} is feasible and bounded. Otherwise, there would be no rationale behind getting a *PNE* with an arbitrarily bad welfare. At each iteration, we compute an optimal solution (\bar{x}, \bar{z}) of \mathcal{Q} . Afterwards, the equilibrium separation oracle (**Algorithm 1**) evaluates (\bar{x}, \bar{z}) . If the oracle returns **yes**, then $\bar{x} = \bar{x}$ is the *PNE* maximizing $f(x)$ in G . Otherwise, the oracle returns a set ϕ of equilibrium inequalities cutting off (\bar{x}, \bar{z}) , and the algorithm adds ϕ to Φ . Therefore, the process restarts by solving \mathcal{Q} with the additional set of constraints. If at any iteration \mathcal{Q} becomes infeasible, then G has no *PNE*. We remark that **Theorem 1** implies both correctness and finite termination of **Algorithm 2**. Although it is sufficient to add just one equilibrium inequality in ϕ cutting off

Algorithm 2: ZERO Regrets

Data: An *IPG* instance G , and a function $f(x)$.
Result: Either: (i.) the *PNE* \bar{x} maximizing $f(x)$, or (ii.) **no PNE**
1 $\Phi = \{0 \leq 1\}$, and $\mathcal{Q} = \max_{x^1, \dots, x^n, z} \{f(x, z) : (x, z) \in \mathcal{K}, (x, z) \text{ s.t. } \Phi\}$;
2 while true do
3 **if** \mathcal{Q} *is infeasible* **then return no PNE** ;
4 $(\bar{x}, \bar{z}) = \arg \max \mathcal{Q}$; $\phi = \emptyset$;
5 **if** *EquilibriumSeparationOracle* $(G, (\bar{x}, \bar{z}), \phi)$ *is yes* **then**
6 **return** $\bar{x} = \bar{x}$;
7 **else add** ϕ **to** Φ ;

the incumbent solution (\bar{x}, \bar{z}) , we expect that a good trade-off between $|\phi| = 1$ and $|\phi| = n$ may speed

up the convergence of the algorithm. This includes, for instance, also adding non-violated equilibrium inequalities. In [Example 3](#), we provide a toy example of *ZERO Regrets*.

Example 3. Consider the game in [Example 1](#) where player 1 solves $\max_{x^1} \{6x_1^1 + x_2^1 - 4x_1^1x_1^2 + 6x_2^1x_2^2 : 3x_1^1 + 2x_2^1 \leq 4, x^1 \in \{0, 1\}^2\}$, and player 2 solves $\max_{x^2} \{4x_1^2 + 2x_2^2 - x_1^2x_1^1 - x_2^2x_2^1 : 3x_1^2 + 2x_2^2 \leq 4, x^2 \in \{0, 1\}^2\}$. As in [Example 2](#), to linearize the players' utility functions, we introduce two binary variables z_1 and z_2 equal to 1 if both players select items 1 and 2, respectively. The linearization constraints are $z_1 \leq x_1^1, z_1 \leq x_1^2, z_1 \geq x_1^1 + x_1^2 - 1, z_2 \leq x_2^1, z_2 \leq x_2^2, z_2 \geq x_2^1 + x_2^2 - 1$. Thus, player 1's utility function is $6x_1^1 + x_2^1 - 4z_1 + 6z_2$ and player 2's utility function is $4x_1^2 + 2x_2^2 - z_1 - z_2$. Correspondingly, problem \mathcal{Q} maximizing the social welfare is

$$\begin{aligned} \max_{(x^1, x^2, z)} \quad & 6x_1^1 + x_2^1 + 4x_1^2 + 2x_2^2 - 5z_1 + 5z_2 \\ \text{s.t.} \quad & 3x_1^1 + 2x_2^1 \leq 4, 3x_1^2 + 2x_2^2 \leq 4 \\ & z_j \leq x_j^1, z_j \leq x_j^2, z_j \geq x_j^1 + x_j^2 - 1 \quad j = 1, 2. \\ & x_j^1, x_j^2, z_j \in \{0, 1\} \quad j = 1, 2. \end{aligned}$$

An optimal solution of the problem is $(\bar{x}_1^1, \bar{x}_2^1) = (1, 0)$, $(\bar{x}_1^2, \bar{x}_2^2) = (0, 1)$, $\bar{z}_1 = \bar{z}_2 = 0$. The social welfare is 8, and the players' utility values are 6 and 2, respectively. However, this solution is not a *PNE*. In fact, while a best-response to \bar{x}^2 for player 1 is \bar{x}^1 , the best-response to \bar{x}^1 for player 2 is $(\hat{x}_1^2, \hat{x}_2^2) = (1, 0)$ with an utility value of 3. Therefore, from player 2, we derive the equilibrium inequality $4 - x_1^1 \leq 4x_1^2 + 2x_2^2 - z_1 - z_2$ cutting off (\bar{x}, \bar{z}) . By adding the equilibrium inequality to \mathcal{Q} , the optimal solution is then $(\bar{x}_1^1, \bar{x}_2^1) = (1, 0)$, $(\bar{x}_1^2, \bar{x}_2^2) = (1, 0)$, $\bar{z}_1 = 1, \bar{z}_2 = 0$, with utility values 2 and 3 and a welfare of 5. Since \bar{x} is a *PNE*, the algorithm terminates by finding a *PNE* with a *PoS* of 8/5.

Game-theoretical Interpretation. We provide a straightforward game-theoretical interpretation of *ZERO Regrets*. The algorithm acts as a central authority (e.g., a central planner) when optimizing $f(x, z)$ over \mathcal{K} , producing a solution that optimizes the welfare. Afterward, it proposes the solution to each player, who evaluates it through the equilibrium separation oracle. The latter acts as a *rationality* blackbox, in the sense that the oracle advises each player i whether the proposed strategy is acceptable or not. In other words, the rationality blackbox tells the player i if it should selfishly (and rationally) deviate to a better strategy, ignoring the central authority's advice. On the one hand, if the rationality blackbox says the solution is acceptable for player i , then the player knows through the oracle that it should accept the proposed strategy. On the other hand, if at least one player i refuses the proposed solution, the central authority should exclude such a solution and formulate a new proposal. Namely, it should cut off the non-equilibrium strategy and compute a new solution maximizing the welfare.

4.1 Extensions

We showcase the flexibility of our algorithmic framework by proposing two extensions to *ZERO Regrets*. Specifically, to address broader practical needs, we propose two extensions for enumerating *PNEs* and computing approximate *PNEs*.

Enumerating PNEs. We can easily tune *ZERO Regrets* to enumerate all the *PNEs* in \mathcal{N} as follows. In [Line 6](#) of [Algorithm 2](#), instead of terminating and returning \bar{x} , we memorize \bar{x} and add an (invalid) inequality cutting off the *PNE* from \mathcal{E} . Since all x variables are integer-constrained, such inequality can be, for instance, an hamming distance from \bar{x} . The algorithm will possibly compute a new *PNE*, cut it off (e.g., through a hamming distance constraint), and move the search towards the next equilibrium. Eventually, \mathcal{Q} will become infeasible, thus certifying that the algorithm enumerated all the existing *PNEs*.

Approximating PNEs. An absolute ϵ -PNE is a PNE where each player can deviate at most by a value ϵ for any best-response [40], namely, where the regret for each player is at most ϵ . Absolute ϵ -PNEs may be a reasonable compromise whenever no PNE exists. Although any PNE is an absolute ϵ -PNE with $\epsilon = 0$, one may be interested in computing an absolute ϵ -PNE with an upper bound on ϵ while maximizing $f(x, z)$. We can adapt our algorithmic framework to compute an absolute ϵ -PNE as follows. We introduce a bounded continuous variable ϵ in \mathcal{Q} , and we let Algorithm 1 separate equilibrium inequalities in the form of $u^i(\hat{x}^i, x^{-i}) - \epsilon \leq u^i(x^i, x^{-i})$. Depending on the application of interest, one may still optimize the function $f(x, z)$ or minimize ϵ without affecting the correctness of the algorithm. A similar modification enables the algorithm to handle relative ϵ -PNE, i.e., a profile of strategies where the payoff of each player’s strategy is at least ϵ times the best-response payoff. Given a constant ϵ , the corresponding equilibrium inequalities are $u^i(\hat{x}^i, x^{-i})\epsilon \leq u^i(x^i, x^{-i})$.

5 Applications

We evaluate *ZERO Regrets* on a wide range of problems from relevant works in the literature. We aim to provide a solid benchmark against the existing solution approaches and show the effectiveness of *ZERO Regrets* in selecting and enumerating equilibria. The games we select stem from practical applications (e.g., competitive facility locations, network design) and methodological studies with the associated benchmark instances (e.g., games among quadratic programs). Specifically, we consider the following games:

- (i.) The Knapsack Game (*KPG*) [10, 13, 14], where each player solves a binary knapsack problem. We select the equilibrium maximizing the social welfare, and we provide theoretical results on the complexity of deciding whether a PNE exists. We also introduce two problem-specific equilibrium inequalities.
- (ii.) The Network Formation Game (*NFG*) [4, 15] – a paradigmatic game in *AGT* with plenty of applications in network design – where players seek to build a network through a cost-sharing mechanism. We select the equilibrium maximizing the social welfare.
- (iii.) The Competitive Facility Location and Design game (*CFLD*) [1, 18], where each player decides both the location of its facilities and their “design” (i.e., the facilities’ features) while competing for customer demand. As in the *KPG* and the *NFG*, we focus on finding the PNE maximizing the social welfare.
- (iv.) The Quadratic *IPGs* (*qIPGs*) introduced by Sagratella [45] and recently considered in Schwarze and Stein [48], where each player optimizes a (non-convex) quadratic function over box constraints and integrality requirements. As in the original papers, we focus on enumerating all the existing PNEs, or determine that none exists.

In what follows, we briefly describe the previous games and present the associated computational results¹.

5.1 The Knapsack Game

The *KPG* is an *IPG* among n players, where each player i solves a binary knapsack problem with m items in the form of

$$\max_{x^i} \left\{ \sum_{j=1}^m p_j^i x_j^i + \sum_{k=1, k \neq i}^n \sum_{j=1}^m C_{k,j}^i x_j^i x_j^k : \sum_{j=1}^m w_j^i x_j^i \leq b^i, x^i \in \{0, 1\}^m \right\}. \quad (3)$$

As in the classical knapsack problem [33], we assume that the profits p_j^i , weights w_j^i and capacities b^i are in \mathbb{Z}_0^+ . The selection of an item j by a player $k \neq i$ impacts either negatively or positively the

¹ We performed our tests on an *Intel Xeon Gold 6142* equipped with 128GB of RAM and 8 threads, employing *Gurobi 9.5* as *MIP* solver for Algorithm 2.

profit p_j^i for player i through integer coefficients $C_{k,j}^i$. Clearly, given the strategies of the other players x^{-i} , computing a corresponding best-response for player i is \mathcal{NP} -hard. We can apply our algorithmic framework by linearizing the bilinear products $x_j^i x_j^k$ (for any i, k, j) with $\mathcal{O}(mn^2)$ auxiliary variables and additional constraints (see [Example 2](#)). Carvalho [10] introduced the game with $n = 2$ and $p_j^i = 0 \forall j = 1, \dots, m, i = 1, 2$. Carvalho et al. [13, 14] consider a more general game variant allowing p_j^i and w_j^i to take negative integer values. However, their algorithms focus on Mixed-Strategy equilibria and cannot perform exact equilibria selection.

In [Theorem 2](#), we formally prove that deciding if a *KPG* instance has a *PNE* – even with two players – is Σ_2^P -complete in the polynomial hierarchy, matching the result of Carvalho et al. [14] for general *IPGs*.

Theorem 2. *Deciding if a KPG instance has a PNE is a Σ_2^P -complete problem.*

The proof, where we perform a reduction from the Σ_2^P -complete *DeNegre Bilevel Knapsack Problem* [9, 22, 23], is in the appendix. Furthermore, we show that when at least one *PNE* exists, the *PoS* and *PoA* can be arbitrarily bad.

Proposition 2. *The PoA and the PoS in KPG can be arbitrarily bad.*

Proof. Consider the following *KPG* instance with $n = 2$: player 1 solves the problem $\max_{x^1} \{Mx_1^1 + x_2^1 - (M - 2)x_1^1 x_1^2 - x_2^1 x_2^2 : 3x_1^1 + 2x_2^1 \leq 4, x^1 \in \{0, 1\}^2\}$ where M is an arbitrarily large value; player 2 solves $\max_{x^2} \{4x_1^2 + x_2^2 - x_1^2 x_1^1 - x_2^2 x_2^1 : 3x_1^2 + 2x_2^2 \leq 4, x^2 \in \{0, 1\}^2\}$. The only *PNE* is $(\bar{x}_1^1, \bar{x}_2^1, \bar{x}_1^2, \bar{x}_2^2) = (1, 0, 1, 0)$, with $u^1(\bar{x}^1, \bar{x}^2) = 2$, $u^2(\bar{x}^2, \bar{x}^1) = 3$, $S(\bar{x}) = 5$. The maximum welfare $OSW = M + 1$ is given by $(\hat{x}_1^1, \hat{x}_2^1, \hat{x}_1^2, \hat{x}_2^2) = (1, 0, 0, 1)$, i.e., *OSW* is arbitrarily large and there are no bounds on both the *PoA* and the *PoS*.

Strategic Inequalities. We further strengthen our cutting plane algorithm by introducing two classes of problem-specific equilibrium inequalities for the *KPG*.

Strategic Dominance Inequalities. In the binary knapsack problem, a well-known hierarchy of dominance relationships exists among items, as we formalize in [Definition 4](#).

Definition 4 (Dominance Rule). *Given two items j and j' with profits $\bar{p}_j, \bar{p}_{j'}$ and weights $w_j, w_{j'}$, if $w_j \leq w_{j'}$ and $\bar{p}_j > \bar{p}_{j'}$, then we say item j dominates item j' .*

The above concept of dominance implies that, in any optimal knapsack solution, if one packs a dominated item j' , then it should also pack item j . Otherwise, one would be able to improve the solution by selecting j instead of j' . This reasoning translates to the inequality $x_{j'} \leq x_j$, which is always valid for any optimal knapsack solution. We aim to extend this concept of dominance to the *KPG* by incorporating the strategic interactions among players. In order to derive such inequalities, we reason about how, for any player i , the decisions of x^{-i} affect the profits of i 's items. More formally, for any player i and item j , let p_j^{min} , and p_j^{max} be the minimum and maximum profit the strategies of the other players can induce, respectively. We claim the dominance rule of [Definition 4](#) extends to the one of [Proposition 3](#) in the *KPG*.

Proposition 3. *For each player i , if the dominance rule applies for two items j and j' with $\bar{p}_j = p_j^{min}$ and $\bar{p}_{j'} = p_{j'}^{max}$, then the inequality $x_{j'}^i \leq x_j^i$ is an equilibrium inequality.*

Proof. Since all best-responses of player i cannot select the dominated item j' without selecting item j for any x^{-i} , the claim holds.

We denote the inequalities of [Proposition 3](#) as *Strategic Dominance Inequalities*. We further extend the previous reasoning to derive other forms of dominance inequalities by evaluating how the strategic interaction (i.e., the items that the other players select) affects the items' profits for each player i . In

other words, we derive equilibrium inequalities that incorporate the strategic interaction by including the variables of multiple players. For instance, consider the case with two players. If the profits of two items j and j' for player 1 fulfill the dominance rule when player 2 selects item j and does not select item j' , then

$$x_{j'}^1 \leq x_j^1 + (1 - x_j^2) + x_{j'}^2$$

is an equilibrium inequality. Namely, if there exists a *PNE* with $x_j^2 = 1$ and $x_{j'}^2 = 0$, the dominance rule between item j and j' applies for player 1, otherwise the inequality is not binding.

Strategic Payoff Inequalities. We introduce a second class of *strategic* inequalities by exploiting two observations on the knapsack problem. For any player i , the strategy of all-zeros $x^i = (0, \dots, 0)$ is always feasible under the packing constraint, and yields a payoff of 0. Therefore, for any player i and item j , if $p_j^i + \sum_{k=1, k \neq i}^n C_{k,j}^i < 0$, player i may not select j depending on its opponent choices x^{-i} . More generally, let \mathcal{S}_j^i be the *interaction set* of i 's opponents inducing a negative profit for item j , namely, a set so that

$$p_j^i + \sum_{k \in \mathcal{S}_j^i} C_{k,j}^i < 0. \quad (4)$$

The interaction is *minimal* if, for any proper subset $\bar{\mathcal{S}}_j^i$ of \mathcal{S}_j^i , then $p_j^i + \sum_{k \in \bar{\mathcal{S}}_j^i} C_{k,j}^i > 0$. The inequality (4) implies that if $x_j^k = 1$ for any $k \in \mathcal{S}_j^i$, then $x_j^i = 0$. In general, this implies that for any interaction set, the inequality

$$x_j^i + \sum_{k \in \mathcal{S}_j^i} x_j^k \leq |\mathcal{S}_j^i|$$

is an equilibrium inequality. We define the latter inequality as *Strategic Payoff Inequality*. In practice, the inequalities generated by minimal interaction sets are stronger than those generated by non-minimal interaction sets since they generally involve more variables. Clearly, the effort to separate and include all the previous strategic inequalities may not be negligible when n and m increase. In practice, at each iteration of [Algorithm 2](#), we separate and add to \mathcal{Q} only the inequalities violated by the incumbent solution (\bar{x}, \bar{z}) .

Computational Results. We generate *KPG* instances with $n = 2, 3$ and $m = 25, 50, 75, 100$, and with p_j^i and w_j^i being random integers uniformly distributed in $[1, 100]$ for any i . The knapsack capacities b^i are equal to $0.2 \sum_{j=1}^m w_j^i$, $0.5 \sum_{j=1}^m w_j^i$, or $0.8 \sum_{j=1}^m w_j^i$, respectively. For what concerns the strategic interaction, we focus on three different distributions for the integer interaction coefficients $C_{k,j}^i$. For any player i , they can be: *A*) equal and uniformly distributed in $[1, 100]$, or *B*) random and uniformly distributed in $[1, 100]$, or *C*) random and uniformly distributed in $[-100, 100]$. In [Table 1](#), we present the results for the 72 resulting instances. For any given number of players n , items m and distribution of coefficients $C_{k,j}^i$ ((n, m, d)), we report the performance over the 3 instances with different capacities, in terms of: (i.) the average number of Equilibrium Inequalities of [Proposition 1](#) added ($\#EI$), (ii.) the average number of Strategic Payoff Inequalities ($\#ELP$) (which we only compute for the instances with distribution *C*), (iii.) the average number of Strategic Dominance Inequalities ($\#ELD$), (iv.) the average computational time (*Time*), (v.) the average computational time (*Time-1st*) to find the first *PNE* (if any), (vi.) the average *PoS* (*PoS*) for the best *PNE* (if any), and (vii.) the number of time limit hits (*Tl*). The average values in $\#EI$, $\#ELP$, $\#ELD$, *Time* and *Time-1st* also consider the instances where we hit the time limit², which we set to 1800 seconds. *ZERO Regrets* solves almost all instances with $n = 2$, regardless of the type of strategic interaction. Both running times and the number of equilibrium inequalities are significantly modest for a Σ_2^P -hard game. The *PoS* is generally low and increases with distribution *C* due to the nature of the complex strategic interactions

² We remark that the same observation holds on all our experiments.

stemming from both negative and positive $C_{k,j}^i$ coefficients. We remind that a PoS close to 1 does not mean the instance is computationally “easy”. On the contrary, a $PoS \approx 1$ highlights the existence of a high-quality PNE (i.e., with a welfare close to the one of the OSW) and also provides further evidence concerning the urgency of selecting efficient $PNEs$. *ZERO Regrets* performs robustly even in large instances, establishing a significant computational advantage over the previously developed approaches in the literature. Carvalho et al. [13, 14] consider up to $m = 40$ items with $n = 3$ by just computing an equilibrium, while Cronert and Minner [18] only perform equilibria selection with $m < 5$.

(n, m, d)	#EI	#EIP	#EID	Time	Time-1 st	PoS	Tl
(2, 25, A)	14.67	0.00	3.00	0.06	0.05	1.07	0/3
(2, 25, B)	17.33	0.00	3.67	0.12	0.09	1.02	0/3
(2, 25, C)	29.33	9.67	7.67	0.39	0.04	1.06	0/3
(2, 50, A)	20.00	0.00	2.67	0.21	0.21	1.02	0/3
(2, 50, B)	26.67	0.00	19.67	0.51	0.39	1.01	0/3
(2, 50, C)	72.67	27.00	11.33	6.34	0.92	1.08	0/3
(2, 75, A)	38.00	0.00	31.00	0.60	0.44	1.00	0/3
(2, 75, B)	100.67	0.00	34.00	8.35	5.71	1.02	0/3
(2, 75, C)	112.67	38.33	67.00	47.75	3.96	1.08	0/3
(2, 100, A)	25.33	0.00	14.67	0.76	0.58	1.01	0/3
(2, 100, B)	205.33	0.00	79.67	220.42	143.45	1.01	0/3
(2, 100, C)	697.33	55.33	119.67	1205.29	11.33	1.05	2/3
(3, 25, A)	31.00	0.00	9.33	0.21	0.21	1.01	0/3
(3, 25, B)	44.00	0.00	14.67	0.33	0.33	1.02	0/3
(3, 25, C)	91.00	29.67	33.67	29.78	5.64	1.26	0/3
(3, 50, A)	95.00	0.00	24.33	18.39	11.68	1.03	0/3
(3, 50, B)	206.00	0.00	44.33	626.45	167.01	1.01	1/3
(3, 50, C)	148.00	63.00	224.67	382.24	-	-	0/3
(3, 75, A)	64.00	0.00	119.00	4.65	2.07	1.02	0/3
(3, 75, B)	278.00	0.00	92.67	982.97	272.69	1.01	1/3
(3, 75, C)	173.00	87.33	319.67	658.77	-	-	1/3
(3, 100, A)	261.00	0.00	144.67	1200.65	666.13	1.00	2/3
(3, 100, B)	479.00	0.00	168.33	tl	-	-	3/3
(3, 100, C)	184.00	171.00	1019.67	1200.31	-	-	2/3

Table 1: Results overview for the *KPG*. The complete tables of results are in the Appendix (Table 6 and Table 7).

5.2 The Network Formation Game

Network design games are paradigmatic problems in Algorithmic Game Theory [4, 15, 40]. Their natural application domain is often the one of computer networks and the Internet itself, where several selfish agents opportunistically decide how to share a scarce resource, for instance, the bandwidth. Tardos [51] accurately claims that the impact and future of the complex technology we develop through the Internet critically depend on the ability to balance the diverse needs of the selfish agents in the network. We consider a (weighted) *NFG*— similar to the one of Chen and Roughgarden [15]— where n players are interested in building a computer network. Let $G(V, E)$ be a directed graph representing a network layout, where V, E are the sets of vertices and edges, respectively. Each edge $(h, l) \in E$ has a construction cost $c_{hl} \in \mathbb{Z}^+$, and each player i wants to connect an origin s^i with a destination t^i while minimizing its construction costs. A cost-sharing mechanism determines the cost of each edge (h, l)

for a player as a function of the number of players crossing (h, l) . Arguably, the most common and widely-adopted mechanism is the *Shapley cost-sharing mechanism*, where players using (h, l) equally share its cost c_{hl} . The goal is to find a *PNE* minimizing the sum of construction costs for each player or determine that no *PNE* exists. We model the *NFG* as an *IPG* as follows. For any player i and edge (h, l) , let the binary variables x_{hl}^i be 1 if i uses the edge. We employ standard flow constraints to model a path between s^i and t^i . For conciseness, we represent these constraints and binary requirements with a set \mathcal{F}^i for each i . Thus, each player i solves:

$$\min_{x^i} \left\{ \sum_{(h,l) \in E} \frac{c_{hl} x_{hl}^i}{\sum_{k=1}^n x_{hl}^k} : x^i \in \mathcal{F}^i \right\}. \quad (5)$$

For any player i , the cost contribution of each edge (h, l) to the objective is not linear in x and may not be defined for some choices of x (i.e., $\sum_{k=1}^n x_{hl}^k = 0$). However, we can linearize the fractional terms and eliminate the indefiniteness. For instance, consider a game with $n = 3$ and the objective of player 1. Let the binary variable $z_{hl}^{j, \dots, k}$ be 1 if only players j, \dots, k select the edge (h, l) . Then, $x_{hl}^1 = z_{hl}^1 + z_{hl}^{12} + z_{hl}^{13} + z_{hl}^{123}$, $x_{hl}^2 = z_{hl}^2 + z_{hl}^{12} + z_{hl}^{23} + z_{hl}^{123}$, $x_{hl}^3 = z_{hl}^3 + z_{hl}^{13} + z_{hl}^{23} + z_{hl}^{123}$ along with a clique constraint $z_{hl}^1 + z_{hl}^2 + z_{hl}^3 + z_{hl}^{12} + z_{hl}^{13} + z_{hl}^{23} + z_{hl}^{123} \leq 1$. The term for edge (h, l) in the objective of player 1 is then $c_{hl} z_{hl}^1 + \frac{c_{hl}}{2}(z_{hl}^{12} + z_{hl}^{13}) + \frac{c_{hl}}{3} z_{hl}^{123}$. In our tests, we consider the general weighted *NFG* [15], where each player i has a weight w^i , and the cost share of each selected (h, l) is $w^i c_{hl}$ divided by the weights of all players using (h, l) . Specifically, we consider the 3-player weighted *NFG*, where a *PNE* may not exist, and selecting one if multiple equilibria exist is generally an \mathcal{NP} -hard problem [4, 15].

Computational Results. In order to tackle challenging instances, we consider the *NFG* with $n = 3$ on grid-based directed graphs $G(V, E)$, where each i has to cross the grid from left to right to reach its destination. Compared to a standard grid graph, we randomly add some edges between adjacent layers to increase the number of paths, and to facilitate the interaction among players. The instances are so that $|V| \in [50, 500]$, and the costs c_{hl} for each edge (h, l) are random integers uniformly distributed in $[20, 100]$. We consider three distributions of player’s weights: (i.) the Shapely-mechanism with $w^1 = w^2 = w^3 = 1$, where a *PNE* always exists, yet selecting the most efficient *PNE* is \mathcal{NP} -hard, or (ii.) $w^1 = 0.6$, $w^2 = 0.2$, and $w^3 = 0.2$, or (iii.) $w^1 = 0.45$, $w^2 = 0.45$, and $w^3 = 0.1$. Table 2 reports the results, where we average over the distributions of the players’ weights. For each graph, the table reports the graph size $(|V|, |E|)$, whereas the other columns have the same meaning of the ones of Table 1. Our algorithm effectively solves all the instances but 3 within a time limit of 1800 seconds and consistently selects high-efficiency *PNEs*. Further, our algorithm finds the first *PNE* in considerably limited computing times. Generally, the previous literature does not consider this problem from a computational perspective, but only provides theoretical and possibly pessimistic bounds on the *PoS* and *PoA*. Nevertheless, we can compute efficient *PNEs* even in large-size graphs (i.e., $PoS \approx 1$), with a limited number of equilibrium inequalities and modest running times, showing the practical effectiveness of our algorithm in a paradigmatic *AGT* problem.

(V , E)	#EI	Time	Time-1 st	<i>PoS</i>	Tl	(V , E)	#EI	Time	Time-1 st	<i>PoS</i>	Tl
(50, 99)	6.00	0.04	0.04	1.12	0/3	(300, 626)	21.00	12.11	2.64	1.04	0/3
(100, 206)	2.33	0.05	0.04	1.00	0/3	(350, 730)	19.00	13.92	7.42	1.01	0/3
(150, 308)	6.00	0.64	0.25	1.01	0/3	(400, 822)	248.67	694.95	228.69	1.08	1/3
(200, 416)	11.67	3.28	1.11	1.06	0/3	(450, 934)	394.67	1199.98	2.61	1.11	2/3
(250, 517)	64.67	63.50	16.07	1.02	0/3	(500, 1060)	35.67	87.07	7.25	1.00	0/3

Table 2: Results overview for the *NFG*. The complete table of results is in the Appendix (Table 8).

5.3 The Competitive Facility Location and Design Game

The *CFLD* [1] is a game where sellers (players) compete for the demand of customers located in a given geographical area. Each seller makes two fundamental choices: where to open its selling facilities and the product assortment of such facilities, i.e., their “design”. Symmetrically, the customers select their favorite facilities depending on the relative distance from a facility and its attractiveness in terms of design. We consider a variant recently presented by Cronert and Minner [18], where n competitors simultaneously choose the location and design of their facilities. Let L be the set of potential facility locations, J be the set of customers, and let R_l denote the set of design alternatives for each location $l \in L$. Each player i has an available budget B^i and incurs in a fixed cost f_{lr}^i when opening a facility at location $l \in L$ and with the design $r \in R_l$. Each player i acquires a share of the demand w_j of a customer $j \in J$ according to a utility u_{ljr}^i , whose value depends upon the distance of customer j from a facility in location l and the design choice of such facility (see Cronert and Minner [18] for more details). The *CFLD* formulates as an *IPG* where each player i solves

$$\max_{x^i} \sum_{j \in J} w_j \frac{\sum_{l \in L} \sum_{r \in R_l} u_{ljr}^i x_{lr}^i}{\sum_{k=1}^n \sum_{l \in L} \sum_{r \in R_l} u_{ljr}^k x_{lr}^k} \quad (6a)$$

$$\text{s.t.} \quad \sum_{l \in L} \sum_{r \in R_l} f_{lr}^i x_{lr}^i \leq B^i, \quad (6b)$$

$$\sum_{r \in R_l} x_{lr}^i \leq 1 \quad \forall l \in L, \quad (6c)$$

$$x_{lr}^i \in \{0, 1\} \quad \forall l \in L, \forall r \in R_l. \quad (6d)$$

The binary variable x_{lr}^i is 1 if player i opens a facility in the location $l \in L$ with a design $r \in R_l$. The objective function (6a) represents the share of customer demands player i maximizes, the constraint (6b) is the budget constraint for player i , and the constraints (6c) enforce that player i can open only one facility in a location l . As in the *NFG*, the objective is not linear in x , and the denominator can be zero; however, we can linearize it with tailored fractional programming techniques.

Computational Results. We test *ZERO Regrets* on a representative set of instances from Cronert and Minner [18] to which we refer for the details concerning the distributions of locations and customers, and the entries w_j , u_{ljr} , f_{lr} . The resulting 64 instances with $n = 2, 3$ have 50 locations and 50 customers, with budgets $B^1 \in [10, 40]$ and $B^2 = B^1, B^1 + 10, \dots, 100$, $B^3 = 10$. Table 3 summarizes the results, where we aggregate and average over the values of B^1 . We benchmark our results against the performance of *eSGM-WM* from Cronert and Minner [18, Table 2], which ran on a machine with similar hardware characteristics. Although the authors compute both pure and mixed welfare-maximizing equilibria, we focus on computing only the welfare-maximizing *PNE*. Generally, *ZERO Regrets* outperforms algorithm *eSGM-WM* even in instances where only *PNEs* exist. Our algorithm solves 62 instances over 64 within a time limit of 3600 seconds. The running times of *ZERO Regrets* are sensibly limited compared to those of *eSGM-WM*, and never hit the time limit on the instances with $n = 2$. Occasionally, the running times are dramatically smaller, e.g., the instance with $n = 2$, $B^1 = 40$, $B^2 = 80$ where only one *PNE* exists: our algorithm finds the most efficient *PNE* in about 1636 seconds, while *eSGM-WM* requires 163315 seconds.

5.4 The Quadratic Game

The *qIPG* is a simultaneous non-cooperative *IPG* introduced by Sagratella [45], where each player i solves the problem

$$\min_{x^i} \left\{ \frac{1}{2} (x^i)^\top Q^i x^i + (C^i x^{-i})^\top x^i + (c^i)^\top x^i : LB \leq x^i \leq UB, x^i \in \mathbb{Z}^m \right\}. \quad (7)$$

(n, B^1)	#EI	Time	Time-1 st	<i>PoS</i>	Tl	(n, B^1)	#EI	Time	Time-1 st	<i>PoS</i>	Tl
(2, 10)	4.00	1.76	1.76	1.01	0/10	(3, 10)	6.30	3.56	2.11	1.02	0/10
(2, 20)	5.11	7.39	3.03	1.01	0/9	(3, 20)	9.00	27.72	7.29	1.03	0/9
(2, 30)	9.25	339.35	59.39	1.03	0/8	(3, 30)	18.38	754.84	555.78	1.05	1/8
(2, 40)	16.40	682.00	294.92	1.07	0/5	(3, 40)	25.20	1863.92	739.63	1.06	1/5

Table 3: Results overview for the *CFLD* from the instances of Cronert and Minner [18, Table 2]. The complete table of results is in the Appendix (Table 9).

Specifically, each player i controls m integer variables bounded by the vectors LB and UB . The strategic interaction involves the term $(C^i x^{-i})^\top x^i$, while the linear and quadratic terms solely depend on each player’s choices. While Sagratella [45] considers only instances with positive-definite Q^i matrices (i.e., the problem is convex in x^i for any i), Schwarze and Stein [48] consider arbitrary matrices Q^i (i.e., non-convex objectives). In particular, the latter generalizes the former by dropping the convexity requirement w.r.t. x^i on the payoffs $u^i(x^i, x^{-i})$. In contrast with the aforementioned applications, we let the *MIP* solver manage the linearization of the quadratic terms in each player’s payoff in order to fully integrate *ZERO Regrets* with the features of the existing *MIP* technology. As in Sagratella [45], Schwarze and Stein [48], we setup *ZERO Regrets* to enumerate all *PNE*s or to certify that no *PNE* exists.

Computational Results. We test our algorithm on both convex and non-convex benchmarks of the *qIPG*. First, we consider the *qIPG* from Schwarze and Stein [48], and test our algorithm on the same instance set. We refer to the original paper for the details on instance generation. Besides the bounds on the x^i variables, these instances also include m non-redundant linear inequalities $A^i x^i \leq b^i$ for each player i . Table 4 reports an overview of the results with a similar notation to the one of the previous tables. In the first column, we report the tuple (n, m, t) , where t is either *C* when each player’s problem is convex or *NC* otherwise. We additionally report the average number of *PNE*s in the column #EQs. We solve all the 56 instances in less than 416 seconds globally, with the most computationally-difficult instance requiring 56 seconds. Similar to the previous tests, our algorithm strongly outperforms the one of Schwarze and Stein [48]. Specifically, their algorithm runs out of time in 25 instances (time limit of 3600 seconds) and solves the remaining 31 instances with non-negligible computational times (i.e., about 1302 seconds on average).

(n, m, t)	#EI	#EQs	Time	Time-1 st	<i>PoS</i>	<i>PoA</i>	Tl
(2, 2, C)	14.00	1.67	0.35	0.18	1.17	1.43	0/4
(2, 3, C)	26.75	1.60	1.13	0.42	5.56	6.10	0/8
(2, 4, C)	35.00	1.00	3.40	1.19	1.32	1.32	0/4
(2, 5, C)	56.00	1.50	35.88	7.72	2.19	4.74	0/4
(3, 2, C)	42.00	2.00	1.21	0.65	1.83	2.40	0/4
(3, 3, C)	108.75	1.00	35.62	7.09	3.79	3.79	0/4
(2, 2, NC)	16.00	1.33	0.43	0.30	2.20	2.20	0/4
(2, 3, NC)	20.25	1.75	1.07	0.40	1.33	1.68	0/8
(2, 4, NC)	19.50	1.00	1.51	0.82	1.02	1.02	0/4
(2, 5, NC)	28.50	1.67	14.03	2.38	1.31	1.53	0/4
(3, 2, NC)	30.00	2.67	1.03	0.37	1.03	1.60	0/4
(3, 3, NC)	46.50	1.33	6.11	2.43	1.44	1.45	0/4

Table 4: Results overview for the *qIPG* from the instances of Schwarze and Stein [48]. The complete table of results is in the Appendix (Table 10).

To get a broader perspective, we also consider the convex instances of the game generated according to the scheme proposed in Sagratella [45]. The matrices Q^i and C^i are a random positive-definite and a random matrix, respectively, with rational entries in the range $[-25, 25]$, while the entries of c^i are integer numbers in the range $[-5, 5]$. We generate our instances with $n \in [1, 6]$, $m \in [1, 10]$, $LB \in [-1000, 0]$, and $UB \in [5, 1000]$ similarly to Sagratella [45]. We report the average results in Table 5, where we aggregate for n . *ZERO Regrets* finds the first *PNE* in less than a second on average, and manages to solve any instance in less than 12 seconds, even when more than 10 *PNEs* exist (see Table 11). Although we note that the algorithm of Sagratella [45] ran on a less performing machine, the results in Table 5 highlight the remarkable effectiveness of *ZERO Regrets*. The speedup in the performance seems to be considerably larger than the improvement associated with different hardware and software specifications (i.e., our algorithm is 100 times faster in terms of computing times).

n	#EI	#EQs	Time	Time-1 st	T1
2	81.33	3.67	2.21	0.58	0/12
3	115.13	4.00	2.44	0.60	0/8
4	119.00	10.25	3.90	0.97	0/4
6	79.50	3.50	0.96	0.38	0/4

Table 5: Results for the *qIPG* from the instances of Sagratella [45]. The complete table of results is in the Appendix (Table 11).

6 Concluding Remarks

This paper presents a general framework to compute, enumerate and select equilibria for a class of *IPGs*. These games are a fairly natural multi-agent extension of traditional problems in Operations Research, such as resource allocation, pricing, and combinatorial problems, and are powerful modeling tools for various applications. We provide a theoretical characterization of our framework through the concepts of *equilibrium inequality* and *equilibrium closure*. We explore the interplay between rationality and cutting planes by introducing a series of general and special-purpose classes of equilibrium inequalities and provide an interpretable criterion to frame the strategic interaction among players. The algorithm we introduce is general and it smoothly integrates with the existing optimization technology. Practically, we apply our framework to various problems from the relevant literature and significant application domains. We perform an extensive computational campaign and demonstrate the high efficiency and scalability of *ZERO Regrets*. Our computational results also provide evidence of the existence of efficient *PNEs*, further motivating the need for suitable algorithms to select or enumerate them. We also remark that our algorithm could practically work – up to a numerical tolerance – even when some of the players’ variables are bounded and continuous, e.g., by dropping the integrality requirement on some variables. We are prudently optimistic about the impact our framework may have in applied domains and the future methodological research directions it may open. We envision the potential for a series of theoretical contributions regarding the structure of new classes of general and problem-specific equilibrium inequalities and computational methods to further improve the algorithm’s performance. Above all, we hope our framework will foster future academic research and clear the way for novel and impactful applications of *IPGs*.

Acknowledgements We would like to thank Ulrich Pferschy for the valuable discussions concerning our work.

Bibliography

- [1] R. Aboolian, O. Berman, and D. Krass. Competitive facility location and design problem. *European Journal of Operational Research*, 182(1):40–62, Oct. 2007. ISSN 03772217. <https://doi.org/10.1016/j.ejor.2006.07.021>. URL <https://linkinghub.elsevier.com/retrieve/pii/S0377221706008009>.
- [2] E. Anderson, B. Chen, and L. Shao. Supplier Competition with Option Contracts for Discrete Blocks of Capacity. *Operations Research*, 65(4):952–967, Aug. 2017. ISSN 0030-364X, 1526-5463. <https://doi.org/10.1287/opre.2017.1593>. URL <http://pubsonline.informs.org/doi/10.1287/opre.2017.1593>.
- [3] E. Anshelevich, A. Dasgupta, E. Tardos, and T. Wexler. Near-optimal network design with selfish agents. In *Proceedings of the thirty-fifth ACM symposium on Theory of computing - STOC '03*, page 511, San Diego, CA, USA, 2003. ACM Press. ISBN 978-1-58113-674-6. <https://doi.org/10.1145/780542.780617>. URL <http://portal.acm.org/citation.cfm?doid=780542.780617>.
- [4] E. Anshelevich, A. Dasgupta, J. Kleinberg, E. Tardos, T. Wexler, and T. Roughgarden. The Price of Stability for Network Design with Fair Cost Allocation. *SIAM Journal on Computing*, 38(4):1602–1623, Jan. 2008. ISSN 0097-5397, 1095-7111. <https://doi.org/10.1137/070680096>. URL <http://epubs.siam.org/doi/10.1137/070680096>.
- [5] C. Audet, S. Belhaiza, and P. Hansen. Enumeration of All the Extreme Equilibria in Game Theory: Bimatrix and Polymatrix Games. *Journal of Optimization Theory and Applications*, 129(3):349–372, Dec. 2006. ISSN 0022-3239, 1573-2878. <https://doi.org/10.1007/s10957-006-9070-3>. URL <http://link.springer.com/10.1007/s10957-006-9070-3>.
- [6] D. Avis, G. D. Rosenberg, R. Savani, and B. von Stengel. Enumeration of Nash equilibria for two-player games. *Economic Theory*, 42(1):9–37, Jan. 2010. ISSN 0938-2259, 1432-0479. <https://doi.org/10.1007/s00199-009-0449-x>. URL <http://link.springer.com/10.1007/s00199-009-0449-x>.
- [7] B. D. Bernheim. Rationalizable Strategic Behavior. *Econometrica*, 52(4):1007, July 1984. ISSN 00129682. <https://doi.org/10.2307/1911196>. URL <https://www.jstor.org/stable/1911196>.
- [8] S. Bikhchandani and J. W. Mamer. Competitive Equilibrium in an Exchange Economy with Indivisibilities. *Journal of Economic Theory*, 74(2):385–413, June 1997. ISSN 00220531. <https://doi.org/10.1006/jeth.1996.2269>. URL <https://linkinghub.elsevier.com/retrieve/pii/S0022053196922693>.
- [9] A. Caprara, M. Carvalho, A. Lodi, and G. J. Woeginger. A Study on the Computational Complexity of the Bilevel Knapsack Problem. *SIAM Journal on Optimization*, 24(2):823–838, Jan. 2014. ISSN 1052-6234, 1095-7189. <https://doi.org/10.1137/130906593>. URL <http://epubs.siam.org/doi/10.1137/130906593>.
- [10] M. Carvalho. *Computation of equilibria on integer programming games*. PhD thesis, Universidade do Porto, Faculdade de Ciências, 2016. URL <https://repositorio-aberto.up.pt/handle/10216/83362>.
- [11] M. Carvalho, A. Lodi, J. P. Pedroso, and A. Viana. Nash equilibria in the two-player kidney exchange game. *Mathematical Programming*, 161(1-2):389–417, Jan. 2017. ISSN 0025-5610, 1436-4646. <https://doi.org/10.1007/s10107-016-1013-7>. URL <http://link.springer.com/10.1007/s10107-016-1013-7>.
- [12] M. Carvalho, A. Lodi, and J. a. P. Pedroso. Existence of Nash Equilibria on Integer Programming Games. In A. I. F. Vaz, J. a. P. Almeida, J. F. Oliveira, and A. A. Pinto, editors, *Operational Research*, volume 223, pages 11–23. Springer International Publishing, Cham, 2018. ISBN 978-3-319-71582-7 978-3-319-71583-4. URL http://link.springer.com/10.1007/978-3-319-71583-4_2.

- [13] M. Carvalho, G. Dragotto, A. Lodi, and S. Sankaranarayanan. The Cut and Play Algorithm: Computing Nash Equilibria via Outer Approximations. *arXiv*, abs/2111.05726, 2021. URL <https://arxiv.org/abs/2111.05726>.
- [14] M. Carvalho, A. Lodi, and J. Pedroso. Computing equilibria for integer programming games. *European Journal of Operational Research*, page S0377221722002727, Mar. 2022. ISSN 03772217. <https://doi.org/10.1016/j.ejor.2022.03.048>. URL <https://linkinghub.elsevier.com/retrieve/pii/S0377221722002727>.
- [15] H.-L. Chen and T. Roughgarden. Network design with weighted players. In *Proceedings of the eighteenth annual ACM symposium on Parallelism in algorithms and architectures - SPAA '06*, page 29, Cambridge, Massachusetts, USA, 2006. ACM Press. ISBN 978-1-59593-452-9. <https://doi.org/10.1145/1148109.1148114>. URL <http://portal.acm.org/citation.cfm?doid=1148109.1148114>.
- [16] V. Chvátal. Edmonds polytopes and a hierarchy of combinatorial problems. *Discrete Mathematics*, 4(4):305–337, Apr. 1973. ISSN 0012365X. [https://doi.org/10.1016/0012-365X\(73\)90167-2](https://doi.org/10.1016/0012-365X(73)90167-2). URL <https://linkinghub.elsevier.com/retrieve/pii/0012365X73901672>.
- [17] M. Conforti, G. Cornuéjols, and G. Zambelli. *Integer Programming*, volume 271 of *Graduate Texts in Mathematics*. Springer International Publishing, Cham, 2014. ISBN 978-3-319-11007-3 978-3-319-11008-0. <https://doi.org/10.1007/978-3-319-11008-0>. URL <http://link.springer.com/10.1007/978-3-319-11008-0>.
- [18] T. Cronert and S. Minner. Equilibrium identification and selection in integer programming games. *SSRN pre-print*, 2020. URL <http://dx.doi.org/10.2139/ssrn.3762380>.
- [19] C. Daskalakis, P. W. Goldberg, and C. H. Papadimitriou. The complexity of computing a Nash equilibrium. *Communications of the ACM*, 52(2):89–97, Feb. 2009. ISSN 0001-0782, 1557-7317. <https://doi.org/10.1145/1461928.1461951>. URL <https://dl.acm.org/doi/10.1145/1461928.1461951>.
- [20] J. David Fuller and E. Çelebi. Alternative models for markets with non-convexities. *European Journal of Operational Research*, 261(2):436–449, Sept. 2017. ISSN 03772217. <https://doi.org/10.1016/j.ejor.2017.02.032>. URL <https://linkinghub.elsevier.com/retrieve/pii/S0377221717301546>.
- [21] A. Del Pia, M. Ferris, and C. Michini. Totally Unimodular Congestion Games. In *Proceedings of the Twenty-Eighth Annual ACM-SIAM Symposium on Discrete Algorithms*, pages 577–588. Society for Industrial and Applied Mathematics, Jan. 2017. ISBN 978-1-61197-478-2. <https://doi.org/10.1137/1.9781611974782.37>. URL <http://epubs.siam.org/doi/10.1137/1.9781611974782.37>.
- [22] F. Della Croce and R. Scatamacchia. An exact approach for the bilevel knapsack problem with interdiction constraints and extensions. *Mathematical Programming*, Feb. 2020. ISSN 0025-5610, 1436-4646. <https://doi.org/10.1007/s10107-020-01482-5>. URL <http://link.springer.com/10.1007/s10107-020-01482-5>.
- [23] S. DeNegre. *Interdiction and discrete bilevel linear programming*. PhD thesis, Lehigh University, 2011. URL <https://www.proquest.com/docview/872083062/691B4CDD4A6C4E15PQ>.
- [24] G. Dragotto, S. Sankaranarayanan, M. Carvalho, and A. Lodi. ZERO: Playing Mathematical Programming Games. *arXiv:2111.07932 [cs, math]*, Dec. 2021. URL <http://arxiv.org/abs/2111.07932>. arXiv: 2111.07932.
- [25] F. Facchinei and J.-S. Pang, editors. *Finite-Dimensional Variational Inequalities and Complementarity Problems*. Springer Series in Operations Research and Financial Engineering. Springer New York, New York, NY, 2004. ISBN 978-0-387-95580-3. <https://doi.org/10.1007/b97543>. URL <http://link.springer.com/10.1007/b97543>.
- [26] A. Federgruen and M. Hu. Multi-Product Price and Assortment Competition. *Operations Research*, 63(3):572–584, June 2015. ISSN 0030-364X, 1526-5463. <https://doi.org/10.1287/opre.2015.1380>. URL <http://pubsonline.informs.org/doi/10.1287/opre.2015.1380>.

- [27] S. A. Gabriel, S. A. Siddiqui, A. J. Conejo, and C. Ruiz. Solving Discretely-Constrained Nash–Cournot Games with an Application to Power Markets. *Networks and Spatial Economics*, 13(3):307–326, Sept. 2013. ISSN 1566-113X, 1572-9427. <https://doi.org/10.1007/s11067-012-9182-2>. URL <http://link.springer.com/10.1007/s11067-012-9182-2>.
- [28] M. Grötschel, L. Lovász, and A. Schrijver. The ellipsoid method and its consequences in combinatorial optimization. *Combinatorica*, 1(2):169–197, June 1981. ISSN 0209-9683, 1439-6912. <https://doi.org/10.1007/BF02579273>. URL <http://link.springer.com/10.1007/BF02579273>.
- [29] T. Harks and J. Schwarz. Generalized Nash Equilibrium Problems with Mixed-Integer Variables. *WINE 2021 - The 17th Conference on Web and Internet Economics*, Feb. 2022. URL <http://arxiv.org/abs/2107.13298>.
- [30] J. C. Harsanyi. A new theory of equilibrium selection for games with complete information. *Games and Economic Behavior*, 8(1):91–122, Jan. 1995. ISSN 08998256. [https://doi.org/10.1016/S0899-8256\(05\)80018-1](https://doi.org/10.1016/S0899-8256(05)80018-1). URL <https://linkinghub.elsevier.com/retrieve/pii/S0899825605800181>.
- [31] R. Hemmecke, S. Onn, and R. Weismantel. Nash-equilibria and N-fold integer programming. *arXiv:0903.4577 [math]*, Mar. 2009. URL <http://arxiv.org/abs/0903.4577>. arXiv: 0903.4577.
- [32] R. Karp and C. Papadimitriou. On Linear Characterizations of Combinatorial Optimization Problems. *SIAM Journal on Computing*, 11(4):620–632, 1982. URL <https://doi.org/10.1137/0211053>.
- [33] H. Kellerer, U. Pferschy, and D. Pisinger. *Knapsack Problems*. Springer Berlin Heidelberg, Berlin, Heidelberg, 2004. ISBN 978-3-642-07311-3 978-3-540-24777-7. URL <http://link.springer.com/10.1007/978-3-540-24777-7>.
- [34] P. Kleer and G. Schäfer. Computation and efficiency of potential function minimizers of combinatorial congestion games. *Mathematical Programming*, 190(1-2):523–560, Nov. 2021. ISSN 0025-5610, 1436-4646. <https://doi.org/10.1007/s10107-020-01546-6>. URL <https://link.springer.com/10.1007/s10107-020-01546-6>.
- [35] M. Köppe, C. T. Ryan, and M. Queyranne. Rational Generating Functions and Integer Programming Games. *Operations Research*, 59(6):1445–1460, Dec. 2011. ISSN 0030-364X, 1526-5463. URL <http://pubsonline.informs.org/doi/abs/10.1287/opre.1110.0964>.
- [36] E. Koutsoupias and C. Papadimitriou. Worst-Case Equilibria. In G. Goos, J. Hartmanis, J. van Leeuwen, C. Meinel, and S. Tison, editors, *STACS 99*, volume 1563, pages 404–413. Springer Berlin Heidelberg, Berlin, Heidelberg, 1999. ISBN 978-3-540-65691-3 978-3-540-49116-3. URL http://link.springer.com/10.1007/3-540-49116-3_38. Series Title: Lecture Notes in Computer Science.
- [37] A. McLennan. The Expected Number of Nash Equilibria of a Normal Form Game. *Econometrica*, 73(1):141–174, Jan. 2005. ISSN 0012-9682, 1468-0262. <https://doi.org/10.1111/j.1468-0262.2005.00567.x>. URL <http://doi.wiley.com/10.1111/j.1468-0262.2005.00567.x>.
- [38] J. Nash. Non-Cooperative Games. *The Annals of Mathematics*, 54(2):286, Sept. 1951. ISSN 0003486X. <https://doi.org/10.2307/1969529>. URL <https://www.jstor.org/stable/1969529>.
- [39] J. F. Nash. Equilibrium Points in n-Person Games. *Proceedings of the National Academy of Sciences of the United States of America*, 36(1):48–49, 1950. URL <http://www.jstor.org/stable/88031>.
- [40] N. Nisan, editor. *Algorithmic Game Theory*. Cambridge Univ. Press, Cambridge, repr., [nachdr.] edition, 2008. ISBN 978-0-521-87282-9. URL <https://doi.org/10.1017/CB09780511800481>.
- [41] D. G. Pearce. Rationalizable Strategic Behavior and the Problem of Perfection. *Econometrica*, 52(4):1029, July 1984. ISSN 00129682. <https://doi.org/10.2307/1911197>. URL <https://www.jstor.org/stable/1911197>.
- [42] R. Porter, E. Nudelman, and Y. Shoham. Simple search methods for finding a Nash equilibrium. *Games and Economic Behavior*, 63(2):642–662, July 2008. ISSN 08998256. <https://doi.org/10.1016/j.geb.2006.03.015>. URL <https://linkinghub.elsevier.com/retrieve/pii/S0899825606000935>.

- [43] G. D. Rosenberg. Enumeration of All Extreme Equilibria of Bimatrix Games with Integer Pivoting and Improved Degeneracy Check. *CDAM Research Report LSE-CDAM-2004-18*, page 68, 2005. URL <http://www.cdam.lse.ac.uk/Reports/Files/cdam-2005-18.pdf>.
- [44] T. Roughgarden and E. Tardos. Bounding the inefficiency of equilibria in nonatomic congestion games. *Games and Economic Behavior*, 47(2):389–403, May 2004. ISSN 08998256. URL <https://linkinghub.elsevier.com/retrieve/pii/S089982560300188X>.
- [45] S. Sagratella. Computing All Solutions of Nash Equilibrium Problems with Discrete Strategy Sets. *SIAM Journal on Optimization*, 26(4):2190–2218, Jan. 2016. ISSN 1052-6234, 1095-7189. <https://doi.org/10.1137/15M1052445>. URL <http://epubs.siam.org/doi/10.1137/15M1052445>.
- [46] T. Sandholm, A. Gilpin, and V. Conitzer. Mixed-Integer Programming Methods for Finding Nash Equilibria. In *Proceedings of the 20th National Conference on Artificial Intelligence - Volume 2, AAAI'05*, pages 495–501. AAAI Press, 2005. ISBN 1-57735-236-X. URL <https://dl.acm.org/doi/10.5555/1619410.1619413>. event-place: Pittsburgh, Pennsylvania.
- [47] A. S. Schulz and N. E. Stier-Moses. On the performance of user equilibria in traffic networks. In *Proceedings of the Fourteenth Annual ACM-SIAM Symposium on Discrete Algorithms, January 12-14, 2003, Baltimore, Maryland, USA.*, 2003. URL <https://dl.acm.org/doi/10.5555/644108.644121>.
- [48] S. Schwarze and O. Stein. A branch-and-prune algorithm for discrete Nash equilibrium problems. *Optimization Online*, Preprint ID 2022-03-8836:27, 2022. URL http://www.optimization-online.org/DB_FILE/2022/03/8836.pdf.
- [49] H. D. Sherali and W. P. Adams. *A Reformulation-Linearization Technique for Solving Discrete and Continuous Nonconvex Problems*, volume 31 of *Nonconvex Optimization and Its Applications*. Springer US, Boston, MA, 1999. ISBN 978-1-4419-4808-3 978-1-4757-4388-3. <https://doi.org/10.1007/978-1-4757-4388-3>. URL <http://link.springer.com/10.1007/978-1-4757-4388-3>.
- [50] S. Tadelis. *Game theory: an introduction*. Princeton University Press, Princeton ; Oxford, 2013. ISBN 978-0-691-12908-2.
- [51] E. Tardos. Network games. In *Proceedings of the thirty-sixth annual ACM symposium on Theory of computing*, pages 341–342, 2004. URL <https://doi.org/10.1145/1007352.1007356>.
- [52] J. P. Vielma. Mixed Integer Linear Programming Formulation Techniques. *SIAM Review*, 57(1):3–57, Jan. 2015. ISSN 0036-1445, 1095-7200. <https://doi.org/10.1137/130915303>. URL <http://epubs.siam.org/doi/10.1137/130915303>.

Appendix

KPG Complexity Proof

We perform a reduction from the *DeNegre Bilevel Knapsack Problem* (*BKP*) below, which is Σ_2^p -complete [9].

Definition 5 (BKP). *Given two m -dimensional non-negative integer vectors a and b and two non-negative integers A and B , the *BKP* asks whether there exists a binary vector x – with $\sum_{j=1}^m a_j x_j \leq A$ – satisfying $\sum_{j=1}^m b_j y_j (1 - x_j) \leq B - 1$ for any binary vector y such that $\sum_{j=1}^m b_j y_j \leq B$.*

Without loss of generality, we assume $a_j \leq A$ for any j . If this is not the case, we can always modify the original *BKP* instance as follows: (i.) we replace A with $2A + 1$, any $a_j \leq A$ with $2a_j$, and any $a_j > A$ with $(2A + 1)$, and (ii.) we add a new element $m + 1$ (i.e., new item), with $a_{m+1} = 1$ and $b_{m+1} = B$. In any solution of this modified instance, we must have $x_{m+1} = 1$, otherwise $\sum_{j=1}^{m+1} b_j y_j (1 - x_j) \leq B - 1$ would never hold since $\sum_{j=1}^{m+1} b_j y_j (1 - x_j) = B$ when $x_{m+1} = 0$ and $y_{m+1} = 1$. Setting $x_{m+1} = 1$ gives a residual capacity $2A$ for the packing constraint of x . Indeed, every subset of x variables with original $a_j \leq A$ that was satisfying $\sum_{j=1}^m a_j x_j \leq A$ now satisfies $\sum_{j=1}^m 2a_j x_j \leq 2A$. On the contrary, we cannot select any x_j variable with original $a_j > A$. Thus, a solution (if any) to the original instance corresponds to a solution to the modified instance, and vice versa.

Proof. First note that deciding if *KPG* admits a *PNE* is in Σ_2^p , as we ask whether there exists a strategy profile where every player cannot improve its payoff with any of its strategies, and we can compute the payoff of such strategies in polynomial time. Given a *BKP* instance, we construct a *KPG* instance with 2 players as follows. We consider $m + 1$ items and associate the elements of vectors x and y with the first m elements of vectors x^1 and x^2 , respectively. Then, player 1 solves the problem in (8), whereas player 2 solves the problem in (9).

$$\max_{x^1} \left\{ \sum_{j=1}^m b_j x_j^1 x_j^2 + x_{m+1}^1 x_{m+1}^2 : \sum_{j=1}^m a_j x_j^1 \leq A, x^1 \in \{0, 1\}^{m+1} \right\}. \quad (8)$$

$$\begin{aligned} \max_{x^2} \{ & (B - 1)x_{m+1}^2 + \sum_{j=1}^m b_j x_j^2 - \sum_{j=1}^m b_j x_j^2 x_j^1 : \\ & \sum_{j=1}^m b_j x_j^2 + Bx_{m+1}^2 \leq B, x^2 \in \{0, 1\}^{m+1} \}. \end{aligned} \quad (9)$$

In order to prove the theorem, we show that the *KPG* instance has a *PNE* if and only if the corresponding *BKP* instance admits a solution.

BKP admits a solution. We assume the *BKP* instance has a solution \bar{x} . We prove that $\hat{x}^1 = (\bar{x}, 1)$, $\hat{x}^2 = (\bar{0}, 1)$ (with $\bar{0}$ being an m -dimensional vector of zeros) is a *PNE*. First, both the strategies \hat{x}^1 and \hat{x}^2 are feasible by construction. Given \hat{x}^2 , player 1 attains the maximum payoff of 1 by playing strategy \hat{x}^1 . The strategy \hat{x}^2 yields a payoff of $B - 1$ for player 2 when player 1 plays \hat{x}^1 . Player 2 cannot profitably deviate by setting $x_{m+1}^2 = 0$. This follows from the fact that the *BKP* instance has a solution \bar{x} and, given that $\hat{x}_j^1 = \bar{x}_j$ for $j = 1, \dots, m$, the following inequality must hold.

$$\sum_{j=1}^m b_j x_j^2 - \sum_{j=1}^m b_j x_j^2 \hat{x}_j^1 \leq B - 1.$$

Thus, the pair of strategies (\hat{x}^1, \hat{x}^2) is also a *PNE* for the *KPG* instance.

BKP has no solution. If the *BKP* instance has no solution, player 2 never plays $x_{m+1}^2 = 1$ in a best-response, as it can always obtain a payoff of B with variables x_1^2, \dots, x_m^2 for any player 1's feasible strategy. Consider any player 2's best-response \hat{x}^2 , with $\hat{x}_{m+1}^2 = 0$, and assume the *KPG* instance has a *PNE* (\hat{x}^1, \hat{x}^2) . Then, in the player 1's best-response \hat{x}^1 , there exists at least one $\hat{x}_j^1 = 1$ when $\hat{x}_j^2 = 1$ and $b_j > 0$ (since $a_j \leq A$ for any j). However, in this case, player 2 would deviate from \hat{x}^2 , since \hat{x}^2 gives a payoff $< B$ under \hat{x}^1 . Thus, no *PNE* exists in the *KPG* instance.

Extended Computational Results

In the following sections, we report the full results for the our computational tests. The columns are similar to the ones reported in the previous tables, possibly with the following additions (i.) *#It* indicating the number of iterations of *ZERO Regrets*, and (ii.) *PNE ** reporting the social welfare of the most efficient *PNE*, (iii.) *PNE °* reporting the social welfare of the less efficient *PNE* (if computed), (iv.) *OSW* reporting the optimal social welfare in the game, and (v.) *Bound* reporting the last proven bound on \mathcal{Q} before the latter becomes infeasible (or the algorithm hits the time limit), irrespective on whether the algorithm enumerated *PNEs* or not.

Full *KPG* Results

We report the two tables with the full *KPG* results. In the first column of [Tables 6](#) and [7](#) we add the field I to specify the instance type. Specifically, the knapsack capacity of player i is given by $\sum_{j=1}^n (w_j^i)I/10$.

(n, m, d, I)	PoS	$\#EI$	$\#ELP$	$\#ELD$	$\#It$	$Time$	$Time-1^{st}$	$PNE *$	OSW	$Bound$
(2, 25, A, 2)	1.106	12	0	8	3	0.036	0.035	1884	2084	1884
(2, 25, A, 5)	1.025	20	0	0	3	0.095	0.093	3086	3163	3086
(2, 25, A, 8)	1.000	12	0	1	2	0.035	0.032	4883	4883	4883
(2, 25, B, 2)	1.021	14	0	0	3	0.067	0.065	1609	1643	1609
(2, 25, B, 5)	1.025	28	0	4	4	0.250	0.182	3456	3542	3459
(2, 25, B, 8)	-	10	0	7	2	0.038	0.035	4624	4624	4624
(2, 25, C, 2)	-	16	7	5	4	0.153	-	-	1480	1329
(2, 25, C, 5)	-	62	12	17	11	0.967	-	-	2083	1863
(2, 25, C, 8)	1.064	10	10	1	4	0.037	0.036	2739	2914	2739
(2, 50, A, 2)	1.024	24	0	3	4	0.213	0.208	3824	3914	3824
(2, 50, A, 5)	1.035	16	0	2	3	0.214	0.212	6404	6626	6404
(2, 50, A, 8)	1.016	20	0	3	4	0.205	0.204	6703	6809	6703
(2, 50, B, 2)	1.004	10	0	0	2	0.043	0.040	3930	3946	3930
(2, 50, B, 5)	1.004	42	0	34	5	0.853	0.620	6931	6962	6936
(2, 50, B, 8)	1.008	28	0	25	6	0.620	0.501	9294	9372	9294
(2, 50, C, 2)	1.018	8	25	0	3	0.087	0.086	3173	3230	3173
(2, 50, C, 5)	-	112	25	22	17	17.190	-	-	5654	4923
(2, 50, C, 8)	1.134	98	31	12	18	1.749	1.747	5358	6074	5358
(2, 75, A, 2)	1.008	36	0	19	4	0.407	0.401	5784	5831	5784
(2, 75, A, 5)	1.004	40	0	49	4	1.025	0.572	12701	12757	12702
(2, 75, A, 8)	1.001	38	0	25	3	0.359	0.342	16319	16337	16319
(2, 75, B, 2)	1.033	122	0	41	12	12.483	9.045	5690	5880	5694
(2, 75, B, 5)	1.015	72	0	35	8	5.865	1.420	10293	10449	10297
(2, 75, B, 8)	1.010	108	0	26	12	6.691	6.664	13769	13910	13769
(2, 75, C, 2)	1.061	94	43	57	9	3.072	3.064	4356	4623	4356
(2, 75, C, 5)	-	136	35	87	18	134.899	-	-	7908	6934
(2, 75, C, 8)	1.089	108	37	57	18	5.289	4.865	8455	9207	8467
(2, 100, A, 2)	1.007	38	0	29	5	1.409	1.153	8302	8357	8313
(2, 100, A, 5)	1.002	20	0	4	2	0.355	0.188	18271	18301	18274
(2, 100, A, 8)	1.011	18	0	11	3	0.521	0.398	18516	18723	18519
(2, 100, B, 2)	1.018	78	0	11	8	4.294	4.281	8156	8303	8156
(2, 100, B, 5)	1.010	500	0	203	42	655.957	425.088	14246	14390	14248
(2, 100, B, 8)	1.002	38	0	25	5	0.997	0.988	19054	19084	19054
(2, 100, C, 2)	1.048	116	49	33	13	15.873	11.332	5808	6084	5817
(2, 100, C, 5)	-	464	53	260	30	tl	-	-	9611	8958
(2, 100, C, 8)	-	1512	64	66	110	tl	-	-	9791	9007

Table 6: Full results for the KPG with $n = 2$.

(n, m, d, I)	<i>PoS</i>	#EI	#ELP	#ELD	#It	Time	Time-1 st	<i>PNE</i> *	<i>OSW</i>	Bound
(3, 25, A, 2)	1.010	21	0	0	3	0.166	0.164	3738	3777	3738
(3, 25, A, 5)	1.004	30	0	0	2	0.151	0.144	5480	5500	5480
(3, 25, A, 8)	1.011	42	0	28	3	0.323	0.316	9592	9693	9592
(3, 25, B, 2)	1.034	27	0	3	3	0.223	0.219	4535	4691	4535
(3, 25, B, 5)	1.005	45	0	18	3	0.394	0.388	7293	7329	7293
(3, 25, B, 8)	1.008	60	0	23	4	0.387	0.378	10346	10433	10346
(3, 25, C, 2)	1.259	78	6	5	8	6.765	5.643	2152	2710	2165
(3, 25, C, 5)	-	159	24	64	13	82.115	-	-	4980	3935
(3, 25, C, 8)	-	36	59	32	4	0.449	-	-	5735	4414
(3, 50, A, 2)	1.033	99	0	17	5	3.739	3.727	6769	6995	6769
(3, 50, A, 5)	1.037	69	0	6	5	2.413	2.043	11345	11764	11346
(3, 50, A, 8)	1.007	117	0	50	8	49.004	29.269	17283	17406	17283
(3, 50, B, 2)	1.011	36	0	1	4	1.976	1.971	7549	7634	7549
(3, 50, B, 5)	1.015	468	0	99	29	tl	483.842	13571	13781	13573
(3, 50, B, 8)	1.011	114	0	33	9	77.373	15.220	19680	19896	19697
(3, 50, C, 2)	-	231	37	108	15	934.599	-	-	5215	3764
(3, 50, C, 5)	-	159	64	397	10	211.139	-	-	9148	7564
(3, 50, C, 8)	-	54	88	169	5	0.977	-	-	11002	9194
(3, 75, A, 2)	1.003	60	0	70	4	9.057	1.342	14664	14711	14672
(3, 75, A, 5)	1.041	45	0	1	3	0.842	0.827	13869	14434	13869
(3, 75, A, 8)	1.002	87	0	286	5	4.056	4.032	26468	26519	26468
(3, 75, B, 2)	-	444	0	130	18	tl	-	-	11508	11229
(3, 75, B, 5)	1.002	81	0	97	4	5.206	5.180	23139	23194	23139
(3, 75, B, 8)	1.011	309	0	51	18	1143.710	540.207	30118	30438	30118
(3, 75, C, 2)	-	357	36	177	15	tl	-	-	7242	6568
(3, 75, C, 5)	-	141	152	654	7	175.807	-	-	13553	11175
(3, 75, C, 8)	-	21	74	128	3	0.517	-	-	16736	14235
(3, 100, A, 2)	-	333	0	15	15	tl	-	-	15164	14825
(3, 100, A, 5)	1.003	408	0	28	21	tl	1330.340	32673	32766	32677
(3, 100, A, 8)	1.006	42	0	391	3	1.959	1.915	37607	37826	37607
(3, 100, B, 2)	-	516	0	297	21	tl	-	-	15946	15679
(3, 100, B, 5)	-	291	0	81	12	tl	-	-	29393	29119
(3, 100, B, 8)	-	630	0	127	29	tl	-	-	40282	40082
(3, 100, C, 2)	-	288	45	285	12	tl	-	-	11222	10045
(3, 100, C, 5)	-	234	226	2059	10	tl	-	-	18272	15941
(3, 100, C, 8)	-	30	242	715	3	0.932	-	-	20653	16855

 Table 7: Full results for the *KPG* with $n = 3$.

Full *NFG* Results

In [Table 8](#), we report the full results for the *NFG*. In the second and third columns, we report the weights of player 1 and 2 as w^1 and w^2 , respectively. We remark that $w^3 = 1 - w^1 - w^2$.

(V , E)	w^1	w^2	<i>PoS</i>	#EI	#It	Time	Time-1 st	<i>PNE</i> *	<i>OSW</i>	Bound
(50, 99)	0.33	0.33	1.061	5	3	0.037	0.036	980	924	980
(50, 99)	0.6	0.2	1.245	8	3	0.040	0.039	1150	924	1150
(50, 99)	0.45	0.45	1.061	5	3	0.034	0.034	980	924	980
(100, 206)	0.33	0.33	1.000	3	2	0.047	0.041	1320	1320	1320
(100, 206)	0.6	0.2	1.000	2	2	0.046	0.040	1320	1320	1320
(100, 206)	0.45	0.45	1.000	2	2	0.047	0.040	1320	1320	1320
(150, 308)	0.33	0.33	1.015	8	4	0.996	0.222	2049	2019	2042
(150, 308)	0.6	0.2	1.015	5	4	0.354	0.353	2049	2019	2049
(150, 308)	0.45	0.45	1.015	5	3	0.565	0.190	2049	2019	2041
(200, 416)	0.33	0.33	1.000	1	2	0.109	0.096	2336	2336	2336
(200, 416)	0.6	0.2	1.007	12	5	2.828	1.696	2352	2336	2346
(200, 416)	0.45	0.45	1.187	22	10	6.908	1.529	2352	2336	2349
(250, 517)	0.33	0.33	1.027	137	37	144.392	33.653	2730	2672	2729
(250, 517)	0.6	0.2	1.027	47	17	43.991	13.430	2730	2672	2729
(250, 517)	0.45	0.45	1.012	10	5	2.111	1.122	2703	2672	2693
(300, 626)	0.33	0.33	1.060	36	10	14.877	2.068	3587	3567	3587
(300, 626)	0.6	0.2	1.053	26	11	21.300	5.701	3587	3567	3585
(300, 626)	0.45	0.45	1.000	1	2	0.161	0.140	3567	3567	3567
(350, 730)	0.33	0.33	1.003	15	5	9.664	3.100	3678	3669	3677
(350, 730)	0.6	0.2	1.014	41	11	31.889	18.997	3687	3669	3687
(350, 730)	0.45	0.45	1.000	1	2	0.197	0.173	3669	3669	3669
(400, 822)	0.33	0.33	1.207	100	29	163.047	0.228	4348	4319	4347
(400, 822)	0.6	0.2	1.016	543	116	tl	584.854	4387	4319	4373
(400, 822)	0.45	0.45	1.007	103	26	121.910	100.997	4348	4319	4346
(450, 934)	0.33	0.33	1.159	0	2	0.304	0.250	4827	4827	4827
(450, 934)	0.6	0.2	1.021	575	119	tl	7.284	4925	4827	4866
(450, 934)	0.45	0.45	1.159	609	115	tl	0.281	4934	4827	4864
(500, 1060)	0.33	0.33	1.004	66	29	198.440	5.191	5535	5512	5534
(500, 1060)	0.6	0.2	1.004	20	8	20.951	11.231	5535	5512	5535
(500, 1060)	0.45	0.45	1.005	21	12	41.808	5.321	5535	5512	5534

Table 8: Full results for the *NFG*.

Full CFLD Results

We report the results for a set of instances from Cronert and Minner [18, Table 2] (i.e., $\beta = 0.5$ and $d_{max} = 20$). We report the full set of our results in Table 9, where, in the second and third columns, we report the budget of player 1 and 2 as B^1 and B^2 . When $n = 3$, $B^3 = 10$.

n	B^1	B^2	#EQs	PoS	#EI	#It	Time	Time-1 st	PNE *	OSW	Bound
2	10	10	1	1.000	2	2	0.038	0.036	69	69	69
2	10	20	1	1.000	2	2	0.259	0.256	109	109	109
2	10	30	1	1.000	2	2	0.871	0.869	153	153	153
2	10	40	1	1.000	2	2	1.026	1.025	186	186	186
2	10	50	1	1.000	2	2	0.545	0.544	212	212	212
2	10	60	1	1.000	2	2	0.627	0.626	232	232	232
2	10	70	1	1.013	4	3	2.081	2.079	236	239	236
2	10	80	1	1.047	8	4	4.908	4.905	236	247	236
2	10	90	1	1.029	8	4	3.532	3.529	245	252	245
2	10	100	1	1.028	8	4	3.706	3.701	247	254	247
2	20	20	1	1.000	2	2	0.426	0.424	136	136	136
2	20	30	1	1.000	2	2	1.153	1.151	180	180	180
2	20	40	1	1.000	2	2	0.867	0.865	210	210	210
2	20	50	1	1.000	4	3	1.760	1.758	232	232	232
2	20	60	1	1.013	10	5	11.852	6.770	236	239	238
2	20	70	1	1.038	6	3	7.494	7.194	234	243	234
2	20	80	0	-	6	4	9.530	-	-	252	243
2	20	90	0	-	8	4	14.304	-	-	254	247
2	20	100	0	-	6	3	19.163	-	-	254	252
2	30	30	1	1.000	2	2	2.583	2.580	202	202	202
2	30	40	1	1.000	2	2	1.852	1.849	232	232	232
2	30	50	1	1.030	14	5	13.268	6.067	236	243	238
2	30	60	1	1.065	14	7	37.077	37.067	232	247	232
2	30	70	1	1.050	8	4	38.741	38.384	240	252	240
2	30	80	1	1.058	16	5	515.179	270.395	240	254	241
2	30	90	0	-	10	6	1327.610	-	-	254	240
2	30	100	0	-	8	5	778.459	-	-	254	247
2	40	40	1	1.138	24	9	491.695	154.949	210	239	216
2	40	50	1	1.038	16	6	128.764	23.469	238	247	240
2	40	60	2	1.050	18	9	344.539	98.475	240	252	240
2	40	70	1	1.058	14	6	808.094	418.576	240	254	245
2	40	80	1	1.058	10	5	1636.910	779.146	240	254	243
3	10	10	1	1.072	6	3	0.360	0.358	69	74	69
3	10	20	1	1.000	3	2	0.180	0.178	136	136	136
3	10	30	1	1.000	3	2	0.522	0.518	180	180	180
3	10	40	1	1.000	3	2	0.494	0.492	210	210	210
3	10	50	1	1.000	3	2	0.631	0.628	232	232	232
3	10	60	1	1.022	9	3	2.037	1.978	232	237	232
3	10	70	1	1.030	9	4	4.772	4.769	236	243	236
3	10	80	1	1.029	9	4	3.437	3.433	245	252	245
3	10	90	1	1.037	9	4	6.679	6.676	245	254	245
3	10	100	0	-	9	4	16.522	-	-	254	249
3	20	20	1	1.000	3	2	1.520	1.517	158	158	158
3	20	30	2	1.037	18	4	6.161	5.795	187	194	187
3	20	40	1	1.032	9	3	3.088	3.018	217	224	217
3	20	50	1	1.000	3	2	1.931	1.929	239	239	239
3	20	60	1	1.030	15	5	19.666	19.662	236	243	236
3	20	70	1	1.068	6	3	5.114	5.111	236	252	236
3	20	80	1	1.058	9	4	14.024	14.021	240	254	240

3	20	90	0	-	9	3	35.657	-	-	254	252
3	20	100	0	-	9	4	162.306	-	-	254	252
3	30	30	1	1.000	18	4	11.841	11.838	216	216	216
3	30	40	2	1.102	27	8	54.111	35.612	216	238	218
3	30	50	1	1.038	24	8	51.141	51.135	238	247	238
3	30	60	1	1.050	18	6	109.115	109.110	240	252	240
3	30	70	1	1.058	24	8	226.185	226.180	240	254	240
3	30	80	1	1.058	15	5	833.079	434.912	240	254	247
3	30	90	0	-	9	3	1153.500	-	-	254	254
3	30	100	1	1.058	12	5	tl	3021.700	240	254	243
3	40	40	1	1.038	36	8	222.003	221.639	238	247	238
3	40	50	1	1.050	27	8	207.155	206.729	240	252	240
3	40	60	1	1.076	24	9	2848.410	1696.300	236	254	244
3	40	70	2	1.058	24	8	2441.450	833.853	240	254	240
3	40	80	0	-	15	6	tl	-	-	254	252

Table 9: Full results for the *CFLD* from the instances of Cronert and Minner [18, Table 2].

Full *qIPGs* Results

We report the full results for the instances of Schwarze and Stein [48] in Table 10, and the ones generated following the scheme of Sagratella [45] in Table 11. In the latter table, we refer to Sagratella [45] for an overview on the instances acronyms.

Instance	#EQs	PoS	PoA	#EI	#It	Time	Time-1 st	PNE *	PNE °	OSW	Bound
C22_3	2	1.0815	1.1238	14	4	0.3692	0.2835	-22.7030	-21.8475	-24.5524	-22.7030
C22_2	1	1.0000	1.0000	2	2	0.0949	0.0811	-0.3146	-0.3146	-0.3146	-0.3146
C22_1	2	1.4233	2.1559	24	6	0.6366	0.1852	-13.5053	-8.9158	-19.2216	0.0196
C22_4	0	-	-	16	3	0.3097	-	-	-	-15.1462	-6.8359
C23_1	2	1.0353	1.6333	28	5	0.7040	0.2652	-10.7928	-6.8413	-11.1737	0.0000
C23_3	2	1.4506	3.0534	24	7	1.0306	0.5635	-22.3566	-10.6215	-32.4315	-10.6215
C23_2	0	-	-	26	6	1.0065	-	-	-	-22.3275	-0.3407
C23_6	1	23.2815	23.2815	16	4	0.7469	0.6326	-0.3396	-0.3396	-7.9063	-0.3572
C23_7	1	1.0101	1.0101	6	3	0.4038	0.2817	-4.5242	-4.5242	-4.5698	-4.5242
C23_5	0	-	-	20	6	1.0198	-	-	-	-8.2644	-0.2266
C23_4	0	-	-	26	6	0.9098	-	-	-	-44.4346	-4.6428
C23_8	2	1.0153	1.5113	68	13	3.2209	0.3646	-74.4543	-50.0193	-75.5936	-3.5526
C24_4	0	-	-	32	5	4.6024	-	-	-	-46.2197	-1.3690
C24_3	0	-	-	48	7	4.2759	-	-	-	-49.3061	-2.2944
C24_2	0	-	-	40	5	2.8302	-	-	-	-50.0571	-1.5728
C24_1	1	1.3206	1.3206	20	3	1.8845	1.1885	-6.4656	-6.4656	-8.5384	-6.4825
C25_4	1	1.4166	1.4166	34	7	34.4549	4.6820	-50.3544	-50.3544	-71.3315	-5.5704
C25_1	3	1.2068	11.3913	64	10	32.8601	3.6125	-22.4829	-2.3818	-27.1321	-2.3818
C25_3	1	2.0289	2.0289	60	10	26.9686	4.6411	-45.6431	-45.6431	-92.6057	-8.0414
C25_2	1	4.1130	4.1130	66	12	49.2170	17.9271	-10.2162	-10.2162	-42.0192	-2.1366
C32_1	2	3.1976	6.0787	30	4	0.7915	0.6078	-21.6314	-11.3788	-69.1684	-21.6314
C32_2	1	1.1101	1.1101	15	5	1.1502	0.4799	-28.0541	-28.0541	-31.1421	-9.9981
C32_3	3	1.1778	-	63	9	2.2256	0.8736	-45.5016	0.0000	-53.5937	-14.9792
C32_4	0	-	-	60	4	0.6875	-	-	-	-30.6557	-8.8992
C33_2	1	8.3676	8.3676	117	12	23.1855	15.4598	-9.2113	-9.2113	-77.0768	-3.7804
C33_3	1	1.7099	1.7099	102	10	25.2901	1.6631	-57.6349	-57.6349	-98.5491	-1.3043
C33_1	1	1.2914	1.2914	129	17	55.9786	4.1433	-138.1190	-138.1190	-178.3720	-6.0334
C33_4	0	-	-	87	9	38.0066	-	-	-	-118.7970	-6.0558
NC22_1	2	2.2947	2.2947	18	4	0.4126	0.1822	-8.7456	-8.7456	-20.0687	-8.7456
NC22_2	1	1.9081	1.9081	14	4	0.4483	0.3664	-12.2614	-12.2614	-23.3957	-12.2614
NC22_3	1	2.3939	2.3939	16	5	0.4243	0.3463	-22.1224	-22.1224	-52.9584	-22.1224
NC22_4	0	-	-	16	4	0.4330	-	-	-	-34.0944	-22.9080
NC23_8	0	-	-	18	5	0.8855	-	-	-	-57.4117	-31.8276
NC23_2	1	1.4346	1.4346	10	4	1.0951	0.2406	-29.1437	-29.1437	-41.8083	-15.2740
NC23_3	0	-	-	20	4	0.7570	-	-	-	-79.2272	-28.3022
NC23_1	1	1.6194	1.6194	36	8	1.5463	0.6476	-61.1489	-61.1489	-99.0215	-2.1164
NC23_4	3	1.1508	1.9143	32	9	1.4491	0.3539	-74.7629	-44.9448	-86.0367	-35.2390
NC23_5	2	1.0962	1.7415	10	4	0.9394	0.3543	-86.4907	-54.4442	-94.8133	-54.4442
NC23_7	0	-	-	24	4	1.0328	-	-	-	-46.1839	-14.7437
NC23_6	0	-	-	12	3	0.8541	-	-	-	-39.4816	-29.1236

NC24_4	0	-	-	34	5	2.0809	-	-	-	-71.6710	-62.7970
NC24_1	1	1.0190	1.0190	16	4	1.4601	0.8236	-128.9180	-128.9180	-131.3660	-98.6356
NC24_2	0	-	-	10	3	1.0317	-	-	-	-59.2505	-50.3392
NC24_3	0	-	-	18	4	1.4827	-	-	-	-81.1047	-62.3756
NC25_4	1	1.4370	1.4370	14	6	3.9086	2.9218	-116.9060	-116.9060	-167.9990	-116.9060
NC25_2	2	1.0487	1.1744	30	8	7.1719	0.9324	-183.7380	-164.0840	-192.6940	-72.1818
NC25_3	2	1.4358	1.9921	32	8	25.6082	3.2763	-121.5220	-87.5895	-174.4870	-87.5895
NC25_1	0	-	-	38	6	19.4117	-	-	-	-163.5600	-62.2675
NC32_3	2	1.0000	1.4850	24	5	1.2589	0.4827	-101.4570	-68.3218	-101.4570	2.6985
NC32_2	2	1.0652	1.4657	15	4	0.5213	0.2782	-43.2125	-31.4043	-46.0281	-31.4043
NC32_1	0	-	-	36	4	0.7526	-	-	-	-66.5208	-21.4082
NC32_4	4	1.0145	1.8493	45	9	1.5802	0.3484	-77.9484	-42.7617	-79.0771	-20.4243
NC33_1	2	1.0042	1.0451	33	6	6.7043	1.3057	-184.7260	-177.4950	-185.4930	-99.5192
NC33_3	0	-	-	42	7	4.3455	-	-	-	-104.1130	-21.0555
NC33_2	1	1.3586	1.3586	54	6	6.8289	3.3613	-90.6533	-90.6533	-123.1600	-71.4323
NC33_4	1	1.9431	1.9431	57	8	6.5654	2.6089	-120.5760	-120.5760	-234.2880	-41.7204

 Table 10: Full results for the $qIPG$ from the instances of Schwarze and Stein [48].

Instance	#EQs	#EI	#It	Time	Time-1 st	PNE *	PNE °	OSW
2-1-A-H	3	110	24	0.889	0.057	-74.0	0.0	-2128000.0
2-1-B-H	2	102	16	0.581	0.158	-8.5	0.0	-8500000.0
2-1-A-L	5	188	30	2.171	0.175	-74.0	0.0	-4376000.0
2-1-B-L	2	136	23	0.743	0.100	-27.5	-0.5	-6477570.0
2-2-A-H	7	50	12	1.769	0.148	-425.5	0.0	-1438.0
2-2-B-H	8	166	23	11.707	4.969	-924.5	-0.5	-2712.0
2-2-A-L	1	16	3	0.327	0.247	0.0	0.0	-124.0
2-2-B-L	7	112	19	6.500	0.205	-7289.5	0.0	-8560.0
2-3-A-H	4	20	6	0.458	0.140	-283.0	0.0	-1118.0
2-3-B-H	3	54	8	0.989	0.475	-25.5	0.0	-3138.0
2-3-A-L	1	8	3	0.179	0.137	0.0	0.0	-270.0
2-3-B-L	1	14	3	0.250	0.188	0.0	0.0	-750.5
3-1-A-H	6	228	25	5.137	0.964	-4776.0	0.0	-76091.5
3-1-B-H	8	246	31	4.465	0.647	-957.0	0.0	-234695.0
3-1-A-L	3	159	18	3.220	1.273	-618.5	0.0	-93872.0
3-1-B-L	1	105	12	1.204	0.392	0.0	0.0	-71595.0
3-2-A-H	1	33	5	0.760	0.395	0.0	0.0	-1962.5
3-2-B-H	1	15	3	0.078	0.069	0.0	0.0	-1080.0
3-2-A-L	8	84	11	3.390	0.629	-1558.0	0.0	-3032.5
3-2-B-L	4	51	8	1.269	0.447	-125.0	0.0	-2044.0
4-1-A-H	4	76	7	2.140	1.077	-249.0	0.0	-552.5
4-1-B-H	13	152	16	4.654	1.689	-3603.0	0.0	-6115.5
4-1-A-L	13	116	10	5.927	0.869	-1462.0	0.0	-1804.0
4-1-B-L	11	132	12	2.863	0.238	-1677.5	0.0	-5817.5
6-1-A-H	3	66	5	0.595	0.425	-36.5	0.0	-1437.5
6-1-B-H	2	54	6	0.457	0.302	-17.0	0.0	-1715.0
6-1-A-L	3	60	5	0.711	0.192	-440.0	0.0	-2795.0
6-1-B-L	6	138	8	2.059	0.602	-363.5	0.0	-10510.0

 Table 11: Full results for the $qIPG$ from the instances of Sagratella [45].