

New technologies and design: innovative co-design tools

Original

New technologies and design: innovative co-design tools / Cocina, GRAZIA GIULIA; Peretti, Gabriella; Pollo, Riccardo; Thiebat, Francesca (STUDI E PROGETTI). - In: Producing Project / Lauria M., Mussinelli E., Tucci F.. - ELETTRONICO. - [s.l.] : Maggioli, 2020. - ISBN 9788891643087. - pp. 294-300

Availability:

This version is available at: 11583/2996527 since: 2025-01-11T17:47:11Z

Publisher:

Maggioli

Published

DOI:

Terms of use:

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)

Producing Project

edited by
MASSIMO LAURIA
ELENA MUSSINELLI
FABRIZIO TUCCI




8B
F1
E3
9F
F7

78 84
71 10
76 4C 04
C7 90 88
83 16 8E
27 11 12
12 11 10
88 09 0E
03 D9 30
2E 80 2E
47 20 81
D5 20 A4
C4 75 A2
17 71 1E
45 8A 1E
28 00 00
28 4A 4A
29 88 20
8A 11 88
87 78 88
94 5C 88
14 00 00

04 27 0988
83 84 C438
74 74 1785
C2 30 0808
38 2C 28
58 5F 23
21 5E 28
04 8A 28
A1 87 28
01 94 28
48 14 28
0D 4F 28
34 40 28
8D 23 28
5E 43 28
CE C9 28
8D 28 28
83 2A 28
5A 78 28
58 28 28
9C 88 28
01 01 28
E4 15 28
00 00 28


MAGGIOLI
EDITORE



Massimo Lauria
Associate Professor of Architectural Technology
at dArTe Department, Mediterranean University
of Reggio Calabria.

Elena Mussinelli
Full Professor of Architectural Technology at
ABC Department, Politecnico di Milano.

Fabrizio Tucci
Full Professor of Architectural Technology at
PIDTA Department, Sapienza University of Rome.

The transformations created about the design activity by the several challenges started by the economic crisis, climate change and environmental emergencies, together with the impact of the Web and ICT on social and productive systems, highlight many critical issues, but also significant prospects for updating concerning places, forms, contents and operating methods of “making architecture”, at all levels and scales.

In this context, the cultural tradition and disciplinary identity of Architectural Technology provide visions and effective operating practices characterized by new ways of managing and controlling the process with the definition of roles, skills and contents related to the production chains of the circular economy/green and to real and virtual performance simulations.

The volume collects the results of the remarks and research and experimentation work of members of SITdA - Italian Society of Architectural Technology, outlining scenarios of change useful for orienting the future of research concerning the raising of the quality of the project and of the construction.

Producing Project

edited by

Massimo Lauria
Elena Mussinelli
Fabrizio Tucci


MAGGIOLI
EDITORE

Book series **STUDI E PROGETTI**

directors *Fabrizio Schiaffonati, Elena Mussinelli*

editorial board *Chiara Agosti, Giovanni Castaldo, Martino Mocchi, Raffaella Riva*

scientific committee *Marco Biraghi, Luigi Ferrara, Francesco Karrer, Mario Losasso, Maria Teresa Lucarelli, Jan Rosvall, Gianni Verga*

edited by

Massimo Lauria

Elena Mussinelli

Fabrizio Tucci

editing, collection and supervision of texts by

Maria Azzalin

proofreading by

Filedeflja Musteqja

Francesca Pandolfi

This e-book has been subjected to blind peer review process.

Cover:

adaption of

Siemens digitalization tour, Siemens, 1996-2019

ISBN 978-88-916-43087

© Copyright of the Authors.

Released in the month of November 2020.

Published by Maggioli Editore in Open Access with Creative Commons License
Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY-NC-ND 4.0).



Maggioli Editore is a trademark of Maggioli SpA
Company with certified quality system ISO 9001:2000
47822 Santarcangelo di Romagna (RN) • Via del Carpino, 8
Tel. 0541/628111 • Fax 0541/622595
www.maggiolieditore.it
e-mail: clienti.editore@maggioli.it

INDEX

THE NEW SCENARIOS OF TECHNOLOGICAL DESIGN <i>Maria Teresa Lucarelli</i>	12
REFLECTIONS ON RESEARCH AND DESIGN IN ARCHITECTURAL PRACTICE <i>Paolo Felli</i>	16
PRODUCING PROJECT	22
Research for the quality of the project <i>Elena Mussinelli</i>	23
Technical culture and disciplinary statutes <i>Massimo Lauria</i>	26
Requirements, approaches, visions in the prospects for development of technological design <i>Fabrizio Tucci</i>	33
PART 1. DEMAND FOR SERVICES, OFFER OF COMPETENCES	
Values, contents and project actors in the new organizational models of the building process	43
1.1 Architects' training and profession: current status, trends and perspectives <i>Ernesto Antonini, Pietromaria Davoli, Massimo Lauria</i>	44
1.2 The Italian design market from the point of view of the supply <i>Aldo Norsa</i>	52
1.3 The profession of architect in the VUCA society <i>Paolo Mezzalama</i>	60
<i>Innovation in the demand for design services: priorities, strategies, tools and practices of the client and their effects on the market</i>	
1.4 The demand for quality in architecture: project competitions <i>Valeria Ciulla, Alberto De Capua</i>	66

1.5	The impact of social demand on the project: the inclusive living for vulnerable people <i>Genny Cia, Marzia Morena, Ilaria Oberti, Angela Silvia Pavesi</i>	73
1.6	Circular and Collaborative: two terms of the project culture in the era of Industry 4.0 <i>Mariangela Bellomo, Antonella Falotico</i>	83
1.7	Project and crowdsourcing: phenomenon mapping and future perspectives <i>Timothy Daniel Brownlee, Valeria Melappioni</i>	90
<i>The evolution in the organization of the offer and in the project production: dimensions, structure, skills of the design structures, between multidisciplinary and specialization</i>		
1.8	The digital transformation of the AEC sector: innovation of processes and organizational models <i>Marcella Bonanomi, Cinzia Talamo, Giancarlo Paganin</i>	97
1.9	The digital challenge for the innovation of the design processes <i>Alessandro Claudi de Saint Mihiel</i>	104
1.10	New management models for design and construction: the Solar Decathlon ME 2018 experience <i>Antonio Basti, Michele Di Sivo, Adriano Remigio</i>	111
1.11	Towards a Maintenance 4.0. Chance versus need <i>Maria Azzalin</i>	119
1.12	The environmental-oriented complexity of design process <i>Anna Dalla Valle</i>	126
1.13	The innovation within building design and management processes <i>Valentina Frighi</i>	134
1.14	Rating system as design tool to manage complexity <i>Lia Marchi</i>	141
<i>New professional skills: definition, organization and education of knowledge, skills and competences</i>		
1.15	Green Procurement and Architecture. New horizons and skills for professionals <i>Riccardo Pollo, Corrado Carbonaro</i>	147
1.16	Tendencies and new players for participatory design <i>Giovanni Castaldo, Martino Mocchi</i>	154
1.17	Training to research. Strategies to bring closer universities and firms towards joint research <i>Massimo Rossetti</i>	161
1.18	Project production and University. Values, contradictions and opportunities <i>Oscar Eugenio Bellini, Andrea Tartaglia</i>	167
1.19	A new profession for the architect. The Project Manager <i>Mariateresa Mandaglio, Caterina Claudia Musarella</i>	175

1.20	Digital technologies, construction 4.0 and human factors <i>Erminia Attaianese</i>	182
1.21	Automation geography. Redefine the prefabrication <i>Margherita Ferrari</i>	188
PART 2. QUALITY OF THE PROJECT, QUALITY OF CONSTRUCTION.		
Technological innovation and ICT for the building process		195
2.1	Digital innovation and design complexity <i>Eliana Cangelli, Valeria D'Ambrosio</i>	196
2.2	Project production and digital culture <i>Mario Losasso</i>	202
2.3	Is BIM an Innovation? <i>Daniel Hurtubise</i>	208
<i>Information and Big Data for advanced management and decision-making processes</i>		
2.4	Technical innovation and GIS to qualify renovation processes <i>Giovanna Franco, Simonetta Acacia</i>	212
2.5	Which invisible technology? Metadates for the retrofit of historic buildings <i>Marta Calzolari</i>	219
2.6	Identity cards for multi-layered districts. BIM/GIS instruments for the design of smart cities <i>Saveria Olga Murielle Boulanger, Rossella Roversi</i>	226
2.7	Multi-criteria analysis method for the preliminary design of a hospital structure <i>Salvatore Viscuso, Milan Dragoljevic, Alessandra Zanelli</i>	234
2.8	Transparency in management and circularity. Blockchain and the production of the project <i>Cristina Fiore, Daniele Iori, Giuseppina Vespa</i>	241
2.9	Natural ventilation and CFD in the space of the historic city: the quality of urban design <i>Gaia Turchetti</i>	248
2.10	Decision-making in the design of circular buildings. Information on materials in BIM tools <i>Paola Altamura</i>	255
<i>Collaboration, integration and coordination of skills for sharing and managing data for project production</i>		
2.11	Transdisciplinary and shared methodologies for the design: input data identification <i>Lucia Martincigh, Gabriele Bellingeri, Chiara Tonelli, Lucia Fontana, Marina Di Guida</i>	263

2.12	GIS a tool for 20 th century architecture. From the territory to the building scale <i>Marta Casanova, Elena Macchioni, Camilla Repetti, Francesca Segantin</i>	271
2.13	Heritage-BIM. The integrated management of the historical centres: the case study of Artena <i>Filippo Calcerano, Elena Gigliarelli, Raffaele Pontrandolfi</i>	279
2.14	Light resource building approaches for eco-innovation of building processes <i>Martino Milardi</i>	287
2.15	New technologies and design: innovative co-design tools <i>Grazia Giulia Cocina, Gabriella Peretti, Riccardo Pollo, Francesca Thiebat</i>	294
2.16	Improving buildings quality through the reduction of the energy performance gap <i>Emanuele Piaia</i>	301

Integration of innovative methodologies, tools and technologies for off-site and on-site production, in relation to all phases of the building process

2.17	Industrial production, new tools and technologies for design of custom prefab housing <i>Spartaco Paris, Roberto Bianchi, Beatrice Jlenia Pesce</i>	309
2.18	Hybridization between BIM and VPL. Software development for embodied energy calculation of buildings <i>Roberto Giordano, Massimiliano Lo Turco, Yoseph Bausola Pagliero</i>	316
2.19	Concrete innovation between dematerialization and Industry 4.0 <i>Jenine Principe</i>	323
2.20	New tools for environmental design. A parametric model for the envelope <i>Paola De Joanna, Antonio Passaro, Rossella Siani</i>	329
2.21	Possible integration approaches of Life Cycle Assessment in BIM <i>Elisabetta Palumbo, Stefano Politi</i>	336

PART 3. DESIGNING THE PROJECT, INVENTING THE FUTURE.

Innovation of knowledge forms and cognitive statutes of the project 343

3.1	Design research: from the technological culture of design for social innovation to the anticipatory and creative function of design <i>Fabrizio Tucci, Laura Daglio</i>	344
3.2	For a new centrality of the figure of the architect <i>Fabrizio Schiaffonati</i>	353
3.3	Innovating projects in the Wisdom Economy <i>Luigi Ferrara, Caitlin Plewes, Graeme Kondruss</i>	359

Project culture and social innovation

3.4	Technological design and social innovation <i>Tiziana Ferrante</i>	368
-----	---	-----

3.5	The contemporary condition of design. A report on Digital Mathema <i>Giuseppe Ridolfi</i>	374
3.6	The culture of planning and participation <i>Alessandra Battisti</i>	382
3.7	Social, environmental and functional re-connection of reception spaces at Castel Volturno <i>Claudia de Biase, Rossella Franchino, Caterina Frettoloso</i>	391
3.8	City and need of city <i>Francesco Bagnato, Daniela Giusto</i>	398
3.9	Designing knowledge for recovery: between collaborative approaches and adaptability scenarios <i>Katia Fabbri, Serena Viola</i>	405
3.10	An inclusive approach for recovery strategies <i>Martina Bosone, Francesca Ciampa</i>	413
 <i>Research and the predictive and anticipatory function of the project</i>		
3.11	Technologies for urban liminal systems between legacies and disciplinary evolution <i>Filippo Angelucci</i>	419
3.12	Valorisation design: from plot to vector of architecture <i>Elisabetta Ginelli, Gianluca Pozzi</i>	427
3.13	Disciplinary contamination. “ <i>Recherche Patient</i> ” in design technological culture <i>Serena Baiani</i>	435
3.14	The technological design as cognitive process. Theories, models, inventions <i>Marilisa Cellurale, Carola Clemente</i>	444
3.15	New cognitive models in the pre-design phase of complex envelope systems <i>Paola Gallo, Rosa Romano</i>	452
3.16	Building performance simulation, BIM and Parametric design: potentiality for the design processes <i>Valeria Cecafosso</i>	459
3.17	Shaping the city of tomorrow through “Network Urbanism” <i>Irina Rotaru</i>	466
 <i>What creativity for the architectural project</i>		
3.18	Responsibility and the three roles of technology toward the “collaborative city” design <i>Rossella Maspoli</i>	473
3.19	Digital technologies and production of inhabited space in the anthropocene <i>Marina Rigillo</i>	481

3.20	Enabling technologies for continuous and interdependent design <i>Flaviano Celaschi, Daniele Fanzini, Elena Maria Formia</i>	487
3.21	Designing complexity: from uncertainty to knowledge exchange <i>Daniele Bucci, Ottavia Starace</i>	494
3.22	Towards an epistemology of practice: research and design activism <i>Renata Valente</i>	499
3.23	Technological Regenerative Design to improve future urban scenarios <i>Antonella Violano</i>	506
3.24	Principles of the Green Economy and design strategies for climate adaptation <i>Marina Block</i>	515
	PERSPECTIVES. REFLECTIONS ABOUT DESIGN <i>Elena Mussinelli</i>	522

2.15 NEW TECHNOLOGIES AND DESIGN: INNOVATIVE CO-DESIGN TOOLS

Grazia Giulia Cocina, Gabriella Peretti*, Riccardo Pollo*, Francesca Thiebat**

Abstract

Co-design has always existed, although in various forms. However, tools and methods have recently changed, including an ever-increasing number of new technologies used to encourage and simplify participation by all the users involved in the various design stages. Tangible User Interfaces (TUI) is one such technology that has not yet been sufficiently studied. These interfaces make digital data not only visible but tangible so that they can be controlled using physical objects that are easy to manipulate. This contribution will provide a more in-depth analysis of these tools, highlight their potential, and theorise their use in the design of complex projects such as hospitals.

Keywords: Co-design, Hospitals, Tangible User Interfaces, Participatory tools.

Framework

Several factors - including multiple users, decision-makers and relationships - make architectural design and the building process extremely complex. For hospitals in particular, these factors include the technical, managerial, and functional aspects of the activities in question.

The ethical, social, and economic importance of these activities means that consideration has to be given to the special needs of the patients, health workers, technicians, or simple citizens who use these services when they work.

There is in fact ample proof that the quality of the environment can not only influence the therapeutic outcome (Ulrich et al. 2004), but also affect the costs of the services and management.

* Grazia Giulia Cocina is a Postdoctoral Researcher at Department of Architecture and Design, Politecnico di Torino, Italy, grazia.cocina@polito.it.

* Gabriella Peretti is Full Professor at Department of Architecture and Design, Politecnico di Torino, Italy, gabriella.peretti@polito.it.

* Riccardo Pollo is an Associate Professor at Department of Architecture and Design, Politecnico di Torino, Italy, riccardo.pollo@polito.it.

* Francesca Thiebat is an Assistant Professor at Department of Architecture and Design, Politecnico di Torino, Italy, francesca.thiebat@polito.it.

As a result, an extremely thorough design process must be adopted to establish the present and future needs of those who use these spaces so that users can use and perceive them as suitable environments.

Appropriate tools are the ones that provide an in-depth analysis of users as part of the demand-performance metaproject.

Depending on how they are employed, they should present specific ways to involve the users, medical workers, technicians, and patients in order to identify solutions that will satisfy the predefined objectives.

In fact, all too often, once construction of the buildings is completed, they do not fulfil the function envisaged during the design stage. Proof comes in the following form: numerous post construction interventions not only spark considerable direct costs, but also affect the efficiency of the health centre.

To avoid this risk, designers must accept the challenge of involving the final users in order to meet their needs. This dual objective can be achieved by adopting the methods developed to optimise the design of services and products and using them in the field of architecture.

These methods can be divided into two big categories: User Centred Design and Co-Design. Despite the fact that the prime focus of both methods are users and their needs, they differ in the way they interact with the users.

User Centred Design considers users as being predominantly passive, i.e., designers study their needs either through observation or interviews. Instead Co-Design focuses on how to actively involve users in the design process. The main difference between these two approaches is therefore to shift from design “for users” to design “with users” (Sanders, Stappers, 2008).

There are several ways for users to be involved in the design process, depending on whether the designers act as interpreters or play a supporting role. As an interpreter the designer involves users as much as possible, but he is still the person who will later implement all their inputs. Instead if he plays a supporting role, he will tend to put himself on a par with the users involved in the overall organisational process.

When a hospital is designed the interaction between the design of the spaces and the activities performed there must necessarily be governed by qualified designers so that users – above all health workers with their knowledge and specific expertise – can express themselves to the full and be part of the design process.

In other words, the role of the design team is crucial, as is the involvement of specialists (organisational health, architecture, technologies, and environmental and clinical psychology). However, it is always the designer who plays a leading role and takes the responsibility for the choices that are made. They use their disciplinary expertise to steer user involvement.

This contribution will use case studies and examples illustrated in literature to identify innovative co-design tools that can be applied to the design of hospitals.

Co-design: tradition and innovation

Not many documented architectural projects have fully exploited codified user involvement methodologies, especially in Italy. This approach tends to be more prevalent when designing patient services or care pathways from a medical point of view. For example, Experience-based Co-design (EBCD) developed and disseminated in Great Britain in 2005 and strongly supported by the local health system. The EBCD is an approach used to improve the quality of health services through user involvement and experiences. In a co-design process staff and users work together in partnership; they discuss their experiences and then decide the priorities that need to be changed and how to implement them (Donetto et al., 2014).

The EBCD has become popular beyond the borders of the United Kingdom, so much so that from 2005 to 2013 numerous user involvement projects implemented in six different countries have produced excellent results.

Despite the fact that highlighting users' experiences is undoubtedly one advantage of this approach, it was not invented specifically to be used in architectural design.

Nevertheless, the benefits of co-design in the field of hospital design have been acknowledged in international literature, as underscored by Steen et al. (2011). They state that the key to a successful patient-staff relationship is to recognise that patients are the "experts of their experiences" and must therefore be taken into consideration during the design phase.

The Pharmacy of Whittington Hospital (London) is an interesting example of a recent co-design process. The hospital employs 4,000 staff who care for more than 500,000 people across north London. Although not a big project, the pharmacy is a strategic hub in the hospital. The project involved thirty-eight medical staff and used affinity mapping techniques¹ and *experience prototyping*². The Urban Hospice designed by Nord Architects (Copenhagen) is another example of hospital co-design. The participation implemented by the studio envisaged close collaboration between the architects, patients, and users; this approach impacts enormously on the final design which is always first class. The architects organised workshops where the actors involved established their needs and then created scale models.

Although these projects are important examples of co-design, they use traditional methods which do not lead to a real, beneficial involvement of operators and users. In fact, traditional methods such as mock ups (ranging from a schematic scale to full scale) are based on personal interviews and the not always symmetrical sharing of documents and physical models.

¹ Affinity mapping techniques involve a creative process to gather and organise a large amount of data, ideas and proposals and then highlight their relationship and stimulate a discussion.

² Simulation of the service /space/activity capable of envisaging and assessing certain performances using physical interactive experiences.

These characteristics are the reason why little use is made of co-design when it comes to designing hospitals.

In recent decades efforts have been made to solve these difficulties. Co-design tools have been radically revamped thanks to new technologies which have drastically changed that way in which information is transferred and shared; they have also added interaction and simultaneity to the active participation of users in the design process.

There has been significant progress in the design of some tools that use immersive environments, including Augmented Reality (AR) and Augmented Virtuality (AV). Augmented Reality makes it possible to visualise a scenario in which the real world is virtually embellished with additional information generated by specific software programmes. Users are completely immersed so that they cannot tell what is real and what is not. Augmented Virtuality instead creates a virtual space in which real elements are integrated into the environment and users can interact with them in real time.

Tangible User Interfaces (TUI) are another kind of tool (still experimental) that could play an important role in co-design since they would allow greater sensorial and interactive user involvement. They use innovative interfaces that make digital data not only visible but tangible so that it can be controlled through physical objects and allow multiple users, even if they are not experts, to collaborate and participate fully in the simulated design process.

Tangible User Interfaces: possible tools to enhance co-design in hospitals?

In 1993 a special edition of the magazine *Communications of the ACM* entitled *Back to the real world* presented a provocative hypothesis: computer graphics and virtual reality would distance people from their environment and as a result the real world would increase its digital functions rather than oblige users to participate in a virtual world (Shaer, Hornecker, 2010).

This inspired the Tangible User Interface concept, an alternative to the usual computer interfaces known as Graphical User Interfaces (GUI). In fact, the latter provides data in the form of pixels on a display; this means that the user interacts only with a mouse or keyboard, making the relationship null or non-existent since it is mediated only by vision and not real interaction.

Instead TUI use physical devices to interact with the digital contents; they manage to exploit our haptic sense and activate an interaction between data elaboration and manipulation that can be instantly and directly re-elaborated.

Professor Hiroshi Ishii, founder of the MIT Tangible Media Group defines Tangible User Interfaces as follows: «user interfaces that augment physical reality by combining digital data and everyday objects»³.

³ <https://tangible.media.mit.edu/>.

TUI can be used in many fields and in many ways; they can facilitate the cognitive processes of users with specific needs or be used in architectural design projects, again to facilitate the mental efforts that are required, especially the efforts needed to succeed in tangibly representing a problem.

Tangible representation can be particularly effective in urban planning and architecture because it can facilitate the designers' cognitive perception of space and provide a more creative immersion in the problem, thereby enhancing sharing and collaboration between users.

TUI can be either passive or active, first generation or second generation. The so-called "tangible workbenches" are one of the most important first generation TUI. They are interactive surfaces developed to support co-design in which tangible objects are manipulated and their movements perceived by the workbench. This kind of TUI also uses dynamic representations thanks to video projections accompanying the manipulation of the tangible objects.

The Urban Planning Workbench (Urp) (Underkoffler, Ishii, 1999) developed by the Tangible Media Group is one example of a Tangible workbench. The Group uses physical models of buildings to simulate shadows, reflected sunlight, wind flows, and other parameters that can be controlled using several interactive objects.

The Urp is a first attempt to involve users in the design process. However, it does have some rather important limitations: users have to necessarily use a predefined set of objects (in this case architectural models) and can only modify their spatial relationship but not their form.

Based on these considerations the Tangible Media Group designed a second generation of organically-shaped TUI. This generation uses other tangible materials, such as clay and sand, that are easier to shape and manipulate. Illuminating Clay and Sand-Scape (Ishii, 2008) are two excellent examples. These two materials are used to shape and facilitate comprehension of complex topographies, otherwise difficult to create using conventional 3D modelling tools. The characteristic of the TUI known as PICO (Pattern, Ishii, 2007) make it the most appropriate for use in architectural design. This interface has an interactive table surface where small objects can be positioned and moved; the objects can be used to tackle the problems associated with complex layouts. PICO combines the advantages of relatively simple mechanical systems with the power of computerised calculus. There are two ways to move the objects: either using electromagnets controlled by the software, or by the users around the table who can physically intervene in the computational optimisation process. A comparative study of several co-design tools has shown how, compared to other proposals, users have solved the spatial problems of complex layouts more efficiently when they use this tool (Shaer, Hornecker, 2010).

Other TUI use tangible interaction in other fields such as logistics. Tinkersheets is a simulated environment that exploits simulation parameters to manage a warehouse. Users establish the parameters by positioning small magnets.

This not only allows office work to be planned and monitored by visualising the activities, but also permits alternative scenarios to be developed.

The key feature of TUI is that they go beyond the limits created by the boundary between physical and digital due to the strong link between tangible objects and intangible representations.

Using familiar objects facilitates the cognitive development of new ideas through psycho-sensorial perception and body movement (Turkle, 2007). In fact, gestures are not just a means to communicate but play an important role in the cognitive development of ideas and concretisation of what is verbally expressed (Goldin-Meadow, 2003).

Early experiments used TUI as support tools to experiment with participation in the design process; they exploited social interaction and dialogue between groups of users, first and foremost designers and future users. This collaboration is enhanced by some of the unique features of TUI such as familiarity, use, and intuitive interaction with everyday objects; these features boost the active involvement of users thanks to the possibility of multiple system access points; this allows simultaneous interaction and something more than just mouse and keyboard mobility. This is the reason why the platforms are very often like round tables where people can meet.

Using these mechanisms TUI allow users to exploit their thoughts and kin-aesthetic memory and turn them into non-binding gestures. Actions such as pointing to objects, changing their arrangement, and transforming them can serve as epistemic actions that reduce the mental work load of a certain task by making use of non-mental resources and simplifying them vis-à-vis traditional user interfaces.

All the characteristics of TUI, and the examples presented here, lead us to believe that these tools could well be used to enhance user participation in the design of a complex building such as a hospital. More specifically, the flexibility of TUI, ease of use, and adaptability to different situations, could be exploited during the various stages of a hospital design, in particular:

- during the first concept stages to stimulate ideas from all users;
- during elaboration of the design to simplify communication between the professionals involved;
- during the modification and verification stages to receive feedback from future users;
- during the final design stages to illustrate and successfully explain the design choices;
- while the building is being used in order to help manage the workload.

Alla luce di quanto detto sino a ora, possiamo sostenere che le TUI, pur In light of all the above we feel confident that even if TUI are technologically complex they are important tools with which to experiment, study, and comprehensively apply in the field of co-design so that the final designs satisfy the needs of future users since they are based on a joint, collaborative effort.

References

- Donetto, S., Tsianakas, V., Robert, G. (2014), *Using Experience-based Co-design to improve the quality of healthcare: mapping where we are now and establishing future directions*, King's College London, London.
- Goldin-Meadow, S., (2003), *Hearing Gesture: How Our Hands Help Us Think*, Harvard University Press.
- Ishii, H., (2008), "The tangible user interface and its evolution," *Communications of the ACM*, 51, 6, pp. 32-36.
- Patten, J., Ishii, H., (2007) "Mechanical constraints as computational constraints in tabletop tangible interfaces" *Proceedings of CHI'07*, ACM, NY, pp. 809-818.
- Sanders, E.B.N., Stappers, P.J., (2008), "Co-creation and the new landscapes of design", *CoDesign*, 4, 1, pp. 5-18.
- Shaer, O., Hornecker, E., (2010) "Tangible User Interfaces: Past, Present, and future Directions", *Foundations and Trends in Human-Computer Interaction*, 3, nn. 1-2, pp. 1-137.
- Steen, M., Manschot, M., De Koning, N. (2011), "Benefits of Co-design in Service Design Projects", *International Journal of Design*, 5,2, pp. 53-60.
- Turkle, S., (2007), *Evocative Objects: Things We Think With*, MIT Press, Cambridge.
- Ulrich R., Zimring C., Xiaobo Q., Anjali J., Choudhary R. (2004), *The role of the physical environment in the hospital of the 21th century: a once-in-a-lifetime opportunity*, Report to the Center for Health Design for the Designing the 21st Century Hospital Project.
- Underkoffler, J., Ishii, H. (1999), "Urp: A Luminous-Tangible Workbench for Urban planning and Design", *Proceedings of CHI' 99*, ACM, NY, pp. 386-5393.