

Diagrid and Hexagrid Structures: New Perspectives in Design of Tall Buildings

*Original*

Diagrid and Hexagrid Structures: New Perspectives in Design of Tall Buildings / Scaramozzino, Domenico; Lacidogna, Giuseppe. - In: THE OPEN CONSTRUCTION & BUILDING TECHNOLOGY JOURNAL. - ISSN 1874-8368. - ELETTRONICO. - 15:1(2021), pp. 221-224. [10.2174/1874836802115010221]

*Availability:*

This version is available at: 11583/2963972 since: 2022-05-17T20:14:15Z

*Publisher:*

Bentham Open

*Published*


DOI:10.2174/1874836802115010221

*Terms of use:*

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

*Publisher copyright*

(Article begins on next page)



# The Open Construction & Building Technology Journal

Content list available at: <https://openconstructionandbuildingtechnologyjournal.com>



## PERSPECTIVE

### Diagrid and Hexagrid Structures: New Perspectives in Design of Tall Buildings

Domenico Scaramozzino<sup>1</sup> and Giuseppe Lacidogna<sup>1,\*</sup>

<sup>1</sup>Department of Structural, Geotechnical and Building Engineering, Politecnico di Torino, Corso Duca degli Abruzzi 24, 10129 Torino, Italy

#### Article History

Received: July 27, 2021

Revised: October 05, 2021

Accepted: November 08, 2021

## 1. INTRODUCTION

In the first decades of the 21<sup>st</sup> century, new structural systems have started to appear for the design and construction of tall buildings: the diagrids and the hexagrids. These systems are characterized by a grid pattern of diagonals placed over the external surface of the building (Fig. 1), which allows providing good structural performances while achieving noteworthy aesthetic and architectural effects. The diagrid is realized through a mesh of triangles made up of mega-diagonals and ring beams (Fig. 1a). The structural behavior of this system is mostly governed by the axial deformation of the diagonals, allowing to reach high levels of stiffness against lateral loads [1 - 4]. The hexagrid is a system composed of hexagonal beehive cells and can be of two main types: the horizontal hexagrid, which includes four diagonal members and two horizontal beams (Fig. 1b), and the vertical hexagrid, which includes four diagonal members and two vertical columns (Fig. 1c). In the case of hexagrids, the structural behavior is mostly dominated by the bending and shear deformability of the diagonals and horizontal or vertical members [5, 6]. This usually leads to a lower lateral stiffness performance for the hexagrid when compared to the diagrid.

Nowadays, both systems are finding continuous application in the design and construction of tall buildings worldwide, revealing an increasing interest in these structural systems by designers. Moreover, an increasing number of research groups within the academic environment are currently focusing their work on these grid solutions.

\* Address correspondence to this author at the Department of Structural, Geotechnical and Building Engineering, Politecnico di Torino, Corso Duca degli Abruzzi 24, 10129 Torino, Italy; E-mail: [giuseppe.lacidogna@polito.it](mailto:giuseppe.lacidogna@polito.it)

## 2. THE DIAGRIDS

The power of diagrids is that they do not need the conventional vertical columns, which are used in conventional frame systems to withstand horizontal and vertical actions. This is possible because the mega-diagonals can be used to resist both lateral and gravitational loads. This has offered several advantages, paving the way for the use of diagrids as efficient systems for tall building design and construction. Examples of diagrid strengths include their enhanced lateral stiffness compared to frame buildings [7], the capability to obtain remarkable architectural and aesthetic effects (Fig. 2a), the possibility to develop simplified methodologies to perform the structural analysis in the preliminary design stages [8 - 10], the capability to optimize their structural response and amount of structural weight simply by changing the geometrical pattern of diagonals [11 - 14], the possibility to speed up the construction processes due to the prefabrication of the main components [1], *etc.*

The diagrids have been recognized as a powerful solution for tall buildings since the beginning of the present century. This has led more and more research groups worldwide to investigate their behavior and suitability, which resulted in a steady increase of published papers in the last fifteen years. Fig. (2b and 2c) shows the yearly and a cumulative number of published papers, respectively, related to diagrids according to the SCOPUS database in the period 2005–2021 (data collected as of May 14, 2021). The first SCOPUS-indexed papers appeared in 2005, and few papers per year were published at the beginning. In the period 2010–2018, an average of about ten papers per year started to appear, whereas, in the last four years (2018–2021), almost twenty papers have been published each year (Fig. 2b). Today we can find a total of almost 200 papers on the subject, and the steadily increasing trend suggests increasing attention to this innovative structural solution for the design and construction of tall buildings (Fig. 2c).




Fig. (1). (a) Diagrid; (b) horizontal hexagrid and (c) vertical hexagrid.






Fig. (2). (a) One of the first realized diagrid tall buildings: the Hearst Tower in New York City, NY, USA (picture taken by D. Scaramozzino); (b-c) number of research papers published about diagrids according to the SCOPUS database in the period 2005–2021 (data collected as of May 14, 2021).

3. THE HEXAGRIDS

Hexagrids share similar fundamental features with diagrids, as they are both structural systems relying on an external grid pattern. However, differently than diagrids, the structural behavior of hexagrids is based on the shear and bending rigidity of the hexagonal cells (Fig. 3a), which are made up of diagonals and horizontal or vertical elements [5, 6]. In the case of hexagrids, the definition of the unit cell and representative volume element requires particular attention, as

it allows to simplify the hexagrid system and analyze it as an equivalent solid [15 - 17]. Calculations have shown that similar to the diagrid systems, the inclination of the hexagrid diagonals plays a key role in governing the shear and bending stiffness of the structure [15]. However, the hexagrid performance is usually found to be lower, in terms of lateral stiffness, than the one obtained with the diagrid [5, 6, 15]. This is probably the reason why, nowadays, we can find more examples of diagrids being designed and realized worldwide than hexagrids.




**Fig. (3).** (a) Example of hexagrid tall building: Sinosteel International Plaza, Tianjin, China (picture taken from [www.dezeen.com](http://www.dezeen.com)); (b) number of research papers published about hexagrids according to the SCOPUS database (data collected as of May 14, 2021); (c) cumulative number of research papers published about hexagrids.

Fig. (3b and 3c) report the published papers related to hexagrids according to the SCOPUS database in the period 2005–2021 (data collected as of May 14, 2021). As can be seen, the total number of papers is sensibly lower than those related to diagrids (Fig. 1b and Fig. 1c) for comparison). Moreover, these papers started to appear later. The first indexed articles about hexagrids appeared in the period 2010–2015, while in that period, there were already several dozens of papers about diagrids (Fig. 2c). It is also noteworthy that publications about hexagrids are limited to a few papers per year, with a maximum of three papers published in 2018 (Fig. 3b). This suggests that hexagrids have been the focus of some research groups in the last decade, but they have not received as much attention as diagrids. The reasons for this might be related to the higher complexity of the structure, both from a design and construction point of view, as well as to the higher performance of the diagrid in terms of structural efficiency.

## CONCLUSION

In this short perspective article, we have briefly surveyed the fundamental features of the most modern grid structural systems for tall buildings, *i.e.*, diagrids and hexagrids. For both, the essential properties related to their structural behavior have been briefly described, together with an analysis of the popularity of diagrids and hexagrids among researchers and designers worldwide. In particular, by surveying the SCOPUS database, we have noticed that diagrids have received great and increasing attention from scholars in the last fifteen years, with the trend suggesting that more attention will be paid to these

systems in the next years. Conversely, hexagrids have received less attention than diagrids, probably due to their higher complexity from a design and construction perspective, as well as due to their lower performance in terms of structural efficiency. Recent trends in the scientific literature also point towards new forms of grid structures for tall buildings, such as those using Voronoi tessellation for the generation of the external diagonal pattern (Fig. 4) [16, 17]. We expect future constructions to exploit diagrid, hexagrid, and grid solutions more and more in order to realize innovative, sustainable, and complex-shaped tall buildings.



**Fig. (4).** The ultimate generation of grid patterns for tall buildings exploits the Voronoi tessellation. Reprinted from (a) E. Mele *et al.*, Hexagrid-Voronoi transition in structural patterns for tall buildings. *Frat. ed Integrità Strutt.* 2019, 47, 186-208; (b) G. Angelucci and F. Mollaioli, Voronoi-like grid systems for tall buildings. *Front. Built. Environ.* 2018, 4, 1-20.

**CONSENT FOR PUBLICATION**

Not applicable.

**FUNDING**

The sponsorship was guaranteed by the Basic Research Funds provided by Politecnico di Torino (Italy).

**CONFLICT OF INTEREST**

The authors declare no conflict of interest, financial or otherwise.

**ACKNOWLEDGEMENTS**

The authors are grateful to the Editor-in-Chief, Prof. Panagiotis G. Asteris, for kindly inviting them to write this Perspective Paper for The Open Construction & Building Technology Journal.

**REFERENCES**

- [1] T.M. Boake, *Diagrid structures: Systems, connections, details*, Basel, Switzerland, 2014. ISBN 9783038215646.
- [2] E. Asadi, and H. Adeli, "Diagrid: An innovative, sustainable, and efficient structural system", *Struct. Des. Tall Spec. Build.*, vol. 26, p. e1358, 2017.  
[<http://dx.doi.org/10.1002/tal.1358>]
- [3] C. Liu, Q. Li, Z. Lu, and H. Wu, "A review of the diagrid structural system for tall buildings", *Struct. Des. Tall Spec. Build.*, vol. 27, pp. 1-10, 2018.  
[<http://dx.doi.org/10.1002/tal.1445>]
- [4] D. Scaramozzino, G. Lacidogna, and A. Carpinteri, "New trends towards enhanced structural efficiency and aesthetic potential in tall buildings: The case of diagrids", *Appl. Sci. (Basel)*, vol. 10, p. 3917, 2020.  
[<http://dx.doi.org/10.3390/app10113917>]
- [5] J.H.M. de Meijer, *Lateral stiffness of hexagrid structures.*, Eindhoven University of Technology, 2012.
- [6] N. Mashhadiali, and A. Kheyroddin, "Proposing the hexagrid system as a new structural system for tall buildings", *Struct. Des. Tall Spec. Build.*, vol. 22, pp. 1310-1329, 2013.  
[<http://dx.doi.org/10.1002/tal.1009>]
- [7] K.S. Moon, J.J. Connor, and J.E. Fernandez, "Diagrid structural systems for tall buildings: Characteristics and methodology for preliminary design", *Struct. Des. Tall Spec. Build.*, vol. 16, pp. 205-230, 2007.  
[<http://dx.doi.org/10.1002/tal.311>]
- [8] E. Mele, M. Toreno, G. Brandonisio, and A. De Luca, "Diagrid structures for tall buildings: Case studies and design considerations", *Struct. Des. Tall Spec. Build.*, vol. 23, pp. 124-145, 2014.  
[<http://dx.doi.org/10.1002/tal.1029>]
- [9] C. Liu, and K. Ma, "Calculation model of the lateral stiffness of high-rise diagrid tube structures based on the modular method", *Struct. Des. Tall Spec. Build.*, vol. 26, p. e1333, 2017.  
[<http://dx.doi.org/10.1002/tal.1333>]
- [10] G. Lacidogna, D. Scaramozzino, and A. Carpinteri, "A matrix-based method for the structural analysis of diagrid systems", *Eng. Struct.*, vol. 193, pp. 340-352, 2019.  
[<http://dx.doi.org/10.1016/j.engstruct.2019.05.046>]
- [11] G.M. Montuori, E. Mele, G. Brandonisio, and A. De Luca, "Geometrical patterns for diagrid buildings: Exploring alternative design strategies from the structural point of view", *Eng. Struct.*, vol. 71, pp. 112-127, 2014.  
[<http://dx.doi.org/10.1016/j.engstruct.2014.04.017>]
- [12] G. Angelucci, and F. Mollaioli, "Diagrid structural systems for tall buildings: Changing pattern configuration through topological assessments", *Struct. Des. Tall Spec. Build.*, p. e1396, 2017.  
[<http://dx.doi.org/10.1002/tal.1396>]
- [13] V. Tomei, M. Imbimbo, and E. Mele, "Optimization of structural patterns for tall buildings: The case of diagrid", *Eng. Struct.*, vol. 171, pp. 280-297, 2018.  
[<http://dx.doi.org/10.1016/j.engstruct.2018.05.043>]
- [14] S. Mirniazmandan, M. Alaghmandan, F. Barazande, and E. Rahimianzarif, "Mutual effect of geometric modifications and diagrid structure on structural optimization of tall buildings", *Archit. Sci. Rev.*, vol. 61, pp. 371-383, 2018.  
[<http://dx.doi.org/10.1080/00038628.2018.1477043>]
- [15] G.M. Montuori, M. Fadda, G. Perrella, and E. Mele, "Hexagrid – hexagonal tube structures for tall buildings: patterns, modeling, and design", *Struct. Des. Tall Spec. Build.*, vol. 24, pp. 912-940, 2015.  
[<http://dx.doi.org/10.1002/tal.1218>]
- [16] E. Mele, M. Fraldi, G.M. Montuori, G. Perrella, and V. Della Vista, "Hexagrid-Voronoi transition in structural patterns for tall buildings", *Frat. ed Integrita Strutt.*, vol. 13, pp. 186-208, 2019.
- [17] G. Angelucci, and F. Mollaioli, "Voronoi-like grid systems for tall buildings", *Front. Built Environ.*, vol. 4, pp. 1-20, 2018.  
[<http://dx.doi.org/10.3389/fbuil.2018.00078>]